

ILKLEY

"BEACON VIEW"
(BEECHWOOD GROVE)
YORKSHIRE

50' 3" W.

Ilkley

Gauge 5 in.

Ground 11 ft 0 in.

Sea Level 400 ft.

ed to the previous day.

IMPORTANT NO

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.04	R ✓	.59	—	1.08	.05	.06	.07	.10	.10	1
2	—	.01	.05	R ✓	.01	—	.52	—	.23	.47	—	.41	2
3	—	.04	.01	R ✓	.10	—	.17	.20	.06	.31	—	.28	3
4	.03	—	—	R ✓	.10	—	.42	1.04	.01	.65	—	.05	4
5	—	—	.02	—	.04	—	.07	.08	—	.16	—	—	5
6	—	—	.21	R ✓	.10	—	.01	—	—	—	.05	—	6
7	.28	.03	.04	R 46	.01	—	.58	—	—	—	—	—	7
8	.09	.10	—	.28	.12	—	.10	.22	.02	—	—	—	8
9	.40	.76	—	.56	—	—	.04	.03	—	.03	.01	—	9
10	.69	1.03	.03	.33	—	—	.46	.32	—	—	—	—	10
11	.25	.09	.07	.19	.19	.18	—	—	.01	—	—	R ✓	11
12	.16	.08	.56	.60	.01	—	.09	—	—	—	.09	R ✓	12
13	.08	.05	.19	.14	.08	.63	.07	—	—	—	.16	R 35	13
14	.02	.07	.19	R ✓	—	.33	.07	—	.18	.11	.49	—	14
15	.02	.18	.01	R 52	—	—	—	—	—	.98	.26	—	15
16	.12	—	.06	—	.04	—	.56	—	.13	—	.20	—	16
17	.13	—	—	—	R ✓	—	—	.10	.36	—	—	—	17
18	.09	—	—	(.10)	R 53	—	—	.04	.06	—	—	—	18
19	.03	.39	—	.14	.22	.17	—	.04	.16	—	—	—	19
20	.04	—	—	.28	—	—	.15	—	.01 DEW	—	.01	.01	20
21	.02	—	—	.02	—	—	.53	.02	.01	—	—	.17	21
22	.10	—	.02 DEW	.33	—	—	.36	.04	—	—	.01	.02	22
23	.03	—	—	—	—	—	.17	.03	—	—	—	.22	23
24	.01	—	.41	.05	—	—	.25	—	—	.01	—	.26	24
25	—	.01	.05	.01	—	.05	.73	.01	—	—	—	—	25
26	.16	.06	.33	.04	—	—	.10	—	—	—	R ✓	—	26
27	.21	—	.02	.05	.11	.55	—	—	—	—	R 34	R ✓	27
28	.62	.03	.17	.09	.01	.01	—	—	.01	—	—	R 25	28
29	.22	—	.20	.08	.73	.04	.15	—	.04	—	.22	.65	29
30	.19	—	.05	.01	.01	.09	—	—	.25	—	.17	.35	30
31	.27	—	.04	—	.03	—	—	—	—	.41	—	.12	31
TOTAL	4.29	2.93	2.77	4.28	3.03	2.05	6.68	2.22	1.55	3.20	2.11	3.24	YEAR'S TOTAL
Days with 01 in. or more	26	15	22	26	20	9	22	14	16	10	14	17	38.35 in.
Days with 04 in. or more	18	11	16	(21)	12	8	21	10	10	8	11	(15)	(162)

REGISTER OF RAINFALL IN 1920.

Kept at "Beacon View" Ilkley
in the County of Yorkshire
by P. G. Marshall

Lat. $53^{\circ}35'33''$ N. Long. $1^{\circ}50'3''$ W.
Time of Observation 9A
Nearest Railway Station Ilkley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 0 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	.04	R ✓	.59	—	1.08	.05	.06	.07	.10	.10	1
2	—	.01	.05	R ✓	.01	—	.52	—	.23	.47	—	.41	2
3	—	.04	.01	R ✓	.10	—	.17	.20	.06	.31	—	.28	3
4	.03	—	—	R ✓	.10	—	.42	1.04	.01	.65	—	.05	4
5	—	—	.02	—	.04	—	.07	.08	—	.16	—	—	5
6	—	—	.21	R ✓	.10	—	.01	—	—	—	.05	—	6
7	.28	.03	.04	R.46	.01	—	.58	—	—	—	—	—	7
8	.09	.10	—	.28	.12	—	.10	.22	.02	—	—	—	8
9	.40	.76	—	.56	—	—	.04	.03	—	.03	.01	—	9
10	.69	1.03	.03	.33	—	—	.46	.32	—	—	—	—	10
11	.25	.09	.07	.19	.19	.18	—	—	.01	—	—	R ✓	11
12	.16	.08	.56	.60	.01	—	.09	—	—	—	.09	R ✓	12
13	.08	.05	.19	.14	.08	.63	.07	—	—	—	.16	R.35	13
14	.02	.07	.19	R ✓	—	.33	.07	—	.18	.11	.49	—	14
15	.02	.18	.01	R.52	—	—	—	—	—	.98	.26	—	15
16	.12	—	.06	—	.04	—	.56	—	.13	—	.20	—	16
17	.13	—	—	—	R ✓	—	—	.10	.36	—	—	—	17
18	.09	—	—	(.10)	R.53	—	—	.04	.06	—	—	—	18
19	.03	.39	—	.14	.22	.17	—	.04	.16	—	—	—	19
20	.04	—	—	.28	—	—	.15	—	.01 DEW	—	.01	.01	20
21	.02	—	—	.02	—	—	.53	.02	.01	—	—	.17	21
22	.10	—	.02 DEW	.33	—	—	.36	.04	—	—	.01	.02	22
23	.03	—	—	—	—	—	.17	.03	—	—	—	.22	23
24	.01	—	.41	.05	—	—	.25	—	—	.01	—	.26	24
25	—	.01	.05	.01	—	.05	.73	.01	—	—	—	—	25
26	.16	.06	.33	.04	—	—	.10	—	—	—	R ✓	—	26
27	.21	—	.02	.05	.11	.55	—	—	—	—	R.34	R ✓	27
28	.62	.03	.17	.09	.01	.01	—	—	.01	—	—	R.25	28
29	.22	—	.20	.08	.73	.04	.15	—	.04	—	.22	.65	29
30	.19	×	.05	.01	.01	.09	—	—	.25	—	.17	.35	30
31	.27	×	.04	×	.03	×	—	—	×	.41	×	.12	31
TOTAL	4.29	2.93	2.77	4.28	3.03	2.05	6.68	2.22	1.55	3.20	2.11	3.24	YEAR'S TOTAL
Days with ".01 in. or more	26	15	22	26	20	9	22	14	16	10	14	17	211
Days with ".04 in. or more	18	11	16	(21)	12	8	21	10	10	8	11	(15)	(162)

RI

Kept at Brookin the County of Ykby G. W. WorfILKLEY
BROOK STREET.
YORKSHIRE

1911-1912.

FORM A2.
BRITISH RAINFALL.don 8 - JAN 1912
20 ft. -
el 312 ft.Lekey
Direction S
sult entered to the
ule, he is earnestlyIMPORTANT NOTI
previous day. If an Obrequested to add the read g at 0 am. On 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			28				26				06		2
3					03		05			03	12	03	3
4			13		28			03		02	25		4
5			13	04	02				05	03	55	39	5
6				07				41		04	34	07	6
7	09		03					02		11	42	85	7
8								10			06		8
9	17		17									84	9
10											05	23	10
11	11		22					01				90	11
12	18				16						10	30	12
13					03				99		51	02	13
14	07	21	13		08						06	41	14
15		12	10	04								45	15
16	03	63	16			19				05	24	34	16
17		02	06		07	44	04			02	44	11	17
18		51	12				08				11	10	18
19		04									08	07	19
20		07								13		15	20
21		57		14			02	21	08	06		21	21
22		08				03					16		22
23	10	40				41							23
24	07	14		06						16	07	11	24
25	16	83		10			27		03	08		13	25
26	05			13				09	67	80	08	15	26
27		20	15	20	06			28	22		03	40	27
28	05	28	02	37		10			21			04	28
29				13		55	09	06	34	46	02	25	29
30					08	10				27		10	30
31					10					17			31
Total	1.02	4.10	1.70	1.28	.91	1.82	.81	1.90	3.07	2.83	3.56	6.75	TOTAL for year 29.75
No. of Rain Days	11	14	13	10	10	7	7	11	11	18	19	25	156

R

Kept at Brook St Lekeby
 in the County of York W.R. 10
 by G. W. Worfe

Pattern Standard
 RAIN Diameter of top 5 in.
 GAUGE Height of top above Ground 20 ft.
 " " " Sea Level 312 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Lekeby
 Distance 1/2 mile Direction S

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			28				26				06		2
3					03		05			03	12	03	3
4			13		28			03		02	25		4
5			13	04	02				05	03	55	39	5
6	09			07				41		04	34	07	6
7		03						02		11	42	85	7
8								10			06		8
9	17		17									84	9
10											05	23	10
11	11		22					01				90	11
12	18				16						10	30	12
13					03			99			51	02	13
14	07	21	13		08						06	41	14
15		12	10	04								45	15
16	03	63	16			19				05	24	34	16
17		02	06		07	44	04			02	44	11	17
18		51	12				08				11	10	18
19		04						02	21	13	08	07	19
20		07					02	51	08	06		15	20
21		57		14				37	11	18	04	21	21
22		08				03				16		10	22
23	10	40				41			16	07		13	23
24	07	14		06						10			24
25	16	83		10			27		03	08			25
26	05			13				09	67	80	08	15	26
27		20	15	20	06			28	22		03	40	27
28	05	28	02	37		10			21			04	28
29				13		55	09	06	34	46	02	25	29
30					08	10				27		10	30
31					10					17			31
Total	1.02	4.10	1.70	1.28	.91	1.82	.81	1.90	3.07	2.83	3.56	6.75	TOTAL for year 29.75
No. of Rain Days	11	14	13	10	10	7	7	11	11	18	19	25	156

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A. JAN 1913

Kept at Leek
in the County of York NR10
by G.W. Worford

Lat. 53.55 Long. 1.49
Time of Observation 9 a.m.
Nearest Railway Station Leek
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 20 ft. in.
" " " " Sea Level 312 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			16			37	50	03	25	02		38	1
2	03	10		02	05	16	21		11				2
3	19		40			57		73	44			07	3
4			79			58		95			12		4
5	16		07	31	06	59		04			07		5
6	75	14	05		25			76					6
7	52	18	01	04	07	02		20	13		07		7
8		23	27	15	10				12		02	01	8
9		26	08	29		08		24				04	9
10	49			03		44					37		10
11	11	13					23				11	36	11
12	10	12	02			44		10				19	12
13	22	03								21	10	60	13
14	53		55		06	25		01				59	14
15		15	05		41			02				25	15
16	1.12	03	38			38		42		07		14	16
17	07		09			51		08			06	74	17
18	14		02			04		28		23	02	05	18
19	23	35	56		28	02	05	02		53	12		19
20	23				10	04		39		39	07	07	20
21		10	57		11			35		09	02	06	21
22	04				24	48	03					01	22
23			17		30	03	23	20				07	23
24	24		01				31	06		10	47	08	24
25						46	07	35			52	28	25
26		22					23	03		1.41	38	11	26
27		18	30			53	38	60		31		30	27
28		03				30	46	03	15	38	18	03	28
29		05	17				29		49	11		25	29
30			31		10	12	02	30	02			03	30
31			06		31		1.35					10	31
Total	5.17	2.30	5.09	.84	2.44	6.21	4.10	6.19	1.71	3.85	2.64	4.69	YEAR'S TOTAL 45.23
Rain Days.	17	16	22	6	14	21	14	23	8	12	16	24	193



Kept at Glen
in the County of Wt
by J. C.

ILKLEY

GLEN ROSA
YORKSHIRE

1911 - 1917

Form A2.
BRITISH RAINFALL.
in 6 in.
around 1 ft. 0 in.
Sea Level 450 ft.
2.7 m.
Name Ilkley

Distance 3/4 mile Direction East
the result entered to the

IMPORTANT

previous day. If a rainfall does not conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.26	—	—	—	.03	.03	—	—	.06	—	1
2	.30	—	.03	—	—	—	.29	—	—	.03	.12	.11	2
3	.03	—	.10	—	—	—	.01	—	—	.04	.24	.02	3
4	.04	—	.16	.06	—	—	—	.20	.05	.02	.63	.39	4
5	.01	—	.10	.08	—	—	—	—	—	.03	.23	.08	5
6	.15	—	.05	.04	—	—	—	.35	—	.08	.50	.80	6
7	.02	—	—	.02	—	—	—	.22	—	.01	.13	.01	7
8	.04	—	.20	—	—	—	.02	—	.01	.02	.01	.92	8
9	—	—	—	—	.09	—	—	—	.01	—	.06	.12	9
10	.09	.09	.02	—	.26	—	—	—	—	—	—	.91	10
11	.22	—	.05	—	.05	.03	—	—	—	—	.43	.32	11
12	.06	—	.17	—	.22	.40	—	—	1.04	—	.19	.02	12
13	—	—	—	—	.05	.02	—	—	—	—	.12	.44	13
14	.04	.15	.10	—	.03	—	—	—	—	—	.03	.50	14
15	—	.12	.12	.04	—	—	.02	—	—	.06	.20	.29	15
16	—	.60	.15	—	—	.20	.04	—	—	.05	.23	.12	16
17	—	.03	.06	—	—	.43	.03	—	—	.01	.40	.11	17
18	—	.47	.16	—	.09	.10	—	—	—	.03	.03	—	18
19	—	.06	.03	.03	—	—	.10	.04	.21	.17	.23	.23	19
20	—	.05	—	.16	—	—	.11	.56	.08	.05	—	.21	20
21	—	.45	—	.01	—	—	.01	.20	.13	.20	.01	.13	21
22	.11	.19	—	.01	—	.02	—	.09	—	.16	.04	—	22
23	.03	.40	—	—	.05	.36	—	—	.17	.11	—	.10	23
24	.16	.16	.06	.06	—	1.38	.01	.01	—	.13	—	.12	24
25	.06	.74	—	.10	—	.05	.59	—	.65	.06	.02	.25	25
26	.04	.04	—	.14	.07	—	—	.12	.03	.86	.20	.30	26
27	—	.20	.08	.21	—	—	—	.29	.21	.01	.03	.04	27
28	—	.16	.03	.38	—	.11	—	.01	.34	—	.01	.22	28
29	—	—	.02	.14	—	.56	.08	.07	—	.49	.02	.10	29
30	—	—	—	.01	.20	.06	—	—	—	.25	.01	—	30
31	—	—	.02	—	.07	—	—	—	—	.20	—	—	31
Total	1.40	3.91	1.97	1.49	1.18	3.72	1.34	2.19	3.14	3.05	4.18	6.86	TOTAL for year
No. of Rain Days.	15 16	16	21	16	11	13	13	13	12 13	23	26	26	34.43 inches

Kept at Glen Rosa Slekley
in the County of W Yorkshre. 10
by J. A. Chytrayd

Pattern Snowden 6-JAN 1912
RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 450 ft.
Time of Observation 8 a.m.
Nearest Railway Station { Name Slekley
Distance 3/4 mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.26				.03	.03			.06		1
2	.30		.03				.29			.03	.12	.11	2
3	.03		.10				.01			.04	.24	.02	3
4	.04		.16	.06				.20	.05	.02	.63	.39	4
5	.01		.10	.08						.03	.23	.08	5
6	.15		.05	.04				.35		.08	.50	.80	6
7	.02			.02				.22		.01	.13	.01	7
8	.04		.20				.02		.01	.02	.01	.92	8
9					.09				.01		.06	.12	9
10	.09	.09	.02		.26							.91	10
11	.22		.05		.05	.03					.43	.32	11
12	.06		.17		.22	.40			1.04		.19	.02	12
13					.05	.02					.12	.44	13
14	.04	.15	.10		.03						.03	.50	14
15		.12	.12	.04			.02			.06	.20	.29	15
16		.60	.15			.20	.04			.05	.23	.12	16
17		.03	.06			.43	.03			.01	.40	.11	17
18		.47	.16		.09	.10				.03	.03		18
19		.06	.03	.03			.10	.04	.21	.17	.23	.23	19
20		.05		.16			.11	.56	.08	.05		.21	20
21		.45		.01			.01	.20	.13	.20	.01	.13	21
22	.11	.19		.01		.02		.09		.16	.04		22
23	.03	.40			.05	.36			.17	.11		.10	23
24	.16	.16	.06	.06		1.38	.01	.01		.13		.12	24
25	.06	.74		.10		.05	.59		.65	.06	.02	.25	25
26	.04	.04		.14	.07			.12	.03	.86	.20	.30	26
27		.20	.08	.21				.29	.21	.01	.03	.04	27
28		.16	.03	.38		.11		.01	.34		.01	.22	28
29			.02	.14		.56	.08	.07		.49	.02	.10	29
30				.01	.20	.06				.25	.01		30
31			.02		.07					.20			31
Total	1.40	3.91	1.97	1.49	1.18	3.72	1.34	2.19	3.14	3.05	4.18	6.86	TOTAL for year
No. of Rain Days.	15 16	16	21	16	11	13	13	13	12 13	23	26	26	34.43 inches.

600 for amt. 17-11-13
REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
13 JAN 1913

Kept at Glen Rosa, Akeley
in the County of Yorkshire. W10
by J. A. Aylroyd.

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Akeley.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	—	—	.42	.23	.07	.26	.04	—	.36	1
2	.03	.11	.19	.03	.05	.19	.33	—	.15	—	—	—	2
3	.19	—	.16	—	—	.56	—	.88	.46	—	—	.09	3
4	.38	—	.80	.22	.06	.65	—	1.00	—	—	.10	.01	4
5	.23	—	.09	.05	.29	.60	—	.04	—	—	.02	—	5
6	.70	.12	.05	—	.04	.01	—	.86	—	.01	—	—	6
7	—	.15	.03	.03	.06	.02	—	.25	.18	—	.08	.03	7
8	.33	.35	.36	.15	.11	.03	.05	.01	.15	—	.04	—	8
9	—	.11	.06	.30	—	.03	—	—	—	—	.03	.04	9
10	.20	.04	.02	—	—	.72	—	.19	—	—	.35	.01	10
11	.11	.15	—	—	.01	—	.01	—	—	.01	.09	.33	11
12	.14	.15	.02	—	—	.25	.26	—	—	.24	.01	.13	12
13	.10	.03	.01	—	—	.02	—	.09	—	.01	.11	.60	13
14	—	—	.52	—	.05	.27	—	.03	—	.07	—	.58	14
15	.25	.18	.02	—	.44	.25	—	.01	—	—	.01	.25	15
16	.52	.01	.32	—	.02	.18	—	.03	—	—	—	.12	16
17	1.29	.12	.13	—	—	.50	.01	.45	—	—	.09	.81	17
18	.29	.03	.04	—	—	.11	—	.18	—	.22	.02	.12	18
19	.27	.25	.33	—	—	.02	.05	.25	—	.49	.12	.02	19
20	.29	.01	.13	—	.43	.05	.01	.02	—	.35	.09	.02	20
21	—	—	.57	—	.04	—	—	—	—	.02	.03	.06	21
22	.03	.10	.03	—	.40	.54	.03	.40	—	—	.01	.03	22
23	.04	—	.20	—	.01	.03	.25	.45	—	—	.17	.02	23
24	.21	—	.02	—	.35	.05	.40	.22	—	.14	.16	.11	24
25	—	.01	.03	—	—	.46	.02	.04	—	.07	.62	.06	25
26	.02	.22	.09	—	—	.03	.34	.45	—	1.55	.35	.38	26
27	—	.17	.20	—	—	.48	.39	.03	—	.33	.02	.31	27
28	—	.03	.04	—	—	—	.32	.58	.16	.38	.21	.05	28
29	—	.01	.16	—	.01	.15	.39	—	.58	.19	.01	.25	29
30	.02	—	.30	—	.08	—	1.60	—	.04	.01	—	.02	30
31	—	—	.06	—	.35	—	—	.32	—	.02	—	.05	31
Total	5.64	2.35	4.99	.78	2.80	6.62	4.69	6.85	1.98	4.15	2.74	4.86	YEAR'S TOTAL
Rain Days.	21	21	30	6	18	26	17	24	8	18	23	27	48.45

REGISTER OF RAINFALL IN 1913.

Kept at Glen Rosa, Lekkley
in the County of Yorkshire
by J. A. Aykroyd

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Lekkley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL
6-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.02	.18	—	—	—	—	—	—	.02	—	—	1
2	—	.21	.30	.29	—	.06	—	—	—	—	—	.09	2
3	—	.30	.28	—	.58	—	—	—	.01	—	—	.29	3
4	.55	.08	.08	—	—	.02	.04	.16	.03	.16	.03	.50	4
5	.30	.06	.20	—	—	.28	.02	—	.05	.09	—	—	5
6	.05	.19	.28	.02	.61	.05	.21	—	—	.13	.06	.02	6
7	—	—	.11	—	.31	.10	—	—	—	.70	.03	.02	7
8	.02	.08	.05	—	.62	.09	—	—	—	.10	.20	.01	8
9	—	.16	.29	—	.51	—	.04	.16	—	—	—	—	9
10	—	.01	—	.19	.03	.13	—	—	—	—	.16	—	10
11	.80	—	—	.46	—	.11	—	—	—	.11	—	.12	11
12	—	—	—	.01	—	—	—	.04	.09	—	.21	—	12
13	—	.02	.16	—	.03	—	—	—	.22	—	.22	—	13
14	—	.03	.21	.19	—	—	.01	—	—	.11	.14	.03	14
15	.25	.01	.58	.45	—	—	.05	—	.05	—	.41	.06	15
16	.15	—	.05	.02	—	—	—	.08	—	—	.34	—	16
17	.02	.03	.01	.34	.03	.05	—	—	.20	—	.10	—	17
18	.03	—	.26	.34	—	.11	—	—	—	—	.33	.02	18
19	~~.26~~ .29	—	.12	.24	—	—	—	—	.06	.09	.12	—	19
20	~~.26~~	—	.25	.10	—	.02	—	—	.02	—	.46	—	20
21	~~.27~~	.03	.11	—	.16	—	—	.12	—	—	.02	—	21
22	.25	—	.75	—	.05	.05	—	.38	.03	.08	—	—	22
23	.15	—	.15	—	.20	.20	—	.48	.15	—	.13	.06	23
24	.29	—	—	—	—	.30	—	—	—	—	—	.24	24
25	—	.01	—	.09	—	—	—	—	.39	.03	.03	.71	25
26	—	—	.16	.15	—	—	—	—	.09	.09	—	.25	26
27	—	—	—	.45	—	—	—	—	—	.08	—	—	27
28	.39	—	.25	—	—	—	—	—	—	—	.02	—	28
29	.03	—	.45	.33	.05	—	—	.35	—	.09	.10	—	29
30	.44	—	—	—	.06	—	—	.01	—	.20	.05	.22	30
31	.20	—	.10	—	.16	—	—	—	—	.03	—	—	31
Total	4.29	1.24	5.38	3.69	3.40	1.57	.37	1.78	1.39	2.11	3.16	2.64	YEAR'S TOTAL 31.00
Rain Days.	20 18	15	24	16	14	14	6	9	13	15 16	20	15	180

REGISTER OF RAINFALL IN 1914.

Kept at Glen Rosa Slekley
in the County of Yorkshire W.R. 10
by J. A. Aytrope

Lat. 54 Long. 2
Time of Observation 8 a.m.
Nearest Railway Station Slekley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.09	—	—	—	1.11	.09	—	.01	.35	.35	1
2	.12	—	.08	—	—	—	.15	.70	—	.02	.18	.13	2
3	.11	—	.29	—	.18	—	—	.06	—	.08	.03	.83	3
4	.42	—	.15	.26	.09	—	—	—	—	—	.09	.75	4
5	.22	—	.55	—	—	.09	—	—	—	.01	.68	.33	5
6	—	—	.22	—	.28	.02	—	.05	—	—	.11	.09	6
7	.05	.05	.28	—	.12	—	—	—	—	.01	.01	.38	7
8	.42	.08	.13	—	.15	.52	—	.06	.03	—	.03	.09	8
9	.39	—	—	—	—	1.00	—	.25	.05	—	.11	.01	9
10	.03	.15	—	—	—	—	.01	—	.09	—	.35	.02	10
11	—	.26	.30	—	.08	—	.03	—	.08	—	1.07	.78	11
12	—	.15	—	.18	.03	—	.16	—	.25	—	.33	.50	12
13	—	—	.22	.14	—	—	.06	—	—	—	.42	.46	13
14	.05	.38	.26	.21	—	—	.09	—	—	.01	.32	.73	14
15	—	.03	.36	—	—	—	—	—	.38	.02	.01	.06	15
16	.03	—	.06	.31	—	—	.80	—	.39	—	—	.01	16
17	.05	.28	.21	—	—	—	.03	—	.52	—	—	.29	17
18	—	.18	.06	—	—	.06	—	—	.02	.02	—	.09	18
19	—	.08	—	—	—	—	.09	—	.01	—	.08	.18	19
20	—	—	.06	—	—	—	—	—	—	.02	—	.01	20
21	.03	.65	—	—	—	.78	—	.08	—	.10	.05	.17	21
22	—	.22	.09	—	—	.40	—	.07	—	.24	.02	.03	22
23	—	—	—	.05	.32	.06	.03	.01	—	.01	.01	.10	23
24	.05	—	.25	.08	—	—	.19	.30	—	—	.10	—	24
25	—	—	—	—	—	—	.03	.26	—	.78	.02	.42	25
26	.08	—	.06	—	—	—	—	.04	—	.26	.28	.25	26
27	—	—	—	—	—	—	—	—	—	.14	.52	1.21	27
28	—	.19	.18	—	—	—	—	—	.02	.09	.37	—	28
29	.11	—	.15	—	—	—	—	.05	—	.55	.27	—	29
30	.15	X	.36	.02	—	—	—	.10	—	.28	.38	.15	30
31	.49	X	.18	X	—	X	.42	—	X	.31	X	—	31
Total	2.80	2.70	4.59	1.25	1.25	2.93	3.20	2.12	1.84	2.96	6.19	8.38	YEAR'S TOTAL 40.21
Rain Days.	17	13	23	8	8	8	14	12	11	19	26	27	186

REGISTER OF RAINFALL IN 1915.

Kept at Glen Rosa Slekley
 in the County of Yorkshire 10
 by J. A. Aylroyd

Lat. _____ Long. _____
 Time of Observation 8 a.m.
 Nearest Railway Station Slekley
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 1 in.
 " " " " Sea Level 4.50 ft.

Jan. 1, following.

81

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.29	.01	.08	.20		—	.12	.26		.03		1
2	.03	.36	.23	.11			.22	.09		.03	.01	.03	2
3	.40	.01	.03	.10			.33	.46			.03	.68	3
4	.09	.30		.05	.11		.39					.69	4
5	.29	.08	.20	.31	.02	.09					.05	.82	5
6	.36	.59	.24	.47			.53	.09				.20	6
7	.49	.92	.02	.48			.50	.48				.19	7
8	.35	.21		.23			.25	.09			.25		8
9	.01	.05		.01			.01	.09		.03	.24	.60	9
10	.51	.01	.02	.02				.48		.04		.18	10
11	.22	.03	.01		.75		.05	.19		.01	.11	.41	11
12	.10	.04		.12	.06		.23	.11		.26	1.09		12
13	.20	.49		.01				.03	.03	.01			13
14	.15	.04		.02	.19		.13	.42	.01	.01		.11	14
15	.66						.06		.06		.29	.24	15
16	.01	.75		.02	.11		.84	.34	.02	.02		.02	16
17		.43						.03		.01		.04	17
18			.19					.06	.09	.04	.02		18
19	.02	.08	.03	.03			.23	.03		.02			19
20	.23	.03	.03	.02	.09		.16			.01		.33	20
21	.11	.05		.02			.04					.11	21
22	.02	.06	.13	.02			.06			.01		.06	22
23	.02		.09				.09		.04	.21		.26	23
24			.11	.05					.38	.03		.30	24
25			.01						.10			.16	25
26	.04	.22				.09	.26					.63	26
27		.29					.25			.62		.29	27
28		.34			.08	.22				.24		.06	28
29		X	.04		.13	.46		.46			.16	.56	29
30	.14	X		.10		.64				.02	.02	.03	30
31	.11	X		X		X	.06	.41	X	.18	X	.25	31
Total	5.38	5.63	1.39	1.80	1.74	1.46	4.69	3.95	.99	1.80	2.30	7.25	38.38
Rain Days.	24	23	16	20	10	5	20	18	9	19	12	25	201

REGISTER OF RAINFALL IN 1916

Kept at *Glen Rosa Slekley*
in the County of *Yorkshire*
by *J. A. Chynged*

Lat. *53.85* Long. *1.75*
Time of Observation *8 a.m.*
Nearest Railway Station *Slekley*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *1* in.
Sea Level *450* ft.

FORM A.
BRITISH RAINFALL.
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.81	.05	.12			.02	.39				.02		1
2	.11	.06	.10			.06			.40	.23		.02	2
3		.23	.03			.06	.50		.55	.22	.35		3
4	.16	.25			.50	(.36)			.21	.43	.49		4
5	.08	.11			.05	.39		.05		.58	.55		5
6	.51	.75	.13	.05	.35		.25	.40		.08	.38		6
7	.20	.19	.04		.19		.20	.21		.48	.02	.26	7
8		.18	.25					.25	.36	.09	.46	.19	8
9	.06				.45	.61		.26			.09	.39	9
10	.16	.03	.03	.21		.29	.08		.11	.83	.02	.11	10
11		.53	.34	.41		.04	.06	.28	.06		.09		11
12	.11	.11	.26	.09	.31	.02	.55			.15			12
13		.13	.08	.06			.05			.82		.16	13
14	.03			.16	.30		.10			.05			14
15	.02	.58	.71	.06			.11						15
16		.39	.54	.21			.15						16
17	.11	.39		.53			.03		.19	(.99)	.05		17
18		.55		.05			.08		.30	.11	.71		18
19	.38		.28	.48					.03		.38	.21	19
20	.20		.25	.11								.15	20
21	.46	.03		.02	.08			.06					21
22		.16				.11				.16	.06		22
23	.05	.05	.19									.31	23
24		.13	.06			.09		.33			.15	.11	24
25	.14	.03	.45			.03		.15		.15	.19	.09	25
26	.04	.11					.06				.03		26
27		.31			.03			.05		.53			27
28		.38	.36		.06	.11				.85	.02	.39	28
29	.02	.22	.03			.16				.55		.23	29
30		X		.08					.02	.84		.11	30
31		X		X		X	.06		X	.35	X	.42	31
Total	3.65	5.95	4.25	2.52	2.32	2.35	2.67	2.04	2.23	7.79	4.06	2.75	LEADS TO 1916
Rain Days.	19	25	19	14	10	14	15	10	10	20	18	14	189

~~Correction~~

9 JAN 1917

GLEN ROSA,

ILKLEY,

YORKS.

Jan'y 8/17.

Dear Sir,

I regret an error
in my rainfall return sent
you a week ago. The fall
for Dec. 31st should be .42
instead of nil. This will
make the total for Dec. 3.15
+ for the year 42.98

Wishing you the Compliments
of the Season.

Yours Sincerely,

Fred A. Aythya

REGISTER OF RAINFALL IN 1917

Kept at

Glen Rosa, Lerley

in the County of

Yorkshire

by

J. A. Aylroyd.

Lat.

Long.

Time of Observation

8 a.m.

Nearest Railway Station

Lerley

Diameter of Funnel of Rain Gauge

8

in.

Height of top of Gauge above Ground

1 ft.

in.

Sea Level

4.50

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	—	—	—	.41	—	—	.71	—	—	(.66)	1
2	.36	—	—	.26	—	.04	—	.05	—	.05	—	—	2
3	.16	.11	—	—	—	.11	—	—	—	.39	—	—	3
4	—	—	.15	—	—	—	—	—	—	.08	.03	—	4
5	.39	—	.21	.26	—	—	—	—	—	—	.36	—	5
6	.02	—	—	—	—	—	—	—	—	.43	.09	.03	6
7	—	—	—	—	—	—	—	—	—	.42	—	.10	7
8	.81	—	—	.15	—	.22	—	—	—	.49	.36	.13	8
9	.63	—	.09	.12	—	—	—	3.48	—	—	.06	—	9
10	—	—	1.20	.16	.08	—	—	.16	—	—	—	—	10
11	.42	—	—	.08	—	—	—	—	—	.68	—	—	11
12	.03	—	—	—	.30	—	—	.62	—	.63	.18	.05	12
13	.22	—	—	.23	.08	—	—	.36	.31	—	.40	.15	13
14	.23	—	—	.28	—	—	—	.26	—	—	.06	.19	14
15	—	—	—	.21	.05	—	.31	—	.09	—	.26	.30	15
16	.11	.03	.11	.23	—	—	—	.15	.02	—	.53	.55	16
17	—	.13	.12	—	.60	—	.11	.87	—	.26	—	—	17
18	.03	—	.06	—	.16	—	.56	.28	.19	—	—	—	18
19	—	—	.43	—	.50	.12	.08	—	—	—	—	.06	19
20	.22	.19	—	—	.28	.11	—	.03	.32	—	—	—	20
21	—	.26	.13	—	.06	—	—	.21	—	.05	—	—	21
22	.02	.05	.08	—	—	.06	—	—	.15	.11	—	—	22
23	—	—	—	—	.21	.30	.02	.19	—	—	.23	—	23
24	—	.16	—	—	—	—	—	1.64	—	.75	.56	—	24
25	—	.03	.08	—	—	.03	—	.13	.14	.05	.02	.06	25
26	—	—	—	—	—	—	.06	.51	—	.56	.20	—	26
27	—	—	—	—	—	.33	.30	.68	—	.11	.19	.08	27
28	—	—	.26	—	—	—	—	.46	—	—	.25	—	28
29	—	—	.08	—	.26	—	.16	.03	—	—	.33	—	29
30	.05	X	.28	—	—	—	—	—	—	—	.09	.10	30
31	—	X	.43	X	—	X	—	—	X	—	X	—	31
Total	3.75	.96	3.71	1.98	2.58	1.73	1.60	10.11	1.93	5.06	4.20	2.46	YEAR'S TOTAL 40.07
Rain Days.	16	8	15	10	11	10	8	18	8	15	18	13	150

RE

ILKLEY

ST JAMES RD

YORKSHIRE

1911 - 1919

Kept at Ilkley (25)
in the County of W.R. York
by Albert W.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

1 ft.
1 325 ft.

Ilkley

Direction

Result entered to the
file, he is earnestly

Jan. 1, following.

IMPORTANT NOTE

previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.22		.02		.04	.04			.06		1
2	.25				.01		.24			.02	.11	.09	2
3	.01		.10	.01 s	.30					.02	.25	.01	3
4	.03		.12	.06 s	.02			.14	.03	.03	.62	.39	4
5	.01		.05	.08 s	.02			.33		.03	.19	.06	5
6	.13		.03	.03				.21		.11	.49	.78	6
7	.01	.01		.01							.06		7
8	.05		.18				.01		.01	.02		.93	8
9											.04	.14	9
10	.09	.08	.02									.90	10
11	.20		.04			.01			.01			.26	11
12	.05		.15		.15	.01			.97		.58 }	.01	12
13					.03						.10	.42	13
14	.03	.13	.10		.07						.02	.49	14
15		.13	.10	.02						.05	.18	.30	15
16		.59	.12			.22	.03			.05	.34	.11	16
17	.01	.01	.05		.07	.35	.02				.23	.10	17
18		.42	.15			.09				.02	.02	.06	18
19		.05		.02			.09	.02	.23	.15	.22	.15	19
20		.03		.15			.09	.54	.06	.04		.19	20
21		.48		.01				.24	.11	.18	.01 s	.10	21
22	.10	.11		.01		.02				.21	.03		22
23	.01	.41			.03	.37			.17	.04		.09	23
24	.16	.12	.04 s	.05		1.20	.01	.01		.12		.12	24
25	.03	.69		.09		.05	.30		.66	.04		.21	25
26		.03		.12	.05			.10	.02	.83	.18	.29	26
27	.04	.19	.13	.17				.27	.20		.02	.03	27
28		.25	.02	.40		.10			.18			.22	28
29			.01	.10		.50	.07	.05	.33	.48	.01	.09	29
30					.08	.08				.21			30
31			.01		.07					.15			31
Total	1.21	3.73	1.64	1.33	0.92	3.00	0.90	1.95	2.98	2.80	3.76	6.54	TOTAL for year
No. of Rain Days	17	17	19	16	13	12	10	11	13	20	22	26	196

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL
10 JAN 1912

Kept at Ilkley (28 St. James Road.)
in the County of WR York. 10
by Albert Wilson

RAIN GAUGE Pattern snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level 325 ft.
Time of Observation 9 Am.
Nearest Railway Station { Name Ilkley
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.25				.01		.24			.02	.11	.09	2
3	.01		.10	.01 s	.30					.02	.25	.01	3
4	.03		.12	.06 s	.02			.14	.03	.03	.62	.39	4
5	.01		.05	.08 s	.02			.33		.03	.19	.06	5
6	.13		.03	.03				.21		.11	.49	.78	6
7	.01	.01		.01							.06		7
8	.05		.18				.01		.01	.02		.93	8
9											.04	.14	9
10	.09	.08	.02									.90	10
11	.20		.04			.01			.01			.26	11
12	.05		.15		.15	.01			.97		.58 }	.01	12
13					.03						.10	.42	13
14	.03	.13	.10		.07						.02	.49	14
15		.13	.10	.02						.05	.18	.30	15
16		.59	.12			.22	.03			.05	.34	.11	16
17	.01	.01	.05		.07	.35	.02				.23	.10	17
18		.42	.15			.09				.02	.02	.06	18
19		.05		.02			.09	.02	.23	.15	.22	.15	19
20		.03		.15			.09	.54	.06	.04		.19	20
21		.48		.01				.24	.11	.18	.01 s	.10	21
22	.10	.11		.01		.02				.21	.03		22
23	.01	.41			.03	.37			.17	.04		.09	23
24	.16	.12	.04 s	.05		1.20	.01	.01		.12		.12	24
25	.03	.69		.09		.05	.30		.66	.04		.21	25
26		.03		.12	.05			.10	.02	.83	.18	.29	26
27	.04	.19	.13	.17				.27	.20		.02	.03	27
28		.25	.02	.40		.10			.18			.22	28
29			.01	.10		.50	.07	.05	.33	.48	.01	.09	29
30					.08	.08				.21			30
31			.01		.07					.15			31
Total	1.21	3.73	1.64	1.33	0.92	3.00	0.90	1.95	2.98	2.80	3.76	6.54	TOTAL for Year 30.76
No. of Rain Days	17	17	19	16	13	12	10	11	13	20	22	26	196

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL

Kept at Ilkley (St. James Road)
in the County of Yorkshire W. 10
by Miss Brown.

Lat. Long.
Time of Observation 9 Am. but sometimes later in the day.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05 s	.14			.40	.28	.04	.27	.13 ?		.40 s	1
2	.01	.14 s	.09	.02	.04	.18	.23		.11			.02 s	2
3	.16	.01 s	.25			.54		.76	.48			.08	3
4	.37		.79	.20	.05	.63		1.14	.01		.10 ?		4
5	.16	.01 s	.07	.03	.28	.58		.03			.01		5
6	.91	.14	.04		.03			.90					6
7		.17	.01	.02	.05	.01	.03	.02	.15		.07	.01	7
8	.44	.18	.25	.10	.09	.02			.14		.02		8
9	.19	.26	.06	.28		.05	.01				.01	.03	9
10	.11	.03	.02	.02	.01			.22			.33		10
11	.15	.14					.08				.08	.35 ?	11
12	.08	.15	.01			.23	.25				.01	.14	12
13		.02						.14		.24	.11	.48	13
14	.23		.50		.05	.25		.01		.01		.54	14
15	.44	.16	.05		.41	.24					.01	.23	15
16	1.40	.01	.26		.01	.17		.01		.07		.12	16
17	.04 s	.09	.16			.51		.43			.07	.81	17
18	.22 s	.01	.02			.04				.24	.01	.05	18
19	.20	.24	.44			.01	.04	.32		.52	.11		19
20	.26		.05		.41	.03	.02	.02		.42	.05	.01	20
21			.56		.09						.01	.05	21
22	.02	.09	.02		.36	.51	.01	.40					22
23	.02 s		.17			.02	.24	.40			.19	.01	23
24	.21		.02		.31	.08	.37	.23		.14	.22	.09	24
25			.02			.42		.03		.05	.54	?	25
26	.01 s	.20	.08				.36	.43		1.50	.37	.47	26
27		.15	.17			.51	.37	.02		.07 ?	.01	.39	27
28		.02	.03			.30	.44	.62	.06	.38	.14 s		28
29		.04	.14		.01	.15	.34	.01	.66	.14	.05 s	.16	29
30	.02		.29		.08		.02					.03	30
31			.05		.36		1.45	.33				.04	31
Total	5.65	2.31	4.76	0.67	2.64	5.88	4.54	6.51	1.88	3.91 ?	2.50 ?	4.51 ?	YEARS TOTAL 45.76
Rain Days.	22	22	29	7	17	23	17	22	8	14	22	22	225

32nd Jan 1914 REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 3-JAN 1914

Kept at Widley
in the County of Essex
by Miss Fanny Brown

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Widley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 82 1/2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.01	.16	.06						.01	.02		1
2	—	.22	.19	—		.07					.13	.08	2
3	—	.24	.16	—	.53		.03				.05	.29	3
4	.54	.04	.03	—	.02		.02		.02	.15	.08	.48	4
5	.29		.20	—		.25	.33	.08	.04	.08			5
6	.05		.38		.62	.04				.13			6
7			.08		.31	.17		.03		.67	.01		7
8	.01		.02		.84	.01		.02		.07	.16	.08	8
9	—	.15	.26		.31	.24					.15	.05	9
10	.05		.14	.16	.01		.03				.12	.02	10
11	.51			.46						.09	.12		11
12	.03			.01				.02	.07		.21		12
13	.03	.02	.14						.21	.03	.11		13
14	.15	.01	.18	.16					.04	.09	.06		14
15	.20		.62					.06			.51	.06	15
16			.5	.08			.08				.81		16
17	.02		.0		.23	.05	.08		.19		.14	.01	17
18	.09		.15	.33		.10					.58	.01	18
19	.20			.06					.04	.09	.59		19
20			.23	.20	.03				.02	.07	.44		20
21	.01		.11		.06		.14	.15					21
22	.23		.74		.08	.01		.22	.05				22
23	.13		.10		.20	.24		.10	.14		.14		23
24	.26			.01		.29			.37				24
25				.06		—				.04		.78	25
26			.16	.28					.11	.08	.91	.71	26
27				.30		.04				.08		.25	27
28	.40		.24	.36						.02			28
29	.01		.43	.32	.04					.07	.07	.03	29
30	.43		.05		.06					.21	.01		30
31	.20		.13		.15	.03		.33					31
Total	4.91	1.34	4.95	2.98	3.29	1.54	.67	.99	1.30	1.98	3.26	2.26	29.46
Rain Days.	23	(10)	23	16	15	13	8	8	12	19	22	14	29.46

REGISTER OF RAINFALL IN 1914

Kept at 30 St James Road
in the County of Herts York
by (Miss) H. Brown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station St Albans
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 325 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02						.99	.08		.01	.02	.37	1
2			.06				.11	.62		.06	.32	.17	2
3	.07		.20		.19			.03			.12	.91	3
4	.37		.16	.26	.07			.01			.11	.80	4
5	.14		.42	.16							.59	.25	5
6			.23	.22	.27	.01		.03			.09	.07	6
7	.03	.02	.43	.10	.13	.01		.01				.42	7
8	.45		.08			.42		.11	.02			.08	8
9	.33	.08		.23		.88		.17	.03		.10	.01	9
10	.05	.15			.01				.05		.44		10
11		.27	.28		.07				.06		.95	.47	11
12		.13	.09		.01		.22		.35		.25	.52	12
13		.11	.13	.13			.06		.06		.31	.45	13
14		.38	.22				.04		.14			.69	14
15	.05	.01	.34								.64	.02	15
16	.01		.03				.80		.51		.02		16
17	.03	.27	.17				.01		.35			.29	17
18		.15	.04										18
19		.07					.08			.01	.06	.14	19
20		.12	.03									.01	20
21		.53				.93		.04		.09	.03	.19	21
22		.79	.08	.01	.04	.34		.06		.18		.04	22
23			.02	.04	.28	.06	.01			.78		.09	23
24	.04		.19			.01	.16	.29			.08		24
25	.02							.24			.01	.41	25
26	.03		.09							.27		.24	26
27	.01									.12	.50	1.24	27
28	.02	.18	.14								.31	.01	28
29	.05		.23		.08			.03		.54	.16	.14	29
30	.16		.35		.01			.10		.25	.27		30
31			.11				.39			.31	.14		31
Total	1.88	2.66	4.12	1.15	1.10	2.66	2.87	1.82	1.57	2.59	3.36	2.94	YEAR'S TOTAL
Rain Days.	18	15	22	8	11	8	11	14	9	11	20	26	174

REGISTER OF RAINFALL IN 1915

Kept at Elkley (St James Road)
in the County of York
by J. Brown

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Elkley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3515
FORM A.
BRITISH RAINFALL
10 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
7.5

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31	.26			.20		.09	.12	.29			.45	1
2	.01	.32	.22	.19		.01	.13	.08			.03		2
3	.86		.01	.14			.23	.58			.01	.66	3
4	.10	.10		.04	.10	.04	.49					.67	4
5	.25	.41	.15								.04	.83	5
6	.36	.39	.25	.28	.01		.50	.06				.19	6
7	.44	.90					.49	.46					7
8	.35	.19		.63			.27	.11			.22		8
9	.01	.05						.03		.03	.26	.85	9
10	.56		.02	.01				.44		.03		.16	10
11	.14	.01		.10	.81		.11	.16				.38 .245	11
12	.10	.06			.06		.19	.05		.22	1.09		12
13	.13	.47										.06	13
14	.14				.15		.13	.02	.01			.07	14
15	.40	.02					.04	.50	.04		.31		15
16		.81			.10		.77	.29					16
17		.34						.02				.04	17
18		.12	.248					.08	.07	.02			18
19		.04	.01	.02	.04		.20	.01					19
20	.21	.01	.01		.03		.14					.30	20
21	.10	.04		.01			.03					.08	21
22	.02		.12	.05			.10			.01		.08	22
23			.06				.10		.03	.24		.09	23
24				.03					.36			.37	24
25		.03							.08			.16	25
26	.025	.23				.06	.26					.60	26
27							.24			.56		.26	27
28		.318	.038		.14	.33		.40		.22		.06	28
29				.04	.47						.20	.51	29
30	.13	X		.05		.30						.12	30
31	.15	X		X		X	.03	.38	X	.17	X	.17	31
Total	5.09	5.11	1.12	1.65	1.67	1.11	4.52	3.79	.88	1.50	2.46	6.71	YEAR'S TOTAL 352.1
Rain Days.	22	21	11	12	11	6	19	18	7	9	8	28	168

REGISTER OF RAINFALL IN 1916

Kept at Wheley, St James Road
in the County of York WR
by (Miss) Fanny Brown

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

3440
FORM A.
BRITISH RAINFALL
18 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
108

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.75	.05	.09s			.06	.35			.01	.05		1
2	.89	.06	.10s						.42	.19		.01	2
3		.16		.03		.05			.48	.27	.31		3
4	.01	.27			.48				.26	.39	.47		4
5	.06	.22		.01	.03					.67	.48		5
6	.57	.59	.08s	.03	.35	.34	.20			.08	.49	.03	6
7	.02	.17	.08s		.13		.16		.01	.48		.22	7
8		.18s	.23s			.02				.05	.39	.16	8
9	.04		.07s		.43	.46			.47		.20	.17	9
10	.10	.06s	.01s	.19		.34	.04			.78	.01	.08s	10
11	.14	.47s	.37s	.46	.03	.03	.03			.10		.01	11
12	.08	.13	.24s	.06	.24	.01	.57	.03	.06	.12		.02	12
13		.10s	.13s	.03			.08	.47		.80		.11s	13
14	.01	.17s	.01s	.14	.26			.23		.12			14
15	.01	.47	.79	.03	.44		.11			.09			15
16	.01	.47	.48	.22			.09	.60		.01			16
17		.31		.51			.03		.17	.19	.01s		17
18	.07	.56		.03			.02	.37	.25	.11	.67	.15s	18
19	.30	.01	.24	.43				.01	.05		.39	.16s	19
20	.26		.22	.16			.04	.07			.04		20
21	.32			.01	.11								21
22		.13s				.02				.18	.03	.05s	22
23	.03	.06	.17s	.04		.01				.01	.09	.28s	23
24		.15s	.07			.06		.47		.06	.04		24
25	.09	.25s	.41s					.17		.06	.17	.11s	25
26	.04	.10s	.32s			.01	.05			.12	.03		26
27		.27s	.02s			.02			.02	.47			27
28		.35s			.10	.13				.22	.02	.38	28
29		.20s				.14				.37		.22	29
30		X				.03				.90		.08	30
31		X		X	.02	X	.04		X	.30	X	.34	31
Total	2.91	2.48	4.13	2.38	2.88	1.72	1.81	2.42	2.19	8.29	3.87	2.53	205
Rain Days.	20	26	20	16	11	16	14	9	10	27	18	18	205

REGISTER OF RAINFALL IN 1917

Kept at 30 St James Rd Elkeley
in the County of York
by Miss Brown

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 inches.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 325 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	.03 not taken			.40		.44		-	.38		.22		1	
2	.35 on acc.					.04		.01		.02			2	
3		fill new		.03		.11				.24	.06		3	
4	.14		.22s									.01	4	
5	.32	.12	.20s	.24s							.16		5	
6	.02					.04					.41	.07	6	
7	.66s					.17				.92 ~~in 5 days~~	.05	.04	7	
8	.65s			.20s				3.49		.50	.22	.38	8	
9			1.17	.28s				.26					9	
10	.40s		in two days	.27s	.07			.14					10	
11	.04			.06s						.55			11	
12					.29			.66	.01	.60	.01	.01	12	
13	.30s			.23	.06			.32	.29		~~.14~~	.14	13	
14	.23			.21	.03			.14		.03		.19	14	
15	.06	.09		.06s				.01	.09				15	
16	.02	.04	.10				.34	.13		.49		.63	16	
17			.11	.37	.55		.09	.84				.17	17	
18	.03s				.16	.12		.24	.20	.14			18	
19		.17	.46	.02	.47	.09	.05	.01			.02	.02	19	
20	.15s	.25	.04					.02	.32				20	
21	.06s	.04	.07s		.04	.07				.05			21	
22			.06s					.04	.11		.03		22	
23	.01			.23	.38	.02	.14			.02	.12	.02	23	
24				.04			.24			.74	.61		24	
25							.14	.14		.46	.03		25	
26					.01		.54			.60	.14		26	
27				.16	.32	.19	.2			.09	.16	.07	27	
28			.28								.25		28	
29			.10s	.14	.1					.37		.28	29	
30		X	.19s				.11			.07			30	
31		X	.49s	X	X			.29	X	.01	X	.03	31	
Total	3.47	.71	3.45	.31	.230	.67	.94	.82	.9	1.54	3.90	2.49	1.61	34.68
Rain Days.	17	17	14	12	10	12	6	20	8	19	15	14	15.4	

REGISTER OF RAINFALL IN 1918

Kept at 30 St James Road, Wetherby Lat. 53° 45' N Long. 1° 45' W
 in the County of Yorkshire W Time of Observation 4.4 m
 by H Brown Nearest Railway Station Wetherby
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 7 ft. in.
 " " " " Sea Level 320 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.04		.01					.33	.11	.25	.10	1
2									.26			.23	2
3		.12			.65			.05	.75	.11		.01	3
4		.01	.04		.01			.04	in 2 days	.09	.36	.17	4
5		.01	.02	.08	.22	.24		.88		.33		.01	5
6		.73	.02	.20	.02			.01	.01	.15			6
7	.03	.11		.15					.40	.35	.24	.03	7
8	.30	.29	.13				.09		.42	.11	.13		8
9	.31	.71		.10		.06			1.19	.53		.07	9
10	.03	.40					.06		.28	.05		.02	10
11	.08	.06			.08		.17		.05	.01		.10	11
12	.01			.08	.05		.26					.08	12
13				.04	.16	.02			.48	.50			13
14	.25					.17	.11		.40	.09		.30	14
15	.04						.77		1.02			.47	15
16	.02				.01	.29	.29	.10	.21			.31	16
17	.35				.45	.01	.36			.40		.33	17
18	.66	.03	.09			.05	.19		.33	.01		.43	18
19	.26		.15	.05	.01	.01	.37	.11	.37	.15		1.23	19
20	.19	.23		.09		.02	.39		.09	.03			20
21	.34	.93			.94				.86	.17		.06	21
22	.05				.27		.70	.02	.09			1.05	22
23	.04				1.45		.10		.10		.01		23
24		.05					.09	.06	.07		.01	.05	24
25						.15	.08	.46	.26				25
26	.06	.06						.21	.23		.07	.10	26
27		.21	.49		.02				.66		.12	.25	27
28		.13	.35						.15		.03	.87	28
29								.05				1.14	29
30		X	.22					.09			.03	.05	30
31		X	.20	X		X		.12	X	X	X		31
Total	3.28	4.62	1.71	.85	4.34	1.02	3.97	2.25	8.55	3.19	1.25	6.38	41.41
Rain Days.	18	14	10	9	14	10	15	12	26	17	10	24	163

REGISTER OF RAINFALL IN 1919

Kept at 30 St James Road, Hkley
in the County of Yorkshire
by H Brown

Lat. _____ Long. _____
Time of Observation 9.4 am
Nearest Railway Station Hkley
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " Sea Level 325 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.81		.01	.01			.09			.06	.11	.09	1
2	.185			.01			.49		.23	.08	.06	.07	2
3	.835						.09				.36	.19	3
4	.065		.375				.01	.01	.10	.01	.37	.03	4
5	.065	.105							.40		.02	.06	5
6	.06									.01	.10	.07	6
7	.06			.03					.07			.17	7
8	.65			.04				.01			.12	.12	8
9										.18	.19		9
10				.03					.09		.12	.21	10
11				.06			.27		.07	.01		.04	11
12									.04	.31			12
13	.24		.55				.13		.24	.40	for three		13
14	.21			.52			.07		.05		.875	.01	14
15	.12	.20	.03	.14			.03				.095	.34	15
16	.21	.70									.035	.07	16
17		.06					.49		.11		.15		17
18		.35	Christmas						.48			.05	18
19	.10	.11	1.545				.10	.26	.13		.01	.03	19
20	.61	.06	.025			.05	.14		.12			.17	20
21		.38				.07	.15		.02		.01		21
22		.19					.20	.01			.01		22
23						.12	.12	.07		.67	.02	.07	23
24	.01		.40			.03	.05				.04	.05	24
25	.17		.01			.18		.62		.33	.02		25
26		.11	.01					.38	.03	.05	.16	.35	26
27			.01				.12	.23		.35	.02	.01	27
28	.01					.07		.65			.01	.31	28
29	.06					.15				.67	.15	.10	29
30	.01	X				.20				.05	.14	.24	30
31		X		X		X	1.97		X	.03	X		31
Total	4.46	2.26	not taken	not taken	not taken	not taken	1.97	2.83	1.53	3.16	5.17	2.99	YEAR'S TOTAL
Rain Days	19	10					14	11	13	15	26	28	

R 3318

Kept at *Spences* **ILKLEY, SPENCES GARDENS**

in the County of

by *Ilkley Urban*

1914 - 20

4. 1° 58' W.
A.M.
Ilkley
5 in.

Above Ground 1 ft. 0 in.
Sea Level 314 ft.

and the result entered to the
universal rule, he is earnestly

Jan. 1, following.

IMPORTANT

previous day. If a 1918
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	—	.06	—	—	—	—	—	—	—	.29	.19	1
2	—	—	.05	—	—	—	—	—	—	—	.13	.30	2
3	.11	—	.21	—	.18	—	—	—	—	.07	.33	.12	3
4	.43	—	.22	.28	.09	—	.01	.02	—	—	—	.91	4
5	—	—	.46	.16	—	.03	—	—	—	—	.55	.82	5
6	—	—	.21	.15	.26	—	—	.05	—	—	.18	.15	6
7	.12	.04	.23	.14	.14	.04	—	—	—	—	.09	.12	7
8	.58	—	.19	—	.11	.38	—	.10	—	—	—	.42	8
9	.37	.09	—	.24	.02	.89	—	.18	.05	—	—	.02	9
10	.05	.13	—	.02	.03	—	—	—	—	—	.10	—	10
11	—	.24	.28	—	.06	—	—	—	.10	—	1.10	—	11
12	—	.13	.12	—	.03	—	.06	—	.10	—	.16	.60	12
13	—	.15	.14	.08	—	—	.18	—	.32	—	.45	.60	13
14	.04	.41	.19	—	—	—	.12	—	.02	—	.15	.82	14
15	—	.02	.28	—	—	—	—	—	.15	.01	.07	.14	15
16	—	—	.04	—	—	—	.40	—	.13	—	.80	.02	16
17	.05	.23	.13	—	—	—	.40	—	.77	.24	—	.02	17
18	—	.11	.09	—	—	.03	—	—	.01	—	—	.25	18
19	—	.07	.02	—	—	—	.03	—	—	—	.06	.11	19
20	—	.12	.03	—	—	—	.07	—	—	—	.02	.10	20
21	—	.59	—	—	—	.91	—	—	—	.07	—	.19	21
22	—	.19	.04	.01	.05	.23	—	—	—	.24	.07	—	22
23	—	—	.05	.11	.28	.07	—	.06	—	—	—	.09	23
24	.12	—	.22	.06	.04	.04	.01	.16	—	—	—	.06	24
25	.04	—	—	—	—	—	.17	.15	—	.02	.09	.17	25
26	.05	—	.08	—	—	—	.01	.25	—	.77	.22	.57	26
27	.04	—	—	—	—	—	—	—	—	.27	.27	.93	27
28	.06	.22	.10	—	—	—	—	—	—	.12	—	—	28
29	.07	—	.15	—	.10	—	—	—	—	—	.29	—	29
30	.21	X	.38	.03	.01	—	—	.05	—	.60	.34	—	30
31	.42	X	.14	X	—	X	—	.10	X	.07	X	.14	31
Total	2.89	2.74	4.11	1.28	1.40	2.62	1.46	1.12	1.65	2.48	5.76	7.86	35.37
Rain Days.	17.	15	26	11	14.	9	11	10	9	11	21.	25	179

YEAR'S TOTAL

REGISTER

Kept at *Spences Gardens, Ilkley*
 in the County of *Yorkshire*
 by *Ilkley Urban District Council.*

Lat. *53° 51' N* Long. *1° 58' W.*
 Time of Observation *9 A.M.*
 Nearest Railway Station *Ilkley*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *0* in.
 " " " " Sea Level *314* ft.

6-MAY 1915
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	—	.06	—	—	—	—	—	—	—	.29	.19	1
2	—	—	.05	—	—	—	—	—	—	—	.13	.30	2
3	.11	—	.21	—	.18	—	—	—	—	.07	.33	.12	3
4	.43	—	.22	.28	.09	—	.01	.02	—	—	—	.91	4
5	—	—	.46	.16	—	.03	—	—	—	—	.55	.82	5
6	—	—	.21	.15	.26	—	—	.05	—	—	.18	.15	6
7	.12	.04	.23	.14	.14	.04	—	—	—	—	.09	.12	7
8	.58	—	.19	—	.11	.38	—	.10	—	—	—	.42	8
9	.37	.09	—	.24	.02	.89	—	.18	.05	—	—	.02	9
10	.05	.13	—	.02	.08	—	—	—	—	—	.10	—	10
11	—	.24	.28	—	.06	—	—	—	.10	—	1.10	—	11
12	—	.13	.12	—	.03	—	.06	—	.10	—	.16	.60	12
13	—	.15	.14	.08	—	—	.18	—	.32	—	.45	.60	13
14	.04	.41	.19	—	—	—	.12	—	.02	—	.15	.82	14
15	—	.02	.28	—	—	—	—	—	.15	.01	.07	.14	15
16	—	—	.04	—	—	—	.40	—	.13	—	.80	.02	16
17	.05	.23	.13	—	—	—	.40	—	.77	.24	—	~~.02~~	17
18	—	.11	.09	—	—	.03	—	—	.01	—	—	.25	18
19	—	.07	.02	—	—	—	.03	—	—	—	.06	.11	19
20	—	.12	.03	—	—	—	.07	—	—	—	.02	.10	20
21	—	.59	—	—	—	.91	—	—	—	.07	—	.19	21
22	—	.19	.04	.01	.05	.23	—	—	—	.24	.07	—	22
23	—	—	.05	.11	.28	.07	—	.06	—	—	—	.09	23
24	.12	—	.22	.06	.04	.04	.01	.16	—	—	—	.06	24
25	.04	—	—	—	—	—	.17	.15	—	.02	.09	.17	25
26	.05	—	.08	—	—	—	.01	.25	—	.77	.22	.57	26
27	.04	—	—	—	—	—	—	—	—	.27	.27	.93	27
28	.06	.22	.10	—	—	—	—	—	—	.12	—	—	28
29	.07	—	.15	—	.10	—	—	—	—	—	.29	—	29
30	.21	X	.38	.03	.01	—	—	.05	—	.60	.34	—	30
31	.42	X	.14	X	—	X	—	.10	X	.07	X	.14	31
Total	2.89	2.74	4.11	1.28	1.40	2.62	1.46	1.12	1.65	2.48	5.46	7.86	35.37
Rain Days.	17.	15	26	11	14.	9	11	10	9	11	21.	25	179

REGISTER OF RAINFALL IN 1915.

Kept at Spences Gardens, ILKLEY.
in the County of Yorkshire.
by The Ilkley Urban District Council.

Lat. 53° 57' N. Long. 1° 58' W.
Time of Observation 9 a.m.
Nearest Railway Station Ilkley.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 314 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.15	.30	---	.18	---	.02	.10	.28	---	.02	.05	1
2	.21	.25	.17	.17	---	.02	.17	.09	---	.02	---	---	2
3	.16	.32	.02	.13	---	---	.28	.57	---	---	.01	.63	3
4	.77	.01	---	.02	.10	.03	.38	---	---	---	---	.66	4
5	.31	.11	.01	.03	.01	.02	---	---	---	---	.04	.76	5
6	.08	.28	---	.27	---	---	.48	.07	---	---	---	.20	6
7	.46	.53	.08	.43	---	---	.48	.44	---	---	---	.17	7
8	.27	.88	---	.21	---	---	.21	.08	---	---	.16	.01	8
9	.31	.20	---	.01	---	---	---	.06	---	.04	.29	.53	9
10	.02	.05	.02	.01	---	---	---	.44	---	.03	---	.37	10
11	.62	---	---	---	.82	---	.03	.15	---	---	.09	.35	11
12	.08	.02	---	.11	.05	---	.20	.06	---	.23	1.05	---	12
13	.10	.06	---	---	---	---	---	---	.02	---	---	.02	13
14	.11	.53	---	.01	.15	---	.13	---	---	---	---	.10	14
15	.21	.03	---	---	---	---	.05	.56	.05	---	.34	.25	15
16	.62	---	---	---	.10	---	.73	.28	---	---	---	.01	16
17	---	.79	---	---	---	---	---	.03	---	---	---	.03	17
18	---	.38	.25	---	---	---	---	.08	.04	.03	---	---	18
19	---	.11	---	.02	.02	---	.23	.01	---	.01	---	---	19
20	.07	.05	.03	---	.05	---	.13	---	---	---	---	.39	20
21	.15	.01	.02	.01	---	---	.04	---	---	---	---	.09	21
22	.10	.04	.13	.06	---	---	.06	---	---	.01	---	.08	22
23	.02	---	.07	---	---	---	.11	---	.04	.19	---	.09	23
24	.02	.05	.09	.03	---	---	---	---	.35	.02	---	.37	24
25	---	.02	---	---	---	---	.01	---	.09	---	---	.20	25
26	---	---	---	---	---	.05	.25	---	---	---	---	.61	26
27	.03	.22	.01	---	---	---	.23	---	---	.58	---	.19	27
28	---	.16	.02	---	.08	.18	---	.39	---	.24	---	.06	28
29	---	---	---	---	.09	.44	---	---	---	---	.18	.50	29
30	---	X	---	.07	---	.34	---	---	---	---	.01	.01	30
31	.13	X	---	X	---	X	.04	.38	X	.10	X	.22	31
Total	4.91	5.25	1.22	1.59	1.65	1.08	4.26	3.79	.87	1.50	2.19	6.95	35.26
Rain Days.	23	24	14	16	11	7	21	17	7	12	10	27	188

REGISTER OF RAINFALL IN 1916

Kept at Spence's Gardens Ekleay
in the County of York WR
by Hy. West

Lat. 53° 57' N Long. 1° 58' W
Time of Observation 9 A.M.
Nearest Railway Station Ekleay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 314 ft.

3441
FORM A.
BRITISH RAINFALL
8 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.80	.06	.06	—	—	.02	.35	—	—	.01	.05	—	1
2	.08	.04	.10	—	—	.04	—	—	.06	.14	—	.01	2
3	—	.14	.02	.04	—	.06	.62	—	.82	.13	.31	—	3
4	.13	.29	—	.01	.45	.45	—	—	.18	.56	.48	—	4
5	.05	.23	—	—	.02	.33	—	—	—	.63	.43	—	5
6	.40	.56	.07	.04	.31	—	.16	—	—	.06	.55	.03	6
7	.18	.14	.06	—	.12	—	.19	—	—	.45	.01	.23	7
8	—	—	.19	—	—	—	.03	—	—	.03	.30	.09	8
9	.03	.02	.06	—	.41	.45	.01	—	.43	—	.20	.35	9
10	.09	.02	—	.18	—	.29	.01	—	—	.69	.01	.08	10
11	.07	.46	.32	.43	.03	.03	.03	—	.05	.14	.02	.01	11
12	.08	.13	.22	.05	.23	—	.51	.04	.01	.13	—	.02	12
13	—	.09	.13	.03	—	—	.08	.44	—	.76	.01	.11	13
14	.01	.17	.04	.13	.25	—	—	.18	—	.10	—	.03	14
15	—	.48	.74	.05	—	—	—	.24	—	.04	—	—	15
16	.01	.22	.48	.15	—	—	.20	.32	—	.01	—	—	16
17	.08	.24	—	.48	—	—	.04	—	.15	.18	.02	—	17
18	—	.55	—	.03	—	—	.02	.35	.23	.10	.75	.14	18
19	.29	.02	.24	.39	—	—	—	.01	.04	—	.22	.05	19
20	.24	—	.22	.16	—	—	.04	.07	—	—	.04	.13	20
21	.29	.01	—	.02	.10	—	—	—	—	—	—	—	21
22	—	.14	—	—	—	—	—	—	—	.17	.02	—	22
23	.04	.03	.15	.04	—	—	—	—	—	.01	.08	.29	23
24	—	.14	.06	.01	—	.04	—	.11	—	.01	.05	.01	24
25	.08	.05	.40	—	.07	.03	—	.31	—	.11	.06	.01	25
26	.05	.08	.29	—	—	.01	.05	.01	—	.04	.05	—	26
27	—	.25	.02	—	—	—	—	—	.01	.46	—	—	27
28	—	.27	—	—	.08	.09	—	—	—	.93	.02	.33	28
29	—	.27	—	—	—	.14	—	—	—	.42	—	.28	29
30	—	X	—	—	—	—	.03	—	—	.84	—	.07	30
31	—	X	—	X	.02	X	.02	—	X	.29	X	.34	31
Total	3.00	5.10	3.87	2.24	2.09	1.98	2.39	2.08	1.98	7.44	3.68	2.61	38.46
Rain Days.	19	27	20	17	12	13	17	11	10	27	21	20	214

REGISTER OF RAINFALL IN 1917

Kept at Spences Gardens Ilkley
in the County of York
by Mr Hy West, Town Hall Ilkley

Lat. 53°-51' N Long. 1°-58'
Time of Observation 9 A.M.
Nearest Railway Station Ilkley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 314 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01	—	.20	—	.42	—	.04	.62	—	.30	.68	1
2	.31	—	—	—	—	.04	—	.01	.01	.23	.05	—	2
3	.14	.02	.02	.04	—	.10	—	—	—	.18	.02	—	3
4	—	.06	.33	—	—	—	—	—	—	.06	.20	—	4
5	.31	—	.20	.22	—	—	—	—	—	(.06)	.40	—	5
6	.02	—	.01	—	—	.02	—	—	—	.20	.32	—	6
7	.59	—	—	—	—	.19	—	—	—	.50	.40	.12	7
8	.64	—	—	.15	—	—	—	3.34	—	.08	.82	—	8
9	—	—	.16	.24	—	—	—	.21	—	—	—	.14	9
10	.36	—	.37	.35	.06	—	—	.15	—	.60	—	—	10
11	.04	—	.61	.04	—	—	—	—	—	.60	—	—	11
12	—	—	.02	—	.28	—	—	.54	—	.02	—	—	12
13	.21	—	—	.21	.06	—	—	.31	.28	—	—	.13	13
14	.23	—	—	(.22)	.03	—	—	.21	—	—	—	—	14
15	.18	—	—	.03	—	—	.31	.02	.08	—	—	.40	15
16	.05	.06	.10	.21	—	—	—	.12	—	.25	—	.45	16
17	.02	.08	.09	.16	.54	—	.08	.80	—	—	—	.55	17
18	.03	.01	.05	.03	.15	—	.56	.26	.18	—	—	—	18
19	.06	.16	.41	—	.48	.11	.06	.01	—	—	—	—	19
20	.08	.23	.04	—	.23	.09	—	.02	.31	.05	—	—	20
21	—	.09	.04	—	.03	—	—	.19	—	.08	—	—	21
22	—	—	.05	—	—	.04	—	—	.20	.01	—	—	22
23	.02	.14	—	—	.21	.32	.02	.15	—	.41	.16	—	23
24	—	—	—	—	—	.01	—	.20	—	.06	.30	.05	24
25	—	.03	.06	—	—	—	—	.14	—	.06	.80	—	25
26	—	—	—	—	—	.01	.06	.53	.20	.10	.13	—	26
27	—	—	.01	—	—	.16	.31	.91	—	.12	.15	.06	27
28	—	—	.24	—	—	—	—	.16	—	.34	.15	—	28
29	—	—	.08	—	.43	—	.12	—	—	.01	.46	—	29
30	.02	X	.19	—	—	—	—	—	—	.02	.32	—	30
31	.02	X	.52	X	—	X	—	(.24)	X	.06	X	—	31
Total	3.36	.92	3.63	2.10	2.50	1.54	1.52	8.56	1.88	4.60	4.98	2.58	38.17
Rain Days.	20.	11.	21.	13.	11.	12	8	22	8	23	16	9.	174

REGISTER OF RAINFALL IN 1919.

Kept at *Spences' Gardens, Ilkley*
in the County of *Yorkshire*
by *Ilkley Urban District Council*

Lat. *N. 53° 55' 26"* Long. *W. 1° 49' 44"*
Time of Observation *9 am*
Nearest Railway Station *Ilkley*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *314* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.77	—	.01	.01	.28	—	.14	—	.20	.20	.01	.12	1
2	.19	—	.07	—	.17	—	.17	—	.01	—	.06	.03	2
3	.26	.01	—	—	.14	.16	.56	—	.02	—	.18	.27	3
4	.01	.09	.31	—	.01	—	.02	.11	.02	—	.07	.12	4
5	.03	—	—	—	.04	—	—	—	—	—	.02	.22	5
6	.26	—	.37	—	.90	—	—	—	—	—	.01	.25	6
7	.08	—	.07	—	.04	—	—	—	—	.01	.05	—	7
8	.26	—	.01	.06	.05	.03	—	—	—	—	.02	—	8
9	.60	—	.06	—	—	.04	—	—	—	—	.02	—	9
10	—	—	.51	.02	.20	—	—	—	—	.01	.08	.05	10
11	.01	—	1.11	.05	.09	—	.08	—	—	.01	.03	.02	11
12	—	—	.25	.11	—	.22	.06	—	.01	.08	.21	—	12
13	.23	—	—	.30	—	—	.01	.04	—	.25	.02	.01	13
14	.20	—	—	.41	—	—	.01	.10	—	—	.02	.02	14
15	.12	.19	.02	.12	—	—	—	—	—	—	.02	.45	15
16	.14	.67	—	.02	—	.02	—	—	—	—	.15	—	16
17	—	.08	—	—	—	.06	—	.09	—	—	.30	—	17
18	—	—	.22	—	.01	—	.06	.16	.06	—	—	.29	18
19	.05	.30	1.23	—	—	.07	.43	.10	.05	—	.30	.01	19
20	.62	.12	.01	—	—	.06	.22	.05	.01	—	.15	.33	20
21	.07	.39	—	—	—	.01	.07	—	.01	—	—	.21	21
22	—	.20	.02	—	—	.04	—	.10	.20	—	.05	.40	22
23	.01	—	—	.06	—	.01	—	—	—	.65	.05	.14	23
24	.01	—	—	.08	.03	.02	.02	—	.23	.18	.13	.49	24
25	.16	—	—	.30	.02	—	—	.65	.01	—	.20	.01	25
26	.15	.03	.35	.12	—	—	—	.14	.11	—	.09	.55	26
27	.30	.01	.01	.25	—	.02	—	—	—	—	.03	.03	27
28	.01	—	—	.06	—	—	—	.60	—	.15	—	.42	28
29	.07	~~—~~	—	—	—	—	—	.01	—	.76	—	.20	29
30	—	~~—~~	.03	.02	—	.15	—	.04	—	.09	.23	.30	30
31	.01	~~—~~	.01	~~—~~	—	~~—~~	.15	—	~~—~~	.03	~~—~~	.02	31
TOTAL	4.62	2.09	4.67	1.99	1.98	.91	2.00	2.19	.94	2.42	2.50	4.96	YEAR'S TOTAL
Days with ".01 in. or more	25	11	19	16	13	14	14	13	13	12	26	25	201

REGISTER OF RAINFALL IN 1920.

Kept at Spencer's Garden, Ilkleyin the County of Yorkshireby Ilkley Urban District CouncilLat. N. 53° 55' 25" Long. N. 1° 49' 44"Time of Observation 9 a.m.Nearest Railway Station IlkleyDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	-	07	22	60	-	88	04	05	10	09	13	1
2	-	-	03	06	01	-	72	-	19	38	-	38	2
3	-	05	-	08	15	-	25	19	09	32	-	29	3
4	04	-	-	02	08	-	43	76	02	69	-	-	4
5	-	01	02	-	05	-	04	07	04	18	-	-	5
6	-	-	24	06	07	-	02	-	-	-	-	05	6
7	13	04	09	02	07	-	43	-	-	-	-	-	7
8	17	09	01	29	10	-	12	18	-	02	02	-	8
9	22	70	-	53	-	-	04	06	02	03	01	-	9
10	85	66	02	39	-	-	41	30	-	-	-	-	10
11	36	09	11	19	18	15	-	-	02	-	-	05	11
12	13	05	40	58	01	-	07	-	-	01	08	17	12
13	13	04	14	11	07	57	03	-	-	-	15	04	13
14	02	08	25	24	-	28	05	-	16	16	40	25	14
15	01	20	03	19	-	-	-	-	-	100	23	-	15
16	07	-	05	-	05	-	51	-	14	-	20	-	16
17	10	-	02	-	12	-	-	09	27	01	-	-	17
18	12	-	-	06	33	-	-	03	07	-	-	-	18
19	05	40	-	21	15	15	-	04	15	-	-	15	19
20	09	01	-	26	-	-	11	-	01	-	-	02	20
21	07	-	-	03	-	-	49	02	01	-	-	14	21
22	08	-	-	32	-	04	24	08	-	01	01	03	22
23	-	-	-	02	-	-	19	03	-	01	-	30	23
24	05	-	40	02	-	-	24	-	-	-	-	26	24
25	02	03	04	02	-	-	70	-	-	-	-	-	25
26	09	06	37	15	-	-	12	-	-	-	08	04	26
27	25	02	02	08	13	45	-	-	-	-	28	05	27
28	71	02	08	13	01	04	-	-	02	-	02	17	28
29	23	-	17	03	65	02	11	-	05	-	22	66	29
30	22	X	07	-	02	08	-	-	28	-	18	27	30
31	22	X	05	X	02	X	-	-	X	53	X	20	31
TOTAL	447	255	268	431	287	178	620	189	159	345	197	365	YEAR'S TOTAL
Days with 01 in. or more	26	17	22	26	20	9	22	13	17	14	14	20	220
Days with 04 in. or more	23	12	15	19	15	8	20	10	11	8	10	18	169

REGIS

ILKLEY

Kept at *Silverwell*
in the County of *WR York*
by *Sho & Co*

SILVERWELL COTT

1911 -14
1919 -20

FORM A2.
BRITISH RAINFALL.
4 JAN 1912
5 in.
ve Ground 1 ft. - in
Sea Level 904 ft.

Name *A. M. Shirley*
Distance *1 1/4 m* Direction *E*

and the result entered to the
universal rule, he is earnestly
year in the space provided

Jan. 1, following.

IMPORTANT NOTE.—
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	27	-	02	-	03	04	-	-	08	-	1
2	15	-	02	-	04	-	21	-	-	-	11	11	2
3	03	-	12	-	43	-	-	-	-	03	29	-	3
4	04	-	08	02	02	-	-	17	05	02	69	36	4
5	02	-	05	09	02	-	-	36	-	04	19	05	5
6	11	-	03	02	-	-	-	25	-	16	38	64	6
7	03	-	-	-	-	-	-	-	-	-	08	-	7
8	08	-	13	-	-	-	01	-	02	02	-	32	8
9	-	-	-	-	-	-	-	-	-	-	05	81	9
10	10	09	02	-	-	-	-	-	-	-	-	1.03	10
11	11	-	03	-	-	01	-	-	-	-	45	17	11
12	-	-	14	-	17	-	-	-	1.04	-	26	02	12
13	-	-	-	-	03	-	-	-	-	-	10	45	13
14	05	12	08	-	08	-	-	-	-	-	02	57	14
15	-	15	02	02	-	-	-	-	-	13	19	23	15
16	-	72	09	-	-	25	05	-	-	10	41	14	16
17	03	-	06	-	07	43	03	-	-	-	17	11	17
18	-	46	15	-	-	09	-	-	-	04	02	07	18
19	-	03	01	02	-	-	09	02	23	12	18	18	19
20	-	05	-	21	-	-	12	56	08	04	-	21	20
21	-	62	-	-	-	-	02	28	03	13	-	11	21
22	14	06	-	01	-	02	-	-	-	23	02	-	22
23	-	45	-	-	05	46	-	-	21	09	-	09	23
24	21	14	02	06	-	1.33	-	-	-	14	-	12	24
25	04	58	-	12	-	08	40	-	73	05	-	22	25
26	-	04	-	11	06	-	-	15	02	84	10	34	26
27	04	13	12	20	-	-	-	32	24	-	03	04	27
28	-	26	04	32	-	12	-	12	23	-	-	31	28
29	-	-	02	15	-	52	06	-	35	59	02	09	29
30	-	-	-	-	08	08	-	-	-	23	-	-	30
31	-	-	01	-	04	-	-	-	-	13	-	-	31
Total	1.18	3.90	1.51	1.35	1.11	3.39	1.02	2.27	3.23	3.13	3.84	6.79	TOTAL 32.72
No. of Rain Days.	15	15	21	13	13	11	10	10	12	19	21	25	185

REGIS

FORM A2.
BRITISH RAINFALL

4 - JAN 1912

Kept at Silverwell, W. W. W. W.
in the County of WR Yorks 10
by Thos E. Gill

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. -
Sea Level 904 ft.
Time of Observation 9 a.m.
Name W. W. W. W.
Nearest Railway Station 1 1/2 m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	27	-	02	-	03	04	-	-	08	-	1
2	15	-	02	-	04	-	21	-	-	-	11	11	2
3	03	-	12	-	43	-	-	-	-	03	29	-	3
4	04	-	08	02	02	-	-	17	05	02	69	36	4
5	02	-	05	09	02	-	-	36	-	04	19	05	5
6	11	-	03	02	-	-	-	25	-	16	38	64	6
7	03	-	-	-	-	-	-	-	-	-	08	-	7
8	08	-	13	-	-	-	01	-	02	02	-	32	8
9	-	-	-	-	-	-	-	-	-	-	05	81	9
10	10	09	02	-	-	-	-	-	-	-	-	1.03	10
11	11	-	03	-	-	01	-	-	-	-	45	17	11
12	-	-	14	-	17	-	-	-	1.04	-	26	02	12
13	-	-	-	-	03	-	-	-	-	-	10	45	13
14	05	12	08	-	08	-	-	-	-	-	02	57	14
15	-	15	02	02	-	-	-	-	-	13	19	23	15
16	-	72	09	-	-	25	05	-	-	10	41	14	16
17	03	-	06	-	07	43	03	-	-	-	17	11	17
18	-	46	15	-	-	09	-	-	-	04	02	07	18
19	-	03	01	02	-	-	09	02	23	12	18	18	19
20	-	05	-	21	-	-	12	56	08	04	-	21	20
21	-	62	-	-	-	-	02	28	03	13	-	11	21
22	14	06	-	01	-	02	-	-	-	23	02	-	22
23	-	45	-	-	05	46	-	-	21	09	-	09	23
24	21	14	02	06	-	1.33	-	-	-	14	-	12	24
25	04	58	-	12	-	08	40	-	73	05	-	22	25
26	-	04	-	11	06	-	-	15	02	84	10	34	26
27	04	13	12	20	-	-	-	32	24	-	03	04	27
28	-	26	04	32	-	12	-	12	23	-	-	31	28
29	-	-	02	15	-	52	06	-	35	59	02	09	29
30	-	-	-	-	08	08	-	-	-	23	-	-	30
31	-	-	01	-	04	-	-	-	-	13	-	-	31
Total	1.18	3.90	1.51	1.35	1.11	3.39	1.02	2.27	3.23	3.13	3.84	6.79	TOTAL 35.72
No. of Rain Days.	15	15	21	13	13	11	10	10	12	19	21	25	185

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
3-JAN 1913

Kept at *Silverville - Elkeley*
in the County of *York W.10*
by *Thos E Gill*

RAIN GAUGE { Pattern *Snowdon*
Diameter of top *5* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *904* ft.
Time of Observation *9 a.m.*
Name *Elkeley*
Nearest Railway Station { Distance *1 1/2* m Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.17	-	-	.42	.22	.04	.29	.02	-	-	1
2	.03	-	.10	.03	.07	.20	.26	-	.15	-	-	.32	2
3	.21	-	.13	-	-	.51	-	.86	.52	-	-	.27	3
4	.44	-	.78	.23	.05	.64	-	1.00	.02	-	.07	-	4
5	.17	-	.09	.04	.30	.59	-	.04	-	-	.03	-	5
6	.17	.18	.04	-	.03	-	-	.76	-	-	-	-	6
7	-	.24	.02	.03	.09	.04	.04	.31	.18	-	.09	.03	7
8	.63	.20	.26	.11	.12	.03	-	-	.19	-	.08	-	8
9	.51	.26	.05	.29	-	.05	-	-	-	-	.03	.06	9
10	.08	.02	-	-	-	.69	-	.11	-	-	.37	-	10
11	.06	.14	-	-	-	-	-	-	-	-	.04	.37	11
12	.08	.13	.03	-	-	.28	.30	-	-	-	-	.17	12
13	.01	.03	-	-	-	-	-	.12	-	.25	.06	.48	13
14	.25	-	.55	-	.05	.29	-	.05	-	-	-	.61	14
15	.61	.19	.07	-	.41	.21	-	-	-	-	-	.18	15
16	1.06	.02	.23	-	.01	.20	-	.03	-	.07	-	.15	16
17	-	.10	.15	-	-	.61	-	.49	-	-	.09	.72	17
18	-	.03	.04	-	-	.07	-	.08	-	.28	.03	.09	18
19	.21	.22	.19	-	-	.02	.04	.43	-	.59	.10	-	19
20	.98	-	.13	-	.44	.04	-	.05	-	.32	.07	.03	20
21	-	-	.51	-	.13	-	.03	-	-	.08	.02	.08	21
22	.06	.09	.02	-	.28	.54	.04	.44	-	-	-	-	22
23	.02	-	.20	-	-	.03	.29	.47	-	-	.20	.02	23
24	.19	-	.01	-	.34	.06	.40	.26	-	.07	.24	.11	24
25	.03	-	.04	-	-	.47	.02	.03	-	.04	.48	.07	25
26	-	.24	.09	-	-	.05	.31	.39	-	1.73	.41	.37	26
27	-	-	.24	-	-	.55	.36	.04	-	.37	.01	.28	27
28	-	.18	.03	-	-	.24	.38	.65	.11	.43	.07	.03	28
29	-	.04	.14	-	-	.20	.27	.03	.11	.13	.03	.17	29
30	.03	-	.28	-	.09	-	.03	.03	-	-	-	.05	30
31	-	-	.04	-	.33	-	2.12	.34	-	-	-	.04	31
Total	5.83	2.31	4.63	0.73	2.74	7.03	5.11	7.05	1.57	4.38	2.52	4.70	43.60
No. of Rain Days.	21	17	28	6	15	25	16	24	8	13	20	23	216

REGISTER OF RAINFALL IN 1913

Kept at Silverwell, Ilkley
in the County of Yorkshire
by Thos. E. Gill

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Ilkley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 904 ft.

FORM A.
BRITISH RAINFALL
7-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	09	10	15	14	-	-	-	-	-	03	04	-	1
2	-	21	34	07	-	08	-	-	-	-	11	10	2
3	-	23	26	-	53	-	04	-	02	04	05	19	3
4	49	07	07	-	02	-	02	-	04	15	08	23	4
5	28	05	18	-	-	26	04	03	11	09	-	14	5
6	05	21	39	-	66	05	32	-	-	28	04	-	6
7	-	42	08	-	34	16	-	-	-	65	-	09	7
8	03	10	02	-	81	01	-	02	-	09	19	-	8
9	-	18	34	-	29	30	03	13	-	-	15	08	9
10	-	02	18	17	04	-	-	-	-	-	11	-	10
11	-	-	-	51	-	18	-	-	-	09	14	04	11
12	07	-	-	-	03	-	-	-	15	-	21	-	12
13	-	-	15	01	-	-	02	04	26	03	07	-	13
14	13	03	24	13	-	-	-	-	-	11	12	-	14
15	71	01	47	42	-	-	-	02	07	-	45	08	15
16	11	-	04	11	-	-	05	-	-	-	27	-	16
17	34	-	04	24	03	07	10	-	18	-	13	02	17
18	67	-	27	36	04	11	04	-	-	-	24	03	18
19	35	-	08	19	-	02	-	-	06	10	07	-	19
20	27	-	24	09	-	-	-	-	02	06	44	-	20
21	02	-	09	-	07	-	19	18	-	-	-	-	21
22	39	-	73	-	06	-	-	39	09	-	-	-	22
23	18	-	07	-	27	23	-	11	18	02	13	05	23
24	35	-	-	03	-	31	-	04	-	-	-	-	24
25	-	-	-	04	-	-	-	-	38	04	03	19	25
26	-	-	16	38	-	-	-	-	10	10	-	64	26
27	-	-	01	37	-	-	-	-	-	11	-	13	27
28	38	-	24	37	-	-	-	-	-	04	02	-	28
29	08	-	51	33	06	-	-	35	-	07	09	09	29
30	47	-	-	-	09	-	-	-	-	21	04	-	30
31	07	-	06	-	13	-	01	-	-	-	-	-	31
Total	5.53	1.63	5.41	3.96	3.47	1.78	.86	1.31	1.66	2.31	3.22	2.10	YEAR'S TOTAL 58.24
Rain Days.	21	12	24	18	16	12	11	10	13	19	23	15	196

REGISTER OF RAINFALL IN 1914

Kept at Silvewell - Ilkley
in the County of Yorkshire W.A. 10
by Thos E Gill & R.L.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Ilkley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 904 ft.

BRITISH RAINFALL
FORM A.
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.13	-	.06	-	-	-	1.06	.10	-	-	.03	.27	1
2	-	-	.05	-	-	-	.18	.68	-	.06	.34	.14	2
3	.11	-	.21	-	.18	-	-	.05	-	.04	.12	.78	3
4	.43	-	.22	.28	.09	-	-	.03	-	-	.17	.56	4
5	-	-	.46	.16	-	.03	-	-	-	-	.60	.29	5
6	-	-	.21	.15	.26	-	-	.05	-	-	.14	.11	6
7	.12	.04	.23	.14	.14	.04	-	.03	-	-	.02	.30	7
8	.58	-	.19	-	.11	.38	-	.12	.03	-	.01	.06	8
9	.37	.09	-	.24	.02	.89	-	.21	.05	-	.09	-	9
10	.05	.13	-	.02	.03	-	.02	-	.04	-	.36	-	10
11	-	.24	.28	-	.06	-	-	-	.09	-	.78	.64	11
12	-	.13	.12	-	.03	-	.12	-	.34	-	.26	.71	12
13	-	.15	.14	.08	-	-	.06	-	.08	-	.28	.57	13
14	.04	.41	.19	-	-	-	.09	-	.10	-	-	.76	14
15	-	.02	.28	-	-	-	-	-	.16	-	.76	.02	15
16	-	-	.04	-	-	-	.85	-	.58	-	.21	-	16
17	.05	.23	.13	-	-	-	.03	-	.31	-	-	.34	17
18	-	.11	.09	-	-	.03	-	-	.03	.01	-	.03	18
19	-	.07	.02	-	-	-	.11	-	-	-	.06	.12	19
20	-	.12	.03	-	-	-	-	-	-	-	-	.04	20
21	-	.59	-	-	-	.91	-	.04	-	.11	.06	.11	21
22	-	.19	.04	.01	.05	.23	-	.07	-	.23	.01	.09	22
23	-	-	.05	.11	.28	.07	.05	-	-	-	-	.06	23
24	.12	-	.22	.06	.04	.04	.19	.31	-	-	.12	-	24
25	.04	-	-	-	-	-	.02	.26	-	.82	.02	.41	25
26	.05	-	.08	-	-	-	.01	.03	-	.26	.27	.36	26
27	.04	-	-	-	-	-	-	-	-	.13	.46	.57	27
28	.06	.22	.10	-	-	-	-	-	-	-	.28	.27	28
29	.07	-	.15	-	.10	-	-	.04	-	.45	.21	.12	29
30	.21	X	.38	.03	.01	-	-	.12	-	.36	.26	.20	30
31	.42	X	.14	X	-	X	.46	-	X	.45	X	-	31
Total	2.89	2.74	4.11	1.28	1.40	2.62	3.25	2.14	1.81	2.92	5.92	7.93	YEAR'S TOTAL 39.01
Rain Days.	17	15	26	11	14	9	14	15	11	11	25	26	194

REGISTER OF RAINFALL IN 1919.

Kept at Silverwell Cottage, Ilkley
in the County of Yorkshire
by Ilkley U. D. Council

Lat. 53° 54' 57" N Long. 1° 50' 32" W
Time of Observation 9 am
Nearest Railway Station Ilkley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	62	03	-	03	31	-	14	02	26	26	-	11	1
2	20	-	07	-	14	-	20	03	03	-	05	05	2
3	150	02	-	-	17	17	47	-	04	-	19	33	3
4	09	10	35	-	03	-	02	16	03	-	10	12	4
5	08	-	-	-	06	-	-	-	-	-	05	28	5
6	08	02	34	-	100	-	-	-	-	02	-	27	6
7	09	-	08	-	10	-	-	-	04	-	10	-	7
8	25	-	04	10	08	06	-	-	-	-	03	-	8
9	34	-	10	-	-	04	-	-	-	-	03	-	9
10	-	-	52	04	23	-	-	-	-	-	05	11	10
11	-	-	115	05	13	-	10	-	-	03	06	03	11
12	-	-	16	12	-	24	12	-	03	12	36	-	12
13	27	-	03	35	-	-	05	07	-	37	-	02	13
14	23	-	-	37	-	-	02	14	-	-	-	04	14
15	07	20	03	12	-	-	-	-	-	-	03	49	15
16	15	67	-	04	-	06	-	-	-	-	19	-	16
17	-	06	-	-	-	11	-	14	-	-	41	-	17
18	-	03	28	-	-	-	08	24	11	-	-	27	18
19	05	22	206	-	-	08	45	07	06	-	32	02	19
20	61	18	03	-	-	08	29	09	-	-	16	40	20
21	09	40	-	-	-	04	10	-	-	-	-	26	21
22	-	18	05	-	-	08	-	22	24	-	10	53	22
23	-	-	-	07	-	02	-	-	-	69	13	15	23
24	-	-	-	10	-	-	03	-	32	18	16	58	24
25	16	02	-	31	06	02	-	74	03	-	15	-	25
26	13	04	34	06	-	04	-	21	13	-	16	56	26
27	23	02	03	35	-	-	-	02	-	-	03	06	27
28	-	-	-	05	-	03	-	68	-	10	-	46	28
29	06	~~X~~	-	-	-	-	-	03	-	78	-	24	29
30	-	~~X~~	03	04	-	14	-	07	-	11	28	32	30
31	-	~~X~~	03	~~X~~	-	~~X~~	19	-	~~X~~	04	~~X~~	04	31
TOTAL	5.30	2.19	5.72	2.20	2.31	1.21	2.26	2.93	1.32	2.70	3.14	5.74	YEAR'S TOTAL 37.02
Days with ≥ 1 in. or more	20	15	19	16	11	15	14	16	12	11	22	24	195 ✓

REGISTER OF RAINFALL IN 1920.

Kept at Silverwell Cottage, Ilkley
in the County of Yorkshire
by Ilkley Urban District Council

Lat. 53° 54' 57" N Long. 1° 50' 32" W.
Time of Observation 9 a.m.
Nearest Railway Station Ilkley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·04	·23	·69	—	<u>1·04</u>	·06	·06	·12	·11	·13	1
2	—	·02	—	·19	·03	—	<u>·27</u>	—	·27	·49	—	·46	2
3	·03	·08	—	·09	·13	·02	·26	·24	·13	·41	—	·22	3
4	·04	—	—	·03	·06	—	·40	·90	·05	·77	—	·06	4
5	—	—	·04	—	·09	—	·06	·10	·12	·19	—	—	5
6	—	—	·17	·07	·06	—	·04	—	—	—	·08	·09	6
7	·23	·04	·12	·03	·08	—	·76	—	—	—	—	—	7
8	·14	·14	—	·35	·11	—	·23	·25	—	·03	·02	—	8
9	·30	·81	—	·65	—	—	·07	·09	·04	·05	·03	—	9
10	·77	·78	·05	·56	—	—	·45	·32	—	—	—	—	10
11	·37	·10	·10	·27	·21	·20	—	—	·02	—	—	·06	11
12	·16	·11	·26	·70	·02	—	·07	—	—	—	·11	·18	12
13	·13	·07	·14	·16	·09	·80	·08	—	—	—	·16	·14	13
14	·05	·09	·22	·26	—	·24	·08	—	·25	·11	·52	·08	14
15	·03	·17	·03	·23	—	—	·02	—	—	·75	·21	—	15
16	·12	—	·06	—	·05	—	·59	—	·13	—	·24	—	16
17	·15	—	·04	—	·17	—	—	·12	·35	·02	—	—	17
18	·15	—	—	·09	·42	—	—	·06	·09	—	—	—	18
19	·10	·30	—	·18	·15	·20	—	·05	·05	—	—	—	19
20	·08	·04	—	·27	—	·02	·22	—	—	—	·02	·02	20
21	·03	—	—	·03	—	—	·54	·03	—	—	—	·14	21
22	·10	—	—	·34	—	·08	·28	·04	—	—	·02	·04	22
23	—	—	—	·03	—	—	·26	—	—	·03	—	·29	23
24	·07	—	·47	·06	—	—	·28	—	—	—	·02	·29	24
25	·03	·04	·06	·02	—	·03	·83	·03	—	—	·02	—	25
26	·12	·08	·37	·14	—	—	·06	—	—	—	·09	·03	26
27	·22	·02	·02	·11	·15	·57	—	—	—	—	·32	·08	27
28	·31	·04	·22	·06	·02	·07	—	—	·03	—	—	·18	28
29	·26	·09	·20	·09	·76	·03	·14	—	·06	—	·26	·73	29
30	·26	~~—~~	·08	—	·05	·12	—	—	·25	—	·22	·33	30
31	·20	~~—~~	·08	~~—~~	·06	~~—~~	—	—	~~—~~	·67	~~—~~	·21	31
TOTAL	4·45	3·02	2·77	5·24	3·40	2·38	7·03	2·29	1·90	3·64	2·45	3·76	YEAR'S TOTAL
Days with ·01 in. or more	26	18	20	26	20	12	23	13	15	12	17	20	42·33
Days with ·04 in. or more	22	16	18	21	17	8	22	11	13	9	11	18	222—
													186—

Sh
Kept at Ingleby
in the County of Yorkshire
by P. Huntington

INGLEBY GREENHOW
YORKSHIRE
1911 - 1920.

FORM A2.
BRITISH RAINFALL.
20 JAN 1912
in. 1 ft. 130 in.
Level 130 ft.

IMPORTANT NOTE.
previous day. If an observer, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <u>03</u>	in.	in.	in.	in.	in.	in.	in. <u>06</u>	in.	in.	in. <u>01</u>	in.	1
2	<u>38</u>				<u>13</u>		<u>27</u>			<u>07</u>	<u>04</u>	<u>15</u>	2
3	<u>05</u>		<u>16</u>	<u>22</u>	<u>27</u>					<u>24</u>			3
4	<u>07</u>		<u>07</u>	<u>20</u>	<u>01</u>			<u>09</u>		<u>15</u>	<u>12</u>	<u>55</u>	4
5	<u>24</u>			<u>06</u>				<u>50</u>		<u>05</u>			5
6	<u>28</u>		<u>13</u>	<u>02</u>				<u>11</u>		<u>02</u>	<u>05</u>	<u>88</u>	6
7		<u>02</u>	<u>14</u>							<u>01</u>	<u>04</u>	<u>02</u>	7
8	<u>01</u>		<u>27</u>	<u>01</u>		<u>03</u>				<u>04</u>	<u>02</u>	<u>43</u>	8
9			<u>02</u>	<u>02</u>						<u>01</u>		<u>19</u>	9
10									<u>74</u>		<u>02</u>	<u>107</u>	10
11	<u>45</u>	<u>02</u>			<u>01</u>				<u>10</u>		<u>28</u>	<u>03</u>	11
12	<u>30</u>		<u>21</u>	<u>01</u>	<u>14</u>	<u>14</u>			<u>02</u>		<u>28</u>		12
13	<u>01</u>	<u>05</u>	<u>23</u>		<u>04</u>	<u>11</u>		<u>04</u>	<u>09</u>		<u>05</u>	<u>60</u>	13
14		<u>19</u>	<u>20</u>								<u>03</u>	<u>80</u>	14
15			<u>18</u>	<u>03</u>			<u>02</u>			<u>04</u>	<u>22</u>	<u>30</u>	15
16			<u>40</u>	<u>04</u>		<u>01</u>	<u>12</u>			<u>01</u>	<u>01</u>	<u>06</u>	16
17			<u>07</u>			<u>23</u>	<u>05</u>				<u>19</u>	<u>13</u>	17
18		<u>06</u>	<u>15</u>			<u>04</u>					<u>70</u>	<u>18</u>	18
19				<u>01</u>	<u>07</u>	<u>07</u>		<u>06</u>	<u>08</u>	<u>14</u>	<u>113</u>	<u>05</u>	19
20		<u>18</u>		<u>01</u>			<u>08</u>	<u>39</u>	<u>01</u>		<u>13</u>	<u>38</u>	20
21	<u>01</u>	<u>21</u>		<u>01</u>				<u>66</u>		<u>25</u>	<u>25</u>	<u>03</u>	21
22	<u>16</u>	<u>04</u>						<u>34</u>		<u>03</u>	<u>29</u>		22
23	<u>01</u>	<u>17</u>	<u>01</u>			<u>117</u>			<u>20</u>			<u>16</u>	23
24		<u>01</u>	<u>04</u>			<u>160</u>				<u>12</u>		<u>08</u>	24
25		<u>12</u>	<u>01</u>	<u>19</u>		<u>102</u>			<u>33</u>	<u>13</u>	<u>10</u>	<u>11</u>	25
26				<u>03</u>	<u>13</u>	<u>01</u>	<u>10</u>	<u>01</u>		<u>81</u>	<u>68</u>	<u>09</u>	26
27		<u>03</u>	<u>02</u>	<u>08</u>				<u>16</u>	<u>11</u>	<u>05</u>	<u>03</u>	<u>04</u>	27
28		<u>05</u>	<u>01</u>	<u>19</u>		<u>01</u>				<u>04</u>		<u>11</u>	28
29			<u>03</u>	<u>05</u>		<u>02</u>	<u>29</u>	<u>04</u>	<u>48</u>	<u>27</u>		<u>02</u>	29
30			<u>01</u>		<u>11</u>	<u>02</u>			<u>23</u>	<u>14</u>	<u>01</u>		30
31					<u>05</u>					<u>01</u>		<u>04</u>	31
Total	<u>2.00</u>	<u>1.15</u>	<u>2.36</u>	<u>1.18</u>	<u>96</u>	<u>4.48</u>	<u>93</u>	<u>2.46</u>	<u>2.39</u>	<u>2.63</u>	<u>4.68</u>	<u>6.50</u>	TOTAL for year <u>31.72</u>
No. of Rain Days	<u>13</u>	<u>13</u>	<u>20</u>	<u>17</u>	<u>10</u>	<u>14</u>	<u>7</u>	<u>12</u>	<u>11</u>	<u>21</u>	<u>23</u>	<u>25</u>	<u>186</u>

Kept at Ingleby Greenhow
in the County of Y. N. Riding
by P. Huntington

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 130 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

20 JAN 1912
FORM A2
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .03	in.	in.	in.	in.	in.	in.	in. .06	in.	in.	in. .01	in.	1
2	.38				.13		.27			.07	.04	.15	2
3	.05		.16	.22	.27					.24			3
4	.07		.07	.20	.01			.09		.15	.12	.55	4
5	.24			.06				.50		.05			5
6	.28		.13	.02				.11		.02	.05	.88	6
7		.02	.14							.01	.04	.02	7
8	.01		.27	.01		.03				.04	.02	.43	8
9			.02	.02						.01		.19	9
10									.74		.02	1.07	10
11	.45	.02			.01				.10		.28	.03	11
12	.30		.21	.01	.14	.14			.02		.28		12
13	.01	.05	.23		.04	.11		.04	.09		.05	.60	13
14		.19	.20								.03	.80	14
15			.18	.03			.02			.04	.22	.30	15
16			.40	.04		.01	.12			.01	.01	.06	16
17			.07			.23	.05				.19	.13	17
18		.06	.15			.04					.70	.18	18
19				.01	.07	.07		.06	.08	.14	1.13	.05	19
20		.18		.01			.08	.39	.01		.13	.38	20
21	.01	.21		.01				.66		.25	.25	.03	21
22	.16	.04						.34		.03	.29		22
23	.01	.14	.01			1.17			.20			.16	23
24		.01	.04			1.60				.12		.08	24
25		.12	.01	.19		1.02			.33	.13	.10	.11	25
26				.03	.13	.01	.10	.01		.81	.68	.09	26
27		.03	.02	.08				.16	.11	.05	.03	.04	27
28		.05	.01	.19		.01				.04		.11	28
29			.03	.05		.02	.29	.04	.48	.27		.02	29
30			.01		.11	.02			.23	.14	.01		30
31					.05					.01		.04	31
Total	2.00	1.15	2.36	1.18	.96	4.48	.93	2.46	2.39	2.63	4.68	6.50	TOTAL for Year 31.72
No. of Rain Days	13	13	20	17	10	14	7	12	11	21	23	25	186

REGISTER OF RAINFALL IN 1912

Kept at Ingleby Greenhow
in the County of North Riding
by P. Huntington

RAIN GAUGE
Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

25 JAN 1913
FORM A2
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2		5.0	21		03	19	36	71	09	14	01	04	2
3	14	13	09	01	01	19	1.30	35	01	43	01		3
4	17	10				42	04	26	19	14		17	4
5			85		01	58	02	34			27		5
6	55	28	02		09	17		01			03		6
7		15			09			03	39			01	7
8	35	25	15	01			03		10		26		8
9	04	04	19	04		02		01	25		03	02	9
10	01			02		12			18		05		10
11	18	10				02		07	08		30	10	11
12	08	07	08			03	68				96	01	12
13	01	02				15	02	07		06	43	02	13
14	10		35	02		07		20	02		07	10	14
15	08	01	46		60	04		01			01	11	15
16	37		04		18		04			08	01		16
17	01	05	21			41	02	08				03	17
18	04					02	58	27		03			18
19	04	15	02				62	30		05	04		19
20	04	16			25	04	37	05		17		01	20
21	02		26		04		05	01		17	03		21
22	04	08	05		61	37		08					22
23	03		03		06		02	33		19	14		23
24	26						11	10	01		01	18	24
25	58					32		19			14	01	25
26	08	06	04			24		34		77	08	47	26
27			03		01	15	48	01		31	09	08	27
28				03	06	17	20	39	02	23	21	01	28
29	02	01	17	02			43	01	62	02		03	29
30	05		13			30	19	08	20	30			30
31			33		03		1.02	25		15		06	31
Total	3.29	2.16	3.71	15	2.07	4.07	6.58	4.60	2.16	3.24	3.19	1.46	TOTAL for year
No. of Rain Days	24	17	20	7	14	22	20	27	13	16	22	18	36.68

REGISTER OF RAINFALL IN 1913

28 JAN 1914
BRITISH RAINFALL
FORM A.
2/41

Kept at *Ingleby Greenhow*
in the County of *N. B. York*
by *P. Huntington*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *448* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	02		09	59					23		04		1
2		04	03			03				02	05	01	2
3	05		06		28		09		02			02	3
4	30	02	02				02		01	30	14	15	4
5	60	09	04			09	07	17	01	11			5
6	01	23	24	01	35	09	15				12		6
7		24	01	02	05	18	02			96	01		7
8		01	03	02	82				11	13	01	01	8
9		03	03	13	10			14		02			9
10		07	04	02	04		41		01	06	25		10
11	92	01		30		10					10		11
12	05								06		22		12
13	04			02				08	12	03	10		13
14	07	08	17	02						09		02	14
15	28	01	38	33			01	01			03	03	15
16	01		02					02			03		16
17		01	08	11		02		01	04		03	01	17
18			73	20	02	02			01		04	02	18
19	26		01	01	03	03			01				19
20	58	01	06	01					14	18	34		20
21	13		46		03		07	19	03				21
22	06		04		04		05	38	11	19			22
23	09					17	29	01	18	04	02		23
24	23			04		69		05			01	01	24
25		03		06					25	01		04	25
26		01	03	58					12	24	16	40	26
27		09	04	45	01	21					05		27
28	25	04	32	58						05	04	29	28
29	01		36	19	07			45		04		93	29
30	44		04		07			01		59		15	30
31	10				01			34					31
Total	4.50	1.02	3.33	3.69	1.92	1.63	1.18	1.86	1.46	3.06	1.79	2.09	27.53
Rain Days.	21	17	24	20	14	11	10	13	17	17	20	14	198

REGISTER OF RAINFALL IN 1914

Kept at Ingley Greenhow
in the County of N. R. Yorkshire
by P. Huntington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 430 ft.

23 JAN 1915
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01						.95	.53		.03	.01	.15	1
2							1.06	.24		.03	.35	.35	2
3			.07		.17		.04				.23	.42	3
4	.01		.01	.17	.19	.02					.15	.65	4
5	.01		.03	.10	.06	.10				.04	.28	.01	5
6		.09		.13	.05						.01	.13	6
7		.04	.05	.04	.16	.53					.01	.16	7
8	.45		.02	.03	.65	.77	.06	.03		.15		.07	8
9	.37	.03	.04	.23	.02	1.13			.44	.01	.12	.05	9
10		.19							.08		.02	.02	10
11	.11	.24	.24		.29	.04			.01		.21	.44	11
12	.06	.08				.02			.07			.84	12
13	.07	.05	.14						.02		.05	.33	13
14	.08	.26		.02			.10		.03	.05	.15	.13	14
15	.06	.02	.17			.01	.24				.56	.17	15
16	.04		.10				2.20		.46		.51	.02	16
17	.11	.10	.01				.01		.40	.02	.05	.10	17
18	.04	.11	.14			.88			.19		.03	.22	18
19			.04				.36		.24		.06	.02	19
20		.48	.50			.38	.01		.02	.06		.01	20
21		.82	.08			.03	.01			.02	.10	.04	21
22	.01	.02	.04	.02	.16	.27		.07		.06	.09	.13	22
23	.01	.09	.05		.42	.52	.02					.12	23
24			.24	.13	.01	.01		.11		.60	.16		24
25		.07	.04				.01	.04		.36	.03	.49	25
26			.08				.41	.06			.12	.36	26
27	.03						.19			.01	.14	.61	27
28		.03	.01				.03	.01		.03	.02	.21	28
29			.12		.10			.10		.97	.05		29
30			.04	.01				.03		.11	.10	.62	30
31	.14				.06		.20	.02		.25		.01	31
Total	1.61	2.72	2.26	.88	2.34	4.71	5.90	1.24	1.96	2.80	3.61	6.87	36.90
Rain Days.	17	17	23	10	13	14	17	11	11	17	26	29	205

REGISTER OF RAINFALL IN 1915

Kept at Ingleby Greenhow
in the County of N. B. York
by P. Huntington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	76	15	01		17		05	20	47		11	28	1
2	02	30	30	11		05		59	10		21	03	2
3	48		11	12			29	02			15	18	3
4	17		01		01	02	26	02			34	76	4
5	14	12	05				04			06	11	60	5
6	03	54	14		05		54		11	02		15	6
7	25	80	09	17			27	05					7
8	06	22	03	01		21	31	05			07		8
9	02	08								01	01	37	9
10	31		03					38				16	10
11	06	41	02	01	60		05				02	09	11
12	22			30	05		58	10		07	1.26	19	12
13		33			02							12	13
14	01	29		01	18		02	03				02	14
15	21	02					14	37		47	02	14	15
16	01	69					1.35	08	01	20		02	16
17	17	36					32		01		37	08	17
18		15	50							02	05	07	18
19			06				08			12			19
20	03		01					01				52	20
21	33	04		12								08	21
22	07		01				02	02			01	01	22
23	38	11	01				19				05	04	23
24			15	07		01	04		34	09	01	09	24
25						16	01		03	05	15	01	25
26	01	17	12	02		15	38		08		05	20	26
27		12	08			02	02			26		32	27
28	08	08	25				05	36		28		03	28
29	01		07		68	02		02	45		18	45	29
30	08	X		17			11		10		01	02	30
31	06	X		X		X		25	X	05	X	21	31
Total	3.97	4.98	2.05	1.11	1.76	.64	5.12	2.55	1.70	1.70	3.18	5.24	34.00
Rain Days.	25	19	20	11	8	8	22	16	10	13	19	28	199

REGISTER OF RAINFALL IN 1916

Kept at Ingleby, Greenhow
in the County of N. York
by P. Huntington

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

BRITISH RAINFALL
FORM A.
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25		22			13	16				01		1
2	02	04	43						03	03			2
3		22	35	10			15		74	01	34	02	3
4	02	37	10	09	45	40			23	38	26	07	4
5	06	10	66		32	11				36	78	05	5
6		25	16	02	28	15	07			07	45	03	6
7			35		09	24	01			19		18	7
8			47		23	09					01	02	8
9			16		15	03	05					50	9
10	06	02	03	04		13	14					10	10
11		51	29	20		23	17		10	07		10	11
12			22	01	38	14	56					25	12
13			15		18	02	08	24		44		31	13
14		22	04		15	10		27				22	14
15	09	09	33	04		02	05	09		17		03	15
16		06	13	09			04	77		02			16
17	03			16	06			15	15	10	08	18	17
18		18		53		01	01	05	31	13	130	01	18
19	03		03	20			01	03	21	03	70	11	19
20	02		14	11			18	08	01		20	16	20
21		09	10	03	04		03	18			01		21
22		10	04	03		03				17			22
23		08	05	01				01			11	51	23
24		05	06	04		22		12		10		03	24
25		08	24					08		27	15	02	25
26	11	25	10		03	02				02	06		26
27		43	03			01	03	32	01	61	01	03	27
28		26	03					02	01	06		15	28
29		18		01		01				11		02	29
30		X			06	08	03		08	35			30
31		X		X	02	X			X	29	X	01	31
Total	69	358	491	171	244	217	177	241	188	398	447	311	3312
Rain Days.	10	20	26	17	14	20	17	14	11	22	15	24	210

REGISTER OF RAINFALL IN 1917

Kept at Ingleby Greenhow
in the County of N. D. York
by P. Huntington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.30		.22		1.20			.09	.11	1
2	.03			.29				.47	.51				2
3		.02	.02	.09		.01		.17			.02	.01	3
4			.08	.03			.01			.04	.03		4
5			.11	.33				.02		.02	.07		5
6			.01								.30		6
7	.63		.03							.83		.12	7
8	.63		.03	.15				.78	.02	.33	.05		8
9	.12		.03	.04				1.08		.12	.52		9
10	.22		1.27	.26				.27		.17	.51		10
11	.22	.03		.11		.11		.17		.40	.01		11
12	.91	.04		.25				.10		.48		.09	12
13	.35		.01	.11	.33			.18	.10	.25		.03	13
14	.15		.02	.30	.36		.16	.16		.03		.21	14
15	.05		.03	.04	.01		.03	.06			.02		15
16	.18			.45				.04				.35	16
17	.10	.03		.08	.05	.03		(.02)				.42	17
18	.07			.09	.09		.17	.17	.03				18
19	.15	.06	.16		.06	.17		.04					19
20	.10	.12	.14	.02		.49		.08			.39	.11	20
21		.14	.13					.03		.01			21
22			.18		.01	.05		.03		.03		.02	22
23	.02		.01		.30	.01		.10					23
24	.01	.02	.01	.02		.01	.08	.08		.25	.17		24
25		.06	.10			.04				.06		.22	25
26	.02		.17			.05		.63	.14	.14	.25	.14	26
27	.02		.08			.62	.24	.56		.02	.01	.10	27
28	.01		.13			.02	.19	.56		.03			28
29	.02		.03				.16	.05		.51			29
30	.05	X	.09				.18		.01	.02		.05	30
31	.19	X	.55	X		X	.10	.02	X		X	.07	31
Total	4.25	.54	3.42	2.96	1.21	1.83	1.32	7.27	.81	3.74	2.44	2.05	31.84
Rain Days.	23	10	24	18	8	13	10	26	6	19	14	15	186

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Ingleby, Greenhow
in the County of N. York
by P. Huntington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
22-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.05		.01				.45	.05	.46	.05	1
2	.04			.13					.04			.08	2
3	.03	.01	.04					.14		.10			3
4	.01	.02	.07		.21				.02	.10	.64	.09	4
5			.03	.02	.24			1.00		.04			5
6	.02	.06		.67		.20		.19		.20			6
7	.16	.02		.06			.07		.02	.08	.43		7
8	.02		.10				.63		.08	.02			8
9		.40		.01			.04		.58	.17		.02	9
10	.03			.03			.20		.03		.02		10
11	.22	.04		.02			.02					.10	11
12		.15	.19	.01	.23		.37		.02	.22		.01	12
13		.01		.09	.05			.02	.30	.07			13
14	.04			.13		.02	.04		.24	.02		.10	14
15	.04			.08		.14	.33		.60			.62	15
16						.16	.38	.16	.25			.19	16
17	.17				.38	.02	.38	.02		.83		.41	17
18	.46		.08	.13			.32		.57	.13		.12	18
19	.16		.08	.20			.15	.10		.19			19
20	.18	.39		.23		.08	.80		.07	.09			20
21	.17				.25				.16	.18			21
22	.04			.02	.04	.10	.02					.42	22
23	.07				.73		.41		.08				23
24		.07		.01			.09		.10				24
25			.03				.06	.06	.05	.03	.02	.16	25
26							.24	.21	.39	.01	.03	.02	26
27		.03	.04			.10	.01	.46	.29		.10	.09	27
28		.11	.28								.01	.39	28
29			.08						.72		.02		29
30		X	.09					.02	.07		.13	.60	30
31		X	.17	X		X		.05	X	.01	X	.12	31
Total	1.89	1.31	1.33	1.84	2.14	.82	4.56	2.43	5.13	2.54	1.86	3.59	29.44
Rain Days.	18	12	14	16	9	8	19	12	22	19	10	18	177

REGISTER OF RAINFALL IN 1919

Kept at Engleby, Greenhow
in the County of N. D. Yorkshire
by P. Huntington

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16	05		02	23		47		35	05	28	05	1
2	12	01	02				81				20		2
3	54				12	08	27		02		29	10	3
4	46	06	45			14	03	36	45		15	15	4
5	38	09					02		01		10	03	5
6	01		17		05						26	22	6
7	06		14		08					04		16	7
8	26				08			01		16	02	17	8
9	02		09			02				16	32		9
10			05	06						23	23	15	10
11			72	01	18		25			03	25		11
12			65	10		06	03		06	42	05		12
13	12		16	06		18	31	14		20	20	01	13
14	19		06	60			04			04	15	03	14
15	07	06	20	08							05	1.30	15
16		03		04						02	02		16
17		05			12			03			13		17
18			04				02	40				03	18
19	03	10	83	01			42	05	13		07	03	19
20	37	20	02			09	02		17			18	20
21	16	11	15					01	10		03		21
22		14	09				46	05	03			15	22
23			04				04			72	10		23
24		02	05	08	03	19	03			53	07	03	24
25	01	13		03	01	07		73		02	06		25
26		35	27	04		01		41	07	18	25	64	26
27	16	03		66		02	04			1.30	21	01	27
28	10			15				1.10		53	01	36	28
29	22			03		07	07			1.67	02	16	29
30	03	X	10	23		57		04		28	18	17	30
31	14	X	03	X		X	19		X	29	X	04	31
Total	3.61	1.43	4.33	2.20	90	1.50	3.52	3.33	1.39	6.87	3.70	4.17	36.95
Rain Days	21	15	21	16	9	12	18	12	10	19	26	22	201

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to **THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.**

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.15	.41	.28		.29		.03	.61			1
2			.05	.33	.04		.33		.02	.10		.41	2
3		.06		.20		.07	1.85	.18	.24	.47		.21	3
4	.10			.03			.90	.67	.12	1.08		.18	4
5			.04		.09		.40	.10	.04			.17	5
6	.01		.19	.23	.02		.07	.03				.11	6
7	.02		.06	.02	.03		.08					.06	7
8				.15	.05		.13	.17			.02		8
9	.03	.02		.23			.02	.25	.06				9
10	.83	.01	.04	.13			.06					.06	10
11	.24		.07	.03	.10			.08				.30	11
12	.18			.17							.02	.43	12
13	.09		.25	.09					.02		.01	.12	13
14		.12	.55	.20			.15		.21	.02	.13	.05	14
15		.13	.30	.31			.01		.01	.04	.05		15
16				.16			.53		.15		.01	.02	16
17					.17			.20	.18	.02		.05	17
18	.34	.08		.06	.12		.13	.12	.22	.02		.02	18
19	.01	.32		.41				.15	.02				19
20	.10	.04		.07		.06			.02			.04	20
21		.01		.24			.35	.50	.16				21
22	.05			.18			.10						22
23			.03	.11			.42					.21	23
24	.08		.60	.04			.03					.02	24
25	.02	.09	.13	.03		.04	.40				.02		25
26	.02	.03	.40	.02			.02						26
27	.43		.04	.01	.17	.31					.18		27
28	.93		.15	.01		.01	.04				.02	.13	28
29	.24		.05	.03	.82	.06	.03					.40	29
30	.09	X		.04	.02	.03			.11		.42	.10	30
31	.14	X		X	.04	X			X		X	.12	31
TOTAL	4.15	.91	3.10	3.94	1.95	.58	6.34	2.45	1.61	2.36	.88	3.21	YEAR'S TOTAL 31.48
Days with .01 in. or more	21	11	17	28	13	7	22	11	16	8	10	21	185
(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.	15	7	16	20	10	5	17	10	10	5	4	18	126

INGLEBY MANOR
YORKSHIRE

Kept at Ingleby Manor
in the County of Yorkshire
by Lord de L'Isle

IMPORTANT NOTE.—If an Observer requested to add the reading for it at the end of this page the selection and placing of Organization are given in "Rules".
Dr. H. R. MILL, 62, Camden Square, London, N. W.

1911-1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912
in. 1 ft.
level 460 ft.

Ingleby
ice 1 mile Direction N.W.
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
cation to
Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .03	in.	in.	in.	in.	in.	in. .01	in. .05	in.	in.	in. .01	in.	1
2	.50				.11		.29			.06	.05	.15	2
3	.04		.07	.23	.29					.20			3
4	.10		.15	.31				.10		.20	.10	.51	4
5	.10			.03				.61		.05			5
6	.42		.22	.04				.10		.02	.03	.85	6
7	.02	.01	.04								.05	.03	7
8			.26	.02		.02				.02	.02	.54	8
9			.01	.02								.16	9
10		.01									.02	1.19	10
11	.41							.02			.29	.01	11
12	.40	.02	.20	.01	.15	.11			.72		.29		12
13		.07	.36		.05	.10			.11		.04	.63	13
14		.29	.21		.09				.02		.03	.83	14
15			.20	.03					.05	.08	.22	.36	15
16			.43	.03			.11			.02	.01	.06	16
17			.08				.05				.21	.14	17
18		.03	.48			.04					.70	.18	18
19			.01					.06	.08	.14	.29	.05	19
20		.20		.01			.09	.40	.02		.16	.35	20
21		.20						.60		.29	.29		21
22	.20	.05		.02				.29		.03	.31	.02	22
23	.01	.28				1.35				.20		.18	23
24			.05			1.65				.12		.10	24
25		.13		.24		1.05			.34	.13	.14	.12	25
26				.05	.04		.15			.90	.90	.10	26
27		.02	.02	.10				.18	.10	.04	.04	.03	27
28		.05	.02	.16						.05		.10	28
29			.02	.06		.03	.25	.02	.53	.32		.02	29
30			.03		.17				.31	.10			30
31					.06					.01		.03	31
Total	2.23	1.34 1.31	2.56	1.36	.90	4.35	.95	2.42	2.48	2.78	5.20	6.74	TOTAL for year 33.29 33.29 170
No. of Rain Days	11	13	19	16	8	8	7	11	11	19	22	25	

Kept at Ingleby Manor
in the County of Yorkshire. N. R. **b**
by Lord de L'Isle

RAIN GAUGE Diameter of top five in.
Height of top above Ground 1 ft.
" " " Sea Level 460 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ingleby
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03						.01	.05			.01		1
2	.50				.11		.29			.06	.05	.15	2
3	.04		.07	.23	.29					.20			3
4	.10		.15	.31				.10		.20	.10	.51	4
5	.10			.03				.61		.05			5
6	.42		.22	.04				.10		.02	.03	.85	6
7	.02	.01	.04								.05	.03	7
8			.26	.02		.02				.02	.02	.54	8
9			.01	.02								.16	9
10		.01									.02	1.19	10
11	.41							.02			.29	.01	11
12	.40	.02	.20	.01	.15	.11			.72		.29		12
13		.07	.30		.05	.10			.11		.04	.63	13
14		.29	.21		.09				.02		.03	.83	14
15			.20	.03					.05	.08	.22	.36	15
16			.43	.03			.11			.02	.01	.06	16
17			.08				.05				.21	.14	17
18		.03	.18			.04					.70	.18	18
19			.01					.06	.08	.14	.29	.05	19
20		.20		.01			.09	.40	.02		.16	.35	20
21		.20						.60		.29	.29		21
22	.20	.05		.02				.29		.03	.31	.02	22
23	.01	.28				1.35				.20		.18	23
24			.05			1.65				.12		.10	24
25		.13		.24		1.05			.34	.13	.14	.12	25
26				.05	.04		.15			.90	.90	.10	26
27		.02	.02	.10				.18	.10	.04	.04	.03	27
28		.05	.02	.16						.05		.10	28
29			.02	.06		.03	.25	.02	.53	.32		.02	29
30			.03		.17				.31	.10			30
31					.06					.01		.03	31
Total	2.23	1.34	2.56	1.36	.90	4.35	.95	2.42	2.48	2.78	5.20	6.74	TOTAL for year 33.29
No. of Rain Days	11	13	19	16	8	8	7	11	11	19	22	25	33.29 170

REGISTER OF RAINFALL IN 1912

Kept at Ingleby Manor

in the County of Yorks. N. 12 **N6**

by Lord de L'Isle

Form A2.
BRITISH RAINFALL.

2 JAN 1913

RAIN GAUGE Pattern
Diameter of top Five in.
Height of top above Ground 1 ft. in.
" " " Sea Level 460 ft.
Time of Observation Jan
Nearest Railway Station { Name Ingleby
Distance 1 Mile Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.60	.23		.03	.25	.34	.65	.07	.39		.04	1
2		.10	.09			.17	.53	.32		.17			2
3	.12	.15				.48	.03	.28	.18			.18	3
4	.16		.82			.67		.35			.28		4
5					.09	.16					.02		5
6	.78	.26	.03			.06		.02			.01	.01	6
7		.14			.10				.38		.03	.01	7
8	.31	.25	.15				.05		.10		.21		8
9	.03	.02	.22	.04					.28		.02	.02	9
10		.01		.01		.08			.18		.04		10
11	.18	.09				.01		.05	.08		.30	.12	11
12	.10	.02	.05			.08	.70				1.08		12
13	.02					.18	.01	.08		.04	.46	.01	13
14	.10		.35	.01		.06		.22	.01		.05	.08	14
15	.09		.46		.61	.05						.10	15
16	.38		.05		.16		.03			.07			16
17		.04	.29			.35	.02	.08				.01	17
18	.04						.46	.29		.01			18
19	.05	.17	.01				.80	.31		.15	.02		19
20	.05	.14			.26	.02	.38	.05		.13			20
21	.03		.32		.06		.05			.06	.02		21
22	.05	.08	.05		.78	.46		.08					22
23	.03		.02		.12					.17	.10		23
24	.29						.11	.35				.17	24
25	.56					.36		.06			.16	.01	25
26	.06	.06	.03			.11		.22		.80	.09	.48	26
27			.02			.14	.49	.25		.32	.07	.10	27
28				.02	.06	.11	.30		.01	.23	.22		28
29	.03	.01	.14	.01			.40	.38	1.60	.02		.03	29
30	.03		.09			.24	.13	.08	.25	.34			30
31			.38		.02		.20	.25		.18			31
Total	3.49	2.24	3.80	.09	2.29	4.02	7.03	4.37	2.14	3.22	3.18	13	TOTAL for year 37.44
No. of Rain Days.	22	16	20	5	11	20	18	20	11	16	18	15	192

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL

2 - JAN 1914

Kept at Ingleby Manor
in the County of Yorks. N.B.
by Lord de L'Isle

RAIN GAUGE { Pattern
Diameter of top five in.
Height of top above Ground one ft. in.
" " " Sea Level 460 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ingleby
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.09	57					.20		.04		1
2		.03	.03			.13				.02	.09		2
3	.05		.08		.31		.11		.08			.02	3
4	.17					.01	.02		.01	.35	.15	.14	4
5	.60	.06	.03			.09	.03	.13		.10			5
6	.01	.22	.25	.02	.38	.08	.19				.08		6
7		.24		.04	.02	.09				.10	.02	.01	7
8			.02	.02	.88	.07	.02		.10	.05	.02		8
9		.02	.06	.13	.11			.08		.01			9
10		.07	.03	.02	.03		.30			.05	.27		10
11	.70			.25		.13					.12		11
12	.07			.02					.08		.24		12
13								.08	.10	.02	.11		13
14	.12	.08	.14	.02						.08		.01	14
15	.33	.01	.37	.42							.15	.03	15
16			.01					.01	.04		.03		16
17			.14	.11				.02	.02		.03		17
18			.62	.20	.01				.01		.05	.01	18
19	.30			.01	.05	.05			.02				19
20	.75		.06						.12	.13	.38		20
21	.09				.03		.06	.19	.04				21
22	.10		.50		.05		.08	.36	.10	.14			22
23	.07		.04			.15	.28		.20	.02	.20		23
24	.25	.02		.04		.53		.07				.02	24
25				.07					.24	.01	.01	.03	25
26		.01		.55					.10	.24	.20	.38	26
27		.13	.06	.41	.03	.21				.01	.02		27
28	.25	.07	.35	.57						.05		.25	28
29	.01		.32	.23	.07			.37		.03		.80	29
30	.46		.08		.08					.56		.15	30
31	.09				.05			.31					31
Total	4.49	.96	2.68	3.70	2.08	1.54	1.09	1.62	1.34	2.92	2.03	1.85	TOTAL for year 26.90
No. of Rain Days.	19	12	20	19	14	11	9	10	16	18	19	12	178

REGISTER OF RAINFALL IN 1914

Kept at Ingleby Manor

in the County of Yorkshire N.B.

by Lad De L'Isle

Pattern
RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 460 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ingleby
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							.12	.70			.02	.18	1
2							.08	.26		.02	.41	.32	2
3			.06		.20		.05			.05	.27	.49	3
4				.15	.14						.16	.76	4
5			.03	.11	.05	.11				.06	.37		5
6		.09		.14	.03							.16	6
7		.04	.04	.05	.14	.39					.02	.18	7
8	.42		.03	.03	.77	.87	.06	.01		.15		.08	8
9	.35	.04	.05	.21	.05	1.30			.46		.11	.04	9
10	.10	.28		.01					.06		.03	.03	10
11		.27	.20		.24	.02			.02		.21	.46	11
12	.10	.10							.04			1.12	12
13	.05	.07	.15						.03		.03	.45	13
14	.08	.23					.06		.04	.05	.11	.17	14
15	.05	.02	.20				.25					.21	15
16	.04		.13				1.20		.32	.02	.76	.02	16
17	.12	.10	.01				.02		.61		.53	.11	17
18	.03	.11	.11			.84	.02		.18		.04	.24	18
19			.03				.40		.27		.04	.02	19
20		.40	.48			.26				.06	.09		20
21		.85	.09			.02				.03	.13	.02	21
22	.01	.02	.03	.01	.18	.23		.05		.07	.10	.14	22
23		.10	.05		.40	.58					.02	.15	23
24			.26	.14				.10			.16		24
25		.05	.06				.51	.03		.64	.05	.46	25
26			.11				.40	.05		.37	.16	.39	26
27	.02						.20				.15	.71	27
28		.02					.02			.03	.04	.26	28
29			.12		.11			.09		1.24	.05		29
30			.06					.05		.17	.11	.68	30
31	.20				.04		.21	.05		.27			31
Total	1.57	2.79	2.30	.85	2.35	4.62	5.09	1.39	2.03	3.23	4.17	7.85	38.24
No. of Rain Days	13	17	21	9	12	10	14	10	10	15	26	26	183

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
10 MAY 1916

Kept at Ingleby Manor
in the County of Yorks
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.82				.16						.10	.33	1
2											.15	.05	2
3	.56										.17	.36	3
4	.17										.36	.90	4
5	.14										.11	.73	5
6	.06				.02							.16	6
7	.27												7
8	.07										.06		8
9	.01											.34	9
10	.35											.14	10
11	.08				.67						.04	.22	11
12	.24				.06						1.36	.08	12
13					.03						.07	.06	13
14	.02				.05							.06	14
15	.26											.15	15
16	.01										.19	.03	16
17	.21										.17	.11	17
18											.05	.04	18
19										omit	~~FF~~		19
20	.06											.54	20
21	.35											.07	21
22	.07										.01	.16	22
23	.35										.06	.05	23
24											.04	.15	24
25											.16		25
26	.03										.07	.20	26
27	.01											.36	27
28	.05				.21							.05	28
29	.03				.44						.18	.47	29
30	.08	X		X		X			X		.01	.03	30
31		X		X		X			X		X	.21	31
Total	4.04				1.48						3.03	5.81	YEAR'S TOTAL
Add to	4.30				1.64						3.44	6.05	correct.
Rain													
Days.													
											3.38		

REGISTER OF RAINFALL IN 19 15

Kept at Ingleby Manor

in the County of Yorkshire N. B.

by Lord De L'Isle

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge 5 inches
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.82	.17	.03		.16			.19	.47		.10	.33	1
2		.31	.31	.11		.06	.02	.29	.11		.15	.05	2
3	.56		.10	.12			.27	.19			.17	.36	3
4	.17		.01				.25	.03			.36	.90	4
5	.14	.11	.03			.02	.04			.06	.11	.73	5
6	.06	.59	.14	.16	.02		.56		.10	.03		.16	6
7	.27	.90	.10				.31	.03					7
8	.07	.26	.04			.12	.30	.04			.06		8
9	.01	.07										.34	9
10	.35		.02					.24				.14	10
11	.08	.33	.01		.67		.04				.04	.22	11
12	.24	.08		.30	.06		.55	.10		.05	.36	.08	12
13		.56			.03		.01				.07	.06	13
14	.02	.30			.05		.01	.02				.06	14
15	.26	.17						.31		.45		.15	15
16	.01	.76					.60	.05		.14	.19	.03	16
17	.21	.29	.01				.35					.11	17
18		.15	.49						.01	.02	.05	.04	18
19		.01	.08				.07			.14			19
20	.06		.01									.54	20
21	.35	.03		.11								.07	21
22	.07						.02				.01	.16	22
23	.35	.09	.01	.01			.13				.06	.05	23
24			.15	.09					.35	.07	.01	.15	24
25				.02		.15	.02		.04	.04	.16		25
26	.03	.21	.02			.16	.31		.11	.06	.07	.20	26
27	.01	.08	.14				.03		.02	.26		.36	27
28	.05	.03	.27		.21		.03	.41		.32		.05	28
29	.03		.02		.44	.01			.47		.18	.47	29
30	.08			.18			.10		.11		.01	.03	30
31								.27		.06		.21	31
Total	4.30	5.56	1.99	1.10	1.64	52	5.02	2.17	1.79	1.70	3.33	6.05	35.12
Rain Days	24	21	20	9	8	6	21	13	10	13	19	27	191

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
JAN 1917

Kept at Ingleby Manor
in the County of Yorks. N.B.
by Lad de L'Isle

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Ingleby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 4 0 0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31		.14			.12	.13						1
2	.02	.06	.46						.06	.02		.02	2
3		.21	.36	.11		.01	.12		.63	.02	.34		3
4	.04	.31	.07	.07	.44	.36			.28	.40	.26	.07	4
5	.09	.15	.52		.48	.15				.38	.78	.08	5
6		.27	.21	.02	.37	.11	.03			.06	.48		6
7			.36	.01	.09	.24	.05			.17		.17	7
8			.70		.26	.10							8
9			.14		.14	.02						.58	9
10	.07		.10	.04		.73	.02					.03	10
11		.48	.50	.29		.20	.19		.10	.05		.16	11
12	.01		.43	.01	.47	.23	.15					.26	12
13			.21		.79	.03	.57	.30	.05	.46		.32	13
14		.19	.04	.03	.15	.13	.10	.15		.22		.26	14
15	.09	.12	.34	.01			.04	.85		.01		.07	15
16		.01	.12	.10			.03	.05		.02		.16	16
17	.03			.16	.05		.02	.10	.15	.11	.12		17
18		.19		.07				.05	.29	.15	.47	.01	18
19	.04		.03	.21				.04	.16	.03	.96	.11	19
20	.02		.15	.05			.20	.19			.15	.16	20
21	.01	.13	.11	.08	.04		.04						21
22		.11	.02	.06		.02				.17	.02		22
23		.08	.06					.02			.11	.53	23
24		.02	.07	.03		.24		.11		.11		.02	24
25		.15	.16					.10		.29	.14	.02	25
26	.11	.24	.07		.02	.02				.01	.07		26
27		.47				.02	.03	.38		.62			27
28		.22	.04						.01	.05		.21	28
29		.38								.12			29
30		X			.08	.04	.03		.06	.36			30
31		X		X		X			X	.35	X		31
Total	.84	3.79	5.46	1.85	2.76	2.17	1.75	2.34	1.79	4.18	4.90	3.28	35.09
Rain Days.	12	19	25	17	13	18	16	12	10	23	12	19	196

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

3482
FORM A.
BRITISH RAINFALL.

Kept at Inglis Manor
in the County of N. R. Yorks
by Lord Selkirk

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.39		.20		1.45	.32		.09	.11	1
2	.04			.27				.49	.14				2
3		.01		.07				.16					3
4			.06	.03						.03	.04		4
5			.07	.33				.02		.01	.06	.01	5
6										.20	.30		6
7	.78		.04							.57		.14	7
8	.65		.06	.15				.75	.02	.34	.06		8
9	.08			.05				.24		.11	.51	.04	9
10	.18		.36	.22	.05			.34		.16	.56		10
11	.23	.02		.14	.12			.18		.43	.01		11
12	.23		.01	.29	.13			.08		.53		.05	12
13	.26			.14		.04		.20	.09	.31		.06	13
14	.31			.37	.37		.11	.14		.03		.04	14
15	.09		.04	.05			.05	.05			.02	.13	15
16	.20			.45				.06				.43	16
17	.06	.05		.07	.05	.04						.39	17
18	.12			.10	.10		.15	.14	.04				18
19	.21	.08	.14			.19							19
20	.16	.10	.21	.02		.55		.07			.39		20
21		.14	.19	.01				.02					21
22			.23			.05				.04			22
23	.01	.02			.28	.03		.14		.03			23
24						.02	.06	.06		.23	.13	.02	24
25		.05	.11			.03				.05		.19	25
26			.16			.06		.62	.14	.12	.24	.11	26
27			.08			.95	.24	.63					27
28	.01		.13			.04	.19	.70		.06			28
29	.01		.02				.16	.05		.55			29
30	.05	X	.10	.26			.15			.03	.01	.08	30
31	.22	X	.38	X		X	.10		X		X	.11	31
Total	4.90	.49	3.39	3.41	1.10	2.20	1.21	7.59	.75	3.83	2.42	1.91	33.20
Rain Days.	20	9	18	19	7	12	9	22	6	19	13	15	169

REGISTER OF RAINFALL IN 1918

Kept at Engleby Manor
St. Aylin
 in the County of Yorkshire
 by Lord De Laith & Dudley

Lat. 54.3 Long. 1.1
 Time of Observation 9 A.M.
 Nearest Railway Station Engleby N.E.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 460 ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.43.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.01					.41	.06	.52	.02	1
2	.05	.07		.11					.05			.10	2
3	.02		.06					.13		.09	.37		3
4		.03	.09		.21				.05	.08	.26	.09	4
5			.05	.02	.25			.96		.04			5
6	.01	.16		.63		.17		.49		.16			6
7	.16	.01		.05				.02		.10	.39		7
8	.02		.11	.02			.65		.08	.01			8
9		.32					.04		.65	.16			9
10	.04			.04			.25		.03				10
11	.23		.07	.02	(.14)		.04						11
12		.19	.14	.02	.05		.45		.03	.21			12
13		.01		.09	.06				.26	.07			13
14	.04			.13					.35	.03			14
15	.11			.06		.10	.45		.68			.81	15
16						.09	.39	.14	.26			.21	16
17	.15			.02	.40	.03	.36	.03	.58	.85		.45	17
18	.47		.11	.03		.08	.10			.13		.13	18
19	.22		.10	.21			.19	.10	.06	.25			19
20	.19	.37		.22			.62		.16	.11			20
21	.17				.32	.05				.23			21
22	.01			.01	.84	.03	.02		.09			.38	22
23	.10			.02	.65		.30		.10				23
24		.06		.01			.13		.03	.04	.02		24
25			.03				.08	.06	.35				25
26							.29	.19	.15	.02	.04	.06	26
27		.03	.04			.09		.48			.09	.11	27
28		.12	.28						.55		.01	.42	28
29			.07					.02	.40		.02	.05	29
30		X	.10								.14	.59	30
31		X	.20	X		X		.04	X		X	.18	31
Total	2.05	1.37	1.45	1.72	2.17	.64	4.36	2.66	5.32	2.64	1.86	3.60	29.84
Rain Days.	17	11	14	19	9	8	16	12	21	18	10	14	169

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Ingleby Manor
in the County of Yorkshire (Nth Riding)
by Lord De L'Isle & Dudley

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Ingleby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. 11 in.
Sea Level 460 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres shou'd not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.05			.35		.50		.30		.30	.07	1
2	.04	.06	.02				.75		.02		.27		2
3	.56				.08	.11	.51				.32	.11	3
4	.61	.08	.45			.10	.08	.44	.35		.19	.15	4
5	.42	.05									.11	.04	5
6	.03		.19		.09					.04	.26	.23	6
7	.06		.20		.13							.20	7
8	.28		.09	.02	.10	.01		.02		.10	.04	.21	8
9	.02			.06						.16	.44		9
10			.05	.02						.26	.29	.19	10
11			.72		.18		.22			.03	.25		11
12			.65	.11		.05	.03		.06	.39	.07		12
13	.13		.23			.17	.20	.20		.21	.15	.02	13
14	.19		.03	.63			.03	.02		.06	.21	.03	14
15	.10	.10	.20								.04	1.35	15
16		.08		.11						.03	.03		16
17		.06		.06	.11			.07			.14		17
18			.02	.02			.02	.35				.04	18
19		.10	.98			.01	.50	.02	.25		.07	.02	19
20	.60	.18	.02			.06	.03		.03		.01	.14	20
21	.25	.14	.18			.09			.11		.02	.10	21
22		.13	.08	.02			.35				.01	.11	22
23			.04	.03		.18	.02	.06		.78	.10		23
24			.09		.01	.06				.65	.05		24
25	.03	.15		.09				.57		.05	.07	.03	25
26		.38	.24	.06		.05		.41	.05	.21	.16	.75	26
27	.17	.05		.65		.02	.04			1.38	.19	.03	27
28	.07			.18			.05	1.12		.65	.04	.37	28
29	.31	X	.04	.05		.08				1.74		.17	29
30	.01	X	.06	.24		.58		.02		.30	.19	.21	30
31	.27	X	.03	X		X	.16	X		.34	X	.20	31
TOTAL	4.40	1.61	4.61	2.33	1.05	1.57	3.44	3.28	1.17	7.38	4.02	4.77	YEAR'S TOTAL 39.63
Days with ".01 in. or more	20	14	22	15	8	14	16	12	8	18	27	23	197

REGISTER OF RAINFALL IN 1920..

Kept at Ingleby Manor
Great Ayton
in the County of Yorkshire
by Lord De L'Isle

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Ingleby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 12 in.
" " " " Sea Level 440 ft. 2/10/21

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.10	.39	.34	—	+			.52			1
2	—	—	.07	.33	—	—	+		.24	.11		.41	2
3	—	.06	—	.27	~~.06~~	.06	1.45	+	.12	.52		.21	3
4	.11	—	—	.04	—	—	+	+	.03	1.05		.18	4
5	—	—	.03	—	.08	—	+	+	.05			.17	5
6	—	—	.18	.15	.03	—	+	*				.11	6
7	.02	—	.05	.03	.05	—	+					.06	7
8	—	—	—	.26	.06	—	+	+			+		8
9	.06	—	—	.36	~~.07~~	~~.07~~	+	+	.03				9
10	.90	.01	.02	.17	—	~~.07~~	+					.06	10
11	.27	—	.06		.11	~~.06~~		+				.30	11
12	.13	—	.07		—	~~.07~~						.43	12
13	.09	—	.14		—	—					+	.12	13
14	—	.09	.82	.52	—	~~.07~~	+		.22		+	.05	14
15	—	.16	.29		—	—				.05	+	~~.05~~	15
16	—	—	—		~~.07~~	—	+		.17			.02	16
17	—	—	—	.13	.14	—		+	.05	.02		.05	17
18	.35	.11	—	.01	.16	—	+	+	.32	.01		.02	18
19	—	.31	—	.41	—	.01		+	.02				19
20	.13	.05	—	.31	—	~~.07~~						.04	20
21	—	.02	—	.03	—	—	+	+	.15				21
22	.06	—	—	.32	—	—	+						22
23	—	—	.04	.01	—	—	+					.21	23
24	.07	—	.58	.01	—	—	+					.02	24
25	.02	.09	.14	.05	—	.05	+						25
26	—	.03	.33	.03	—	—	+						26
27	.47	—	.04	.27	.15	.30					+		27
28	1.10	—	.11	.01	~~.07~~	—	+				+	.13	28
29	.22	—	.05	.05	.83	.08	+					.40	29
30	.08	~~.07~~	—	—	.03	~~.07~~			.15		+	.10	30
31	.15	~~.07~~	—	~~.07~~	.04	~~.07~~		~~.07~~	~~.07~~	~~.07~~	~~.07~~	.12	31
TOTAL	4.23	.93	3.12	4.16	1.97	.50	6.04	2.36	1.55	2.28	.83	3.21	31.02
Days with ".01 in. or more	17	10	18	27	12	5	21	10	12	7	8	21	167
Days with ".04 in. or more	15	7	16	16	19	4			9	5		18	—

INGLETON
KINGSDALE HEAD
YORKSHIRE

Kept at *Kingsdale*
in the County of *Y.*
by *Lawrence*

12
in.
Ground ft. 8 in.
Sea Level 994 ft.
Name *St. H. Thomas*
Distance 4 Direction *West*
the result entered to the

IMPORTANT
previous day. If

requesters not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.27	-	0.38	-	0.26	0.10	-	0.50	0.31	-	-	0.06	1
2	0.50	-	0.91	0.18	0.42	0.13	0.08	-	-	-	-	-	2
3	-	-	0.31	-	-	0.85	0.10	0.15	1.90	-	-	0.70	3
4	0.77	-	0.42	0.97	-	0.23	-	1.60	-	-	2.74	0.03	4
5	0.21	-	0.13	0.33	0.56	-	-	-	0.35	-	-	-	5
6	0.18	0.30	-	-	0.22	0.25	-	-	-	-	-	-	6
7	-	1.21	0.26	1.56	-	-	0.20	-	0.27	-	0.85	-	7
8	0.55	-	0.78	0.23	0.28	-	0.10	-	0.23	-	0.60	0.20	8
9	0.13	0.50	0.50	0.20	-	-	-	0.62	-	-	0.50	0.30	9
10	-	-	-	0.06	-	0.05	-	-	-	-	0.75	0.25	10
11	0.14	-	-	-	0.36	1.21	-	0.50	-	-	-	1.05	11
12	0.73	-	0.48	-	-	0.80	0.47	-	-	-	0.05	0.41	12
13	0.02	-	0.34	-	-	0.33	-	-	-	-	0.12	-	13
14	0.19	-	0.58	-	-	1.15	-	0.40	-	0.24	-	0.65	14
15	0.76	-	0.14	-	0.48	1.70	-	-	-	0.25	0.15	0.40	15
16	0.65	0.37	0.62	-	-	0.60	-	0.25	-	1.06	-	0.36	16
17	-	0.27	0.32	-	-	0.29	-	1.20	-	0.55	-	0.44	17
18	-	-	-	-	-	0.20	-	-	-	1.40	-	0.85	18
19	0.22	-	0.76	-	-	-	-	0.30	-	0.36	0.65	0.02	19
20	0.15	-	0.59	-	0.84	0.15	-	0.10	-	0.65	-	0.15	20
21	-	-	0.04	-	-	0.14	-	-	-	0.05	0.05	-	21
22	-	0.60	-	-	0.46	0.05	-	-	-	-	0.65	0.24	22
23	-	-	0.16	-	-	0.30	0.28	2.00	-	-	1.58	-	23
24	0.12	0.14	0.18	-	-	1.00	0.50	-	-	2.31	0.36	-	24
25	-	-	0.85	-	-	0.21	-	-	-	0.57	0.80	0.05	25
26	-	-	0.20	-	-	0.20	-	-	-	0.22	0.85	0.45	26
27	-	0.32	1.08	-	-	0.12	1.20	-	-	-	0.05	0.92	27
28	-	0.33	-	-	-	1.03	1.15	0.65	-	0.55	-	-	28
29	-	-	0.25	-	-	0.06	-	-	0.62	-	-	0.40	29
30	-	-	0.97	-	-	-	1.50	-	-	-	-	0.35	30
31	-	-	0.88	-	0.20	-	1.18	1.00	-	-	-	0.50	31
Total	5.59	3.09	12.35	3.53	4.06	11.15	6.76	9.27	3.65	8.21	10.67	10.07	TOTAL for year
No. of Rain Days.	16	9	25	7	10	24	11	13	6	12	16	22	172

Kept at *Kingsdale Head*

in the County of *Yorkshire*

by *Lawrence Dye*

12
FORM A2.
BRITISH RAINFALL.
JAN 1910
Pattern
RAIN Diameter of top 6 in.
GAUGE Height of top above Ground ft. 8 in.
" " " Sea Level 994 ft.
Time of Observation 9 A.M.
Name *Thornhill*
Nearest Railway Station { Distance 4 Direction *West*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.27	-	0.38	-	0.26	0.10	-	0.50	0.31	-	-	0.06	1
2	0.50	-	0.91	0.18	0.42	0.13	0.08	-	-	-	-	-	2
3	-	-	0.31	-	-	0.85	0.10	0.15	1.90	-	-	0.70	3
4	0.77	-	0.42	0.97	-	0.23	-	1.60	-	-	2.74	0.03	4
5	0.21	-	0.13	0.33	0.56	-	-	-	0.35	-	-	-	5
6	0.18	0.30	-	-	0.22	0.25	-	-	-	-	-	-	6
7	-	1.21	0.26	1.56	-	-	0.20	-	0.27	-	0.85	-	7
8	0.55	-	0.78	0.23	0.28	-	0.10	-	0.23	-	0.60	0.20	8
9	0.13	0.50	0.50	0.20	-	-	-	0.62	-	-	0.50	0.30	9
10	-	-	-	0.06	-	0.05	-	-	-	-	0.75	0.25	10
11	0.14	-	-	-	0.36	1.21	-	0.50	-	-	-	1.05	11
12	0.73	-	0.48	-	-	0.80	0.47	-	-	-	0.05	0.41	12
13	0.02	-	0.34	-	-	0.33	-	-	-	-	0.12	-	13
14	0.19	-	0.58	-	-	1.15	-	0.40	-	0.24	-	-	14
15	0.76	-	0.14	-	0.48	1.70	-	-	-	0.25	0.15	-	15
16	0.65	0.37	0.82	-	-	0.60	-	0.25	-	1.06	-	0.36	16
17	-	0.27	0.32	-	-	0.29	-	1.20	-	0.55	-	0.14	17
18	-	-	-	-	-	0.20	-	-	-	1.40	-	0.91	18
19	0.22	-	0.76	-	-	-	-	0.30	-	0.36	0.65	0.02	19
20	0.15	-	0.59	-	0.84	0.15	-	0.10	-	0.65	-	0.05	20
21	-	-	0.04	-	-	0.14	-	-	-	0.05	0.05	-	21
22	-	0.60	-	-	0.46	0.05	-	-	-	-	0.65	0.24	22
23	-	-	0.16	-	-	0.30	0.28	2.00	-	-	1.50	-	23
24	0.12	0.14	0.18	-	-	1.00	0.50	-	-	2.31	0.36	-	24
25	-	-	0.85	-	-	0.21	-	-	-	0.57	0.80	0.05	25
26	-	-	0.20	-	-	0.20	-	-	-	0.22	0.85	0.41	26
27	-	0.32	1.08	-	-	0.12	1.20	-	-	-	0.05	0.92	27
28	-	0.33	-	-	-	1.03	1.15	0.65	-	0.55	-	-	28
29	-	-	0.25	-	-	0.06	-	-	0.62	-	-	0.40	29
30	-	-	0.97	-	-	-	1.50	-	-	-	-	0.35	30
31	-	-	0.89	-	0.20	-	1.18	1.00	-	-	-	0.50	31
Total	5.59	3.09	12.35	3.53	4.06	11.15	6.76	9.27	3.65	8.21	10.67	10.07	TOTAL for year 88.4
No. of Rain Days.	16	9	25	7	10	24	11	13	8	12	16	2	172

REGISTER OF RAINFALL IN 1913

Kept at *Kingsdale Head*
in the County of *Yorkshire*
by *Lawrence Pye*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Hemsworth*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *10* in.
" " " " Sea Level *994* ft.

FORM A.
BRITISH RAINFALL
4-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.14	0.06	-	-	-	-	-	-	-	-	-	-	1
2	-	-	1.75	-	-	0.50	-	-	-	-	2.0	0.64	2
3	0.21	0.26	0.27	-	0.75	-	-	-	-	-	-	0.45	3
4	-	1.19	0.20	-	-	-	-	-	-	-	-	-	4
5	0.90	0.50	0.05	-	-	-	-	-	-	-	0.31	-	5
6	0.31	0.12	-	0.35	0.65	0.45	0.45	-	-	-	0.08	-	6
7	0.02	0.53	0.10	-	0.15	0.47	0.10	-	-	0.70	-	0.70	7
8	-	0.56	0.45	-	0.50	-	-	-	-	-	0.15	-	8
9	-	1.02	1.30	-	-	1.50	-	-	-	-	-	0.55	9
10	-	-	1.20	0.13	-	-	-	-	-	-	-	-	10
11	-	-	-	0.50	-	-	0.20	-	-	-	0.55	-	11
12	-	-	-	-	-	-	-	-	1.24	0.25	0.45	-	12
13	-	-	1.15	0.05	-	-	-	0.90	-	-	0.54	0.58	13
14	-	-	-	0.30	-	-	-	-	-	1.13	0.58	0.11	14
15	0.65	-	0.85	-	-	-	-	-	-	-	0.74	0.03	15
16	-	-	0.20	-	-	-	-	-	-	-	0.50	-	16
17	-	-	-	0.90	0.13	-	0.75	-	-	-	0.72	0.70	17
18	0.18	-	-	-	-	-	-	-	-	-	1.33	-	18
19	0.20	-	1.0	0.80	-	-	-	-	-	-	1.56	-	19
20	-	-	-	0.50	0.40	-	-	-	-	0.12	-	-	20
21	-	-	-	0.55	-	-	0.15	-	-	0.41	-	-	21
22	0.53	-	-	0.45	-	-	-	2.05	-	-	-	-	22
23	1.30	-	-	-	0.70	1.05	-	0.65	0.50	-	0.47	-	23
24	0.45	-	-	-	-	0.45	-	0.55	-	-	0.19	-	24
25	-	-	-	0.40	-	-	-	-	0.30	-	0.10	1.10	25
26	-	0.30	0.80	1.00	-	-	-	-	1.0	0.06	-	1.15	26
27	-	-	-	0.80	-	-	-	-	-	0.50	-	-	27
28	0.36	-	0.23	-	-	-	-	-	-	0.05	-	-	28
29	-	-	-	-	-	-	-	-	-	0.10	0.55	-	29
30	0.45	-	0.34	-	-	-	-	-	-	0.30	-	-	30
31	-	-	-	-	0.50	-	-	-	-	-	-	-	31
Total	5.70	4.54	9.89	6.73	3.78	4.42	1.65	4.15	3.04	3.62	9.02	6.01	62.57
Rain Days.	13	9	15	13	8	6	5	4	4	10	17	10	118

and for a further 9.11.15 J. L. M. C.
REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
5 JAN 1915

Kept at Kingsdale Head
in the County of Yorkshire WR 1
by Lawrence P. E.

Lat. _____ Long. _____
Time of Observation 9. A. M.
Nearest Railway Station Thorncliffe
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 993 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.32	0.70			0.62	0.19	1
2												0.20	2
3		0.05	0.50					0.29		0.53		0.86	3
4	2.00		0.70		1.35						0.11	0.99	4
5			1.35	0.50		0.32	0.50	0.62			0.53	0.10	5
6								2.20			1.07	0.08	6
7			0.53		1.05							0.39	7
8	1.85		0.17	0.41	1.00						2.40	0.20	8
9	0.90				0.35	1.30					1.76		9
10				0.18							0.57		10
11		0.20	0.53								0.73	0.34	11
12			0.12								0.87	0.45	12
13							0.85	1.75	0.54		1.11	0.53	13
14		1.70	1.11	0.22									14
15			0.24										15
16			0.40				2.40		2.13				16
17							0.26					1.61	17
18	0.15	1.29										0.47	18
19													19
20													20
21			0.43			0.16							21
22		0.88			1.15								22
23		0.60	0.47	0.40		0.15	0.64						23
24			0.24			0.21					1.34		24
25	1.70							1.40		1.10	0.34	0.70	25
26		0.30									0.61	1.22	26
27	0.22									0.56	0.49		27
28		0.53								0.70	0.79		28
29	0.90		0.12		0.68			0.57		0.10	0.74		29
30	1.69		1.38							0.23	0.47	0.18	30
31			0.18				0.46						31
Total	9.41	5.57	8.42	1.70	5.58	2.14	5.43	7.53	2.67	3.16	14.65	8.50	YEAR'S TOTAL
Rain Days.	8	9	16	5	5	5	7	7	2	6	17	16	103

REGISTER OF RAINFALL IN 1915

and month 27.11.16

Kept at Kungisdaik Head.
in the County of Yorkshire.
by Lawrence Pyc.

Lat. 57°43' Long 22°7'
Time of Observation 9 a.m.
Nearest Railway Station Threlkirk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 994 ft.

3239
FORM A
BRITISH RAINFALL
6 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		1.14						0.58					1
2		1.00		0.45			0.92	0.65					2
3	1.20		2.07		0.07		0.98					1.10	3
4	0.56	0.56		1.10	0.50							0.12	4
5	1.39	0.45	1.60									1.69	5
6	1.09	0.29	0.02				1.30	0.11				0.78	6
7	0.66	0.20		0.31			0.77	0.55				0.75	7
8		1.62					0.10	0.31			1.56		8
9		0.18						1.26			0.44		9
10	1.09						0.26	0.31				1.38	10
11							0.50			0.30			11
12	0.79				0.95					0.			12
13	0.74	0.63						0.60				0.50	13
14	0.95			0.75			0.21	0.57		0.24		0.44	14
15							0.11	0.30				0.17	15
16		0.76						0.36					16
17		0.41											17
18							0.19						18
19	1.23	0.57		1.00			0.74						19
20	0.16		1.00		0.21		0.45						20
21							0.33						21
22												0.48	22
23							0.22					0.16	23
24				0.90					2.30			1.42	24
25												0.65	25
26		0.61					0.55					0.09	26
27						0.45	0.29		0.09	0.65			27
28		1.24				0.64	0.04				0.57	0.90	28
29				0.23								0.11	29
30													30
31	1.00												31
Total	10.86	9.66	4.69	4.74	1.73	1.09	7.96	4.60	2.39	1.19	2.57	10.74	62.28
Rain Days.	12	14	4	7	4	2	17	11	2	3	3	17	95

REGISTER OF RAINFALL IN 1916

Kept at Kingsdale Head.
in the County of Yorkshire. WR
by Lawrence Pyc.

Lat. 57° 43' Long. 22° 4'
Time of Observation 9 a.m.
Nearest Railway Station Leighton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 994 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.90	0				0.23	0.77	0.42			0.43		1
2						0.46					0.10		2
3		0.25					0.61		1.74		0.86		3
4	0.41		0.44		0.45	1.15			0.16	1.60	0.83		4
5	0.31	1.36					0.80			3.29			5
6	1.29	0.74			0.40	0.35				0.59			6
7	0.10	0.15				0.45							7
8		0.12	1.06	1.02			0.50			0.97	0.86		8
9	0.35				1.00		0.49			0.12	0.35	0.71	9
10	0.41					0.27	0.35			1.25	0.69		10
11	0.21		0.54				0.35		0.46	0.34	0.17		11
12	0.32	0.90		1.45	0.39		0.85			0.45	0.09		12
13		0.26						0.71		1.25			13
14		0.50		0.43	1.14			0.35		0.16			14
15	0.54	0.13					0.34	2.92		0.42			15
16	0.10	0.15	1.07	1.80						0.50			16
17	0.69	0.14		1.15					4.81	0.38			17
18	0.09	0.05									0.59		18
19	0.59		0.31	0.60									19
20	0.92							0.11	0.30				20
21	0.84											0.60	21
22				0.33		0.26							22
23	0.29			0.15						0.70		0.45	23
24	0.17					0.36		0.40			0.70		24
25	0.14		0.42		0.34						0.39		25
26	0.81	0.53	0.91										26
27								0.85	0.16	0.60			27
28	0.63		0.36							0.53	0.32	3.24	28
29	0.59	0.72								0.21	0.75	0.95	29
30	0.40	X			2.05	0.35				1.11			30
31	X	X		X		X		0.50	X	0.68	X	0.50	31
Total	10.90	7.95	5.11	6.93	5.77	3.88	6.06	4.28	4.63	15.27	7.23	6.45	86.74
Rain Days.	23	14	8	18	9	9	9	8	6	19	14	6	131

REGISTER OF RAINFALL IN 1917

Kept at *Knightsdale Head, N. Duglton*
in the County of *Yorkshire*
by *Laurence Pyle*

Lat. *54° 43'* Long. *22° 27'*
Time of Observation *9.15 A.M.*
Nearest Railway Station *Duglton*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *10* ft.
" " " " Sea Level *994* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
										<i>174</i>	<i>857</i>		
1	<i>0.38</i>			<i>0.25</i>		<i>0.13</i>			<i>0.45</i>	<i>0.16</i>		<i>4.16</i>	1
2	<i>1.45</i>			<i>0.50</i>						<i>0.06</i>		<i>4.06</i>	2
3						<i>1.25</i>					<i>0.90</i>	<i>0.60</i>	3
4											<i>0.14</i>		4
5	<i>0.39</i>		<i>0.50</i>	<i>0.56</i>						<i>1.30</i>			5
6	<i>1.20</i>		<i>0.25</i>							<i>0.25</i>		<i>1.72</i>	6
7						<i>0.50</i>		<i>0.12</i>			<i>0.50</i>	<i>0.33</i>	7
8				<i>0.54</i>		<i>0.19</i>	<i>1.41</i>	<i>1.50</i>	<i>0.45</i>	<i>0.53</i>	<i>1.00</i>		8
9	<i>0.60</i>							<i>1.40</i>		<i>1.07</i>	<i>0.10</i>		9
10		<i>0.70</i>	<i>0.75</i>	<i>0.30</i>				<i>0.33</i>					10
11				<i>0.20</i>	<i>0.21</i>						<i>0.19</i>		11
12					<i>0.65</i>			<i>1.00</i>			<i>0.20</i>		12
13				<i>1.00</i>	<i>0.48</i>				<i>2.60</i>	<i>0.31</i>		<i>1.31</i>	13
14				<i>0.13</i>									14
15				<i>0.15</i>					<i>1.00</i>				15
16				<i>0.50</i>				<i>1.36</i>	<i>0.40</i>				16
17				<i>0.29</i>	<i>0.08</i>		<i>1.45</i>	<i>2.00</i>	<i>0.60</i>				17
18			<i>0.94</i>					<i>0.34</i>	<i>0.53</i>	<i>0.36</i>			18
19	<i>1.90</i>		<i>0.84</i>							<i>0.13</i>	<i>1.02</i>	<i>1.40</i>	19
20									<i>1.03</i>	<i>0.50</i>			20
21			<i>0.16</i>		<i>0.32</i>			<i>0.60</i>	<i>0.59</i>		<i>2.06</i>		21
22		<i>1.20</i>									<i>0.22</i>		22
23		<i>0.30</i>			<i>0.13</i>	<i>1.07</i>			<i>0.10</i>		<i>1.66</i>		23
24		<i>0.40</i>					<i>0.41</i>	<i>2.40</i>	<i>0.90</i>	<i>0.60</i>	<i>0.64</i>		24
25		<i>0.39</i>				<i>0.93</i>	<i>4.95</i>			<i>1.74</i>	<i>0.34</i>		25
26							<i>0.96</i>	<i>1.00</i>			<i>0.23</i>		26
27			<i>0.24</i>		<i>0.80</i>	<i>0.19</i>	<i>4.96</i>	<i>1.16</i>					27
28			<i>0.50</i>					<i>0.14</i>		<i>0.62</i>	<i>0.70</i>		28
29			<i>0.11</i>					<i>0.40</i>		<i>1.00</i>			29
30		<i>X</i>						<i>0.22</i>					30
31		<i>X</i>		<i>X</i>	<i>0.36</i>	<i>X</i>		<i>0.77</i>	<i>X</i>		<i>X</i>		31
Total	<i>4.92</i>	<i>2.99</i>	<i>4.29</i>	<i>4.42</i>	<i>3.03</i>	<i>4.26</i>	<i>4.23</i>	<i>14.74</i>	<i>8.65</i>	<i>8.63</i>	<i>9.90</i>	<i>5.36</i>	<i>75.64</i>
Rain Days.	<i>6</i>	<i>5</i>	<i>9</i>	<i>11</i>	<i>8</i>	<i>7</i>	<i>14</i>	<i>16</i>	<i>11</i>	<i>14</i>	<i>15</i>	<i>5</i>	<i>114</i>

Not to be transcribed
in the County of

REGISTER OF RAINFALL IN 1918

Lat. 51° 43' Long. 2° 27'
Time of Observation 9 o'clock
Nearest Railway Station Loughton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
Sea Level 994 ft.

FORM A.
BRITISH RAINFALL
1.1.10

Kept at Kingsdale Head Loughton
in the County of York. West. Riding.
by Lawrence Pyle

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									0.82	1.15	0.48	1.33	1
2		0.50							0.32	2.18	0.17	1.68	2
3					0.61				0.28				3
4						0.45		0.09		1.10	0.45		4
5		0.42	1.02		0.19			0.80		0.84	0.10		5
6	0.10	1.80	0.32										6
7		0.50				0.54			0.37	0.87	0.23		7
8		0.40				0.23	0.18		0.37		0.10	0.25	8
9		0.80	0.57				0.26	0.15	0.37	1.12	0.77		9
10	1.30	1.57							0.37		0.94	1.15	10
11	0.74	0.63					0.50		0.04				11
12		0.64			0.50				0.03				12
13									0.84				13
14			0.36				0.24	0.45	1.09			1.53	14
15						0.75	0.50		0.40	1.00			15
16						0.06	0.94		0.60				16
17					0.27	0.06	1.60	1.25	0.49	0.40			17
18	2.10		0.28			0.25	0.31		0.42				18
19	1.75	0.40	0.26	0.25				1.12	0.79			0.95	19
20	0.52				0.71		0.84		0.13				20
21	0.12	1.54			0.12	0.43			0.02	0.17			21
22	0.70	0.09			0.58		1.31	0.25				1.25	22
23	1.37					0.48	0.90	0.54					23
24		0.10					0.19	1.80	0.78				24
25						0.40	0.24		1.00		0.20		25
26		0.70							0.34		0.50	0.40	26
27		0.39				0.33		1.05	0.93		0.75	1.24	27
28		0.19	1.10									0.90	28
29			0.29									0.64	29
30		X	0.14					0.84		0.12		0.12	30
31		X	0.34	X		X		0.34	X	0.63	X		31
Total	7.70	10.61	4.68	0.25	2.98	3.98	8.01	8.48	10.80	9.78	4.59	11.46	86.68
Rain Days.	9	16	10	1	7	11	15	12	22	11	11	12	137

REGISTER OF RAINFALL IN 1919.

Kept at Kingsdale Head -
in the County of York. West Riding
by Laurence Dye

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Sea Level 994 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							0.45	0.44	1.05	0.50		0.46	1
2			0.64		0.67				0.67			0.63	2
3	1.28				0.59		0.30				0.31	0.25	3
4	0.68			0.10	0.25	0.25	0.19					1.08	4
5	0.24		0.25		0.68			0.50	0.25			0.27	5
6	0.60		1.49		0.97				0.16				6
7	0.25		0.72	0.45									7
8	1.28		0.16			0.17							8
9			0.37								0.45		9
10			2.50		0.10							0.21	10
11	0.04		0.61		0.14		0.19		0.12				11
12	1.20					0.32					0.65		12
13										0.53			13
14	1.02											0.32	14
15	0.73			1.50								0.27	15
16		0.44		0.30		0.15		1.00	1.25				16
17						0.14			0.76		0.95	0.30	17
18			0.87					0.50					18
19	0.12	0.85				0.50	0.46					0.22	19
20	0.30										0.85	2.28	20
21												0.50	21
22		0.46				0.46		0.97			0.56	0.60	22
23						0.16			1.43		0.37		23
24	0.23			1.13				1.20		1.62	0.64	0.12	24
25	0.75										0.62		25
26			1.20	0.16				0.60	0.75			1.06	26
27	0.71									0.78		0.95	27
28								1.30	0.95	0.86		0.74	28
29				0.30					0.45				29
30		~~X~~	0.08										30
31		~~X~~	0.12	~~X~~			1.00	~~X~~		~~X~~			31
TOTAL	9.43	1.75	9.40	3.77	2.83	2.25	2.53	6.51	7.74	4.29	5.40	10.23	YEAR'S TOTAL
Days with 0.1 in. or more	15	3	9	8	6	8	3	8	7	5	9	10	65

REGISTER OF RAINFALL IN 1920

Kept at Kangoale Pond.
 in the County of Yorkshire Riding
 by Laurence Pye

Lat. _____ Long. _____
 Time of Observation 9. A. M.
 Nearest Railway Station Durham
 Diameter of Funnel of Rain Gauge 10.5 in.
 Height of top of Gauge above Ground 10 ft. in.
 " " " " Sea Level 994 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.56	—	0.28	0.50	0.02	0.17	0.15	0.07	—	—	0.13	1
2		0.07	0.20	0.16	0.10	—	0.50	0.22	0.16	0.56	—	0.56	2
3		0.30	0.50	0.16	0.16	—	0.60	0.60	0.85	0.45	—	0.40	3
4		0.36	0.16	0.05	0.05	—	0.47	2.10	0.04	0.41	—	0.25	4
5		—	0.22	0.12	2.35	—	0.15	0.65	0.02	0.18	—	0.09	5
6		—	0.43	0.34	1.07	—	0.03	—	—	—	0.04	0.05	6
7	1.91	—	0.29	0.39	0.08	—	0.77	—	—	—	0.55	—	7
8	—	0.12	—	0.47	0.31	—	0.30	0.31	—	—	0.70	—	8
9	0.50	1.06	0.04	0.04	0.03	—	0.71	0.22	0.11	—	0.50	0.06	9
10	0.70	2.22	0.28	0.04	—	—	0.52	0.28	—	—	—	—	10
11	1.59	0.40	—	0.08	0.35	0.12	—	—	—	—	0.22	0.09	11
12	0.47	—	0.11	0.09	0.17	—	0.63	—	—	—	0.26	0.35	12
13	—	0.70	0.72	0.64	0.14	0.22	0.07	—	0.04	0.04	0.63	0.06	13
14	0.52	—	0.04	0.40	—	0.33	0.33	—	—	0.24	1.25	—	14
15	—	0.92	0.29	1.10	—	—	0.20	—	—	0.28	0.06	—	15
16	—	—	0.30	0.32	0.10	—	0.83	0.10	—	—	0.30	—	16
17	—	—	0.44	—	0.23	—	0.29	1.40	1.00	—	0.06	—	17
18	1.40	—	0.01	0.06	1.20	0.10	—	—	0.40	—	—	—	18
19	0.79	0.41	—	0.09	0.12	0.29	0.35	0.19	—	—	—	—	19
20	—	—	—	0.34	—	—	0.42	—	0.28	—	—	0.22	20
21	—	—	—	—	0.03	0.15	0.02	—	—	0.02	—	0.06	21
22	0.50	—	—	0.54	0.03	0.11	1.17	0.02	—	—	—	0.25	22
23	—	—	0.02	0.10	—	—	0.49	—	—	—	—	0.17	23
24	—	1.58	0.68	—	—	—	0.15	—	—	—	—	0.66	24
25	0.15	0.35	0.28	0.43	—	—	0.48	—	—	—	—	1.08	25
26	0.14	0.08	1.09	0.68	0.78	0.06	0.54	0.29	—	—	0.05	0.14	26
27	0.21	0.42	0.28	0.09	—	0.71	0.05	—	—	—	0.12	0.23	27
28	1.02	0.72	0.25	0.39	0.02	0.57	0.12	—	—	—	0.08	0.42	28
29	1.07	0.25	0.06	0.12	0.37	0.06	1.00	—	—	—	0.37	0.60	29
30	0.09	—	0.03	—	0.77	0.17	—	—	0.16	—	0.38	0.59	30
31	—	—	0.02	—	0.31	—	0.14	—	—	—	—	0.35	31
TOTAL	11.31	9.04	7.74	9.12	9.24	2.81	11.53	6.11	3.42	2.19	5.36	7.39	85.26
Days with 0.1 in. or more	16	16	24	27	22	13	28	13	12	8	16	22	217

YEAR'S TOTAL

REG

KEIGHLEY
THE KNOWLE
1911 - 1920

Kept at *The Knowle*
in the County of *York*
by *Percy Blo*

FORM A2.
BRITISH RAINFALL
6 - JAN 1911
" in.
Ground 1 ft. — in.
Sea Level 390 ft.
Name *Ingham (midland)*
Distance *4 mile* Direction *S*
the result entered to the
ersal rule, he is earnestly
ear in the space provided

IMPORTANT NOTE.
previous day. If an Obse
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.40	.00	.00	.00	.05	.05	.00	.00	.23	.00	1
2	.21	.00	.01	.00	.12	.00	.09	.00	.00	.03	.04	.08	2
3	.03	.00	.09	.00	.55	.00	.00	.00	.00	.03	.26	.03	3
4	.02	.00	.13	.02	.06	.00	.00	.10	.11	.01	.69	.56	4
5	.07	.00	.00	.06	.02	.00	.00	.26	.00	.05	.24	.09	5
6	.34	.00	.00	.02	.00	.00	.00	.32	.00	.27	.48	.64	6
7	.03	.00	.00	.01	.00	.00	.00	.00	.00	.00	.13	.00	7
8	.08	.00	.11	.00	.00	.00	.00	.00	.00	.00	.00	1.08	8
9	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.23	9
10	.14	.06	.03	.00	.00	.00	.00	.00	.01	.00	.00	.70	10
11	.16	.00	.03	.00	.00	.00	.00	.02	.00	.00	.38	.25	11
12	.04	.00	.10	.00	.10	.00	.00	.00	1.11	.00	.32	.01	12
13	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.11	.40	13
14	.04	.25	.07	.00	.12	.00	.00	.00	.00	.00	.02	.39	14
15	.00	.23	.09	.05	.00	.00	.00	.00	.00	.05	.21	.30	15
16	.00	.76	.20 ⁺	.00	.00	.20	.03	.00	.00	.06	.11	.14	16
17	.01	.01	.05	.00	.02	.33	.03	.00	.00	.00	.26	.07	17
18	.00	.47	.09	.00	.00	.09	.00	.00	.00	.02	.07	.07	18
19	.00	.02	.03	.02	.00	.03	.04	.03	.24	.17	.16	.14	19
20	.00	.04	.00	.27	.00	.00	.06	.63	.14	.07	.00	.33	20
21	.00	.70	.00	.03	.00	.00	.02	.04	.03	.39	.00	.11	21
22	.12	.15	.00	.00	.00	.03	.00	.09	.01	.33	.07	.01	22
23	.02	.45	.00	.00	.10	.44	.00	.01	.05	.06	.00	.20	23
24	.18	.17	.03	.08	.00	1.64	.00	.00	.00	.13	.09	.14	24
25	.02	.45	.00	.14	.00	.06	.44	.00	.65	.20	.00	.23	25
26	.00	.02	.00	.19	.05	.01	.00	.09	.00	1.04	.07	.34	26
27	.06	.26	.04	.27	.00	.00	.00	.32	.23	.00	.02	.04	27
28	.00	.36	.02	.20	.00	.13	.00	.00	.16	.00	.00	.15	28
29	.00		.01	.22	.00	.33	.01	.00	.23	.37	.00	.09	29
30	.00		.00 ⁺	.04	.03	.06	.00	.00	.00	.26	.00	.00	30
31	.00		.05		.04		.00	.00		.24		.00	31
Total	1.57	4.40	1.56	1.62	1.26	3.35	0.77	1.96	2.97	3.78	3.97	6.80	TOTAL for year
No. of Rain Days.	17	16	19	15	12	12	9	12	12	19	19	27	34.01
													188

REG

FORM A2.
BRITISH RAINFALL.

Kept at The Knowle, Leighley
in the County of Yark WR 9
by Percy Blough

Pattern
RAIN GAUGE Diameter of top 5" in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 390 ft.
Time of Observation 9 am
Nearest Railway Station { Name Ingham (Midland)
Distance 1/4 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.40	.00	.00	.00	.05	.05	.00	.00	.23	.00	1
2	.21	.00	.01	.00	.12	.00	.09	.00	.00	.03	.04	.08	2
3	.03	.00	.09	.00	.55	.00	.00	.00	.00	.03	.26	.03	3
4	.02	.00	.13	.02	.06	.00	.00	.10	.11	.01	.69	.56	4
5	.07	.00	.00	.06	.02	.00	.00	.26	.00	.05	.24	.09	5
6	.34	.00	.00	.02	.00	.00	.00	.32	.00	.27	.48	.64	6
7	.03	.00	.00	.01	.00	.00	.00	.00	.00	.00	.13	.00	7
8	.08	.00	.11	.00	.00	.00	.00	.00	.00	.00	.00	1.08	8
9	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.23	9
10	.14	.06	.03	.00	.00	.00	.00	.00	.01	.00	.00	.70	10
11	.16	.00	.03	.00	.00	.00	.00	.02	.00	.00	.38	.25	11
12	.04	.00	.10	.00	.10	.00	.00	.00	1.11	.00	.32	.01	12
13	.00	.00	.00	.00	.05	.00	.00	.00	.00	.00	.11	.40	13
14	.04	.25	.07	.00	.12	.00	.00	.00	.00	.00	.02	.37	14
15	.00	.23	.09	.05	.00	.00	.00	.00	.00	.05	.21	.30	15
16	.00	.76	.20 ²⁰	.00	.00	.20	.03	.00	.00	.06	.11	.14	16
17	.01	.01	.05	.00	.02	.33	.03	.00	.00	.00	.26	.07	17
18	.00	.47	.09	.00	.00	.09	.00	.00	.00	.02	.07	.07	18
19	.00	.02	.03	.02	.00	.03	.04	.03	.24	.17	.16	.14	19
20	.00	.04	.00	.27	.00	.00	.06	.63	.14	.07	.00	.33	20
21	.00	.70	.00	.03	.00	.00	.02	.04	.03	.39	.00	.11	21
22	.12	.15	.00	.00	.00	.03	.00	.09	.01	.33	.07	.01	22
23	.02	.45	.00	.00	.10	.44	.00	.01	.05	.06	.00	.20	23
24	.18	.17	.03	.08	.00	1.64	.00	.00	.00	.13	.00	.14	24
25	.02	.45	.00	.14	.00	.06	.44	.00	.65	.20	.00	.23	25
26	.00	.02	.00	.19	.05	.01	.00	.09	.00	1.04	.07	.34	26
27	.06	.26	.04	.27	.00	.00	.00	.32	.23	.00	.02	.04	27
28	.00	.36	.02	.20	.00	.13	.00	.00	.16	.00	.00	.15	28
29	.00		.01	.22	.00	.33	.01	.00	.23	.37	.00	.09	29
30	.00		.00 ⁰³	.04	.03	.06	.00	.00	.00	.26	.00	.00	30
31	.00		.05		.04		.00	.00		.24		.00	31
Total	1.57	4.40	1.56	1.62	1.26	3.35	0.77	1.96	2.97	3.78	3.97	6.80	TOTAL for year
No. of Rain Days.	17	16	19	15	12	12	9	12	12	19	19	27	34.01
													188

REGISTER OF RAINFALL IN 1912.

Kept at The Knowle, Keighley
in the County of Yorks W. 9
by Peray Clough

Lat. 54° N. Long. 2° W.
Time of Observation 9 am.
Nearest Railway Station Ingrow (Mid)
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

BRITISH RAINFALL FORM A.

6 - JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.01	.27	.00	.00	.31	.13	.04	.17	.00	.00	.29	1
2	.00	.08	.23	.00	.00	.09	.33	.00	.04	.00	.00	.02	2
3	.16	.02	.24	.00	.00	.50	.00	.74	.57	.00	.00	.04	3
4	.42	.00	.74	.15	.00	.64	.00	.91	.03	.00	.11	.00	4
5	.31	.00	.03	.05	.22	.28	.00	.07	.61	.00	.00	.00	5
6	.69	.14	.27	.00	.02	.00	.00	.62	.00	.00	.00	.00	6
7	.00	.17	.03	.04	.06	.02	.00	.21	.11	.00	.04	.01	7
8	.36	.31	.17	.14	.00	.03	.01	.02	.11	.00	.02	.00	8
9	.14	.21	.06	.41	.00	.17	.00	.00	.00	.00	.03	.07	9
10	.05	.04	.00	.03	.00	.46	.00	.00	.00	.00	.62	.00	10
11	.14	.08	.00	.01	.00	.00	.00	.03	.00	.00	.03	.48	11
12	.08	.11	.05	.00	.00	.45	.77	.00	.00	.00	.00	.12	12
13	.00	.02	.00	.00	.00	.00	.00	.09	.00	.11	.06	.45	13
14	.15	.00	.46	.00	.02	.22	.00	.02	.00	.00	.00	.49	14
15	.55	.04	.05	.00	.42	.28	.00	.00	.00	.00	.00	.33	15
16	1.74	.00	.18	.00	.13	.29	.00	.00	.00	.10	.01	.08	16
17	.05	.08	.12	.00	.04	.48	.00	.34	.00	.00	.06	.69	17
18	.17	.02	.03	.00	.00	.08	.00	.02	.00	.23	.00	.12	18
19	.18	.23	.27	.00	.00	.01	.00	.28	.00	.38	.11	.00	19
20	.31	.00	.12	.00	.38	.03	.13	.07	.00	.46	.07	.04	20
21	.01	.00	.33	.00	.04	.00	.02	.04	.00	.14	.00	.08	21
22	.02	.10	.07	.00	.49	.44	.10	.34	.00	.00	.00	.02	22
23	.01	.00	.14	.00	.02	.02	.25	.44	.00	.00	.23	.03	23
24	.25	.00	.03	.00	.02	.08	.61	.11	.00	.03	.06	.15	24
25	.01	.00	.02	.00	.00	.53	.10	.00	.00	.00	.88	.16	25
26	.03	.22	.12	.00	.00	.02	.24	.58	.00	1.55	.50	.31	26
27	.00	.23	.21	.00	.00	.36	.30	.13	.00	.35	.03	.19	27
28	.00	.04	.03	.00	.00	.20	.30	.66	.07	.34	.17	.03	28
29	.04	.03	.17	.00	.00	.20	.35	.08	.65	.20	.00	.44	29
30	.00		.28	.00	.07	.00	.05	.00	.02	.00	.00	.02	30
31	.00		.05		.20		1.73	.23		.00		.03	31
Total	5.87	2.18	4.77	0.83	2.13	6.19	5.42	6.07	1.78	3.99	3.03	4.69	46.95
Rain Days.	23	20	28	7	14	25	16	23	10	11	17	25	219

6.07

4.69

REGISTER OF RAINFALL IN 1913

Kept at The Knowle, Houghton
 in the County of York
 by Percey Clough

Lat. 54° N. Long. 2° W.
 Time of Observation 9 am.
 Nearest Railway Station Ingham, Midland
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 390 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.04	.21	.14	.00	.00	.00	.00	.00	.00	.03	.00	1
2	.00	.16	.33	.04	.00	.07	.00	.00	.00	.00	.20	.08	2
3	.01	.23	.29	.00	.30	.00	.00	.00	.02	.01	.04	.48	3
4	.42	.04	.07	.00	.07	.02	.08	.00	.01	.01	.06	.49	4
5	.32	.06	.24	.00	.00	.18	.15	.00	.04	.04	.00	.01	5
6	.02	.22	.42	.00	.80	.04	.20	.00	.00	.13	.00	.00	6
7	.00	.59	.04	.00	.38	.14	.03	.00	.00	.86	.04	.01	7
8	.00	.09	.02	.00	.76	.00	.00	.06	.00	.07	.17	.00	8
9	.00	.12	.29	.00	.21	.44	.02	.12	.00	.00	.07	.14	9
10	.03	.05	.20	.10	.00	.00	.03	.00	.00	.00	.16	.00	10
11	.41	.00	.02	.43	.00	.18	.00	.00	.00	.01	.12	.02	11
12	.00	.00	.00	.00	.00	.00	.00	.00	.06	.00	.22	.02	12
13	.00	.00	.27	.00	.00	.00	.03	.01	.33	.00	.13	.00	13
14	.08	.00	.19	.22	.00	.00	.00	.00	.00	.19	.11	.00	14
15	.23	.02	.61	.87	.00	.00	.00	.00	.05	.00	.48	.05	15
16	.00	.00	.05	.09	.00	.00	.02	.00	.00	.00	.23	.00	16
17	.02	.00	.01	.08	.09	.19	.07	.00	.16	.00	.10	.00	17
18	.11	.00	.50	.40	.03	.08	.04	.00	.00	.00	.26	.00	18
19	.13	.00	.11	.25	.00	.00	.00	.00	.03	.11	.10	.00	19
20	.23	.00	.16	.09	.00	.00	.00	.00	.02	.10	.51	.00	20
21	.02	.00	.09	.00	.12	.00	.13	.11	.00	.00	.02	.00	21
22	.30	.00	.65	.00	.05	.00	.00	.30	.10	.00	.00	.00	22
23	.22	.00	.07	.00	.10	.15	.00	.42	.11	.00	.05	.03	23
24	.37	.00	.00	.00	.00	.34	.00	.00	.00	.00	.00	.02	24
25	.00	.00	.00	.03	.00	.00	.00	.00	.36	.02	.04	.14	25
26	.00	.02	.14	.30	.00	.00	.00	.00	.11	.07	.00	.73	26
27	.00	.03	.00	.19	.00	.00	.00	.00	.00	.12	.00	.32	27
28	.30	.00	.24	.35	.00	.00	.00	.00	.00	.01	.00	.13	28
29	.02		.43	.40	.05	.06	.00	.28	.00	.04	.10	.06	29
30	.62		.00	.00	.00	.00	.00	.00	.00	.18	.10	.01	30
31	.29		.02		.10		.00	.00		.00		.00	31
Total	4.25	1.67	5.67	3.98	3.06	1.83	0.80	1.30	1.40	1.97	3.34	2.74	32.01
Rain Days.	21.	13.	26.	16.	13.	11.	11.	7.	13.	16.	23.	17.	187

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at The Knowle
 in the County of York
 by Percy Clough

Lat. 54° Long. 2° W. of Greenwich
 Time of Observation 9 am
 Nearest Railway Station Ingham (Mid.)
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 390 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.03	.00	.00	.00	.90	.09	.00	.05	.03	.37	1
2	.00	.00	.07	.00	.00	.00	.10	.60	.00	.01	.32	.28	2
3	.09	.00	.15	.00	.25	.00	.00	.06	.00	.06	.09	.83	3
4	.41	.00	.17	.38	.05	.00	.00	.00	.00	.00	.09	.69	4
5	.15	.00	.38	.30	.02	.07	.00	.00	.00	.00	.54	.28	5
6	.00	.01	.09	.27	.10	.00	.00	.06	.00	.00	.15	.08	6
7	.04	.04	.44	.11	.10	.00	.00	.01	.00	.00	.00	.25	7
8	.46	.00	.07	.04	.12	.23	.00	.14	.05	.00	.03	.10	8
9	.32	.09	.00	.26	.04	.87	.00	.17	.02	.00	.14	.01	9
10	.07	.21	.01	.07	.00	.00	.00	.00	.04	.00	.30	.00	10
11	.00	.19	.33	.00	.09	.00	.07	.00	.16	.00	1.16	.33	11
12	.00	.15	.06	.00	.02	.00	.05	.00	.42	.00	.21	.53	12
13	.00	.19	.25	.02	.00	.00	.03	.00	.05	.00	.52	.28	13
14	.03	.37	.23	.00	.00	.00	.04	.00	.30	.00	.29	.57	14
15	.00	.11	.34	.00	.00	.00	.00	.00	.05	.00	.24	.03	15
16	.01	.00	.09	.00	.00	.00	.61	.00	.49	.00	.00	.00	16
17	.03	.31	.10	.00	.00	.00	.03	.00	.59	.00	.00	.37	17
18	.00	.25	.04	.00	.00	.16	.00	.00	.03	.03	.00	.09	18
19	.00	.07	.17	.00	.00	.00	.05	.00	.01	.00	.05	.13	19
20	.00	.13	.06	.00	.00	.00	.00	.00	.01	.00	.00	.00	20
21	.02	.65	.00	.00	.00	.45	.00	.24	.00	.07	.06	.32	21
22	.00	.25	.00	.03	.03	.21	.00	.04	.00	.21	.00	.03	22
23	.00	.00	.05	.04	.25	.19	.01	.00	.00	.00	.00	.05	23
24	.08	.00	.30	.05	.03	.01	.25	.26	.00	.00	.03	.00	24
25	.04	.00	.05	.00	.00	.00	.10	.22	.00	.79	.03	.57	25
26	.03	.06	.04	.00	.06	.00	.00	.02	.00	.16	.26	.37	26
27	.01	.00	.00	.00	.00	.00	.00	.06	.00	.07	.37	1.05	27
28	.06	.22	.17	.00	.00	.00	.00	.00	.00	.04	.55	.00	28
29	.04		.19	.00	.05	.00	.00	.02	.00	.46	.25	.00	29
30	.03	X	.28	.00	.00	.00	.00	.03	.00	.14	.25	.21	30
31	.04	X	.21	X	.00	X	.38	.00	X	.30	X	.00	31
Total	2.32	3.24	4.37	1.57	1.14	2.19	2.62	1.96	2.22	2.33	5.96	7.82	37.75
Rain Days.	19	16	27	11	13	8	13	14	13	12	23	24	193

REGISTER OF RAINFALL IN 1915.

Kept at The Knowle, Kighley.
in the County of York. W 9
by Percy blough.

Lat. 54° N Long. 2° W. of Greenwich.
Time of Observation 9 a.m.
Nearest Railway Station Ingram (Midland) 3 m. South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.39	.00	.00	.17	.00	.00	.35	.02	.00	.03	.03	1
2	.03	.30	.20	.23	.00	.02	.30	.14	.00	.00	.00	.00	2
3	.66	.00	.02	.14	.00	.00	.24	.50	.00	.00	.00	.76	3
4	.04	.16	.00	.00	.07	.00	.44	.00	.00	.00	.00	.60	4
5	.12	.24	.14	.00	.02	.03	.00	.00	.00	.00	.00	.80	5
6	.26	.33	.09	.28	.00	.00	.48	.02	.00	.00	.03	.34	6
7	.40	.95	.00	.39	.00	.00	.24	.60	.00	.00	.00	.20	7
8	.30	.21	.00	.19	.00	.00	.23	.11	.00	.00	.36	.00	8
9	.01	.04	.00	.01	.00	.00	.00	.04	.00	.03	.46	.56	9
10	.47	.00	.00	.00	.00	.00	.00	.48	.00	.24	.00	.18	10
11	.16	.02	.00	.00	.75	.00	.09	.22	.00	.09	.11	.63	11
12	.10	.04	.00	.09	.07	.00	.07	.11	.00	.14	.84	.00	12
13	.10	.45	.00	.00	.00	.00	.02	.00	.08	.00	.00	.01	13
14	.14	.01	.00	.00	.05	.00	.24	.11	.00	.00	.00	.14	14
15	1.00	.00	.00	.00	.00	.00	.13	.03	.03	.01	.32	.25	15
16	.00	.90	.00	.00	.11	.00	.57	.31	.00	.03	.00	.00	16
17	.00	.52	.00	.00	.00	.00	.01	.01	.00	.00	.00	.03	17
18	.00	.07	.14	.00	.00	.00	.00	.07	.01	.02	.00	.00	18
19	.00	.08	.03	.03	.06	.00	.18	.10	.00	.00	.00	.00	19
20	.24	.05	.00	.00	.03	.00	.11	.00	.00	.00	.00	.29	20
21	.12	.05	.00	.00	.00	.00	.03	.00	.00	.00	.00	.08	21
22	.03	.00	.10	.04	.00	.00	.02	.00	.00	.00	.00	.07	22
23	.01	.04	.04	.00	.00	.00	.13	.00	.01	.22	.00	.11	23
24	.00	.00	.06	.03	.00	.00	.00	.00	.38	.02	.00	.36	24
25	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.11	25
26	.03	.30	.00	.00	.00	.05	.22	.00	.00	.00	.00	.43	26
27	.00	.17	.00	.00	.00	.00	.17	.00	.00	.35	.00	.43	27
28	.00	.39	.00	.00	.05	.89	.00	.34	.00	.34	.00	.06	28
29	.00		.00	.00	.19	.14	.00	.00	.00	.00	.12	.62	29
30	.00	X	.00	.07	.00	.28	.03	.00	.00	.00	.00	.01	30
31	.21	X	.00	X	.00	X	.02	.22	X	.03	X	.31	31
Total	4.64	5.71	.82	1.50	1.57	1.41	3.84	3.86	0.55	1.43	2.27	7.40	YEAR'S TOTAL 35.00
Rain Days.	21.	22.	8.9	11.	11.	6	21	18	7	11.	8.	25.	170 169.

REGISTER OF RAINFALL IN 1916

Kept at The Knowle, Keighley
 in the County of York WR
 by Percy Clough

Lat. 54° N. Long. 2° W of Greenwich
 Time of Observation 9 a.m.
 Nearest Railway Station Ingrow, Midland
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 390 ft.

FORM A.
 BRITISH RAINFALL
 FEB 1917
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.90	.06	.08			.19	.40			.01	.02		1
2	.10	.06	.05			.03			.31	.10	.01		2
3	.01	.05	.01	.04		.04	.30		.57	.18	.33		3
4	.10	.28		.01	.48	.51			.04	.57	.45		4
5	.05	.30			.03	.22				.58	.63		5
6	.62	.48	.05	.03	.30		.25			.11	.56	.04	6
7	.07	.20	.07		.14		.10			.40	.01	.22	7
8		.18	.11			.03				.07	.44	.09	8
9	.05		.04		.53	.23			.22		.22	.33	9
10	.10	.05	.01	.17		.16	.06		.03	.64	.01	.01	10
11		.68	.29	.33	.04	.08	.05		.05	.07		.17	11
12	.11	.16	.30	.07	.20		.38	.01		.13		.01	12
13		.06	.15	.09				.55		.93		.14	13
14	.01	.14	.03	.13	.28			.20		.22		.02	14
15		.54	.67	.03			.12	.35	.01	.04			15
16	.01	.32	.57	.14			.06	.48		.02			16
17	.04	.24		.60			.13		.27	.13	.01	.01	17
18		.49		.10			.03	.14	.39	.06	.68		18
19	.29	.02	.22	.29				.10	.01		.29		19
20	.29		.23	.16			.04	.10			.03	.33	20
21	.40		.01		.16						.01		21
22	.01	.09				.08				.27		.01	22
23	.05	.04	.05	.09		.07					.15	.33	23
24		.10	.04			.14		.20		.06	.01	.04	24
25	.08	.05	.36		.13	.02		.44		.14	.09	.07	25
26	.04	.07	.30			.03	.04			.04	.03		26
27		.21	.01					.04		.55			27
28		.16			.04	.03			.02	<u>1.14</u>	.02	.59	28
29		.22				.15				.44		.52	29
30		~~X~~								.87		.07	30
31		~~X~~		~~X~~	.06	~~X~~	.01		~~X~~	.14	~~X~~	.17	31
Total	3.33	5.25	3.65	2.28	2.39	2.01	1.97	2.61	1.92	7.91	4.00	3.17	40.49
Rain Days.	20.	26.	22.	15.	12.	16.	14.	11.	11.	26.	20.	19.	212

REGISTER OF RAINFALL IN 1917.

Kept at The Knowle, Keighley
 in the County of York
 by Percy Clough

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Ingrrow (Midland Ry)
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. - in.
 " " " " Sea Level 390 ft.

3253
 11 FEB 1918
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02					.38	.0	.03	.37	.	.27	.12	1
2	.31	.00				.22		.01	.01	.05	.00		2
3	.05	.03		.29		.21				.32	.04		3
4	.00			.07		.01				.09			4
5	.45		.20	.16				.01		.14	.18		5
6	.02			.03		.03				.28	.37	.09	6
7	.48					.20				.50	.04	.08	7
8	.45			.19				1.01	.01	.82	.12	.05	8
9	.01			.17				.06		.05	.50		9
10	.17		1.41	.20	.10			.11					10
11	.02			.09				.03		.26		.07	11
12	.00			.02	.28			.33		.62		.01	12
13	.05	.01		.20	.03	.09		.15	.42	.03		.13	13
14	.08	.07	.03	.25				.17	.01			.26	14
15	.15			.14			.27	.01	.17			.15	15
16	.05	.04	.01	.09				.11	.01		.01	.21	16
17	.01	.06	.09	.12	.52		.11	.80		.19			17
18	.02		.06	.02	.10		.58	.23	.16			.41	18
19	.04	.19	.31		.35	.06		.02			.01		19
20	.00	.19	.01		.48	.18		.01	.22	.01	.02		20
21	.00	.03	.04		.10			.07	.11	.03			21
22	.00		.02			.05		.06	.02	.11	.04		22
23	.08	.04			.31	.32	.01	.22	.01	.06	.05	.01	23
24	.01					.15		.34		1.07	.62	.01	24
25	.00	.05	.07					.08		.47	.04		25
26	.00		.01			.04		.57	.17	.58	.12		26
27	.00				.03	.19	.30	.56		.09	.10	.05	27
28	.06	.01	.35			.01		.08		.01	.14	.01	28
29	.00		.03		.03		.02	.03		.48	.60	.08	29
30	.00	X	.15					.01		.18	.10	.01	30
31	.00	X		X	.01	X		.14	X	.01	X	.01	31
Total	2.47	0.72	2.79	2.04	2.34	2.14	1.29	5.25	1.69	6.45	3.37	1.76	YEAR'S TOTAL 32.31
Rain Days.	20	11	15	15	12	15	6	27	13	24	19	18	195

REGISTER OF RAINFALL IN 1918.

Kent at The Knowle, Reigley
in the County of York
by Percy Clough

Lat. 54 N. (^{com}South) Long. 2 W. (4 miles E)
Time of Observation 9 am
Nearest Railway Station Ingham. M. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 390 ft.

234.
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.



Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.03	.01	.01	.12	.00	.00	.00	.50	.05	.19	.12	1
2	.02	.17	.01	.02	.00	.00	.00	.00	.23	.02	.00	.27	2
3	.00	.01	.01	.00	.60	.00	.00	.00	.00	.19	.02	.03	3
4	.01	.03	.02	.00	.04	.00	.00	.06	.72	.21	.39	.16	4
5	.00	.01	.01	.10	.20	.00	.00	.68	.02	.28	.15	.00	5
6	.00	.85	.01	.23	.01	.09	.00	.08	.01	.18	.00	.01	6
7	.00	.10	.00	.27	.00	.00	.00	.01	.28	.24	.32	.00	7
8	.04	.27	.10	.00	.00	.00	.07	.03	.43	.08	.11	.00	8
9	.32	.82	.01	.10	.00	.07	.01	.00	1.05	.19	.10	.04	9
10	.02	.95	.00	.01	.00	.01	.01	.00	.21	.04	.08	.00	10
11	.32	.69	.00	.00	.05	.00	.10	.00	.08	.01	.00	.08	11
12	.00	.11	.00	.02	.02	.00	.25	.00	.09	.00	.00	.08	12
13	.00	.03	.00	.02	.29	.04	.00	.00	.29	.12	.00	.01	13
14	.43	.00	.00	.00	.01	.23	.12	.00	.70	.08	.00	.18	14
15	.00	.00	.00	.00	.00	.09	.88	.00	1.10	.00	.00	.47	15
16	.07	.00	.00	.00	.00	.31	.25	.07	.21	.02	.00	.27	16
17	.31	.00	.00	.00	.37	.01	.16	.06	.05	.37	.00	.35	17
18	.59	.00	.00	.00	.00	.01	.20	.02	.42	.01	.00	.40	18
19	.29	.02	.18	.00	.00	.01	.34	.08	.41	.11	.00	.88	19
20	.20	.53	.00	.13	.00	.03	1.09	.00	.12	.01	.00	.00	20
21	.35	.58	.00	.00	.49	.14	.00	.00	.30	.20	.00	.01	21
22	.01	.01	.00	.00	.37	.18	.18	.03	.02	.00	.00	1.19	22
23	.02	.02	.00	.00	.59	.00	.19	.00	.08	.00	.00	.17	23
24	.00	.09	.00	.00	.00	.00	.66	.02	.07	.00	.05	.02	24
25	.00	.01	.00	.00	.00	.35	.05	.31	.08	.00	.01	.00	25
26	.00	.08	.00	.00	.00	.00	.02	.06	.55	.00	.13	.08	26
27	.00	.21	.18	.00	.00	.00	.00	.22	1.12	.00	.20	.43	27
28	.00	.08	.37	.00	.00	.00	.00	.17	.27	.00	.07	.75	28
29	.00		.60	.00	.00	.00	.00	.00	.04	.00	.00	.39	29
30	.00	X	.21	.00	.00	.00	.00	.07	.00	.00	.01	.25	30
31	.00	X	.18	X	.00	X	.00	.06	X	.00	X	.00	31
Total	3.03	5.10	1.36	0.91	3.16	1.57	4.58	2.03	9.45	2.41	1.83	6.64	42.07
Rain Days.	16	23	14	10	13	14	17	17	28	19	14	24	209

REGISTER OF RAINFALL IN 1919.

Kept at The Knowle, Heighley
in the County of York
by Percy Clough

Lat. 54° 10' 5" N. Long. 2° 41' 20" W.
Time of Observation 9 AM.
Nearest Railway Station Ingrow, M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70	.00	.00	.00	.42	.00	.20	.00	.20	.21	.00	.14	1
2	.32	.00	.24	.00	.04	.00	.16	.02	.00	.00	.06	.05	2
3	.14	.00	.00	.00	.13	.16	.54	.00	.03	.00	.21	.36	3
4	.45	.00	.05	.00	.00	.02	.02	.12	.00	.00	.06	.13	4
5	.17	.03	.29	.00	.00	.00	.00	.00	.00	.02	.02	.25	5
6	.04	.00	.39	.00	.90	.00	.00	.00	.00	.00	.00	.16	6
7	.04	.00	.13	.00	.10	.04	.00	.00	.00	.00	.06	.00	7
8	.21	.00	.00	.03	.02	.00	.00	.00	.00	.00	.00	.00	8
9	.51	.00	.04	.00	.00	.00	.00	.00	.00	.00	.03	.00	9
10	.01	.00	.79	.03	.43	.01	.00	.00	.00	.00	.02	.26	10
11	.01	.00	.96	.09	.04	.00	.09	.00	.00	.00	.04	.04	11
12	.00	.00	.30	.14	.00	.00	.12	.00	.02	.03	.10	.00	12
13	.17	.00	.00	.28	.00	.01	.03	.05	.00	.22	.00	.01	13
14	.18	.00	.00	.37	.00	.00	.02	.11	.00	.02	.00	.02	14
15	.15	.14	.01	.12	.00	.00	.00	.00	.00	.00	.02	.50	15
16	.19	.54	.00	.00	.00	.01	.00	.00	.00	.00	.13	.00	16
17	.01	.07	.00	.00	.02	.15	.00	.22	.00	.00	.64	.00	17
18	.00	.00	.22	.00	.00	.00	.05	.17	.10	.00	.01	.39	18
19	.04	.30	1.53	.00	.00	.06	.30	.15	.05	.00	.34	.01	19
20	.56	.04	.05	.00	.00	.03	.17	.02	.00	.00	.15	.40	20
21	.08	.34	.00	.00	.00	.03	(12)	.00	.02	.00	.00	.31	21
22	.00	.13	.02	.00	.00	.06	.00	.10	.28	.00	.03	.45	22
23	.00	.00	.01	.03	.00	.07	.00	.00	.00	.68	.14	.21	23
24	.00	.00	.00	.13	.00	.03	.00	.00	.31	.09	.16	.53	24
25	.00	.04	.04	.39	.05	.05	.00	.64	.01	.00	.27	.00	25
26	.15	.05	.65	.03	.00	.04	.00	.37	.18	.00	.08	.74	26
27	.20	.00	.05	.25	.00	.00	.00	.00	.00	.00	.01	.09	27
28	.00	.00	.00	.05	.00	.05	.00	.55	.00	.17	.00	.48	28
29	.07	X	.00	.00	.00	.00	.00	.04	.00	.70	.00	.17	29
30	.00	X	.06	.03	.00	.13	.00	.00	.00	.11	.44	.26	30
31	.02	X	.03	X	.00	X	.20	.00	X	.03	X	.02	31
TOTAL	4.42	1.68	5.86	1.97	2.15	1.07	2.02	2.56	1.20	2.32	3.02	5.98	YEAR'S TOTAL
Days with of in. or more	23	10	20	14	10	18	13	13	10	11	22	24	188

REGISTER OF RAINFALL IN 1920.

Kept at Kewbury The Kennel
in the County of Wilt
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.01	.03	.14	.83	.00	.91	.16	.08	.07	.20	.14	1
2	.00	.00	.03	.16	.02	.00	.26	.01	.22	.22	.00	.37	2
3	.02	.04	.00	.05	.06	.00	.35	.13	.10	.26	.00	.38	3
4	.03	.00	.00	.06	.08	.02	.31	.54	.04	.83	.00	.04	4
5	.00	.00	.03	.00	.19	.00	.07	.15	.06	.26	.00	.00	5
6	.00	.00	.33	.14	.14	.00	.02	.00	.00	.00	.04	.10	6
7	.24	.02	.09	.04	.09	.00	.38	.00	.01	.00	.00	.00	7
8	.14	.06	.00	.38	.18	.00	.05	.27	.00	.00	.00	.00	8
9	.28	.75	.00	.53	.00	.00	.04	.06	.02	.03	.03	.00	9
10	.85	.75	.04	.38	.00	.00	.33	.11	.00	.00	.00	.00	10
11	.44	.06	.10	.26	.20	.21	.00	.00	.00	.00	.00	.11	11
12	.17	.17	.35	.47	.06	.00	.01	.00	.00	.00	.12	.10	12
13	.23	.08	.12	.23	.06	.48	.05	.00	.00	.00	.31	.15	13
14	.04	.09	.19	.21	.00	.30	.04	.00	.21	.05	.63	.00	14
15	.03	.20	.00	.24	.00	.00	.03	.00	.00	.10	.23	.00	15
16	.05	.00	.06	.00	.03	.00	.60	.00	.13	.00	.30	.00	16
17	.11	.00	.03	.00	.20	.00	.00	.22	.31	.02	.00	.00	17
18	.13	.00	.03	.03	.43	.00	.00	.00	.09	.00	.00	.00	18
19	.15	.27	.00	.13	.35	.13	.00	.08	.00	.00	.00	.00	19
20	.06	.01	.00	.17	.00	.01	.13	.00	.00	.00	.00	.05	20
21	.00	.00	.00	.02	.00	.00	.53	.00	.04	.00	.00	.16	21
22	.14	.00	.00	.29	.00	.05	.19	.15	.00	.00	.00	.13	22
23	.00	.00	.00	.01	.00	.00	.29	.00	.00	.01	.00	.33	23
24	.11	.00	.53	.03	.00	.00	.24	.00	.00	.00	.00	.11	24
25	.02	.03	.09	.02	.00	.00	.60	.00	.00	.00	.00	.00	25
26	.08	.09	.44	.16	.00	.00	.05	.00	.00	.00	.11	.03	26
27	.17	.05	.02	.15	.33	.48	.00	.00	.00	.00	.25	.07	27
28	.87	.02	.22	.10	.02	.02	.00	.00	.01	.00	.00	.24	28
29	.20	.00	.17	.09	1.28	.02	.15	.00	.02	.00	.19	.79	29
30	.26	~~X~~	.04	.00	.12	.08	.00	.00	.23	.00	.29	.40	30
31	.29	~~X~~	.10	~~X~~	.03	~~X~~	.00	.00	~~X~~	.67	~~X~~	.13	31
TOTAL	5.16	2.70	3.04	4.49	4.70	1.80	5.63	1.88	1.57	2.52	2.70	3.83	YEAR'S TOTAL
Days with ".01 in. or more	26	17	21	26	20	11	23	11	15	11	12	19	40.02
Days with ".04 in. or more	22	12	15	21	16	7	20	10	11	8	11	18	222
													171

KEIGHLEY
VICTORIA PARK.
YORKSHIRE

MUSEUM.

1912 - 1913

17 FEB 1913

N MUSEUM,
Park,

Keighley.

Rosse Butterfield,
Curator.

Yorks W.G

15th Feb. 1913.

Dear Sir,

In response to your request
I am forwarding daily record of rainfall
in Victoria Park, Keighley for 1912. So
far as I know it is correct, tho' there
is a little trouble with record to sun.

Yr faithfully
R. Butterfield

Dr. Hugh Robert Mill.

27	.00	.19	.19	.00	.01	.32	.20	.11	.00	.32	.01	.19	27
28	.00	.00	.00	.00	.00	.22	.26	.60	.07	.34	.14	.02	28
29	.07	.04	.18	.00	.00	.29	.28	.02	.65	.17	.00	.38	29
30	.02		.28		.10	.00	.12	.00	.07	.00	.00	.02	30
31	.00		.08		.15		1.69	.19		.00		.04	31
Total	5.49	1.92	4.20	.78	2.43	5.98	5.05	5.22	1.72	3.89	2.79	4.40	YEAR'S TOTAL 43.87
Rain Days.	22	19	27	7	18	26	16	23	9	13	16	25	221

17 FEB 1913



CORPORATION MUSEUM,
Victoria Park,
Keighley.

Rosse Butterfield,
Curator.

Yorks W.G.

15th Feb. 1913.

Dear Sir,

*In response to your request
I am forwarding daily record of rainfall
in Victoria Park, Keighley for 1912. So
far as I know it is correct, tho' there
is a little trouble with record to some.*

*Yours faithfully
R. Butterfield*

Dr. Hugh Robert Mill.

27	.00	.19	.19	.00	.01	.32	.20	.11	.00	.32	.01	.19	27
28	.00	.00	.00	.00	.00	.22	.26	.60	.07	.34	.14	.02	28
29	.07	.04	.18	.00	.00	.29	.28	.02	.65	.17	.00	.38	29
30	.02		.28		.10	.00	.12	.00	.07	.00	.00	.02	30
31	.00		.08		.15		1.69	.19		.00		.04	31
Total	5.49	1.92	4.20	.78	2.43	5.98	5.05	5.22	1.72	3.89	2.79	4.40	43.87
Rain Days.	22	19	27	7	18	26	16	23	9	13	16	25	221

RI

Kept at Keighley (Yorks. West-Riding)
in the County of Yorkshire W.A.
by Corporation Museum

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Keighley (Mid. & Lin. line)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 374.55 ft.

17 FEB 1913
BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.02	.20	.00	.00	.16	.21	.02	.20	.00	.00	.29	1
2	.01	.05	.17	.00	.02	.10	.34	.00	.09	.00	.00	.02	2
3	.16	.00	.22	.01	.00	.13	.00	.17	.10	.00	.00	.03	3
4	.80	.00	.60	.14	.06	.75	.00	.86	.01	.00	.08	.00	4
5	.16	.00	.05	.02	.24	.33	.00	.05	.00	.00	.00	.00	5
6	.76	.14	.17	.00	.01	.00	.00	.40	.00	.00	.00	.00	6
7	.00	.18	.02	.02	.07	.02	.04	.11	.15	.00	.01	.01	7
8	.41	.17	.17	.19	.01	.01	.00	.00	.04	.00	.00	.00	8
9	.13	.22	.05	.36	.00	.12	.00	.00	.00	.00	.05	.08	9
10	.08	.02	.00	.04	.00	.57	.00	.00	.00	.00	.60	.00	10
11	.09	.06	.00	.00	.00	.00	.00	.02	.00	.00	.02	.40	11
12	.05	.18	.03	.00	.00	.31	.62	.00	.00	.00	.00	.16	12
13	.00	.00	.00	.00	.00	.01	.00	.09	.00	.14	.08	.14	13
14	.18	.00	.43	.00	.02	.23	.00	.02	.00	.00	.00	.14	14
15	.60	.06	.04	.00	.40	.26	.00	.00	.00	.00	.00	.30	15
16	1.11	.01	.16	.00	.02	.14	.00	.00	.00	.09	.01	.09	16
17	.08	.00	.09	.00	.01	.17	.00	.32	.00	.01	.04	.67	17
18	.16	.07	.01	.00	.00	.03	.00	.05	.00	.20	.00	.01	18
19	.18	.19	.43	.00	.00	.01	.02	.28	.00	.43	.10	.00	19
20	.20	.00	.03	.00	.40	.02	.00	.08	.00	.46	.05	.03	20
21	.00	.07	.31	.00	.09	.00	.05	.03	.00	.13	.00	.07	21
22	.00	.08	.03	.00	.72	.43	.10	.45	.00	.01	.00	.01	22
23	.07	.00	.13	.00	.02	.02	.22	.32	.00	.00	.19	.02	23
24	.28	.00	.02	.00	.08	.09	.61	.13	.00	.10	.23	.13	24
25	.00	.01	.02	.00	.00	.11	.04	.01	.00	.00	.66	.12	25
26	.07	.22	.09	.00	.00	.01	.25	.49	.00	1.49	.48	.23	26
27	.00	.19	.19	.00	.01	.32	.20	.11	.00	.32	.01	.19	27
28	.00	.00	.00	.00	.00	.22	.26	.60	.07	.34	.14	.02	28
29	.07	.04	.18	.00	.00	.29	.28	.02	.65	.17	.00	.38	29
30	.02		.28		.10	.00	.12	.00	.07	.00	.00	.02	30
31	.00		.08		.15		1.69	.79		.00		.04	31
Total	5.49	1.92	4.20	.78	2.43	5.98	5.05	5.22	1.72	3.89	2.79	4.40	43.87
Rain Days.	22	19	27	7	18	26	16	23	9	13	16	25	221

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
JAN 1914

Kept at Keighley (Yorks. W. Riding)
in the County of Yorks
by Corporation Museum, (R. Batterfield)

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Keighley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 304.58 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.03	.31	.12	.00	.00	.00	.00	.00	.00	.03	.00	1
2	.00	.15	.12	.05	.00	.00	.00	.00	.00	.07	.18	.09	2
3	.00	.35	.32	.00	.35	.00	.00	.00	.03	.01	.04	.27	3
4	.38	.05	.11	.00	.06	.03	.06	.00	.02	.00	.05	.49	4
5	.19	.05	.23	.00	.00	.17	.15	.01	.06	.15	.00	.00	5
6	.02	.21	.43	.01	.67	.52	.24	.00	.00	.10	.03	.00	6
7	.00	.57	.03	.00	.37	.15	.02	.00	.00	.81	.01	.01	7
8	.00	.08	.00	.00	.54	.03	.00	.05	.00	.07	.13	.00	8
9	.00	.14	.33	.00	.14	.44	.01	.07	.00	.00	.12	.12	9
10	.01	.01	.23	.09	.00	.00	.01	.00	.00	.00	.07	.00	10
11	.25	.00	.01	.40	.00	.29	.00	.00	.00	.02	.12	.03	11
12	.00	.00	.00	.00	.00	.00	.00	.06	.05	.00	.18	.00	12
13	.00	.01	.25	.01	.00	.00	.02	.01	.33	.02	.12	.00	13
14	.07	.01	.24	.18	.00	.00	.00	.00	.00	.15	.07	.00	14
15	.14	.00	.59	.71	.00	.00	.00	.00	.07	.00	.22	.05	15
16	.00	.00	.05	.09	.00	.00	.01	.06	.00	.00	.54	.00	16
17	.01	.03	.00	.15	.03	.10	.06	.00	.13	.00	.13	.00	17
18	.14	.00	.43	.37	.00	.07	.06	.00	.00	.00	.24	.07	18
19	.16	.00	.09	.30	.01	.06	.00	.00	.03	.09	.13	.00	19
20	.23	.00	.22	.08	.00	.00	.00	.00	.00	.09	.49	.06	20
21	.00	.00	.10	.00	.08	.00	.44	.13	.00	.00	.00	.00	21
22	.25	.00	.85	.00	.04	.00	.00	.28	.08	.00	.00	.00	22
23	.16	.00	.06	.00	.13	.15	.00	.24	.09	.00	.05	.09	23
24	.46	.00	.00	.00	.00	.26	.00	.02	.00	.00	.01	.01	24
25	.00	.00	.00	.02	.00	.00	.00	.00	.36	.03	.02	.22	25
26	.00	.00	.09	.23	.00	.00	.00	.00	.10	.06	.00	.78	26
27	.00	.02	.00	.18	.00	.00	.00	.00	.00	.10	.00	.27	27
28	.25	.00	.20	.31	.00	.00	.00	.00	.00	.02	.00	.14	28
29	.00		.41	.35	.05	.00	.00	.31	.00	.05	.13	.07	29
30	.56		.01	.00	.00	.00	.00	.00	.00	.16	.04	.00	30
31	.22		.04		.10		.00	.00		.00		.00	31
Total	3.60	1.71	57.5	3.65	2.57	16.6	.75	1.27	1.35	1.94	3.15	2.65	YEAR'S TOTAL
Rain Days.	19	14	25	18	13	11	11	11	12	17	24	16	30.45
												15	19.05
													190

✓
Kept at Long
in the County of York
by Charles

R

KEIGHLEY

LONG LEE

IVY COTTAGE

YORKSHIRE

1911-1913

FORM A2.
BRITISH RAINFALL.
1911-1912
1 ft. in.
level 725 ft.

Keighley
ce 7 Direction N.W.
result entered to the
rule, he is earnestly

IMPORTANT NOTE
previous day. If an Observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	39	0	0	0	03	04	0	0	11	0	1
2	15	0	01	0	09	0	03	0	0	02	03	07	2
3	0	0	09	0	43	0	0	0	01	03	27	02	3
4	03	0	07	04	03	0	0	07	08	02	61	47	4
5	12	0	0	04	01	0	0	23	0	05	23	06	5
6	16	0	0	02	0	0	0	25	0	14	41	49	6
7	02	0	01	0	0	0	0	0	0	0	10	0	7
8	08	0	08	0	0	0	0	0	0	0	0	80	8
9	0	0	0	0	0	0	0	0	0	0	0	19	9
10	17	06	03	0	0	0	0	0	01	0	01	72	10
11	13	0	01	0	01	0	0	01	03	0	45	10	11
12	03	0	08	0	07	0	0	0	10	0	30	01	12
13	0	0	0	0	05	0	0	0	0	0	07	39	13
14	03	17	06	0	13	0	0	0	0	0	0	38	14
15	0	19	04	03	0	0	0	0	0	07	19	26	15
16	0	65 ⁽²²⁾	22	0	0	20	01	0	0	05	21	13	16
17	01	02	04	0	02	27	0	0	0	0	10	05	17
18	0	42	05	0	0	02	0	0	0	02	02	05	18
19	0	01	01	01	0	02	02	01	15	14	19	21	19
20	0	05	0	25	0	0	03	59	13	04	0	19	20
21	0	61	01	0	0	0	0	10	01	26	0	09	21
22	12	09	0	0	0	02	0	04	0	27	06	0	22
23	01	44	0	0	08	49	0	0	04	05	0	16	23
24	15	14	02	05	0	85	0	0	0	14	0	14	24
25	01	57	0	11	0	05	38	0	65	13	0	21	25
26	0	03	0	15	05	01	0	06	0	80	19	36	26
27	04	21	04	22	0	0	0	31	21	0	01	02	27
28	01	29	02	22	0	10	0	0	16	0	01	18	28
29	0		01	13	0	29	0	0	20	34	01	07	29
30	0		0	01	03	06	0	0	0	30	0	0	30
31	0		04		03		0	0		13		0	31
Total	1.27	3.89	1.33	1.28	1.03	3.38	0.50	1.71	2.76	3.00	3.58	5.82	TOTAL for year 29.57
No. of Rain Days.	17	16	21	13	13	12	6	11	13	19	21	26	188

R

FORM A2.
BRITISH RAINFALL
1912

Kept at Lloy Cottage, Long Lee, Kighley
in the County of York (West Riding)
by Charles Croft

RAIN GAUGE { Pattern Funnel with U.S. type
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 725 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Kighley
Distance 3 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0	.0	.39	.0	.0	.0	.03	.04	.0	.0	.11	.0	1
2	.15	.0	.01	.0	.09	.0	.03	.0	.0	.02	.03	.07	2
3	.0	.0	.09	.0	.43	.0	.0	.0	.01	.03	.27	.02	3
4	.03	.0	.07	.04	.03	.0	.0	.07	.08	.02	.61	.47	4
5	.12	.0	.0	.04	.01	.0	.0	.23	.0	.05	.23	.06	5
6	.16	.0	.0	.02	.0	.0	.0	.25	.0	.14	.41	.49	6
7	.02	.0	.01	.0	.0	.0	.0	.0	.0	.0	.10	.0	7
8	.08	.0	.08	.0	.0	.0	.0	.0	.0	.0	.0	.80	8
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.19	9
10	.17	.06	.03	.0	.0	.0	.0	.0	.01	.0	.01	.72	10
11	.13	.0	.01	.0	.01	.0	.0	.01	.03	.0	.45	.10	11
12	.03	.0	.08	.0	.07	.0	.0	.0	.10	.0	.30	.01	12
13	.0	.0	.0	.0	.05	.0	.0	.0	.0	.0	.07	.39	13
14	.03	.17	.06	.0	.13	.0	.0	.0	.0	.0	.0	.38	14
15	.0	.19	.04	.03	.0	.0	.0	.0	.0	.07	.19	.26	15
16	.0	.65 ⁽²²⁾	.32	.0	.0	.20	.01	.0	.0	.05	.21	.13	16
17	.01	.02	.04	.0	.02	.27	.0	.0	.0	.0	.10	.05	17
18	.0	.42	.05	.0	.0	.02	.0	.0	.0	.02	.02	.05	18
19	.0	.01	.01	.01	.0	.02	.02	.01	.15	.14	.19	.21	19
20	.0	.05	.0	.25	.0	.0	.03	.59	.13	.04	.0	.19	20
21	.0	.61	.01	.0	.0	.0	.0	.10	.01	.26	.0	.09	21
22	.12	.09	.0	.0	.0	.02	.0	.04	.0	.27	.06	.0	22
23	.01	.44	.0	.0	.08	.49	.0	.0	.04	.05	.0	.16	23
24	.15	.14	.02	.05	.0	.85	.0	.0	.0	.44	.0	.14	24
25	.01	.57	.0	.11	.0	.05	.38	.0	.65	.13	.0	.21	25
26	.0	.03	.0	.15	.05	.01	.0	.06	.0	.80	.19	.36	26
27	.04	.21	.04	.22	.0	.0	.0	.31	.21	.0	.01	.02	27
28	.01	.29	.02	.22	.0	.10	.0	.0	.16	.0	.01	.18	28
29	.0	.0	.01	.13	.0	.29	.0	.0	.20	.34	.01	.07	29
30	.0	.0	.0	.01	.03	.06	.0	.0	.0	.30	.0	.0	30
31	.0	.0	.04	.0	.03	.0	.0	.0	.0	.13	.0	.0	31
Total	1.27	3.89	1.33	1.28	1.03	3.38	0.50	1.71	2.76	3.00	3.58	5.82	TOTAL for year
No. of Rain Days.	17	16	21	13	13	12	6	11	13	19	21	26	188

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Ivy Cottage, Long Lee, Kneighley
in the County of York (West-Riding) WY
by Charles Griffith

RAIN GAUGE Pattern funnel with curved tube
Diameter of top 9.8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 750 ft.
Time of Observation 9 a.m.
Name Kneighley
Nearest Railway Station { Distance 1 mile Direction NNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	02	21	0	0	25	16	02	15	0	0	35	1
2	01	10	18	0	03	10	36	0	08	0	0	0	2
3	16	8	21	0	0	47	0	65	49	0	01	05	3
4	~~39~~ ~~38~~	8	56	14	07	45	0	86	01	0	08	0	4
5	~~17~~ ~~34~~	8	02	02	23	27	0	04	0	0	01	01	5
6	~~16~~ ~~67~~	43	25	0	01	0	0	48	0	0	0	0	6
7	0	19	02	02	07	02	0	15	11	0	05	01	7
8	~~36~~ ~~11~~	19	12	14	01	08	01	01	11	0	02	0	8
9	~~11~~ ~~44~~	20	05	25	0	08	0	01	0	0	03	07	9
10	~~10~~ ~~55~~	01	0	04	01	61	0	0	0	0	48	0	10
11	~~10~~ ~~55~~	09	0	0	0	0	0	03	0	0	0	43	11
12	~~08~~ ~~08~~	17	03	0	0	36	78	0	0	0	0	14	12
13	0	01	0	0	0	0	0	07	0	11	03	39	13
14	~~16~~ ~~16~~	0	47	0	04	25	0	02	0	0	0	44	14
15	~~15~~ ~~15~~	04	04	0	38	26	0	0	0	0	0	30	15
16	~~1~~ ~~52~~	01	16	0	06	18	0	01	0	08	0	03	16
17	~~05~~ ~~05~~	07	10	0	03	51	0	34	0	01	05	52	17
18	27	01	02	0	0	04	0	03	0	18	0	10	18
19	18	23	23	0	0	01	04	30	0	35	11	0	19
20	~~21~~ ~~01~~	0	03	0	42	03	13	08	0	40	05	04	20
21	~~01~~ ~~01~~	0	31	0	10	00	01	03	0	15	0	07	21
22	~~02~~ ~~02~~	10	01	0	72	35	11	46	0	0	0	02	22
23	~~01~~ ~~01~~	0	13	0	01	~~35~~ ~~35~~	24	31	0	0	20	02	23
24	25	0	02	0	10	08	54	16	0	08	27	12	24
25	~~01~~ ~~01~~	0	01	0	0	43	03	0	0	10	58	13	25
26	~~02~~ ~~02~~	18	09	0	0	03	29	66	0	147	47	22	26
27	0	19	19	0	0	39	20	16	0	33	02	17	27
28	0	04	01	0	0	27	26	62	06	33	19	02	28
29	~~01~~ ~~01~~	05	17	0	0	15	32	05	73	16	0	37	29
30	02		28	0	10	0	06	0	0	0	0	0	30
31	0		04		28		141	20		0		04	31
Total	~~8.00~~ ~~5.27~~	203	396	0.61	2.67	5.69	5.05	5.75	1.74	3.75	2.65	4.06	TOTAL for year 43.96
No. of Rain Days.	~~21~~ ~~23~~	20	28	06	18	25	17	25	17	8	13	17	24

REGISTER OF RAINFALL IN 1913

Kept at Loy Cottage, Long Lee, Keighley
in the County of York (W. Riding)
by Charles Long

Lat. 53° 56' Long. 1° 50' W
Time of Observation 9 A.M.
Nearest Railway Station Keighley (M.)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 750 ft.

FORM A.
BRITISH RAINFALL
17 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.


Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~10~~ 03	03	12	07	0	0	0	0	04	0	04	0	1
2	0	13	36	05	0	06	0	0	0	0	17	07	2
3	01	25	21	0	35	0	02	0	0	02	05	35	3
4	~~40~~ 04	04	08	0	03	0	05	0	03	02	07	42	4
5	~~30~~ 05	05	19	0	0	17	12	0	06	11	0	01	5
6	02	20	39	02	68	03	15	0	0	14	05	0	6
7	0	37	02	01	37	15	03	0	0	93	0	02	7
8	0	08	01	0	65	01	0	10	0	04	17	01	8
9	02	15	26	0	21	35	02	13	0	0	17	11	9
10	04	0	18	13	0	0	02	0	0	0	08	0	10
11	~~14~~ 01	01	0	47	0	16	0	0	0	02	14	02	11
12	0	0	01	01	0	0	0	02	06	0	21	02	12
13	0	0	21	0	0	0	01	0	33	0	12	0	13
14	08	02	18	18	0	0	0	0	0	07	07	0	14
15	~~4~~ 01	01	49	73	0	0	0	0	05	10	45	06	15
16	0	0	01	05	0	0	02	12	01	0	20	0	16
17	~~02~~ 02	02	0	14	06	06	06	0	19	0	13	01	17
18	09	0	40	26	01	07	05	0	0	0	20	02	18
19	13	0	07	20	01	0	0	0	03	10	09	0	19
20	25	0	12	11	0	0	0	0	0	08	~~47~~ 0	0	20
21	02	0	07	01	17	0	13	10	0	0	03	0	21
22	30	0	59	0	05	0	0	30	11	0	0	0	22
23	~~15~~ 0	0	06	0	15	14	0	48	11	0	05	08	23
24	~~35~~ 0	0	01	01	0	25	0	02	0	01	03	01	24
25	0	0	0	03	0	0	0	0	35	02	02	16	25
26	0	01	13	29	0	0	0	0	10	08	0	65	26
27	01	02	0	23	0	0	0	0	0	10	0	24	27
28	~~30~~ 0	0	20	34	0	0	0	0	0	0	0	25	28
29	02		46	36	05	0	0	01	0	06	12	08	29
30	~~53~~ 0		01	0	02	0	0	0	0	20	09	0	30
31	~~29~~ 0		05		08		01	0		0		0	31
Total	44.5	1.59	48.6	3.70	2.89	1.45	0.69	1.58	1.47	2.10	3.72	2.59	30.56
Rain Days.	23	15	27	21	15	11	13	9	13	17	24	19	207

REGIS

Kept at *Higher Burnt Hill*
in the County of *York*
by *J. E. ac*

KELBROOK
HIGHER BURNT HILL FARM
YORKSHIRE

1916 - 1920

FORM A.
BRITISH RAINFALL.
24 APR 1917
in. *1* ft. *0* in.
1050 ft.
ult entered to the
e, he is earnestly
space provided

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	.09	.07	0	0	.12	.56	0	0	.02	.04	0	1
2	.10	.13	.01	0	0	.03	0	0	.26	.18	.07	.01	2
3	0	.11	0	.05	0	.11	.27	0	.68	.20	.29	.01	3
4	.15	.13	0	0	.54	.19	0	0	.03	.62	.35	0	4
5	.12	.38	0	0	.08	.15	0	0	0	<u>1.30</u>	.62	0	5
6	.67	.32	.03	0	.24	0	.15	0	0	.22	.27	.06	6
7	.03	.09	.01	0	.25	.06	.50	0	0	.40	.07	.28	7
8	0	.10	.04	0	0	.01	.03	0	0	.08	.31	.04	8
9	.05	0	0	0	.59	.34	.02	0	.25	0	.13	.18	9
10	.16	.03	0	.16	0	.56	.04	0	0	.96	.06	.08	10
11	.01	.52	.03	.59	.03	.03	.10	0	.09	.03	0	.05	11
12	.18	.22	.04	.09	.33	0	.60	.05	0	.16	.02	.02	12
13	0	.08	.19	0	0	0	0	.47	0	1.07	0	.16	13
14	.08	.14	.02	.03	.29	0	0	.46	.02	.12	0	0	14
15	.08	.62	.32	.03	0	0	.02	.67	0	.09	0	0	15
16	.04	.24	.60	.38	0	0	.12	.33	.02	.01	0	0	16
17	.12	.14	0	.36	0	0	.09	0	.48	.25	0	0	17
18	0	.64	0	.06	0	0	0	.13	.30	.22	.17	.16	18
19	.35	.03	.21	.27	0	0	0	.24	.04	0	.13	.02	19
20	.40	0	.05	.17	0	0	.04	0	0	0	.05	.11	20
21	.60	0	0	.02	.03	.09	0	0	0	0	.02	0	21
22	0	.07	0	0	0	.09	0	0	0	.23	.08	.03	22
23	.09	0	.09	.18	0	0	0	0	0	.06	.14	.28	23
24	0	.03	.04	.04	0	.15	0	.17	0	.05	0	.07	24
25	.15	.02	.18	0	.07	.02	0	.39	0	.09	.33	.09	25
26	.12	.01	.15	0	0	0	0	.01	0	.06	.02	0	26
27	0	.16	0	0	0	0	0	.11	0	.69	0	.02	27
28	.02	.04	0	0	0	.07	0	0	0	.84	.14	.97	28
29	.03	.15	0	0	0	.20	0	0	0	.50	.01	.53	29
30	.02	0	0	0	0	0	.01	0	0	1.01	.03	.17	30
31	0	0	0	0	.11	0	0	.04	0	.37	0	.16	31
Total	4.11	4.49	2.08	2.43	2.56	2.13	2.55	3.07	2.17	9.83	3.35	3.49	42.26
Rain Days.	23	20	17	14	11	15	14	12	10	27	22	22	212

YEAR'S TOTAL

REGI

Kept at *Highgate*

in the County of *York*

by *J. E. Aldersley*

Nearest Railway Station *Barby*

Diameter of Rain Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *0* in.

" " " " Sea Level *1050* ft.

FORM A.
BRITISH RAINFALL
24. APR. 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	.09	.07	0	0	.12	.56	0	0	.02	.04	0	1
2	.10	.13	.01	6	0	.03	0	0	.26	.18	.07	.01	2
3	0	.11	0	.05	0	.11	.27	0	.68	.20	.29	.01	3
4	.13	.13	0	0	.54	.19	0	0	.03	.62	.35	0	4
5	.12	.38	0	0	.08	.15	0	0	0	1.36	.62	0	5
6	.67	.32	.03	0	.24	0	.15	0	0	.22	.27	.05	6
7	.03	.09	.01	0	.25	.06	.50	0	0	.40	.07	.28	7
8	0	.10	.04	0	0	.01	.03	0	0	.08	.31	.04	8
9	.05	0	0	0	.59	.34	.02	0	.25	0	.13	.18	9
10	.16	.03	0	.16	0	.56	.04	0	0	.96	.06	.08	10
11	.01	.52	.03	.59	.03	.03	.10	0	.09	.03	0	.05	11
12	.18	.22	.04	.09	.33	0	.60	.05	0	.16	.02	.02	12
13	0	.08	.19	0	0	0	0	.47	0	1.07	0	.16	13
14	.08	.14	.02	.03	.29	0	0	.46	.02	.12	0	0	14
15	.08	.62	.32	.03	0	0	.02	.67	0	.09	0	0	15
16	.04	.24	.60	.38	0	0	.12	.33	.02	.01	0	0	16
17	.12	.14	0	.36	0	0	.09	0	.48	.25	0	0	17
18	0	.64	0	.06	0	0	0	.13	.30	.22	.17	.16	18
19	.35	.03	.21	.27	0	0	0	.24	.04	0	.13	.02	19
20	.40	0	.05	.17	0	0	.04	0	0	0	.05	.11	20
21	.60	0	0	.02	.03	.09	0	0	0	0	.02	0	21
22	0	.07	0	0	0	.09	0	0	0	.23	.08	.03	22
23	.09	0	.09	.18	0	.0	0	0	0	.06	.14	.28	23
24	0	.03	.04	.04	0	.15	0	.17	0	.05	0	.07	24
25	.15	.02	.18	0	.07	.02	0	.39	0	.09	.33	.09	25
26	.12	.01	.15	0	0	0	0	.01	0	.06	.02	0	26
27	0	.16	0	0	0	0	0	.11	0	.69	0	.02	27
28	.02	.04	0	0	0	.07	0	0	0	.84	.14	.97	28
29	.03	.15	0	0	0	.20	0	0	0	.50	.01	.53	29
30	.02	0	0	0	0	0	.01	0	0	1.01	.03	.17	30
31	0	0	0	0	.11	0	0	.04	0	.37	0	.16	31
Total	4.11	4.49	2.08	2.43	2.56	2.13	2.55	3.07	2.17	9.83	3.35	3.49	42.26
Rain Days.	23	25	17	14	11	15	14	12	10	27	22	22	212

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at *Higher Burnt Hill Farm*
Kelbrook
in the County of *York*
by *J. B. Alderley*

Lat. *53°-53'-35"* Long. *2°-6'-20"W*
Time of Observation *Jan*
Nearest Railway Station *Barby*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *1050* ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.4	0	0	0	0	2.5	0	0	3.7	0.8	2.3	3.8	1
2	5.2	0	0	0	0	0.9	0	0.2	0.1	5.8	0	0	2
3	1.1	0.9	0	1.0	0	3.5	0	0	0	1.3	2.2	0	3
4	0	0.4	0.2	0	0	0	0	0.1	0	0.5	0	0	4
5	2.2	0	0.3	1.9	0	0	0	0	0.2	3.1	2.4	0.5	5
6	1.0	0	0	0	0	0.4	0	0	0	5.4	4.2	2.6	6
7	3.4	0	0	0	0	1.0	0	0	0	8.1	0.1	0.6	7
8	0.6	0	0	1.6	0	0.3	0	7.2	0.3	0.8	1.9	2.3	8
9	0	0	0.4	0.5	0	0	0	2.0	0	0	4.7	0	9
10	2.7	0	0.8	0.5	1.5	0	0	0.6	0	0	0	0	10
11	0.5	0.3	0	0.1	0	0	0	0.5	0	1.6	0	0.1	11
12	0	0	0.2	0	3.9	1.5	0	8.7	0	8.1	0	0.2	12
13	0.2	0	0	2.7	0.8	0.4	0	1.7	7.7	0.9	0	2.3	13
14	0.8	0	0	1.8	0.2	0	0	8.1	0	0	0	1.3	14
15	0.2	0	0	0.3	0	0	7.7	0.5	2.3	0.7	0	0.9	15
16	0.3	0.2	0.2	3.2	0	0	0	3.2	0.7	0.3	0	1.2	16
17	0	1.2	1.6	1.8	5.0	0	1.1	7.9	0.1	0.8	0	0.4	17
18	0.4	1.9	1.7	0.2	0.4	0	7.6	2.7	4.6	0.3	0	0	18
19	0.2	2.3	1.3	0	2.4	0.8	0	0	0	0	3.2	0.2	19
20	0.5	0.4	0	0	3.0	4.0	0	0.3	2.8	0	1.2	0	20
21	0	0	0.9	0	1.0	0	0	2.7	0	0.5	1.4	0	21
22	0	0.5	0.2	0	0	0	0	0.5	1.9	3.1	3.3	0	22
23	0	0	0	0	2.2	7.8	2.0	3.6	0.7	0.2	2.2	0	23
24	0	0.3	0	0	0	0.4	0	2.7	0	8.9	2.3	0	24
25	0	0	0.3	0	0	0	0	0.8	0	3.1	0	0	25
26	0	0	0	0	0	0	0	3.9	1.9	2.8	0.2	0	26
27	0	0.2	0	0	0	1.5	4.8	6.3	0	1.0	0.9	0.7	27
28	0	0	2.7	0	0	0	0	0.8	0	0.6	0	0	28
29	0.3	X	0	0	0	0	0.4	0.2	0	4.4	0.3	0.5	29
30	0	X	1.5	0	0	0	0	0.1	0	1.4	0.7	0	30
31	0	X	3.2	X	0	X	0	3.3	X	0	X	0.2	31
Total	2.00	8.6	20.5	15.6	20.4	25.0	23.6	68.6	27.0	64.5	33.5	17.8	34.51
Rain Days.	17	11	15	12	10	13	6	25	13	25	17	16	180

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Higher Burnt Hall Farm
- Keelbrook.

in the County of York W.R.

by J.E. Cledesley Engineer E. H. B.

Lat. 53° 53' 35" Long. 2° 6' 20" W.

Time of Observation 9 a.m.

Nearest Railway Station Goathwaite

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1050 ft.

238
FORM A.
BRITISH RAINFALL
1918-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.13	.01	.02	.06	—	—	—	.51	.40	.43	.35	1
2	—	.12	—	.01	—	—	—	—	.20	.80	—	.60	2
3	.02	.01	.01	—	.47	—	—	—	—	—	.03	.04	3
4	—	.01	—	—	.06	—	—	.22	.68	.28	.37	.13	4
5	—	.01	—	.30	.19	—	—	.94	.04	.60	.04	—	5
6	.08	1.36	—	.27	—	.21	—	.12	.02	.22	—	.04	6
7	—	.27	—	.08	—	—	—	.03	.31	.26	.26	—	7
8	.05	.20	.08	—	—	—	.16	.03	.66	.14	.08	.03	8
9	.07	.70	—	.13	—	.18	.02	—	1.05	.42	.77	.10	9
10	.03	1.35	.03	—	—	—	—	—	.11	.07	.26	.03	10
11	.32	.16	—	.01	.08	—	.17	—	.20	.01	—	.21	11
12	.02	.31	—	—	—	—	.01	—	.08	.02	—	.10	12
13	—	.01	—	—	.16	.02	—	—	.34	.24	—	.02	13
14	.38	—	—	—	—	.13	.19	—	.54	.19	—	.17	14
15	.01	—	—	—	—	.05	.67	—	1.57	—	—	.74	15
16	.02	—	—	—	—	.35	.15	.16	.37	—	—	.21	16
17	.28	—	—	—	.06	—	.37	.13	.13	.43	—	.13	17
18	.72	—	.11	—	—	.08	.12	.03	.32	—	—	.28	18
19	.23	.09	.08	.03	—	—	.30	.14	.35	.12	—	.50	19
20	.11	.60	—	.11	—	.04	—	—	.16	—	—	—	20
21	.23	.68	—	—	.08	.10	.19	—	.42	.07	—	—	21
22	.09	.05	—	—	—	.04	.30	.02	.30	—	—	.99	22
23	.09	—	—	—	.23	—	.16	—	.14	—	.09	.12	23
24	.04	.17	—	—	—	—	.21	.05	.18	—	.09	—	24
25	—	.01	—	—	.01	.39	.02	.32	.22	—	—	—	25
26	—	.14	—	—	—	—	—	.02	.76	.06	.18	.12	26
27	—	.12	.43	—	—	.02	—	.48	.60	.08	.20	.49	27
28	—	.01	.37	—	—	.03	—	.50	.08	—	.05	.70	28
29	—	X	—	—	—	—	—	—	.19	—	—	.40	29
30	—	X	.20	—	—	—	—	.09	—	.02	.09	.23	30
31	—	X	.29	X	—	X	—	.01	X	—	X	—	31
Total	2.49	6.51	1.61	.96	1.40	1.64	2.88	32.9	10.53	4.43	2.34	6.73	45.11
Rain Days	18	22	10	9	10	13	15	17	28	19	14	24	199

REGISTER OF RAINFALL IN 1919

Kept at Hughes Burn & Hill Farm
in the County of Yorkshire
by Jas E Aldersley, Engineer, Easingwold

Lat. 53° 53' - 35" Long. 2° - 6' - 20" W
Time of Observation 9 am
Nearest Railway Station Barby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1050 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.61	—	.03	—	.42	—	.22	.01	.44	.37	.01	.06	1
2	.22	—	.13	—	.09	—	.08	.02	.07	—	.02	.15	2
3	.36	—	—	—	.18	.10	.56	—	—	—	.13	.53	3
4	.30	.03	.31	—	.07	—	.04	.12	—	—	.07	.09	4
5	.18	—	—	—	—	—	—	—	.07	.02	.05	.37	5
6	.03	—	.60	—	.52	—	—	—	—	—	.03	.08	6
7	.04	—	.32	.01	.05	—	—	—	.02	—	.07	—	7
8	.12	—	.03	.06	.01	.05	—	—	—	—	—	—	8
9	.33	—	.11	—	—	.05	—	—	—	—	—	—	9
10	—	—	1.17	.08	.28	—	—	—	—	—	.02	.19	10
11	—	—	.56	.09	.03	—	.05	—	—	—	—	.02	11
12	—	—	.13	.19	—	.05	.03	—	.02	.03	.22	—	12
13	.36	—	—	.22	—	—	.01	.09	—	.31	—	.03	13
14	.33	.02	—	.27	—	—	—	.05	—	—	—	—	14
15	.17	.12	—	.05	—	—	—	.04	—	—	.03	.32	15
16	.09	.10	—	—	—	.02	—	—	—	—	.17	.04	16
17	—	.03	—	.01	.01	.07	—	.38	—	—	.74	.02	17
18	—	—	.11	—	—	—	.04	.18	.12	—	.03	.27	18
19	.05	.21	.18	—	—	.15	.45	.06	—	—	.21	.01	19
20	.25	.13	—	—	—	.07	.17	.07	—	—	.06	.38	20
21	.09	.27	—	—	—	.03	.10	—	.06	—	.03	.13	21
22	—	.21	—	—	—	.15	—	.12	.47	—	.05	.43	22
23	—	—	—	—	—	.05	—	—	—	.85	.09	.13	23
24	.02	—	—	.14	.03	.06	—	.02	.49	.08	.25	.56	24
25	.21	—	—	.28	—	.10	—	.01	.16	—	.29	—	25
26	.23	—	.52	.07	—	.04	—	.48	.15	—	.12	.53	26
27	.39	—	—	.10	—	—	—	—	—	—	.02	.06	27
28	.06	—	—	.06	—	—	—	.57	—	.09	—	.40	28
29	—	~~X~~	—	—	—	—	—	—	—	.37	—	.28	29
30	—	~~X~~	.01	.02	—	.12	—	—	—	.07	.25	—	30
31	.02	~~X~~	.09	~~X~~	—	~~X~~	.24	—	~~X~~	.01	~~X~~	.03	31
TOTAL	4.46	1.12	4.30	1.65	1.69	1.11	1.99	3.22	2.07	2.20	2.96	5.11	YEAR'S TOTAL 31.88
Days with ".01 in. or more	22	9	15	15	11	15	12	15	11	10	23	24	182

REGISTER OF RAINEALL IN 1920

Kept at Higher Burn Hill, Kelbrook
 in the County of Yorkshire (West Riding)
 by W. Hedderley Surveyor Early Urban
Dist Council

Lat. 53°-53'-35" Long. 2°-6'-20"W
 Time of Observation Jan
 Nearest Railway Station Early
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 1050 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0	.0	.10	.19	.39	.0	.82	.07	.16	.22	.16	.10	1
2	.0	.0	.0	.10	.06	.0	.46	.05	.34	.12	.0	.44	2
3	.0	.07	.03	.02	.07	.0	.04	.35	.27	.45	.0	.30	3
4	.0	.0	.0	.09	.06	.0	.23	.89	.04	.64	.0	.04	4
5	.0	.0	.08	.05	.77	.0	.13	.15	.11	.24	.0	.01	5
6	.0	.0	.04	.23	.34	.0	.06	.0	.0	.02	.10	.20	6
7	.28	.05	.0	.07	.10	.0	.39	.0	.02	.0	.04	.0	7
8	.10	.13	.0	.21	.23	.0	.02	.41	.0	.0	.0	.0	8
9	.25	1.52	.06	.38	.0	.0	.03	.19	.01	.0	.05	.0	9
10	.97	.57	.10	.27	.0	.0	.47	.22	.0	.0	.0	.02	10
11	.23	.0	.05	.10	.19	.24	.0	.0	.0	.0	.0	.03	11
12	.24	.46	.20	.33	.16	.07	.30	.0	.0	.0	.20	.06	12
13	.10	.05	.15	.45	.08	.34	.27	.0	.02	.0	.50	.11	13
14	.07	.06	.05	.16	.0	.54	.13	.0	.48	.04	.82	.0	14
15	.05	.21	.0	.28	.0	.0	.0	.0	.01	.53	.24	.0	15
16	.0	.0	.07	.05	.10	.0	.85	.0	.24	.0	.23	.0	16
17	.13	.0	.0	.0	.20	.0	.05	.51	.22	.0	.02	.0	17
18	.20	.0	.01	.11	1.06	.04	.01	.07	.11	.0	.0	.0	18
19	.04	.25	.0	.11	.48	.19	.07	.02	.04	.0	.0	.0	19
20	.04	.0	.0	.17	.0	.04	.18	.0	.15	.0	.0	.15	20
21	.0	.0	.0	.22	.0	.0	.62	.06	.0	.10	.0	.14	21
22	.14	.0	.0	.05	.0	.09	.53	.0	.0	.0	.0	.05	22
23	.0	.0	.0	.0	.0	.0	.30	.0	.0	.0	.03	.17	23
24	.04	.0	.62	.07	.0	.0	.19	.0	.0	.0	.0	.47	24
25	.0	.10	.14	.02	.0	.06	.57	.01	.0	.0	.0	.0	25
26	.06	.02	.50	.08	.30	.0	.07	.0	.0	.0	.02	.0	26
27	.18	.0	.07	.06	.42	.63	.0	.0	.0	.0	.21	.08	27
28	.14	.03	.35	.14	.10	.13	.04	.0	.0	.0	.02	.40	28
29	.15	.0	.14	.10	.84	.04	.29	.0	.0	.0	.20	.47	29
30	.38	X	.03	.0	.14	.13	.0	.0	.0	.0	.23	.22	30
31	.33	X	.04	X	.04	X	.02	.0	X	.32	X	.17	31
Total	4.12	3.52	2.83	4.11	6.13	2.54	7.14	3.00	2.22	2.58	3.07	3.63	YEAR'S TOTAL 44.89
Rain Days	21	13	20	27	21	13	27	13	15	9	16	20	215
W, 6,500, VII. 16.	21	11	17	25	21	13	23	11	11	8	12	17	190

small
Kept at Kepwick Vic
in the County of York
by Rev: J.S. Par

REG

KEPWICK
VICARAGE
YORKSHIRE
1917

3444
FORM A.
BRITISH RAINFALL
5 in.
1 ft. - in.
level 520 ft.
sult entered to the
ule, he is earnestly
he space provided

IMPORTANT NOT
previous day. If an Ob
requested to add the read
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.33		.45		1.29	.30		.06		1
2				.04		.04		.35					2
3				.06				.18					3
4				.25						.14	.02		4
5			.27 ^s								.07		5
6	.25										.15		6
7	.71 ^s					.07		.28		.17	-	.20	7
8	.46			.09 ^s				1.16		.30	.07		8
9	.05		.05	.04 ^s				.54		.20	.65		9
10	.10		.77	.21 ^s	.16			.07		.23	.14		10
11	.26			.10 ^s	.13			.06		.18	.02		11
12	.54 ^s			.08 ^s	.18			.16		.40		.10	12
13	.25 ^s			.05	.10	.48		.37	.16	.04			13
14	.34 ^s			.10	.03			.20		.03		.25	14
15	.09			.20			.11	.05					15
16	.05	.13		.27				.21					16
17	.06	.05	.03	.18	.13			.28				.34	17
18	.04			.05	.09		.28	.12	.20			.34	18
19	-	.12		-	.13	.18		-					19
20	.27	.20	.12	-		.54		.04		.09	.40		20
21	.02 ^s		.33	-				.07					21
22	-		.27 ^s	-		.12		.04		.07			22
23	-	.10		-	.07	.04		-		.20		.18	23
24	-			-			.06	.11		-			24
25	-	.67		-		.11		.05		.15	.16		25
26	-	-	.25	-		.25		.64	.07	.08	.07	.22	26
27	-	-	.07	-		.35	.31	.57		.15			27
28	.07	-	.05	-			.28	.15		.40			28
29	.07	-		-			.14	-				.6	29
30	-	X		-				-				.7	30
31	-	X	.31	X	.03	X	.13	.04	X	.04	X		31
Total	3.63	.67	2.52	1.05	.94	2.63	1.31	4.49	.73	2.87	1.81	2.76	YEARS TOTAL 27.95
Rain Days.	18	6	11	15	9	10	7	23	4	17	11	9	27.95

REG

Kept at Kipwick Vicarage
in the County of York
by Rev. J. E. Parryson

Time of Observation 9.5.10
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - - in.
" " " " Sea Level 520 ft.

3444
FORM A.
BRITISH RAINFALL.
MAY 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.33		.45		1.29	.30		.06		1
2				.04		.04		.35					2
3				.06				.18					3
4				.25						.14	.02		4
5			.27 ^s								.07		5
6	.25										.15		6
7	.71 ^s					.07		.28		.17	—	.20	7
8	.46			.09 ^s				1.16		.30	.07		8
9	.05		.05	.04 ^s				.54		.20	.65		9
10	.10		.77	.26 ^s	.16			.07		.23	.14		10
11	.26			.10 ^s	.18			.06		.18	.02		11
12	.54 ^s			.08 ^s	.18			.16		.40		.10	12
13	.25 ^s			.05	.10	.48		.37	.16	.04			13
14	.34 ^s			.10	.03			.20		.03		.25	14
15	.09			.20			.11	.05					15
16	.05	.13		.27				.21					16
17	.06	.05	.03	.18	.13			.28				.34	17
18	.04			.05	.09		.28	.12	.20			.34	18
19	—	.12		—	.13	.18		—					19
20	.27	.20	.12	—		.54		.04		.09	.40		20
21	.02 ^s		.33	—				.07					21
22	—		.27 ^s	—		.12		.04		.07			22
23	—	.10		—	.07	.04		—		.20		.18	23
24	—			—			.06	.11		—			24
25	—	.07		—		.11		.05		.15	.16		25
26	—	—	.25	—		.25		.64	.07	.08	.07	.22	26
27	—	—	.07	—		.35	.31	.57		.15			27
28	.07	—	.05	—			.28	.15		.40			28
29	.07	—		—			.14	—				.6	29
30	—	X		—				—				.7	30
31	—	X	.31	X	.07	X	.13	.04	X	.04	X		31
Total	3.63	.67	2.52	1.05	.94	2.63	1.31	4.44	.73	2.87	1.81	2.76	YEAR'S TOTAL 27.98
Rain Days.	18	6	11	15	9	10	7	23	4	17	11	9	27.98

REGI

Kept at Kildale &in the County of NR Yorkby R. H. R. MillKILDALE HALL
YORKSHIREFORM A2.
BRITISH RAINFALL
JAN 1912in.
und. ft. in.
Level ft.

nce Direction

result entered to the
al rule, he is earnestly
n the space provided
of rain,
Rainfall
cation to

Jan. 1, following.

IMPORTANT NOTE.—
previous day. If an Observ
requested to add the reading
for it at the end of this pa
the selection and placing o
Organization are given in "Ru

1911 - 1920

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13						.02	.09		.07			1
2	.55		.10		.10		.24			.09	.02	.13	2
3	.07		.15	.23	.29					.16			3
4	.11		.01	.30				.09		.20	.07	.57	4
5	.12		.31	.05				.50		.05			5
6	.55		.04	.03				.10			.06	.69	6
7		.02	.17	.03						.03	.04		7
8				.05		.09			.09	.02	.02	.49	8
9				.04								.12	9
10	.02	.04		.02							.04	.95	10
11	.65							.02			.24	.02	11
12	.51		.18	.01	.10	.17		.01	.45		.27		12
13		.04	.33			.13		.01	.21		.05	.50	13
14		.09	.25		.07		.06		.14		.02	.60	14
15		.02	.25						.11	.02	.27	.34	15
16			.47	.05			.11			.02	.01	.04	16
17			.13	.06		.18	.05				.15	.13	17
18		.03	.20			.20	.01				.17	.15	18
19			.02	.01	.02	.04	.12	.04	.05	.23	.33	.06	19
20		.17						.45	.05		.25	.31	20
21	.02	.18						.76		.32	.41	.05	21
22	.25	.05		.02				.37		.02	.26		22
23		.18	.02			1.20			.17			.08	23
24	.02	.02	.07			1.98				.08		.03	24
25		.09		.18		1.40			.28	.21	.07	.12	25
26			.03	.03	.02	.07	.20		.78	.90	.11		26
27		.02	.03	.10		.02			.10	.06	.05	.04	27
28		.07	.03	.12						.07		.12	28
29			.02	.07		.05	.21	.01	.59	.18		.03	29
30			.04		.13	.01			.29	.14	.01		30
31			.01		.11					.09		.06	31
Total	3.00	1.02	2.83	1.40	.85	5.47	.89	2.65	2.83	2.78	5.64	5.71	35.07
No. of Rain Days	12	14	21	18	8	13	9	13	12	20	22	24	186

REGI

FORM A2
BRITISH RAINFALL
JAN 1912

Kept at Kildale

in.

in the County of NR York

by R. H. T. Tinker

Gauge Height of top above Ground ft. in.

" " " Sea Level ft.

Time of Observation

Nearest Railway Station

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
1	.13						.02	.09		.07			1
2	.55		.10		.10		.24			.09	.02	.13	2
3	.07		.15	.23	.29					.16			3
4	.11		.01	.30				.09		.20	.07	.57	4
5	.12		.31	.05				.50		.05			5
6	.55		.04	.03				.10			.06	.69	6
7		.02	.17	.03						.03	.04		7
8				.05		.09			.09	.02	.02	.49	8
9				.04								.12	9
10	.02	.04		.02							.04	.95	10
11	.65							.02			.24	.02	11
12	.51		.18	.01	.10	.17		.01	.75		.27		12
13		.04	.33			.13		.01	.21		.05	.50	13
14		.09	.25		.07		.06		.14		.02	.60	14
15		.02	.25						.11	.02	.27	.34	15
16			.47	.05			.11			.02	.01	.04	16
17			.13	.06		.18	.05				.15	.13	17
18		.03	.20			.20	.01				.17	.15	18
19			.02	.01	.02	.04	.12	.04	.05	.23	.33	.06	19
20		.17						.45	.05		.25	.37	20
21	.02	.18						.76		.32	.41	.05	21
22	.25	.05		.02				.37		.02	.26		22
23		.18	.02			1.20			.17			.08	23
24	.02	.02	.07			1.98				.08		.03	24
25		.09		.18		1.40			.28	.21	.07	.12	25
26				.03	.03	.02	.07	.20		.78	.90	.11	26
27		.02	.03	.10		.02			.10	.06	.05	.04	27
28		.07	.03	.12						.07		.12	28
29			.02	.07		.03	.21	.01	.59	.18		.03	29
30			.04		.13	.01			.29	.14	.01		30
31			.01		.11					.09		.06	31
Total	3.00	1.02	2.83	1.40	.85	5.47	.89	2.65	2.83	2.78	5.64	5.71	35.07
No. of Rain Days	12	14	21	18	8	13	9	13	12	20	22	24	186

TOTAL for year

REGISTER OF RAINFALL IN 19 12

FORM A2.
BRITISH RAINFALL.
5 JAN 1913

Kept at Lilldale Hall

in the County of York

by R. B. Tuntow

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" _____ Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.25	.18	.02	.04	.19	.38	1.08	.21	.19		.07	1
2		.11	.09	.02	.01	.19	1.81	.14		.34			2
3	.11	.04				.43	.07	.32	.09	.21		.19	3
4	.20		.63			.64	.03	.33			.28		4
5					.05	.20		.02			.06		5
6	.78	.31	.04			.09		.10	.01				6
7	.02	.14			.16			.03	.49		.05		7
8	.22	.19	.09				.02		.19		.26		8
9	.04	.03	.20	.04		.05			.35		.08	.03	9
10	.01		.02	.04		.09		.04	.21		.04		10
11	.08	.10				.03		.12	.12		.40	.10	11
12	.08	.12	.04			.05	.51		.01		1.32		12
13	.01	.04				.14		.21		.05	.70	.04	13
14	.11		.32	.04		.04	.02	.14			.09	.11	14
15	.09		.60		.60	.12	.03					.12	15
16	.26		.02		.20		.05			.06	.02		16
17		.04	.21			.41	.06	.09				.03	17
18	.05	.02				.02	.44	.21		.05			18
19	.10	.16	.05				.88	.32	.04	.05	.06		19
20	.03	.23	.01		.24	.03	.32	.06	.04	.17			20
21	.04		.28		.09		.08			.13	.03		21
22	.05	.06	.16		.62	.43		.09					22
23	.01				.14	.02	.03	.48		.30	.11		23
24	.61		.04			.28	.21	.06				.20	24
25	.83					.31	.02	.37			.12		25
26	.10	.05	.03			.10		.22		.61	.09	.31	26
27			.07	.01	.01	.10	.42	.02		.36	.12	.10	27
28			.01	.01	.05		.22	.29	.04	.18	.24		28
29		.01	.15	.04			.36	~~08~~	.56	.02		.02	29
30	.04		.09			.42	.08	.08	.17	.36			30
31			.54		.07		1.01	.43		.21		.01	31
Total	3.87	1.90	3.84	.22	2.28	4.44	7.05	5.25	2.53	3.29	4.01	1.33	TOTAL for year
No. of Rain Days.	23	17	23	8	13	23	22	24	14	16	18	13	4001
													214

REGISTER OF RAINFALL IN 1913

FORM A
BRITISH RAINFALL
6-JAN-1914

Kept at

Kildale

in the County of

York

by

W. B. Furlon

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	10		13	55					53	05	04		1
2		03	03			14				04	06		2
3	02		11		13		09		05			04	3
4	22		05				05		06	41	08	13	4
5	70	10	05		01	04	35	11	01	14			5
6	01	17	24	06	25	29	17	02			17		6
7		30		07	10	11	07			108	04		7
8		01	01	02	90	09	09	02	14	22	02		8
9		03	05	17	16	06		06		06	01	01	9
10		10	04	05	02		35			03	21		10
11	16			26		10					09		11
12	18							01	06		20		12
13								14	08	03	07		13
14	12	10	05	03						08		02	14
15	27	02	27	44				01			02	04	15
16			03	01							04	01	16
17		03	12	13		03		02	05		03	02	17
18	02		64	11	01	02			03		05	02	18
19	21		02	03	04	05			04				19
20	68		05	01					16	17	37		20
21	18	04			04		12	22	01				21
22	04		47		05		06	41	08	25			22
23	11		08			06	46	01	15	10	04		23
24	35			04		53	01	49			02	05	24
25				05		01			23	02		04	25
26		03	03	58					11	32	23	39	26
27		16	04	50		21				01	04	04	27
28	19	06	27	55	02					06		29	28
29	01		32	23	07			28		06		71	29
30	21		08		03			04		57	03	49	30
31	06				03			61					31
Total	384	118	318	389	186	169	182	245	176	370	186	230	2953
Rain Days.	20	14	23	20	15	14	11	15	16	19	21	15	203

and 12.14.15

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Kildale Hall

in the County of York

by Major R B Turtton

Lat. 54° 28' 20" N Long. 1° 3' W

Time of Observation 9 am.

Nearest Railway Station Kildale

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.03	1.84	.65		.05	.08	.15	1
2							1.31	.27		.05	.33	.43	2
3			.06		.14		.04				.19	.31	3
4	.02			.08	.17	.02					.15	.52	4
5			.03	.08	.05	.08				.04	.33		5
6		.04		.04	.05			.01				.13	6
7		.06	.08	.03	.23	.32					.02	.12	7
8	.56		.08		.66	1.15	.04	.03		.02		.05	8
9	.39	.03	.06	.15	.07	1.59		.02	.44	.02	.20	.06	9
10	.14	.25							.09		.02	.02	10
11		.22	.13		.50	.08			.03		.19	.45	11
12	.09	.08			.01	.05			.11		.01	.1	12
13	.11	.08	.13						.06		.07	.52	13
14	.13	.36					.11		.04	.10		.25	14
15	.08	.03	.21				.39				.74	.20	15
16	.10		.16				3.17		.27	.03	.61	.01	16
17	.13	.09	.03				.01		.50		.07	.06	17
18	.06	.11	.13			.61			.20		.03	.23	18
19	.01		.04		.01		.33		.40		.12	.02	19
20	.02	.36	.67			.37	.02		.05	.12			20
21		.68	.17			.02	.01	.07		.07	.12	.04	21
22	.02	.02	.04	.02	.13	.16				.06	.10	.11	22
23		.06	.04	.02	.53	.13	.01	.17			.01	.20	23
24			.03	.24	.02			.03		.02	.18		24
25		.09	.07				.03	.04		.49	.04	.44	25
26			.11				.57			.39	.08	.33	26
27	.04						.26	.02		.01	.11	.40	27
28		.03					.08	.09		.02	.03	.28	28
29			.09		.08		.02	.05		1.46	.05		29
30			.05	.05	.01			.11		.14	.08	.53	30
31	.15				.05		.18			.38			31
Total	2.05	2.59	2.37	.71	2.71	4.61	8.42	1.56	2.19	3.59	3.96	6.85	41.60
Rain Days.	16	17	21	9	16	13	18	13	11	12	26	26	204

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Little Hall
in the County of York
by Major R. B. Furton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
18 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	.10	.05		.19		.03	.48	.51	—	.14	.27	1
2		.30	.22	.09	—	.05	.02	.71	.18	—	.30	.05	2
3	.60		.12	.13	—		.31	.05	.03	—	.20	.52	3
4	.16		.02	—	.01	.03	.23	.04		—	.28	.96	4
5	.06	.05	.04				.07	~~.08~~		.19	.08	.56	5
6	.03	.48	.16	.13	.10		.64	~~.02~~	.06	.06		.10	6
7	.31	.63	.26				.13	~~.08~~		—			7
8	.01	.20	.03			.08	.19	~~.02~~		—	.07		8
9		.04	—					.04		.04	.01	.34	9
10	.12		.02					~~.10~~		—		.10	10
11	.11	.63	.01	.02	.40		.10			—	.01	.38	11
12	.19	.04	—	.36	.08		.30	.08		.10	1.80	.10	12
13		.44	—		.01		.01	~~.03~~	.01	—		.05	13
14	.01	.27	—	.02	.12		.01	~~.03~~		—		.02	14
15	.18	.20	—				.10	~~.03~~		.53	.04	.12	15
16		.63	—				1.40	.09	.02	.22	.27	.01	16
17	.34	.26	.03				.32	.01	.02	.01	.26	.05	17
18		.11	.19					~~.06~~	.06	.03	.06	.09	18
19		.01	.04				.07			.18			19
20	.08		.01					~~.01~~		.03		.58	20
21	.29	.05	—	.16	.05					—		.09	21
22	.15		.01				.01	.05		—		.16	22
23	.31	.12	.01	.01			.28		.01	.01	.06	.03	23
24			.28	.11			.01		.40	.11		.09	24
25	.01		.01			.15	.04		.03	.07	.29		25
26	.02	.17	.21	.06		.13	.27		.16	.14	.08	.15	26
27		.12	.08			.02	.03		.02	.17		.35	27
28		.09	.27		.11		.09	.69		.31		.08	28
29	.11	X	.01		.61	.39		.01	.60	—	.14	.37	29
30	.12	X	—	.15	.01		.15		.19	.01		.03	30
31	.09	X	—	X		X		.29	X	.05	X	.07	31
Total	3.80	4.96	2.11	1.24	1.99	0.86	4.80	3.31	2.30	2.26	4.09	5.72	37.45
Rain Days.	22	21	22	11	11	8	23	18	15	18	17	27	213
YEAR'S TOTAL													37.45

REGISTER OF RAINFALL IN 1916

Kept at Kildale Hall
in the County of Yorkshire - NR
by Major R. B. Turton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
24 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30		.19			.14	.12				.01		1
2	.01	.02	.82			.01	.02		.11	.03		.02	2
3		.09	.30	.10		.04	.15	.04	.60	.04	.34	.02	3
4	.03	.44	.06	.08	.55	.37			.40	.60	.25	.23	4
5	.04	.10	.58		.50	.09				.36	.44		5
6		.23	.21	.03	.41	.04	.12			.04	.34	.04	6
7		.08	.36	.01	.09	.42	.05			.15		.21	7
8		.01	.54		.28	.15				.01		.01	8
9			.14		.29		.09					.40	9
10	.14		.05	.05		.05	.15		.02			.16	10
11	.02	.63	.70	.15	.02	.26	.21		.11	.08		.14	11
12	.01		.33		.44	.03	.65	.02				.28	12
13			.19	.02	.18	.05	.10	.24	.04	.45	.02	.33	13
14		.16	.07	.05	.16	.24		.31		.20		.24	14
15	.11	.13	.37			.01	.04	.36		.06		.04	15
16		.05	.10	.12			.09	.54		.02		.20	16
17	.02		.01	.14	.06		.03	.10	.12	.14	.16		17
18		.21		.78		.02	.03	.07	.24	.08	~~1.42~~		18
19	.05	.06	.05	.26				.05	.11	.05	1.00	.04	19
20	.03		.31	.45			.14	.25			.13	.18	20
21		.18	.14	.05	.03		.04						21
22	.02	.12	.02	.15						.12	.02		22
23		.10	.05	.01		.04		.01		.02	.09	.44	23
24		.06	.04	.04		.94		.12		.12		.03	24
25		.14	.20		.01			.09		.32	.22	.06	25
26	.10	.35	.04		.08	.02				.02	.11		26
27		.68	.03		~~.04~~	.05	.03	.24		.53		.01	27
28	.01	.30	.06		~~.04~~	.01		.04	.03	.06		.14	28
29		.25				.03				.06		.02	29
30		X		.02	.09	.06	.08		.09	.34	.01		30
31		X		X	.03	X			X	.23	X		31
Total	.92	4.42	6.05	2.54	3.22	3.10	2.12	2.54	1.90	4.10	4.93	3.39	39.23
Rain Days.	14	22	24	17	16	22	18	15	11	25	15	22	225

REGISTER OF RAINFALL IN 1917

Kept at Kildale Hall
 in the County of Yorkshire
 by Major R. B. Turton

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 4 in.
 Height of top of Gauge above Ground 14 ft.
 " " " " Sea Level 600 ft.

FORM A.
 BRITISH RAINFALL
 27 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.03.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.41		.13		1.54	.28		.10	.16	1
2	.04			.38		.02		.62	.11		.02		2
3		.03		.13		.		.25			.02		3
4		.01	.03	.02			.02	.01		.05	.04		4
5	.02		.10	.55				.05		.02	.09	.01	5
6										.03	.16		6
7	.05		.04							.60	.01	.09	7
8	.02		.05	.13				.90	.04	.28	.05		8
9	.09			.04				1.05		.12	.45		9
10	.04		.70	.15	.07		.02	.33		.16	.69		10
11	.28	.11		.14	.01			.03		.18	.61		11
12	1.08	.02	.03	.33	.10	.02		.09		.53		.11	12
13	.36			.06	.12			.02	.14	.34		.06	13
14	.33		.05	.32	.26		.06	.27		.03		.05	14
15	.14		.03	.05	.02		.04	.09		.01	.02	.06	15
16	.20			.55		.18		.05				.62	16
17	.10	.04		.19	.05			.34				.38	17
18	.12			.15	.13		.18	.14	.04				18
19	.31	.08	.22		.03	.21							19
20	.31	.35	.24	.02		.51		.08			.47		20
21		.17	.20		.01	.04		.03	.01			.18	21
22		.01	.32					.03		.04			22
23	.04	.01			.42	.02	.01	.11		.03	.01	.01	23
24	.01	.01				.01	.02	.06		.21	.19		24
25	.01	.07	.22			.09				.08		.33	25
26			.16			.12		.56	.11	.09		.16	26
27	.02		.11			.65	.30	.53			.26	.12	27
28	.01		.08			.05	.20	.58		.08			28
29	.03		.04				.24	.04		.58			29
30	.04	X	.08	.07			.24			.02		.12	30
31	.21	X	.55	X		X	.18	.03	X		X	.13	31
Total	6.62	.93	3.25	3.62	1.22	2.08	1.51	7.86	.73	3.48	2.59	2.59	36.48
Rain Days.	24	13	19	18	11	13	12	26	7	20	16	16	195

REGISTER OF RAINFALL IN 1918

Kept at Kildale Hall.
 in the County of Yorkshire
 by Major R. B. Turtton Esq.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03		.08	.01			.03		.40	.06	.47	.04	1
2	.13	.04	.01	.12					.07	.01		.07	2
3	.04		.05		.08			.18		.10	.33	.01	3
4		.02	.08		.15			.01	.08	.12	.23	.08	4
5			.04	.02	.31		.01	1.01		.04	.01	.01	5
6	.04	.16	.01	.82	.02	.22		.25		.24		.01	6
7	.04	.01		.03			.04		.02	.08	.44		7
8	.03	.01	.12				.51	.01	.05	.02	.01		8
9		.27		.05		.02	.10		.63	.18		.01	9
10	.03	.01		.05			.38		.06		.02	.01	10
11	.20	.04	.04	.03	.22		.01	.02				.12	11
12	.01	.20	.14	.03	.05		.40		.05	.18		.02	12
13		.02		.14	.08				.24	.06			13
14	.03			.16		.02	.08		.34	.01		.03	14
15	.04		.01	.10		.12	.33		.84			.82	15
16			.01			.10	(.23)	.23	.28	.02		.30	16
17	.16		.06	.04	.30	.02	.47	.03	.01	.85		.32	17
18	.46		.06	.30		.02	.30	.01	.61	.13		.12	18
19	.29			.23			.11	.17	.01	.24		.01	19
20	.14	.52		.40		.05	1.30		.08	.30			20
21	.12				.24	.04	.07		.12	.27	.02		21
22	.01			.04	.04	.02	.05			.01		.38	22
23	.04				.61		.33		.04			.01	23
24		.09		.03	.01		.02		.10	.03	.01		24
25			.05				.07	.05	.02		.02	.11	25
26					.01		.24	.12	.32	.01	.05	.02	26
27		.06	.04			.12	.01	.58	.10		.10	.09	27
28		.11	.51					.01	.01		.03	.40	28
29			.09					.01	.59		.04	.07	29
30		X	.04	.02		X			.36		.18	.65	30
31		X	.11	X		X		.07	X		X	.14	31
Total	1.90	1.56	1.64	2.65	2.12	.48	5.12	2.76	5.46	2.96	1.96	3.85	32.76
Rain Days.	18.	14	19	19	13.	11	22	16	25	21	15	25	218

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

3320

FORM A.
BRITISH RAINFALL
18 1920

Kept at Hildale Hall.
in the County of Yorkshire.
by Major R B Turton Esq.

Lat. _____ Long. _____
Time of Observation 9 am (10 am in Winter)
Nearest Railway Station Hildale
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground as before ft.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.11	~~0.00~~		.26		.65		.34	.03	.41	.04	1
2	.13	.02	.03				.82		.03		.24		2
3	.87				.12	.10	.18		.02		.30	.07	3
4	.68	.08	.39		.01	.04	.04	.13	.23		.19	.08	4
5	.72	.07	.01				.04				.11	.04	5
6	.02		.20		.05		.01			.08	.33	.38	6
7	.07		.23		.07						.01	.38	7
8	.28		.01	.05	.09					.14	.07	.29	8
9	.03		.10	.03		.01				.29	.50		9
10			.03	.02						.26	.39	.16	10
11			1.04		.17	.02	.25		~~0.00~~	.05	.26		11
12			1.05	.07			.04		.08	.48	.14		12
13	.08		.24	.12		.26	.26	.19	.01	.28	.19	.01	13
14	.17		.06	.36			.01			.04	.15	.03	14
15	.07	.23	.20	.21							.04	.96	15
16	.01	.05		.02						.03	.03	.01	16
17		.07		.02	.13			.06			.14		17
18			.06				.01	.40	.09			.05	18
19	.05	.16	.86	.65		.01	.42	.01	.26		.04	.05	19
20	.39	.24	.04			.11	.04	.02	.01			.17	20
21	.09	.12	.18			.01	.01		.04		.06	.13	21
22		.15	.06			.06	.46		.04		.02	.11	22
23		.01	.08	.08		.23	.04			1.04	.09	.01	23
24		.02	.05	.04	.03	.11	.06			1.22	.05		24
25	.02	.13	.15	.15		.12	~~0.00~~	.72		.07	.10	.06	25
26		.39		.08		.01	~~0.00~~	.45	.03	.22	.23	.48	26
27	.13	.02		.45		.02	.13		.01	1.59	.22		27
28	.09	.01		.13			.11	1.60	.03	.47	.05	.29	28
29	.30		.05	.05		.08	.01			1.93		.18	29
30	.03	~~0.00~~	.02	.26		.73		.10		.32	.14	.19	30
31	.15	~~0.00~~	.34	~~0.00~~		~~0.00~~	.17		~~0.00~~	.32	~~0.00~~	.25	31
Total	4.50	1.91	5.48	2.49	.93	1.9	2.3	.76	3.68	1.28	9.16	4.43	44.31
Rain Days.	22	14	24	18	9	16	21	10	14	19	27	24	221

REGISTER OF RAINFALL IN 1920.

Kept at Kildale Hall
in the County of York
by Major R. B. Turton

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wetherby Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.12	.55	.30	.03	.25	.01	.02	.54			1
2			.10	.37	.04		.34		.27	.14		.37	2
3		.04		.22	.01	.08	2.84	.17	.13	.41		.16	3
4	.13			.07	.01		1.26	.50	.03	1.15		.14	4
5			.03		.09		.56	.18	.07			.23	5
6			.17	.10	.03		.12	.01		.01		.08	6
7	.08			.03			.07					.04	7
8		.01		.26	.05		.22	.13			.03		8
9	.08	.02		.31	.01		.02	.30	.06				9
10	.77	.01	.05	.31			.06	.01				.10	10
11	.17	.02	.05	.10	.09			.08				.34	11
12	.12		.07	.13								.45	12
13	.18		.14	.04	.01				.01		.02	.10	13
14		.08	1.17	.17			.13		.22	.08	.05	.07	14
15		.15	.50	.26						.07	.04	.05	15
16				.11			.42		.11		.02	.02	16
17					.14		.02	.24	.16	.06		.03	17
18	.38	.08		.01	.13		.06	.14	.18	.02			18
19		.48		.49		.04		.17	.02				19
20		.06		.06		.04			.03				20
21	.11			.18			.38	.44	.12				21
22	.05			.09			.09	.02					22
23			.05	.11			.34	.01	.01			.15	23
24	.09		.56	.03			.04			.01		.02	24
25	.04	.13	.16	.07			.66	.01					25
26	.03	.03	.35	.05			.05						26
27	.41		.06	.07	.23	.29	.02				.16		27
28	1.56		.14	.05		.02	.02				.03	.14	28
29	.26		.07		.91	.07	.04				.05	.52	29
30	.04				.03				.21		.36	.08	30
31	.11				.04					.02		.11	31
TOTAL	4.61	1.11	3.79	4.24	2.12	.57	8.01	2.42	1.65	2.51	.76	3.20	YEAR'S TOTAL 34.99
Days with ".01 in. or more	18	12	17	26	16	7	23	16	16	11	9	20	191
(44,283). Wt. 21,958—218 7500. 10/19. Gp. 132. A.&E.W.	17	7	16	23	10	5	19	10	10	7	8	17	146

REGISTER

KIRK BRAMWITH

Kept at *Kirk Bramwith*

in the County of *York*

by *the Drainage*

YORKSHIRE

1913 - 1920

FORM A.
BRITISH RAINFALL

7-JAN 1914 3.75

5" in.

ve Ground 1 ft. in.

Sea Level 17.38 ft.

the result entered to the

Jan. 1, following.

IMPORTANT NOTE.—Rain

previous day. If an Observer prefers not to conform to the universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10							.11		1
2		.04	.07						.03		.02	.01	2
3	.02	.01	.07		.30					.51		.21	3
4	.48				.13		.09			.13	.16	.16	4
5	.02					.09	.08			.18			5
6						.03	.22	.02	.03	.42			6
7		.13			.03	.11	.06		.01	.90			7
8					.30	.11			.01	.06	.90		8
9		.21			.01			.03			.11		9
10		.03		.04			.04			.02	.23		10
11	.80		.01	.54						.02	.22		11
12				.02		.01					.09		12
13			.01			.03	.10	.02	.08	.01	.09		13
14	.07	.07	.23							.10	.03		14
15	.12		.17	.13					.03		.10		15
16		.01	.16	.05					.32		.03		16
17		.02	.02	.02					2.02		.01	.01	17
18			.15	.03		.23				.02	.03		18
19	.15		.07			.01			.02		.16		19
20	.13		.06							.03			20
21		.02			.09								21
22	.14							.64	.11				22
23	.10					.04			.10				23
24	.07					.02							24
25									.10	.01		.02	25
26		.01	.07	.09					.02	.21	.12	.13	26
27		.01	.04	.21		.06					.06	.02	27
28	.25		.15	.22								.08	28
29	.01	X	.17	.51	.13		.02	.13		.08	.01	.21	29
30	.21	X	.01		.10					.26		.08	30
31	.02	X		X	.05	X			X		X		31
Total	2.59	.56	1.46	1.96	1.14	.74	.61	.84	2.88	2.96	1.68	.93	18.35
Rain Days.	15	11	16	12	9	11	7	5	13	16	18	10	143

REGISTER

Kept at *Hick Runmouth near Doncaster*
 in the County of *York*
 by *the Drainage Foreman*

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge *5"* in.
 Height of top of Gauge above Ground *1* ft. in.
 " " " " Sea Level *17.38* ft.

FORM A.
 BRITISH RAINFALL
 7-JAN 1914 3175

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to, Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10							.11		1
2		.04	.07						.03		.02	.01	2
3	.02	.01	.07		.30					.51		.21	3
4	.48				.13		.09			.13	.16	.16	4
5	.02					.09	.08			.18			5
6						.03	.22	.02	.03	.42			6
7		.13			.03	.11	.06		.01	.90			7
8					.30	.11			.01	.06	.90		8
9		.21			.01			.03			.11		9
10		.03		.04			.04			.02	.23		10
11	.80		.01	.54						.02	.22		11
12				.02		.01					.09		12
13			.01			.03	.10	.02	.08	.01	.09		13
14	.07	.07	.23							.10	.08		14
15	.12		.17	.13					.03		.10		15
16		.01	.16	.05					.32		.03		16
17		.02	.02	.02					2.02		.01	.01	17
18			.15	.03		.23				.02	.03		18
19	.15		.07			.01			.02		.16		19
20	.13		.06							.03			20
21		.02			.09								21
22	.14							.64	.11				22
23	.10					.04			.10				23
24	.07					.02							24
25									.10	.01		.02	25
26		.01	.07	.09					.02	.21	.12	.13	26
27		.01	.04	.21		.06					.06	.02	27
28	.25		.15	.22								.08	28
29	.01	X	.17	.51	.13		.02	.13		.08	.01	.21	29
30	.21	X	.01		.10					.26		.08	30
31	.02	X		X	.05	X			X		X		31
Total	2.59	.56	1.46	1.96	1.14	.74	.61	.84	2.88	2.96	1.68	.93	18.35
Rain Days.	15	11	16	12	9	11	7	5	13	16	18	10	143

REGISTER OF RAINFALL IN 1914

Kept at Bramwith
in the County of York WR 7
by H. A. Brundell M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.02	1.16	.26			.02	.15	1
2							.97	.30			.17	.05	2
3			.04		.07		.09				.11	.37	3
4	.12		.07	.14	.08		.24				.28	.21	4
5			.16	.06	.13	.02	.26				.08	.21	5
6	.05	.01	.18	.07	.06	.33					.01	.02	6
7		.01	.03	.04	.06	.05		.06			.05	.03	7
8	.15							.13	.05			.08	8
9	.26			.04		.57		.21					9
10	.24	.08		.03		.17			.16			.04	10
11		.03		.05		.01			.04		.33	.26	11
12	.01	.01									.02	.19	12
13		.02	.22								.08	.10	13
14	.02	.02					.06			.19	.26	.18	14
15	.01	.02	.11						.01	.01	.08		15
16	.01		.04				.21		.15			.01	16
17	.03	.06	.01									.05	17
18			.05									.46	18
19						.04	.06				.01	.17	19
20	.02	.05	.07				.02				.01	.01	20
21		.08	.01			.04		.50		.06	.03	.10	21
22					.26	.04	.03	.12		.09	.02	.02	22
23		.02	.01		.44					.05		.01	23
24			.04		.06			.41		.01			24
25								.14		.51		.28	25
26			.10				.05	.89		.21	.05	.18	26
27	.01									.02	.09	.47	27
28	.01	.03			.01					.21		.23	28
29		~~X~~	.09		.02					.42	.15		29
30		~~X~~								.03		.09	30
31	.02	~~X~~		~~X~~	.01	~~X~~	.26		~~X~~	.07	~~X~~	.10	31
Total	.96	.44	1.20	.43	1.20	1.29	3.41	3.02	.41	1.88	1.85	4.07	20.16
Rain Days.	14	13	16	7	11	10	12	10	5	13	19	27	157

REGISTER OF RAINFALL IN 1915

Kept at Kirk Bramwith

in the County of York

by H. G. Brundell. M. Inst. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station Bramwith

Diameter of Funnel of Rain Gauge 5 in. 3.75

Height of top of Gauge above Ground 1 ft. in.

Sea Level 17.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.11	.10		.31	.04	.09	.50	.16		.10	.04	1
2		.04	.03	.15			.01	.23		.01	.09	—	2
3	.63			.11			.73	.09	.01		.06	.40	3
4	.16						1.03			.01		1.05	4
5	.07	.13		.04	.24			.02			.04	.37	5
6	.03	.18	.12	.03	.01		.60	.09				.08	6
7	.31	.20					.15	.39			.04	.05	7
8	.01	.14	.03				.03	.04			.10		8
9			.02				.08	.10		.02	.02	.55	9
10	.24		.03				.11	.07				.14	10
11					.43			.11			.16	.22	11
12	.03			.26	.08					.05	1.09		12
13		.57			.05								13
14	.01						.01	.09				.23	14
15	.39	.05			.09			.20		.03	.17	.08	15
16		.11					1.09			.05		.01	16
17		.09	.02				.20					.01	17
18		.11	.11				.10						18
19	.01							.01		.03			19
20	.02									.02	.02	.43	20
21	.06			.03			.11					.12	21
22	.01		.13				.25					.06	22
23		.03	.08				.09		.05	.14		.02	23
24			.12			.02			.76			.20	24
25			.01	.03		.05						.12	25
26	.02	.13	.03			.08	.06					.40	26
27		.14				.01	.07			.39		.12	27
28		.12				.54		.35		.15			28
29		X		.03	.17			.01			.14	.54	29
30	.13	X										.02	30
31	.06	X		X		X		.17	X		X	.13	31
Total	2.26	2.15	.83	.68	1.38	.74	4.81	2.47	.98	.90	2.03	5.39	24.62
Rain Days.	18	15	13	8	8	6	18	16	4	11	12	24	153

REGISTER OF RAINFALL IN 1916.

Kept at *Don Drainage Pumping Station*

in the County of *York*

by *H. A. Rundell M. Inst. C.E.*

Time of Observation *9 a.m.*

Nearest Railway Station

Diameter of Funnel of Rain Gauge *5* in. *3.75*

Height of top of Gauge above Ground *1* ft. *3* in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.6		0.9			0.8	1.4				1.6		1
2	0.4	0.3	2.5						1.4	0.5			2
3		2.1		0.8			1.0		4.1	1.2	0.4		3
4	0.3	1.5			8.0	1.4			1.6	1.4	3.4		4
5	0.3		0.4		0.3	2.9			0.1	2.1	1.4		5
6		2.9	0.9	0.3	3.0	0.1	0.5			0.2	2.6		6
7			0.4		0.4		0.8			0.4	0.3	3.6	7
8			3.0								0.1		8
9			0.1			3.1			2.1		0.1	2.1	9
10	0.9		0.2	0.5		1.0	0.2		1.2		0.1	1.2	10
11		1.4	2.8	1.5		1.5	0.1						11
12			1.4	0.3	1.4	0.4	1.6		0.4				12
13		0.4	1.6		0.3		1.0	3.1		2.5	0.2		13
14	0.2	1.4	0.2		1.0			1.6		0.2	0.1	0.6	14
15		0.4	5.9	0.1			1.2	1.5		0.2			15
16		0.6	1.4	0.8			0.3	2.2		0.1			16
17	0.4	0.8		1.6			0.3	1.4	1.2	1.5			17
18		2.9	0.4	0.6	1.1			2.4	1.1	0.3	4.5		18
19	0.8	1.0	1.4	1.0		0.2		0.5	1.2	~~2.8~~	2.8	2.1	19
20	0.4		1.6	1.2							0.2	0.1	20
21		0.9	0.6	1.6			2.6						21
22		0.2				0.4				0.8		2.5	22
23				0.6		0.2				0.2	1.0	1.8	23
24		2.4		0.9		3.4		2.4				1.8	24
25		0.4	1.5		0.1			1.4		0.5	1.0	0.4	25
26		0.4								0.4			26
27		3.5	0.2					0.4		0.9	0.2		27
28		2.0	0.2		1.0	0.5						1.2	28
29	0.2	1.3				3.5		0.5	0.2	2.4		0.3	29
30		X				0.2				0.4			30
31		X		X		X			X	0.6	X	0.3	31
Total	4.8	3.04	3.09	1.18	2.26	1.99	1.10	1.44	1.49	1.44	2.33	2.10	22.93
Rain Days.	10	20	21	14	10	15	12	11	11	20	14	13	144

REGISTER OF RAINFALL IN 1917

Kept at Kirk Bramwith
in the County of Yorkshire (W.B.)
by The Drainage Commissioners

Lat. 53° 35' 45" Long. 1° 3' 16"
Time of Observation 9 a.m.
Nearest Railway Station Kirk Bramwith W.B.R. Ry.
Diameter of Funnel of Rain Gauge 5 in. 3 1/2
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 17.38 ft.

3132
JAN 1918
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	.01	.04		.02		.37	.05			.04	1
2	.03					.13		.20			.10		2
3						.04		.25					3
4			.07					.05		.35			4
5	.31		.05	.24				.02		.07	.03		5
6											.02		6
7	.40					.06			.01	.70			7
8	.57			.17				1.04		.73	.06		8
9	.09		.02	.03				.05		.04	.27		9
10	.13		.56	.04	.19						.10		10
11	.15			.43				.13		.39			11
12	.20				.54			.10		.15			12
13	.12							.29	.13	.04		.03	13
14	.12			.02				.43		.03		.08	14
15	.10				.05		.04		.02			.03	15
16	.05	.04		.08			.03	.12			.02	.47	16
17	.02	.09	.05	.14	.62	.02	.03	.03	.11			.42	17
18		.02		.01	.03		.61	.14	.33				18
19	.09	.12	.11		.35	.29		.03					19
20	.03	.30	.02			.08		.02			.28		20
21	.02	.06	.12			.03		.04		.10	.01		21
22			.05					.01	.02				22
23		.01			.18			.06					23
24						.14		.04		.39	.10		24
25		.01								.18		.04	25
26			.07			.03		.42		.12	.06	.05	26
27			.03			.20	.23	.75	.19			.21	27
28			.08			.27	.16	.20					28
29		X	.01		.53		.05	.01		.20			29
30	.04	X	.03				.09	.06					30
31	.02	X	.33	X		X	.01	.08	X		X		31
Total	2.50	.67	1.61	1.20	2.49	1.31	1.25	4.94	.86	3.49	1.05	1.37	22.74
Rain Days.	19	9	16	10	8	12	9	26	8	14	11	9	151

REGISTER OF RAINFALL IN 1918

Kept at Kirk Bramwith
in the County of York (W. R.)
by The Drainage Commissioners
M. A. A. Rundell G. E.

Lat. 53° 35' 45" Long. 1° 3' 16"
Time of Observation 7 a.m.
Nearest Railway Station Kirk Bramwith
Diameter of Funnel of Rain Gauge 5 in. 3175
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 17.88 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04							.20	.01	1
2		.30						.09	.10	.05	.35	.25	2
3	.01	.02	.05		.72			.93			.14		3
4			.02					.06	.29			.36	4
5					.25			.72	.05	.20			5
6		.43		.45						.03			6
7	.09			.04		.10				.11	.11		7
8			.06	.20			.16		.20	.09	.04		8
9	.01	.45				.05	.10		.45	.22	.14		9
10				.01			.05		.21			.07	10
11	.17	.12		.01	.26		.09					.04	11
12		.16			.11		.47		.10			.05	12
13		.02		.15	.10				.43				13
14	.10			.03			.09		.40			.24	14
15	.16					.02	.23		.70			.14	15
16						.06	.05		.08			.06	16
17	.40					.21	.47		.10	.15		.24	17
18	.21		.05				.05		.63			.20	18
19	.05		.03	.07			.04		.01	.09		.79	19
20						.04	.49		.10	.03			20
21	.10				.43				.14	.25			21
22	.11	.21				.03			.08			.35	22
23					.57	.24	.50						23
24		.08					.01		.22	.03			24
25							.20	.40			.14		25
26		.01					.37	.03	.04	.04	.15	.02	26
27							.03				.11		27
28		.21	.23			.09		.40	.17		.10	.55	28
29		~~X~~										.16	29
30		~~X~~	.41					.06	.14		.09	.21	30
31		~~X~~	.05	~~X~~		~~X~~		.02	~~X~~		~~X~~	.05	31
Total	1.41	2.01	.90	1.00	2.44	.84	3.40	2.71	4.64	1.29	1.57	3.79	26.00
Rain Days.	11	11	8	9	7	9	17	9	21	12	11	18	143

REGISTER OF RAINFALL IN 1919.

3175

Kept at Kirk Broomwith
in the County of York
by H. G. Brundell, M. Inst. C. E.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Bramwith Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 38 in.
" " " " Sea Level 17.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	34	05	02		20		15		14	12	04	22	1
2	14						14		46		03		2
3	94	04			02	12	41		07		10	11	3
4	20		46		10		57	10	06		34	25	4
5	03						02	06	10		03		5
6					12					03	03		6
7	05		26		15								7
8	12										12		8
9			05								15		9
10	03		04		10						25	11	10
11			87	15	14		18						11
12			97			10	11						12
13	11		01						96	28			13
14	23			36			07		05			04	14
15	15	18	04	19							10	1.03	15
16	25	93		05							17		16
17		31		05		10					09		17
18		21						46				12	18
19	03		83				61	37	07		10		19
20	45	60	09				10	11					20
21	16	04					26		12		09	11	21
22								01	16	88	02	21	22
23							10			35		33	23
24				15		45						19	24
25	06	04		08	09			53			20		25
26			15					38	05		05	32	26
27				46						26		10	27
28	08							91		18		33	28
29	07	X		10		09				1.03		08	29
30		X		27		08		03		10		20	30
31		X		X		X	17		X		X	03	31
TOTAL	3.44	2.40	3.79	1.86	.92	.94	2.89	2.96	2.24	3.23	1.91	3.78	30.36
Days with "01 in. or more	18	9	12	10	8	6	13	10	11	9	17	17	40

REGISTER OF RAINFALL IN 1920.

Kept at Kirk Bramwith
in the County of York
by H. A. Munnell M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation in the morning
Nearest Railway Station Bramwith
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 17.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				25	28	07				25	47	05	1
2			10	23			62		18	30		19	2
3				14	03	12	110			12		15	3
4				03	01		27	50	18	73			4
5					05		09	21	05			03	5
6			10	06	07		06					07	6
7			05				33						7
8		07		34			06	11					8
9	25	01		40			14	06					9
10	11	25	03	12			04	08					10
11	34	03		23	04	11						18	11
12	01		03	24				08				07	12
13		01		06		36						10	13
14			41	06		39	10		41	09	20	03	14
15		05	81	20					10	10			15
16	03		02										16
17							114		30	05			17
18	05			04	17	17		08					18
19		148		12									19
20	06	06		25		63	11		06				20
21				12			40	17					21
22	03			27								02	22
23				02			35					38	23
24			18	02			58						24
25		12					11						25
26	12		05		05							03	26
27	12			10	27	10					35	15	27
28	107		06	18	63		01				25	10	28
29	06		27	01	66	03	05				08	37	29
30	15	X		07	06	05		15			16	19	30
31	11	X	08	X		X	27		X		X	17	31
TOTAL	2.51	2.08	2.19	3.56	2.32	2.03	5.83	1.29	1.43	1.64	1.51	2.28	28.67
Days with "01 in. or more	14	9	13	24	12	10	19	9	7	7	6	17	147
Days with "04 in. or more	11	6	10	20	10	9	18	9	7	7	6	13	126

REGIS

~~KIRBY~~ KIRKBY MOORSIDE.

HUTTON - LE - HOLE

YORKSHIRE

Kept at Hutton-le-Hole, Kir

in the County of Yorks,

by Frank M. Curtis

(since the began

IMPORTANT NOTE

previous day. If an Obs

requested to add the readi

for it at the end of this

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

each month

days

side N.E.R.

5 in

1 ft. - in.

? 350 ft.

ult entered to the

e, he is earnestly

space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							-	.67	.32	-	.10	.12	1
2							-	.23	.18	-	-	-	2
3							.01	.14	-	.09	.03	-	3
4							-	-	-	-	.02	-	4
5							-	-	.01	-	.06	-	5
6							-	-	-	-	.18	-	6
7							-	-	-	.52	-	-	7
8							-	1.51	-	.48	-	-	8
9							-	.38	-	.11	.40	-	9
10							-	.42	-	-	.38	-	10
11							-	.04	-	.41	-	-	11
12							-	.26	-	.39	-	-	12
13							-	.21	.28	-	-	.30	13
14							.06	.27	-	-	-	-	14
15							.27	.02	-	.03	-	-	15
16							-	.16	-	-	-	-	16
17							.11	.49	-	-	-	-	17
18							.57	.04	.12	-	-	-	18
19							-	-	.01	-	-	-	19
20							-	.05	.09	-	.37	-	20
21							-	.04	-	.03	-	-	21
22							-	.06	.02	.02	-	-	22
23							.05	.19	-	-	-	1.10 ^a	23
24							.01	.09	-	.56	.20	-	24
25							-	.02	-	-	-	-	25
26							-	.85	.11	.08	.38	-	26
27							.53	.57	-	.05	-	-	27
28							.15	.24	-	.03	-	.56 ^b	28
29							.17	.01	-	.35	.07	-	29
30		X					.04	-	-	-	-	-	30
31		X		X		X	.18	.06	X	-	X	.15	31
Total							2.15	7.02	1.14	3.15	2.19	2.23	YEAR'S TOTAL
Rain Days.							12	25	9	14	11		

a Total for 14-23 Dec inclusive

b " " 24-28 Dec "

REGIS

Kept at Hutton-le-Hole, Kirby Moorside

in the County of Yorks, N. R.

by Frank M. Curtis

(since the beginning of July - no gauge before) " " " " Sea Level: 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							—	.67	.32	—	.10	.12	1
2							—	.23	.18	—	—	—	2
3							.01	.14	—	.09	.03	—	3
4							—	—	—	—	.02	—	4
5							—	—	.01	—	.06	—	5
6							—	—	—	—	.18	—	6
7							—	—	—	.52	—	—	7
8							—	<u>1.51</u>	—	.48	—	—	8
9							—	.38	—	.11	.40	—	9
10							—	.42	—	—	.38	—	10
11							—	.04	—	.41	—	—	11
12							—	.26	—	.39	—	—	12
13							—	.21	.28	—	—	.30	13
14							.06	.27	—	—	—	—	14
15							.27	.02	—	.03	—	—	15
16							—	.16	—	—	—	—	16
17							.11	.49	—	—	—	—	17
18							.57	.04	.12	—	—	—	18
19							—	—	.01	—	—	—	19
20							—	.05	.09	—	.37	—	20
21							—	.04	—	.03	—	—	21
22							—	.06	.02	.02	—	—	22
23							.05	.19	—	—	—	1.10 ^a	23
24							.01	.09	—	.56	.20	—	24
25							—	.02	—	—	—	—	25
26							—	.85	.11	.08	.38	—	26
27							.53	.57	—	.05	—	—	27
28							.15	.24	—	.03	—	.56 ^b	28
29							.17	.01	—	.35	.07	—	29
30		X					.04	—	—	—	—	—	30
31		X		X		X	.18	.06	X	—	X	.15	31
Total							2.15	7.02	1.14	3.15	2.19	2.23	YEAR'S TOTAL
Rain Days.							12	25	9	14	11		

a Total for 14 - 23 Dec inclusive

h " " 24-28 Dec "

REGISTER OF RAINFALL IN 19/8

Kept at *Hutton - le - Hole*

in the County of *Yorks* *N.R.*

by *Frank M. Curtis*

Lat.

Long.

Time of Observation *9 a.m. on 1st day each month*

Nearest Railway Station *Kirby Mootside*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. - in.

" " " " Sea Level *350* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.13	~~.06~~ .60	—	—	—	—	.40	.03	—	—	1
2	.12	.24	—	.13	—	—	—	—	.02	—	—	.39	2
3	.01	.08	.02	—	—	—	—	—	—	.10	.57	—	3
4	—	—	.18	—	.20	—	—	.05	.06	—	.26	—	4
5	—	—	.01	—	.40	—	—	.08	.01	—	—	—	5
6	—	.33	—	.42	—	.26	—	—	.03	—	—	—	6
7	.07	—	.01	—	—	—	—	—	.10	.32	—	—	7
8	.20	.05	—	—	—	—	.17	—	.13	—	—	—	8
9	—	.36	—	.02	—	.10	.52	—	.74	.38	—	—	9
10	.02	.12	—	—	—	—	.28	—	.11	—	—	—	10
11	.29	.05	.07	—	—	—	.03	.04	.01	—	—	—	11
12	—	.17	.05	—	—	—	.40	—	.10	—	—	—	12
13	—	—	—	—	—	—	—	—	.45	.29	—	—	13
14	.25	—	—	.14	—	.02	.02	—	.12	—	—	—	14
15	.04	—	—	—	—	.03	.32	—	.96	.01	—	1.50	15
16	.01	—	—	—	—	.13	.43	.15	.21	—	—	—	16
17	.34	—	—	—	—	.10	.32	.09	.01	.10	—	.67	17
18	.54	—	.05	.49	—	.03	.38	.25	.47	—	—	—	18
19	.18	—	.04	.34	—	—	.40	—	.01	—	—	—	19
20	.21	.57	—	.05	—	.02	.07	—	.19	.27	—	—	20
21	.16	—	—	—	1.85	.04	—	—	.15	—	—	—	21
22	.02	—	—	—	—	.08	.11	—	—	.18	—	—	22
23	.18	.01	—	—	—	—	.21	—	.05	—	—	—	23
24	—	.10	—	—	—	—	.11	.01	—	.04	—	—	24
25	—	—	.04	—	—	.05	.31	.24	—	—	—	—	25
26	—	—	—	—	—	—	.22	.04	—	—	.30	—	26
27	—	.03	.19	—	—	.02	—	—	—	.02	—	—	27
28	—	.39	.51	—	—	—	—	—	—	—	—	—	28
29	—	~~X~~	—	—	—	—	—	—	—	—	—	—	29
30	—	~~X~~	.35	—	—	—	—	—	1.39	—	.29	2.47	30
31	—	~~X~~	.30	~~X~~	.45	~~X~~	—	.29	~~X~~	—	~~X~~	.09	31
Total	2.70	2.50	1.95	1.65	2.90	.88	4.30	2.24	5.72	1.74	1.42	5.12	38.12
Rain Days.	17	13	14	8	—	12	17	—	—	—	—	—	

REGISTER OF RAINFALL IN 1919.

Kept at Hutton-le-Hole, Kirby Moorside
in the County of Yorks, N. R.
by Frank M. Curtis

Lat. _____ Long. _____
Time of Observation 9 a.m. ^{1st morn^g each month and other various times}
Nearest Railway Station Kirby Moorside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—	.26				.24				1
2		.11	.05	—			.79				.37		2
3				.02			.08				.67		3
4					.25			.35			.07		4
5	1.62												5
6					.01				.25				6
7												.56	7
8					.21	.10		.03					8
9						.02							9
10													10
11							.22			.54			11
12			2.77			.04							12
13						.09	.34						13
14	.75						.01			.27			14
15													15
16		.47		.59									16
17					.05								17
18								.57					18
19							.50					1.71	19
20					.22			.03					20
21	1.30										1.01		21
22						.10							22
23			.44			.15	.25						23
24				.03					.37				24
25						.13		.84					25
26					.01			.51					26
27										1.67			27
28		1.10					.02	.44		.46	.81	1.17	28
29						.23			.02	.60			29
30		~~X~~		.78		.19			~~X~~		.18	.38	30
31	.55	~~X~~	.53	~~X~~	—	~~X~~	.10	.28	~~X~~	.18	~~X~~	—	31
TOTAL	4.22	1.68	3.79	1.42	.96	1.10	2.31	3.05	.88	3.72	3.11	3.82	YEAR'S TOTAL 30.06
Days with 0.1 in. or more													

REGISTER OF RAINFALL IN 1920.

Kept at Nutton - Le. Hole

in the County of Yorks N. R.

by Frank M. Curtis

Lat. _____ Long. _____

Time of Observation 9 a.m. on 1st of each month and at other times as occasion serves

Nearest Railway Station Barby Moor N. E. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

” ” ” ” Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.20	.46		1.14	.01					1
2													2
3								.22				.60	3
4								.85		2.02			4
5							.92	.03					5
6					.33			.02	.40				6
7							.25	—					7
8							.11	.21					8
9					.20			.40					9
10	1.14						.25	—					10
11				1.11				—		.02			11
12				.31				—					12
13	.36						.04	—					13
14							.14	—	.33		.30		14
15				.59			—	—					15
16		.44					.85	—					16
17								.34					17
18								.05					18
19						.21	.05		.74				19
20													20
21							.32						21
22							.40	.30					22
23							.06						23
24				.86			.01						24
25							.53						25
26							.01						26
27			1.78			.48							27
28					.86		.09						28
29		.21	.13			.09	.06				.66		29
30		~~—~~	~~—~~	.22	.49	.10			.24		.22	2.62	30
31	1.35	~~—~~	~~—~~	~~—~~	.03	~~—~~	.02	—	~~—~~	.15	~~—~~	~~—~~	31
TOTAL	2.85	.65	1.91	3.29	2.37	.88	5.25	2.43	1.71	2.19	1.18	3.22	27.93
Days with .01 in. or more													
Days with .04 in. or more													

REGIS

Kept at Ravenswye Hill
in the County of Yorkshire
by Harrison Holt

3464
KIRBY MOORSIDE
RAVENSWYKE

1918 - 20

FORM A.
BRITISH RAINFALL
15.
moorside
5 in.
and 1 ft. in.
Level ft.
result entered to the
rule, he is earnestly
the space provided

1924

780610

IMPORTANT NOTE.

previous day. If an Observer requested to add the reading for it at the end of this the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.16		.30	.20					Oct	Sep.		.32	1
2	.05							.05	.31	.48	.22		2
3		.23								.21		.26	3
4								.13			.34		4
5					.23			.06		.09	.19	.32	5
6					.40			.40					6
7		.30		.43		.25		.26				.05	7
8	.10									.03	.21		8
9	.17					.11	.13			.16			9
10		.27					.40		.29	.99	.06		10
11	.10	.09					.16			.29			11
12	.20	.03			.34		.17					.20	12
13		.19	.07		.08		.40		.09	.12			13
14					.10				.04	.25			14
15							.03		.09	.50			15
16	.10						.49			.70		.83	16
17	.20					.12	.27	.13		.20		.26	17
18	.23				.61	.03	.38	.12				.31	18
19							.38			.49			19
20	.35		.09				.78	.13	.20			.12	20
21	.17	.53					.26			.16			21
22	.11				1.18				.16	.14			22
23	.04				.05	.16	.02					.40	23
24	.16				.42		.06						24
25							.31						25
26			.01				.20	.20					26
27							.26			.41	.23		27
28							.13	.26		.21	.11	.39	28
29												.42	29
30		X	.13							.28		.15	30
31		X	.26	X		X			X		X	.53	31
Total	2.14	1.64	1.36	.63	3.41	.67	4.24	1.81	1.31	5.49	1.36	4.56	YEAR'S TOTAL
Rain Days.	14	7	6	2	9	5	18	9	8	18	7	14	117

REGIS

Kept at Ravenwyke, Kirkbymoorside
in the County of Yorkshire
by Harrison Holt, Esq.

Time of Observation 4 a.m.
Nearest Railway Station Kirkbymoorside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.16		.30	.20					~~Oct~~	~~Sep.~~		.32	1
2	.05							.05	.31	.48	.22		2
3		.23								.21		.26	3
4									.13		.34		4
5					.23			.06		.09	.19	.32	5
6					.40			.40					6
7		.30		.43		.25		.26				.05	7
8	.10									.03	.21		8
9	.17					.11	.13			.16			9
10		.27					.40		.29	.77	.06		10
11	.10	.09					.16			.29			11
12	.20	.03			.34		.17					.20	12
13		.19	.07		.08		.40		.07	.12			13
14					.10				.24	.25			14
15							.03		.09	.50			15
16	.10						.49			.70		.83	16
17	.20					.12	.27	.13		.20		.26	17
18	.23				.61	.03	.38	.12				.31	18
19							.38			.49			19
20	.35		.09				.78	.13	.20			.12	20
21	.17	.53					.26			.16			21
22	.11				1.18				.16	.14			22
23	.04				.05	.16	.03					.40	23
24	.16				.42		.06						24
25							.31						25
26			.01				.20	.20					26
27							.26			.41	.23		27
28							.13	.26		.21	.11	.39	28
29												.42	29
30		X	.13							.28		.15	30
31		X	.26	X		X			X		X	.53	31
Total	2.14	1.64	1.36	.63	3.41	.67	4.24	1.81	1.31	5.49	1.36	4.56	YEAR'S TOTAL
Rain Days.	14	7	6	2	9	5	18	9	8	18	7	14	117

you will find that I have altered something in Oct & Sep I made a mistake in the 5 months

REGISTER OF RAINFALL IN 1919

Kept at Ravenenshale, Hildesheim
in the County of Yorkshire
by Harrison, H. H. Esq.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hildesheim
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13				.25		.21	.12			.12		1
2	.32				.29		.53		.29	.09	.10		2
3							.70		.02		.14		3
4	.65				.16		.03		.03		.22	.20	4
5		.18	.16			.07		.16	.10		.15		5
6	.40		.30			.06			.08		.06	.22	6
7	.06		.30								.09	.23	7
8	.02		.17		.11							.30	8
9					.09					.06	.14	.20	9
10										.22	.22		10
11				.7						.18	.12	.15	11
12			.85		.19		.20			.03	.06		12
13			.86	.8		.04				.14			13
14	.12		.18			.09	.31			.09			14
15	.50			.47			.02			.06			15
16		.30	.09										16
17		.25		.10				.14		.07	.60		17
18					.05	.09		.24					18
19	.19												19
20	.50	.30	.15				.73				.14	.16	20
21		.23				.10	.05		.22			.15	21
22	.25	.20										.20	22
23		.15					.21	.09	.12				23
24			.75			.20	.07	.08		.52	.71		24
25										.43			25
26						.14		.63			.14	.45	26
27	.16		.14					.39		.21	.34		27
28	.20			.30						1.39			28
29				.40				.61		.45	.30	.52	29
30		X	.12			.18				1.30			30
31		X	.7	X		X			X	.29	X		31
Total	3.50 3.37	1.61	3.54	1.42 1.67	1.44 .89	.21 1.18	.12 2.97	2.46 2.34	.86	5.58 5.65	3.05 2.93	2.78	29.79 29.26
Rain Days.	12+3	7	13	7+5	6+7	10	11	9+8	7	17+6	16+7	11	125

The Rainfall at *Ravenwyke, Kildymoorside*

measured on the morning of January 1st, 1920

was... *No Marks* *fine*

Signed *J. I. Lunderford*

*we always register fall of Rain next
Morning.*

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.


PRINTED PAPER.

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.



Kept at Raunsway, Kirbymosside
in the County of Yorkshire
by Harrison Holt Esq.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Kirbymosside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:
15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			~~in.~~ <u>April</u>	~~in.~~ <u>March</u>				<u>.08</u>	<u>.16</u>	<u>.14</u>		<u>.06</u>	1
2			<u>.24</u>		<u>.46</u>		<u>.98</u>			<u>.23</u>		<u>.05</u>	2
3							<u>.11</u>			<u>.42</u>		<u>.43</u>	3
4							<u>.22</u>	<u>.10</u>		<u>.16</u>		<u>.52</u>	4
5					<u>.09</u>		<u>.54</u>	<u>.60</u>		<u>.116</u>			5
6					<u>.22</u>		<u>.12</u>		<u>.11</u>				6
7				<u>.22</u>	<u>.09</u>		<u>.16</u>	<u>.02</u>				<u>.21</u>	7
8							<u>.15</u>						8
9		<u>.10</u>	<u>.22</u>				<u>.10</u>	<u>.18</u>			<u>.10</u>		9
10	<u>.50</u>	<u>.25</u>	<u>.52</u>				<u>.13</u>	<u>.20</u>	<u>.05</u>				10
11	<u>.20</u>		<u>.12</u>				<u>.16</u>						11
12	<u>.35</u>		<u>.20</u>	<u>.10</u>	<u>.18</u>								12
13	<u>.23</u>		<u>.15</u>				<u>.03</u>					<u>.32</u>	13
14			<u>.12</u>	<u>.30</u>							<u>.07</u>		14
15			<u>.24</u>				<u>.08</u>		<u>.26</u>	<u>.05</u>	<u>.20</u>		15
16		<u>.19</u>	<u>.14</u>										16
17			<u>.35</u>				<u>.73</u>		<u>.24</u>				17
18				<u>.15</u>	<u>.15</u>		<u>.07</u>	<u>.32</u>	<u>.17</u>				18
19				<u>.70</u>	<u>.10</u>		<u>.24</u>	<u>.03</u>	<u>.10</u>				19
20		<u>.18</u>						<u>.05</u>					20
21			<u>.19</u>			<u>.21</u>						<u>.69</u>	21
22			<u>.13</u>				<u>.31</u>	<u>.32</u>					22
23			<u>.20</u>				<u>.07</u>						23
24	<u>.12</u>						<u>.31</u>					<u>.19</u>	24
25			<u>.17</u>	<u>.40</u>			<u>.13</u>						25
26		<u>.14</u>		<u>.17</u>			<u>.55</u>						26
27	<u>.40</u>		<u>.06</u>	<u>.24</u>								<u>.14</u>	27
28			<u>.03</u>	<u>.06</u>	<u>.20</u>	<u>.53</u>					<u>.52</u>		28
29	<u>.38</u>						<u>.03</u>					<u>.12</u>	29
30	<u>.52</u>	~~X~~	<u>.09</u>		<u>.79</u>	<u>.07</u>	<u>.05</u>				<u>.09</u>	<u>.44</u>	30
31	<u>.13</u>	~~X~~		~~X~~	<u>.09</u>	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	<u>.15</u>	31
TOTAL	343	26	317	234	237	81	527	190	109	116	90	332	263125
Days with ".01 in. or more	9	5	16	9	10	3	5.35	1.98	1.07	102	1.04	3.41	25410

REGI

KIRKBY KNOWLE

Kept at

Kirkby Knowle

in the County of

York

by

J.C. Hanson

RECTORII

in.
d 1 ft. in.
level 436 ft.

result entered to the
rule, he is earnestly
the space provided

Jan. 1, following.

IMPORTANT NOT
previous day. If an O
requested to add the rea

1914-15, 1918-1920

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.02	.49	-	-		.11	1
2							.68	.43	-	.05	.30	.23	2
3							.02	.03	-		.17	.33	3
4							-	-	-		.14	.42	4
5							.02	-	-	.04	.15	.02	5
6							-	.01	-		.05	.12	6
7							-	.05	-		.12	.12	7
8								.04	-	.06	-	.02	8
9							~~.04~~	.07	.01	.02	.09	.04	9
10							~~.07~~		.21		.02	-	10
11							~~.07~~	-	.07		.16	.28	11
12							-	-	-		.02	.82	12
13							~~.14~~	-	.14		.09	.47	13
14							.79	-	-		-	.15	14
15							.20	-	-		.51	.14	15
16							1.65	-	-		.18	-	16
17							~~.46~~	-	.46		.01	.09	17
18							-	-	.52		.02	.14	18
19							.10	-	.10		.09	.05	19
20							-	-	.04		-	.03	20
21							.05	-	-		.02	.02	21
22							-	.04	-	.03	.03	-	22
23							-	-	-		.02	.29	23
24							-	.15	-		.25	-	24
25							-	.15	-	.65	.05	.33	25
26							.21	.08	-	.36	.19	.25	26
27							-	-	-	.04	.13	.55	27
28							-	.02	-	.09	.04	.22	28
29							-	.10	-	.31	.04	-	29
30		X					-	.03	-	.07	.09	.19	30
31		X		X		X	.38	-	X	.30	X	-	31
Total							4.43	1.69	1.55	2.02	2.98	5.43	YEAR'S TOTAL
Rain Days.							11	14	8	12	26	25	

REGISTER OF RAINFALL IN 1915

Kept at Kirkby Knowle Rectory
in the County of York. N. R.
by J. C. Hanson.

Lat. 54° 16' N. Long. 1° 16' W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 436 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.02	.49	—			.11	1
2							.68	.43	—	.05	.30	.23	2
3							.02	.03	—		.17	.33	3
4							—	—	—		.14	.42	4
5							.02	—	—	.04	.15	.02	5
6							—	.01	—		.05	.12	6
7							—	.05	—		.12	.12	7
8								.04	—	.06	—	.02	8
9							~~.04~~	.07	.01	.02	.09	.04	9
10							~~.04~~	—	.21		.02	—	10
11							~~.04~~	—	.07		.16	.28	11
12							—	—	—		.02	.82	12
13							~~.04~~	—	.14		.09	.47	13
14							.70	—	—		—	.15	14
15							.20	—	—		.51	.14	15
16							1.65	—	—		.18	—	16
17							~~.04~~	—	.46		.01	.09	17
18							—	—	.52		.02	.14	18
19							.10	—	.10		.09	.05	19
20							—	—	.04		—	.03	20
21							.05	—	—		.02	.02	21
22							—	.04	—	.03	.03	—	22
23							—	—	—		.02	.29	23
24							—	.15	—		.25	—	24
25							—	.15	—	.65	.05	.33	25
26							.21	.08	—	.36	.19	.25	26
27							—	—	—	.04	.13	.55	27
28							—	.02	—	.09	.04	.22	28
29							—	.10	—	.31	.04	—	29
30		X					—	.03	—	.07	.09	.19	30
31		X		X		X	.38	—	X	.30	X	—	31
Total							4.43	1.69	1.55	2.02	2.98	5.43	YEAR'S TOTAL
Rain Days.							11	14	8	12	26	25	

REGISTER OF RAINFALL IN 1915

Kept at Kirkby Kuonle Rectory
in the County of York N.B.
by J. C. Hanson

Lat. 54° 16 3/4 N. Long. 1° 16 3/4 W.
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 436 ft.

BRITISH RAINFALL
FORM A.
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.20	.01	--	.09	--	.03	.58	.39		.10	.05	1
2	.01	.21	.23	.08	--	.03	.11	.77	.07		.09	--	2
3	.54	.01	.08	.16	--		.31	.19	.03		.08	.44	3
4	.19	--	.02	--	.03		.37	.14			.11	.63	4
5	.14	.17	.01	--	--		--	--		.01	.04	.84	5
6	.10	.49	.04	.18	--		.56	.01		.02		.13	6
7	.42	.48	.11	--	--		.55	.15				--	7
8	.22	.05	--	--	--		.03	.04			.05	--	8
9	--	.04	--	--	--		.06	.04		.01		.36	9
10	.20	.01	.07	--	--		--	.53				.09	10
11	--	.21	.01	.03	.66		.01	.04			.05	.11	11
12	.15	.10	--	.27	--		.09	.13		.04	<u>1.16</u>	--	12
13	--	.34	--	--	--		--	--				--	13
14	.01	.24	--	--	.03		.03	.13		.02		.05	14
15	.23	.04	--	--	--		.24	.15			.09	--	15
16	.03	.33	--	--	.04		.76	.02		.02		.21	16
17	.13	.20	--	--	--		.16	.01		.03	.03	.09	17
18	.08	.12	.20	--	--		--	--	.01	.07		.06	18
19	--	.04	.11	--	--		.07	--	.02			--	19
20	.04	--	--	--	--		--	.01				.44	20
21	.35	.03	--	.15	--		.01	--				.08	21
22	.03	~~.11~~	.06	--	--		.08	.03		.01		.19	22
23	.32	.12	--	.03	--		.13	--				.03	23
24	.01	--	~~.00~~	.03	--		.07	--	.20	.06		.11	24
25	--	--	--	--	--	.07	--	--	.02	.06	.13	.05	25
26	--	.12	.08	--	--	.14	.17	--	.02		.07	.27	26
27	.01	.17	--	--	--	.13	.10	--		.25		.14	27
28	.05	.05	.04	--	.14		--	.24		.19		--	28
29	--	~~X~~	--	--	.30		.01	--	.17		.22	.45	29
30	.15	~~X~~	--	.19	--	.04	.08	--	.02	.02	.01	.01	30
31	.15	~~X~~	--	~~X~~	--	~~X~~	--	.35	~~X~~	.02	~~X~~	.25	31
Total	3.89	3.77	1.17	1.12	1.29	.41	4.03	3.56	.95	.93	2.23	5.08	YEAR'S TOTAL 28.43
Rain Days.	24	23.	15	9.	7	5	23	19.	10	15	14	23.	187.

REGISTER OF RAINFALL IN 1918

Kept at Kirkby Knowle Rectory, Thirsk

In the County of York NR

by Charles H. Murray

Lat. _____ Long. _____

Time of Observation 9.0 a.m.

Nearest Railway Station Thirsk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 4.36 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.07	.05						.09	.10	.30	.09	1
2	.16		.11						.13	.09		.18	2
3		.02		.13				.07			.11		3
4	.16			.13				.11	.11	.02	.21	.19	4
5		.06		.22				.72		.05	.05		5
6	.03		.33		.36			.22	.18	.12		.02	6
7		.25	.12		.02				.13	.06	.25	.01	7
8		.03	.06	.01		.05	.25	.01	.06	.07	.02	.02	8
9	.16	.36	.01	.06			.33		.70	.21	.06	.03	9
10	.20	.01	.09						.11	.01	.04	.02	10
11		.02	.11		.22		.28	.03	.04	.10			11
12		.14			.10		.24		.19	.13			12
13			.07						.28	.06			13
14			.39				.04		.25			.05	14
15			.03	.01	.03	.33			.70	.05		.67	15
16					.19	.30	.09	.27	.12			.16	16
17			.01	.43	.17	.19	.12	.02				.19	17
18	.93		.05	.02			.29		.52	.18		.11	18
19		.07	.15				.30	.14	.02	.14			19
20	.34		.06		.09	.11		.02	.10				20
21		.57	.03	.51	.07	.04		.33	.07			.31	21
22					.03	.04							22
23	.07				.41		.24		.07			.02	23
24		.07			.02		.08		.15	.03			24
25							.27	.22	.06				25
26							.20	.06	.25		.15	.15	26
27		.01	.04					.34	.12		.18	.09	27
28		.18	.35			.04			.01		.06	.41	28
29		~~X~~	.04						.43		.02	.11	29
30		~~X~~	.07	.01					.14		.10	.71	30
31		~~X~~	.30	~~X~~		~~X~~		~~X~~		~~X~~		.18	31
Total	1.89	1.83	1.34	1.45	2.48	1.05	3.53	2.13	5.38	1.81	1.55	3.72	YEAR'S TOTAL 28.16
Rain Days.	(13)	12	14	15	10	10	17	12	27	19	13	21	(183)

REGISTER OF RAINFALL IN 1919

Kept at Kirkby Knowle Rectory, Thirsk
in the County of York
by Rev. C. H. Murray

Lat. 54° 16' 42" Long. 1° 16' 47" N
Time of Observation 9.0 a.m.
Nearest Railway Station Thirsk N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 4.96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19				.28	.50		.28	.09	.11	.02		1
2	.05		.05		.02	.85		.05		.14			2
3	.58				.12	.14	.09			.17	.10		3
4	.15	.05	.33		(.04)	.02		.11	.40		.10	.05	4
5	.18				.02						.08	.04	5
6	.07		.14			.01				.03	.07	.04	6
7	.02				.07	.05				.02		.08	7
8	.10		.08	.07	.03	.02				.05	.18	.02	8
9	.03		.06	.04		.03				.02	.22	.02	9
10			.05	.02	.02					.11	.12	.21	10
11			.93	.13			.31		.01	.04	.17	.05	11
12			.42	.29		.10	.07		.06	.39			12
13	.03		.07	.22			.20	.05		.17		.04	13
14	.03		.02	.07				.06			.13	.05	14
15	.28	.11	.16								.03	.88	15
16	.01	.17			.01						.10	.01	16
17		.08		(.02)				.03					17
18			.03				.02	.34			.13	.02	18
19	.07	.17	.82			.03	.42	.15	.11		.18	.05	19
20	.59	.10				.05	.10	.02	.12			.10	20
21	.21	.17				.04			.10		.15	.11	21
22		.10					.20		.04			.18	22
23				.03		.34	.01	.05		.64	.08	.03	23
24		.01		.01	.02	.08				.41	.05		24
25	.07	.05		.05	.01	.01		.48		.02	.17		25
26	.24	.12	.08	.04		.03		.49	.03	.20	.47	.41	26
27				.24			.02	.05	.05	.10	.24		27
28	.10			.19		.03	.01	.69		.58		.22	28
29	.09					.43		.01		1.35		.16	29
30		X	.05	.27			.08		.02	.09	.15	.28	30
31	.07	X		X		X			X	.25	X	.10	31
Total	3.16	1.18	3.29	1.69	.66	1.36	2.88	2.53	1.27	5.56	3.24	3.27	29.84
Rain Days.	21	11	15	15	12	15	14	13	12	18	22	25	192

REGISTER OF RAINFALL IN 1920.

Kept at Kirkby Thore, West York
 in the County of York
 by (Rev) C. H. Murray

Lat. 54° 16' 42" N Long. 1° 16' 47" W
 Time of Observation 9.0 a.m.
 Nearest Railway Station Thirsk N.E.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 436 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			13	23	39	03	46			15		02	1
2				18	01		38	02	25			30	2
3		03		06			20	12	10	51		18	3
4	09			03	01		63	81	06	1.03		92	4
5			05		11		18	13		01		05	5
6	01		17	09			04	07	01			06	6
7				03			20					02	7
8	09		03	23	05		14	24					8
9	16	06		27			06	34			02		9
10	66	07		28			17					02	10
11	27	03	08	09	11					01		30	11
12	10		05	20							05	42	12
13	01		10	10					02		04	10	13
14	10	11	41	14			15		30		19	08	14
15		13	22	26			01		01	32	06	01	15
16					02		58		12		02		16
17				09	19			24	08	02			17
18	25			05	15	75	14	03	16				18
19		29		18		05		10	08				19
20	12	03		19		15	03	63					20
21				11			32		06			01	21
22	10			15			03				01		22
23			04	08			30		03			18	23
24			43	02			02					01	24
25		09	04	03		02	62					04	25
26	05	05	24				04						26
27	21		02	04	23	47					38	02	27
28	74			15		07	06				06	09	28
29	13		09		80	10	09				09	41	29
30	15	~~X~~			10	05			15	09	22	26	30
31	07	~~X~~		~~X~~	10	~~X~~	03		~~X~~		~~X~~	04	31
TOTAL	3.31	.89	2.10	3.28	2.27	1.69	4.88	2.73	1.43	2.14	1.14	3.54	29.40
Days with "01 in. or more	18	10	15	25	13	9	24	11	14	8	11	22	180
Days with "04 in. or more	16	7	13	21	10	7	19	9	10	5	8	15	140
YEAR'S TOTAL													

REGI

KIRKEATON

KIRK VALE

Kept at Kirk Vale, York

in the County of York

by Alice Robson

IMPORTANT NOTE
previous day. If an Observer is requested to add the reading for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

1918 - 1919

FORM A.
BRITISH RAINFALL.

Station 8 in.

Level 220 ft.

Result entered to the rule, he is earnestly the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.05	-	-	.09	-	-	-	.32	.05	.22	.04	1
2	.02	.05	-	-	-	-	-	.03	.19	-	-	.10	2
3	-	.01	.04	-	.57	-	-	.24	.02	.06	.13	-	3
4	-	-	.04	-	-	-	-	.03	.22	.07	.30	.28	4
5	-	-	.03	.18	.37	-	-	.23	.13	.24	-	-	5
6	.04	.96	.04	.18	-	.21	-	.14	.02	.20	-	-	6
7	.04	.06	-	.14	-	-	-	-	.19	.47	.15	-	7
8	-	.15	.12	-	-	-	.27	.02	.59	.13	.15	-	8
9	.16	.78	-	.28	-	.11	-	-	.90	.05	.04	.07	9
10	.07	.23	-	-	-	-	.07	-	.47	.03	.15	.04	10
11	.20	.11	.05	.02	.07	-	.05	-	.20	-	-	.02	11
12	.01	.07	.06	.05	.02	-	.26	.01	.16	-	-	.10	12
13	.05	.01	-	.05	.08	-	-	-	.27	.06	-	-	13
14	.30	-	-	-	-	.05	.18	-	.82	.01	-	.22	14
15	.14	-	-	.01	-	.04	.50	-	1.30	-	-	.29	15
16	.01	-	-	-	-	.04	.08	-	.15	.05	-	.26	16
17	.21	-	-	-	.12	.03	.27	.11	.01	.21	-	.25	17
18	.43	-	.05	-	-	.10	.28	.01	.56	-	-	.40	18
19	.21	-	.17	.08	-	.02	.38	.01	.50	.12	-	.66	19
20	.05	.54	-	.08	-	.06	.17	-	.22	.02	-	-	20
21	.10	.42	-	-	.34	.07	-	-	.34	.13	-	.02	21
22	.01	-	-	-	.65	.01	.08	-	.03	-	-	.61	22
23	-	-	-	-	.70	-	.30	-	-	-	-	-	23
24	-	.02	-	-	-	-	.01	.06	.03	-	.09	-	24
25	-	-	-	-	-	.58	.12	.26	.04	-	-	-	25
26	-	.03	-	-	-	-	.16	.02	.21	-	.10	.13	26
27	-	.10	.04	-	-	-	-	.24	.52	.02	.07	.40	27
28	-	.29	.25	-	-	-	-	.06	.17	-	.09	.42	28
29	-	~~X~~	-	-	-	-	-	-	.08	-	-	.17	29
30	-	~~X~~	.21	-	-	-	-	.04	-	-	.01	.13	30
31	-	~~X~~	.07	~~X~~	-	~~X~~	-	.13	~~X~~	-	~~X~~	-	31
Total	2.07	3.88	1.17	1.07	3.01	1.32	3.18	1.64	8.66	1.92	1.50	4.61	YEAR'S TOTAL 34.03
Rain Days.	18	17	13	10	10	12	16	17	28	17	12	20	190

REGI

FORM A.
BRITISH RAINFALL
3.1.10

Kept at Kirk Vale, Kirkheaton
in the County of York W.R.
by Alice Robson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Kirkheaton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 7 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	-	-	.09	-	-	-	.32	.05	.22	.04	1
2	.02	.05	-	-	-	-	-	.03	.19	-	-	.10	2
3	-	.01	.04	-	.57	-	-	.24	.02	.06	.13	-	3
4	-	-	.04	-	-	-	-	.03	.22	.07	.30	.28	4
5	-	-	.03	.18	.37	-	-	.23	.13	.24	-	-	5
6	.04	.96	.04	.18	-	.21	-	.14	.02	.20	-	-	6
7	.04	.06	-	.14	-	-	-	-	.19	.47	.15	-	7
8	-	.15	.12	-	-	-	.27	.02	.59	.13	.15	-	8
9	.16	.78	-	.28	-	.11	-	-	.90	.05	.04	.07	9
10	.07	.23	-	-	-	-	.07	-	.47	.03	.15	.04	10
11	.20	.11	.05	.02	.07	-	.05	-	.20	-	-	.02	11
12	.01	.07	.06	.05	.02	-	.26	.01	.16	-	-	.10	12
13	.05	.01	-	.05	.08	-	-	-	.27	.06	-	-	13
14	.30	-	-	-	-	.05	.18	-	.82	.01	-	.22	14
15	.14	-	-	.01	-	.04	.50	-	1.30	-	-	.29	15
16	.01	-	-	-	-	.04	.08	-	.15	.05	-	.26	16
17	.21	-	-	-	.12	.03	.27	.11	.01	.21	-	.25	17
18	.43	-	.05	-	-	.10	.28	.01	.56	-	-	.40	18
19	.21	-	.17	.08	-	.02	.38	.01	.50	.12	-	.66	19
20	.05	.54	-	.08	-	.06	.17	-	.22	.02	-	-	20
21	.10	.42	-	-	.34	.07	-	-	.34	.13	-	.02	21
22	.01	-	-	-	.65	.01	.08	-	.03	-	-	.61	22
23	-	-	-	-	.70	-	.30	-	-	-	-	-	23
24	-	.02	-	-	-	-	.01	.06	.03	-	.09	-	24
25	-	-	-	-	-	.58	.12	.26	.04	-	-	-	25
26	-	.03	-	-	-	-	.16	.02	.21	-	.10	.13	26
27	-	.10	.04	-	-	-	-	.24	.52	.02	.07	.40	27
28	-	.29	.25	-	-	-	-	.06	.17	-	.09	.42	28
29	-	~~X~~	-	-	-	-	-	-	.08	-	-	.17	29
30	-	~~X~~	.21	-	-	-	-	.04	-	-	.01	.13	30
31	-	~~X~~	.07	~~X~~	-	~~X~~	-	.13	~~X~~	-	~~X~~	-	31
Total	2.07	3.88	1.17	1.07	3.01	1.32	3.18	1.64	8.66	1.92	1.50	4.61	YEAR'S TOTAL 34.03 inches
Rain Days.	18	17	13	10	10	12	16	17	28	17	12	20	190 ✓

REGISTER OF RAINFALL IN 1919.

Kept at Kirk Vale, Kirkheaton
in the County of York
by Alice Robson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Kirkheaton LNW Ry.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	.02	.03	.01	.38	-	.17	-	.10	.11	.06	.10	1
2	.22	.01	.18	-	.04	-	.16	-	-	-	.05	.03	2
3	.93	-	-	-	.04	.12	.40	-	.03	-	.29	.33	3
4	.46	-	.34	-	-	.01	.02	.15	.22	-	.05	.23	4
5	-	-	-	-	.05	-	-	-	-	-	.03	.30	5
6	-	-	.16	-	.68	-	-	-	-	-	-	.09	6
7	.18	-	.43	-	.08	-	.03	-	-	-	.04	-	7
8	.10	-	.03	-	.01	.05	-	-	-	-	.02	-	8
9	.34	-	.03	-	-	-	-	-	-	-	.05	-	9
10	-	-	.25	.04	.05	-	-	-	-	-	.05	.06	10
11	-	-	.76	-	.07	-	.05	-	-	-	.03	-	11
12	-	-	1.00	.14	-	-	.06	-	.18	.01	-	-	12
13	.13	-	-	.15	-	-	.02	-	.06	.15	-	.02	13
14	.18	-	-	.18	-	-	-	-	-	.07	-	.03	14
15	.17	.10	.02	.05	-	-	-	.06	-	-	.24	.19	15
16	.21	1.09	.16	-	-	-	-	-	-	-	.01	.01	16
17	.01	.14	-	-	-	.03	-	.05	-	-	.44	-	17
18	-	-	-	-	-	-	-	.40	.04	-	-	-	18
19	.02	.24	.93	-	-	.03	1.30	.12	-	-	.25	.32	19
20	.67	.12	.03	-	-	.07	.53	.10	-	-	.15	.26	20
21	.11	.34	.02	-	-	.02	.20	-	-	-	-	.19	21
22	-	.18	.02	-	-	.01	-	.03	.20	-	.05	.30	22
23	-	-	-	-	-	.05	-	-	-	.86	.05	.25	23
24	-	-	-	.17	.03	.02	-	.02	.08	.34	.10	.40	24
25	.04	.03	-	.13	.05	.01	-	.50	-	-	.11	-	25
26	.04	-	.25	.03	-	.02	-	.57	.05	-	.04	.38	26
27	.08	-	.02	.21	-	-	-	-	-	-	-	.17	27
28	-	-	.02	.05	-	-	-	.80	-	.07	-	.20	28
29	.17	-	.01	.03	-	-	-	.03	-	.78	-	.14	29
30	.01	~~X~~	.23	-	-	.11	-	-	-	.08	.21	.16	30
31	.01	~~X~~	.01	~~X~~	-	~~X~~	.08	.01	~~X~~	.03	~~X~~	.01	31
TOTAL	4.70	2.27	4.93	1.19	1.48	0.55	3.02	2.84	0.96	2.50	2.33	4.17	YEAR'S TOTAL 30.94
Days with .01 in. or more	21	10	22	12	11	13	12	13	9	10	21	23	177

REGISTER OF RAINFALL IN 1920.

Kept at Kirk Vale, Kirkheaton, Huddersfield

in the County of York

by Alice Robson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Kirkheaton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.01	.24	.42	.14	.33	.03	.16	.11	.35	.07	1
2	—	—	.06	.17	.01	—	.24	.02	.28	.71	—	—	2
3	—	—	—	.12	.09	.07	1.13	.02	.03	.18	—	—	3
4	.02	—	—	.03	.01	—	.28	.30	.01	.32	—	.04	4
5	—	.04	.05	—	.03	—	.06	.06	.01	.16	—	.01	5
6	—	—	—	.08	.01	—	.02	—	—	—	—	.16	6
7	.25	—	.27	.03	.06	—	.45	—	.02	—	—	.01	7
8	.08	.06	—	.42	.06	—	.30	.09	—	.02	.06	—	8
9	.23	—	—	.51	—	—	.29	.05	—	.02	.01	—	9
10	.35	—	—	.26	—	—	.28	.09	—	—	—	.02	10
11	.31	—	.02	.16	.22	.48	—	—	.01	—	—	.11	11
12	.16	1.25	.24	.13	—	.18	—	.09	—	—	.05	—	12
13	.09	.07	.12	.21	—	.89	—	—	—	—	.03	.12	13
14	.01	.05	.28	.03	—	.40	—	—	.31	.07	(.60)	.01	14
15	—	.01	.05	.28	—	—	.01	—	.03	.61	(.25)	—	15
16	—	.08	.03	.01	.08	—	.49	—	.06	.03	(.20)	—	16
17	.03	—	.02	—	.06	—	—	.08	.17	.08	—	.01	17
18	.13	—	—	.04	.19	—	.03	—	.04	—	—	—	18
19	.10	1.50	—	.02	.29	.15	—	.08	.02	—	—	—	19
20	.05	.22	—	.18	—	.03	.11	—	—	—	—	.01	20
21	—	—	—	.02	—	—	.49	.04	—	—	—	.12	21
22	.06	—	—	.19	—	.02	.14	.04	—	—	.02	—	22
23	—	—	—	—	—	—	.32	—	—	—	—	—	23
24	.03	—	.28	.03	—	—	.04	—	—	—	—	—	24
25	—	.10	.09	.15	—	—	.79	—	—	—	.01	—	25
26	.07	.09	.17	.15	.01	—	.10	—	—	—	.01	—	26
27	.07	—	—	.07	.48	.37	—	—	—	—	.22	—	27
28	.65	—	.15	.08	.13	.05	—	—	—	—	.04	—	28
29	.40	—	.27	.08	1.13	.02	.05	—	—	—	.06	—	29
30	.22	×	.02	.12	—	—	—	—	—	—	.10	—	30
31	.29	×	.12	×	.01	×	—	—	—	—	×	—	31
TOTAL	3.61	3.47	2.25	3.81	3.29	2.80	5.95	.99	(1.45)	(2.96)	(2.01)	(3.14)	YEAR'S TOTAL
Days with ".01 in. or more	22	11	18	27	18	12	21	13	14	12	15	(22)	(35.73)
Days with ".04 in. or more	17	10	13	20	12	9	18	10	7	9	10	(14)	(205)
													(149)

R 3363

Kept at KNARESBORO, WATER TOWER

in the County of

by Harrogate

1918-~~19~~

IMPORTANT
previous day. If an
requested to add the

1912-14

for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

780608

in Gauge _____ in.
above Ground _____ ft. _____ in.
Sea Level _____ ft.

and the result entered to the
universal rule, he is earnestly

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.07	.03	.06	.03	-	-	-	.02	.10	.18	-	1
2	.02	.13	-	.02	-	-	-	-	.10	-	-	.24	2
3	-	.03	.04	-	.26	-	-	.03	-	-	.09	.05	3
4	-	.01	.04	-	.33	-	-	.99	.51	.02	.23	.35	4
5	-	-	.16	.03	.65	-	-	.75	.01	.14	.08	.01	5
6	.03	.45	.01	.82	-	.13	-	.05	-	.03	-	.03	6
7	.19	.08	-	.21	-	-	-	-	.14	.08	.20	-	7
8	-	.23	.05	-	-	-	.16	-	.06	.06	.07	-	8
9	.01	.57	-	.20	-	.06	-	-	.90	.12	.20	-	9
10	.02	.12	-	.05	-	-	.12	.02	.15	-	.10	.06	10
11	.15	.05	.07	-	.16	-	.14	-	.02	-	-	.05	11
12	-	.08	.08	.03	-	-	.24	-	.07	-	-	.01	12
13	-	.03	-	.08	.26	-	-	-	.26	.12	-	-	13
14	.24	.01	-	.02	-	.01	-	-	.65	.01	-	.20	14
15	.19	-	-	.01	.01	-	.07	-	.93	-	-	.82	15
16	-	-	-	-	-	.27	.45	.02	.19	.05	-	.23	16
17	.41	-	-	-	.18	.14	.19	-	.20	.13	-	-	17
18	.63	-	.04	-	-	-	.14	-	.52	-	-	.02	18
19	.37	-	.03	.11	-	.02	.16	.13	.23	.15	-	.45	19
20	.16	.51	-	-	-	.11	.37	-	.06	.02	-	.01	20
21	.19	.14	-	-	<u>1.50</u>	.02	.18	-	.14	.24	-	-	21
22	.03	-	-	-	-	.04	-	-	-	-	.01	.45	22
23	.07	-	-	.04	.37	-	.12	-	-	-	.01	-	23
24	-	.04	-	-	-	.02	.20	-	.17	-	.01	-	24
25	-	-	-	-	-	.03	.12	.24	.13	-	-	-	25
26	-	-	-	-	-	-	.05	.44	.53	-	.10	.10	26
27	.03	.03	-	-	-	.01	.17	-	.12	-	.13	.16	27
28	-	.13	.24	-	-	-	-	-	.11	-	.07	.42	28
29	-	~~X~~	-	-	-	-	-	-	.20	-	-	.38	29
30	-	~~X~~	.25	-	-	-	-	-	.01	-	.01	.18	30
31	-	~~X~~	.10	~~X~~	-	~~X~~	-	.03	~~X~~	-	~~X~~	.07	31
Total	2.48	2.41	1.14	1.19	3.85	.86	2.88	2.69	6.43	1.27	1.49	4.32	31.61
Rain Days.	17	18	13	13	10	12	16	10	26	14	15	21	183

R

Kept at Snareborough
 in the County of York W
 by Harrogate Corporation Water

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

319
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.07	.03	.06	.03	-	-	-	.02	.10	.18	-	1
2	.02	.13	-	.02	-	-	-	-	.10	-	-	.24	2
3	-	.03	.04	-	.26	-	-	.03	-	-	.09	.05	3
4	-	.01	.04	-	.33	-	-	.99	.51	.02	.23	.35	4
5	-	-	.16	.03	.65	-	-	.75	.01	.14	.08	.01	5
6	.03	.45	.01	.82	-	.13	-	.05	-	.03	-	.03	6
7	.19	.08	-	.21	-	-	-	-	.14	.08	.20	-	7
8	-	.23	.05	-	-	-	.16	-	.06	.06	.07	-	8
9	.01	.57	-	.20	-	.06	-	-	.90	.12	.20	-	9
10	.02	.12	-	.05	-	-	.12	.02	.15	-	.10	.06	10
11	.15	.05	.07	-	.16	-	.14	-	.02	-	-	.05	11
12	-	.08	.08	.03	-	-	.24	-	.07	-	-	.01	12
13	-	.03	-	.08	.26	-	-	-	.26	.12	-	-	13
14	.24	.01	-	.03	-	.01	-	-	.65	.01	-	.20	14
15	.19	-	-	.01	.01	-	.07	-	.93	-	-	.82	15
16	-	-	-	-	-	.27	.45	.02	.19	.05	-	.23	16
17	.41	-	-	-	.18	.14	.19	-	.20	.13	-	-	17
18	.63	-	.04	-	-	-	.14	-	.52	-	-	.02	18
19	.37	-	.03	.11	-	.02	.16	.12	.23	.15	-	.45	19
20	.16	.51	-	-	-	.11	.27	-	.06	.02	-	.01	20
21	.19	.14	-	-	1.50	.02	.18	-	.14	.24	-	-	21
22	.03	-	-	-	-	.04	-	-	-	-	.01	.45	22
23	.07	-	-	.04	.37	-	.12	-	-	-	.01	-	23
24	-	.04	-	-	-	.02	.20	-	.17	-	.01	-	24
25	-	-	-	-	-	.03	.12	.24	.13	-	-	-	25
26	-	-	-	-	-	-	.05	.44	.53	-	.10	.10	26
27	.03	.03	-	-	-	.01	.17	-	.12	-	.13	.16	27
28	-	.13	.24	-	-	-	-	-	.11	-	.07	.42	28
29	-	~~X~~	-	-	-	-	-	-	.20	-	-	.38	29
30	-	~~X~~	.25	-	-	-	-	-	.01	-	.01	.18	30
31	-	~~X~~	.10	~~X~~	-	~~X~~	-	.03	~~X~~	-	~~X~~	.07	31
Total	2.78	2.71	1.14	1.19	3.85	.86	2.88	2.69	6.43	1.27	1.49	4.32	31.61
Rain Days.	17	18	13	13	10	12	16	10	26	14	15	21	185

YEAR'S TOTAL

RE

Kept at Goldsboro

in the County of W. P.

by Mr. R. Gova

KNARES BOROUGH

GOLDSBORO. HALL G.D.N.S

YORKS

IMPORTANT NOTE
previous day. If an Ob
requested to add the read
for it at the end of this
the selection and placin
Organization are given in

Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1917

in.
round 1 ft.
ea Level 118 ft.

ame
istance Direction
the result entered to the
rsal rule, he is earnestly
r in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.34		.03		.03		.02	.03			.02	.05	2
3	.05			.06	.20		.06			.07	.04		3
4	.02		.12	.29				.12	.03	.04	.36	.23	4
5	.06		.03	.10	.07			.15		.11	.21		5
6	.12		.04	.06				.16		.04	.12	.46	6
7			.01	.01							.11		7
8			.14			.03			.06			.45	8
9	.02			.04							.12	.03	9
10	.06	.05										.30	10
11	.24		.03								.39	.04	11
12	.17		.11		.12	.04			.90		.27	.02	12
13			.22							.02	.04	.51	13
14		.07	.08		.26						.06	.50	14
15		.10	.11							.03	.14	.18	15
16		.05	.10			.03	.07			.04	.13	.08	16
17	.02	.03	.02			.28					.13	.10	17
18		.18	.08	.02		.02					.16	.08	18
19						.10	.02	.02	.08	.16	.47	.07	19
20		.06		.22			.10	.87	.06	.02		.18	20
21		.32						.15	.03	.11	.04	.02	21
22	.06	.05						.11		.41	.06		22
23		.27				.79			.26	.03		.13	23
24	.17	.03	.03			1.20		.01		.20		.03	24
25	.02	.14		.05		.20			.48	.02	.01	.15	25
26				.03	.09		.05	.03	.01	.62	.25	.22	26
27		.07	.03	.10	.05			.25	.17			.02	27
28		.04	.03	.18				.01	.03	.03		.17	28
29			.02	.11		.31	.06	.16	.56	.50		.03	29
30					.07	.02			.04	.15	.04		30
31			.02		.05					.10		.03	31
Total	1.35	1.46	1.25	1.27	1.07	3.02	.38	2.07	2.71	2.70	3.17	4.08	2453
No. of Rain Days	13	14	19	13	10	11	7	13	13	19	21	25	178

RE

Kept at Goldsborough Hall
 in the County of W. York, Northern
 by Mr. R. Goodall

RAIN GAUGE
 Pattern _____
 Diameter of top 5 in.
 Height of top above Ground 1 ft.
 " " " Sea Level 118 ft.
 Time of Observation _____
 Nearest Railway Station { Name _____
 Distance _____ Direction _____

FORM A2.
 BRITISH RAINFALL
 26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			03		03		02	03					1
2	34				13		06				02	05	2
3	05			06	20					07	04		3
4	02		12	29				12	03	04	36	23	4
5	06		03	10	07			15		11	21		5
6	12		04	06				16		04	12	46	6
7			01	01							11		7
8			14			03			06			45	8
9	02			04							12	03	9
10	06	05										30	10
11	24		03								39	04	11
12	17		11		12	04			90		27	02	12
13			22							02	04	51	13
14		07	08		26						06	50	14
15		10	11							03	14	18	15
16		05	10			03	07			04	13	08	16
17	02	03	02			28					13	10	17
18		18	08	02		02					16	08	18
19						10	02	02	08	16	47	07	19
20		06		22			10	87	06	02		18	20
21		32						15	03	11	04	02	21
22	06	05						11		41	06		22
23		27				79			26	03		13	23
24	17	03	03			120		01		20		03	24
25	02	14		05		20			48	02	01	15	25
26				03	09		05	03	01	62	25	22	26
27		07	03	10	05			25	17			02	27
28		04	03	18				01	03	03		17	28
29			02	11		31	06	16	56	50		03	29
30					07	02			04	15	04		30
31			02		05					10		03	31
Total	1.35	1.46	1.25	1.27	1.07	3.02	08	2.07	2.71	2.70	3.17	4.08	TOTAL for year 2453
No. of Rain Days	13	14	19	13	10	11	7	13	13	19	21	25	178

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Goldsborough Hall

in the County of West Riding, York

by R. Goodall

W11

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	41	09			36	11	16	11	09		40	1
2	03	10	11			48	25			01		07	2
3	08	07	04			65		56	17			07	3
4	24		65	01	06	74		35	02		11		4
5	03				25	25		02					5
6	72	25			01	08		43					6
7		06	02		02			24	07				7
8	70	17	12			07			24		06		8
9	03	07	07	08		42					03	03	9
10	03		02			37		19			22		10
11	29	03									23	23	11
12	08	07	09			09	1.29			04	37	03	12
13	01	09				04		02		20	26	04	13
14	14		52			16			04			09	14
15	12	04	49		63	40						17	15
16	96		16		04	10				09		08	16
17		04	22			20	05	16			02	30	17
18	27	02				02	01	40		03		03	18
19	25	21	06				14	38		04	03		19
20	21	02	04		46	09	04	03		19			20
21			39		16		03			18			21
22	04	09			1.31	20		30					22
23			20		03		29	31			12	01	23
24	44					05	13	07			08	20	24
25			03			50		12			27	05	25
26	03	10	03				27	85		99	08	24	26
27		03	03		06	23	25			41	04	10	27
28		04	01		06	02	10	52		28	51		28
29		03	10			03	03	02	70	08		08	29
30	06		10		31	08			14	02			30
31			09		08		1.03	21					31
Total	4.78	1.94	3.68	09	3.48	5.63	4.02	5.34	1.49	2.65	2.43	2.22	TOTAL for year 7.75
No. of Rain Days.	22	20	24	2	14	24	15	20	8	14	15	18	196

DL ✓

REGISTER OF RAINFALL IN 1913

441
FORM A.
BRITISH RAINFALL
31 JAN 1914

Kept at Goldsborough Hall
in the County of W. York W. 11
by R. Goodall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	02		04	19						04	05		1
2		07	17	10		09					06	06	2
3	03		05		28		09			35		01	3
4	45	04	03			01	07		07	03	12	38	4
5	13	04	12			12		03	03	23			5
6	03	18	15		40	02	48			04			6
7		24			06	16	04			71			7
8		03	03		36	05		02	03	08	17		8
9		09	05	04	08	08		21			07		9
10			04		02						27		10
11	1.30			56	14					05	10		11
12		03									06		12
13			02	02				12	10	06	05		13
14	18	03	12	03			06			11	04	03	14
15	17		30	18			03				35		15
16			05								05		16
17		04	26	05		21	03		32		13		17
18	04		25	14		03					07		18
19	11		12	10	01						04		19
20	12		08	05					04	06	23		20
21	03	04	03		13		15	12					21
22	13		30		02			24	08				22
23	12		05		01	13	03	14	09	06	04		23
24	22					13							24
25			06			01			20	03	03	08	25
26		01	10	14		05			08	15	13	25	26
27		03		23		11				02	01	28	27
28	40		21	45								24	28
29	03		32	48	04			10			02	54	29
30	26		03							61	01		30
31	14				09								31
Total	3.91	87	2.92	2.82	1.64	1.20	.98	.98	1.04	2.63	2.10	1.87	2296
Rain Days.	19	13	24	16	13	14	9	8	10	16	22	9	173

82

58 912

REGISTER OF RAINFALL IN 1914

Kept at Goldsborough Hall

in the County of W. R. York

by R. Goodall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

28 JAN 1915

424

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					02		1.49	50		04	02	16	1
2							47	33		05	66	10	2
3			02		14		02	02				50	3
4	06		04	04	09						23	69	4
5	12		10	27	02	03	02				20	09	5
6				09	10		02	03			06	06	6
7		07	25	08	05	19		03			10	11	7
8	08		06		10	31	02	07				05	8
9		03		22		76		03	02		02	03	9
10	17	13		09					05		09		10
11		27	16		04						31	46	11
12			07				20		22		04	41	12
13		16	31	01							18	27	13
14	03	08	05				09			05	91	33	14
15		01	10						04		18		15
16	03		07				76		45		03		16
17	05	13	11						59			16	17
18	03	04	06			06						11	18
19			02				04				05	10	19
20		13	17						02	04			20
21		40				07	09	05		04	04	03	21
22					03	03		07		03		13	22
23			02		43	20						07	23
24			13		07			36			20		24
25	03		01					16		56	03	33	25
26			25				17	02		22	24	20	26
27	07									04	35	70	27
28	04	05			06					02	19		28
29	01		20		01			13		33	08		29
30			14		01			03		12	11	18	30
31	12						42	02		25			31
Total	84	1.50	2.34	80	1.17	1.65	3.81	1.85	1.39	1.79	4.32	5.27	26 78
Rain Days.	13	12	21	7	14	8	13	15	7	13	23	23	169

REGISTER OF RAINFALL IN 1915

Kept at Goldborough Hall
 in the County of N. York
 by R. Goodall

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

3564
 407
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11	40			20			02	43		06	13	1
2		14	12	37			03	09			04		2
3	96			13			23	02			05	62	3
4	18						61					97	4
5	20	23			04	07						90	5
6	12	29	06	12			80	08				06	6
7	34	44	12	25			17	32	03			07	7
8	19	05	03	11			10				07		8
9		06						16		06	04	83	9
10	28		17					10		08		03	10
11		14		01	81			03			09		11
12	08	05		29	05		04			30	84		12
13	02	29											13
14	01	08		02			08	01		03		09	14
15	50	01					03	06		09	35	20	15
16		34			07		1.36	03		06			16
17		18					02	04				04	17
18		13	34				01		03		02		18
19		03					04						19
20	08									02		50	20
21	13	04		05								17	21
22	02		18				02					12	22
23	11	03	03				07					04	23
24			13	05					64			24	24
25						04				05		11	25
26		09	02			08	21		02			48	26
27		13	03				61			40		10	27
28		10	02		10		02	40		05			28
29	01				30	02	07	04			18	63	29
30	11	X				44	07	02				02	30
31	08	X		X		X		33	X	09	X	12	31
YEAR'S TOTAL													
Total	3.53	3.25	1.25	1.40	1.57	.65	4.59	1.75	1.15	1.23	1.74	6.47	28.58
Rain Days.	19	21	12	10	7	5	20	16	5	11	10	22	158

REGISTER OF RAINFALL IN 1916

Kept at Goldborough Hall
in the County of N. York
by R. Goodall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40	01	20			07	16			06	08		1
2	05	07	30			01			20	14			2
3		08	01	10		02	07		1.15	10	14		3
4	03	25		02	67	90		02	13	18	37		4
5		11	06		19	18				50	17		5
6	02	28	13	14	39		17			04	39		6
7		09	07		11	02	32			15		27	7
8		04	12		02	07				01	05	03	8
9					46	15			10		04	26	9
10						19			08	05	03		10
11		48	30	04		08	03		03	02		14	11
12	04		32	05	24	03	32	02		03		06	12
13		08	22		01		12	39		67	07	08	13
14		09		01	05			19	02	11	04	08	14
15		15	83	02			10	11	01	03			15
16		36	13	07			08	18					16
17	06	02		13			04		06	15			17
18		23		09				25	17	09	71	21	18
19	16		37	18				07	04	02	36	06	19
20	13		47	11		06	04	24			03	03	20
21	10		02	07	04		07						21
22		16				05				10	02		22
23		02	12	10						02	03	29	23
24		11	04	08		03		30			03	10	24
25		04	19		11			16		14	06	04	25
26	02	14	09			01		05					26
27		29						06		33			27
28		19	05		21					49	02	19	28
29		22				09				22		12	29
30		X				02				48			30
31		X		X		X			X	11	X		31
Total	1.01	3.51	4.04	1.21	2.50	1.98	1.52	2.04	1.99	4.24	2.64	1.96	28.64
Rain Days.	10	23	20	15	12	17	12	13	11	25	18	15	191

REGISTER OF RAINFALL IN 1917

Kept at Goldsborough Hall
in the County of W. P. York
by R. Goodall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3344
419
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.16		.11							1
2	.08			.15		.05							2
3		.04				.08							3
4			.18										4
5	.24		.11	.28									5
6													6
7	.54			.04		.12							7
8			.02	.08									8
9	.15		.06	.26									9
10	.26		.83	.19	.08								10
11	.03			.09									11
12	.08			.03	.21								12
13	.13			.09	.21								13
14	.41			.17									14
15	.10			.07			.23						15
16		.04		.17									16
17	.02	.05		.15	.45		.04						17
18				.06	.20		.36						18
19	.12	.18	.19		.32	.19	.02						19
20	.06	.27	.07			.28							20
21	.04	.06	.24										21
22			.13			.06							22
23					.07	.04	.02						23
24		.03				.07							24
25			.02				.01						25
26			.09			.05							26
27			.06			.16	.26						27
28			.13				.16						28
29			.02				.09						29
30	.05	X	.23										30
31	.05	X	.41	X		X			X		X		31
Total	2.39	.67	2.79	1.99	1.54	1.21	1.19						
Rain Days.	17	7	16	15	7	11	9						

YEAR'S TOTAL

KNARESBOROUGH, THE ABBEY

Kept at The Abbey

in the County of

by Canon H

1920 - 20

10.2 m
Rain Gauge 5 in.
above Ground 1 ft in.
Sea Level 140 ft.
entered to the previous day.

IMPORTANT NOTE

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	'08	—	'04	—	'17	'06	'01	—	'10	'33	'12	1
2	—	—	'13	'35	'40	'02	'44	'04	—	'06	—	'02	2
3	—	—	—	'13	'02	—	'42	—	'12	'07	—	'35	3
4	—	—	—	'09	'02	—	'76	'12	'10	'17	—	'26	4
5	—	—	—	'03	—	—	'34	'47	'09	'30	—	'14	5
6	—	—	'02	—	'03	—	'08	'01	—	'07	—	'02	6
7	—	—	'09	'20	'07	—	'02	—	—	—	'01	'07	7
8	'17	—	'03	'01	'01	—	'62	—	—	—	—	'02	8
9	'05	'03	—	'28	'09	—	'28	'28	—	'03	'12	—	9
10	—	'32	—	'47	—	—	'01	'02	'01	'01	—	—	10
11	'06	'27	'08	'33	—	—	'22	'03	—	—	—	—	11
12	'33	'11	'05	'15	'12	'06	—	—	—	—	—	'08	12
13	'13	—	'15	'20	—	—	'02	—	—	—	'05	'17	13
14	—	'02	'05	'07	—	'48	—	—	—	—	'08	'17	14
15	'05	'05	'57	'17	—	'03	'07	—	'22	'10	'20	'03	15
16	—	'19	'13	'16	—	—	'01	—	—	'62	'15	—	16
17	'06	—	'02	—	—	—	'32	—	'07	—	'14	—	17
18	—	—	—	—	'19	—	—	'04	'23	'02	—	—	18
19	'15	—	—	'05	'13	'02	—	'02	'02	—	—	—	19
20	—	'52	—	'14	'02	'11	—	'08	—	—	—	—	20
21	'01	'01	—	'33	—	'03	'08	—	—	—	—	'01	21
22	—	—	—	'08	—	—	'32	'18	'03	—	—	'03	22
23	'06	—	—	'20	—	—	'20	'01	'01	—	—	'10	23
24	—	—	'02	—	—	—	'43	—	—	—	—	'20	24
25	'02	—	'40	'03	—	—	'10	—	—	—	—	'14	25
26	'01	'03	'03	—	—	—	'59	—	—	—	'03	—	26
27	'06	'04	'32	'04	—	—	'05	—	—	—	—	—	27
28	'11	—	—	'01	'24	'53	'03	—	—	'03	'29	'04	28
29	'88	—	'06	'06	'10	'40	'01	—	—	—	'01	'12	29
30	'14	—	'24	—	'78	'02	'03	—	'02	—	'13	'55	30
31	'25	—	'01	—	'02	—	—	—	—	—	—	'16	31
TOTAL	3.54 3.62	1.67 1.59	2.40 2.44	3.62 3.58	2.24 2.41	1.57 1.46	5.91 5.66	1.91 1.30	9.2 1.02	2.58 2.81	1.54 1.33	2.70 2.65	YEAR'S TOTAL 29.87
Days with '01 in. or more	17	12	18	24	16	11	25	13	11	12	12	20	191.48

REGISTER OF RAINFALL IN 1911.

Kept at The Abbey, Knaresborough
in the County of York
by Canon Hartley

Lat. _____ Long. _____
Time of Observation 10 a.m.
Nearest Railway Station Knaresborough NER
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	'08	—	'04	—	'17	'06	'01	—	'10	'33	'12	1
2	—	—	'13	'35	'40	'02	'44	'04	—	'06	—	'02	2
3	—	—	—	'13	'02	—	'42	—	'12	'07	—	'35	3
4	—	—	—	'09	'02	—	'76	'12	'10	'17	—	'26	4
5	—	—	—	'03	—	—	'34	'47	'09	'30	—	'14	5
6	—	—	'02	—	'03	—	'08	'01	—	'07	—	'02	6
7	—	—	'09	'20	'07	—	'02	—	—	—	'01	'07	7
8	'17	—	'03	'01	'01	—	'62	—	—	—	—	'02	8
9	'05	'03	—	'28	'09	—	'28	'28	—	'03	'12	—	9
10	—	'32	—	'47	—	—	'01	'02	'01	'01	—	—	10
11	'06	'27	'08	'33	—	—	'22	'03	—	—	—	—	11
12	'33	'11	'05	'15	'12	'06	—	—	—	—	—	'08	12
13	'13	—	'15	'20	—	—	'02	—	—	—	'05	'17	13
14	—	'02	'05	'07	—	'48	—	—	—	—	'08	'17	14
15	'05	'05	'57	'17	—	'03	'07	—	'22	'10	'20	'03	15
16	—	'19	'13	'16	—	—	'01	—	—	'62	'15	—	16
17	'06	—	'02	—	—	—	'32	—	'07	—	'14	—	17
18	—	—	—	—	'19	—	—	'04	'23	'02	—	—	18
19	'15	—	—	'05	'13	'02	—	'02	'02	—	—	—	19
20	—	'52	—	'14	'02	'11	—	'08	—	—	—	—	20
21	'01	'01	—	'33	—	'03	'08	—	—	—	—	'01	21
22	—	—	—	'08	—	—	'32	'18	'03	—	—	'03	22
23	'06	—	—	'20	—	—	'20	'01	'01	—	—	'10	23
24	—	—	'02	—	—	—	'43	—	—	—	—	'20	24
25	'02	—	'40	'03	—	—	'10	—	—	—	—	'14	25
26	'01	'03	'03	—	—	—	'59	—	—	—	'03	—	26
27	'06	'04	'32	'04	—	—	'05	—	—	—	—	—	27
28	'11	—	—	'01	'24	'53	'03	—	—	'03	'29	'04	28
29	'88	—	'06	'06	'10	'10	'01	—	—	—	'01	'12	29
30	'14	~~X~~	'24	—	'78	'02	'03	—	'02	—	'13	'55	30
31	'25	~~X~~	'01	~~X~~	'02	~~X~~	—	—	~~X~~	—	~~X~~	'16	31
TOTAL	3.54 3.62	1.67 1.59	2.40 2.44	3.62 3.58	2.24 2.41	1.57 1.44	5.91 5.66	1.31 1.30	9.2 1.02	2.58 2.81	1.54 1.33	2.70 2.65	YEAR'S TOTAL 29.87
Days with '01 in. or more	17 18	12 11	18 19	24 23	16 14	11 11	25 25	13 12	11 12	12 12	12 12	20 20	19 19

Kept at *Kn*
in the County of *Kn*
by *Kn*

KNARES BOROUGH

GRAMMAR SCH

1912-13 1920

12
London
5 in.
Ground 1 ft. 0 in.
Sea Level 230 ft.
Name *Knaresborough*
Distance *5* Direction *NW*
the result entered to the
versal rule, he is earnestly

FORM A2.
BRITISH RAINFALL.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>nil</i>	<i>.52</i>	<i>.10</i>	<i>nil</i>	<i>nil</i>	<i>.44</i>	<i>.23</i>	<i>.20</i>	<i>.07</i>	<i>.21</i>	<i>nil</i>	<i>nil</i>	1
2	<i>.03</i>	<i>nil</i>	<i>.11</i>	<i>nil</i>	<i>nil</i>	<i>.45</i>	<i>.28</i>	<i>nil</i>	<i>nil</i>	<i>.1</i>	<i>nil</i>	<i>Nov 25</i>	2
3	<i>.04</i>	<i>.04</i>	<i>.06</i>	<i>nil</i>	<i>nil</i>	<i>.68</i>	<i>nil</i>	<i>.54</i>	<i>.20</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	3
4	<i>.25</i>	<i>nil</i>	<i>.55</i>	<i>.02</i>	<i>.06</i>	<i>.68</i>	<i>nil</i>	<i>.46</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.34</i>	4
5	<i>nil</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>.24</i>	<i>.36</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>.06</i>	<i>nil</i>	5
6	<i>.44</i>	<i>.28</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>.06</i>	<i>nil</i>	<i>.50</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	6
7	<i>.10</i>	<i>.07</i>	<i>.02</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.47</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	7
8	<i>.36</i>	<i>.165</i>	<i>.12</i>	<i>.015</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>.31</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	8
9	<i>nil</i>	<i>.08</i>	<i>.04</i>	<i>.10</i>	<i>nil</i>	<i>.47</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	9
10	<i>.22</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.36</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	<i>nil</i>	10
11	<i>.12</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.24</i>	<i>nil</i>	11
12	<i>.08</i>	<i>.05</i>	<i>.07</i>	<i>nil</i>	<i>nil</i>	<i>.08</i>	<i>1.01</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.20</i>	<i>.21</i>	12
13	<i>nil</i>	<i>.07</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.19</i>	<i>nil</i>	13
14	<i>.14</i>	<i>nil</i>	<i>.40</i>	<i>nil</i>	<i>.01</i>	<i>.16</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	<i>.24</i>	<i>.25</i>	<i>.11</i>	14
15	<i>.17</i>	<i>.02</i>	<i>.41</i>	<i>nil</i>	<i>.59</i>	<i>.38</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.04</i>	15
16	<i>.83</i>	<i>nil</i>	<i>.16</i>	<i>nil</i>	<i>.02</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.27</i>	16
17	<i>.01</i>	<i>.04</i>	<i>.16</i>	<i>nil</i>	<i>nil</i>	<i>.21</i>	<i>.04</i>	<i>.18</i>	<i>nil</i>	<i>.9</i>	<i>nil</i>	<i>.06</i>	17
18	<i>.18</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>.01</i>	<i>.12</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.27</i>	18
19	<i>.21</i>	<i>.23</i>	<i>.06</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.11</i>	<i>.49</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>.02</i>	19
20	<i>.18</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>.39</i>	<i>.10</i>	<i>.02</i>	<i>.02</i>	<i>nil</i>	<i>.03</i>	<i>.02</i>	<i>nil</i>	20
21	<i>nil</i>	<i>nil</i>	<i>.30</i>	<i>nil</i>	<i>.14</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>.21</i>	<i>nil</i>	<i>nil</i>	21
22	<i>.04</i>	<i>.10</i>	<i>nil</i>	<i>nil</i>	<i>1.22</i>	<i>.35</i>	<i>nil</i>	<i>.37</i>	<i>nil</i>	<i>.26</i>	<i>nil</i>	<i>nil</i>	22
23	<i>.01</i>	<i>nil</i>	<i>.18</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>.40</i>	<i>.30</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	23
24	<i>.30</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.025</i>	<i>.11</i>	<i>.09</i>	<i>nil</i>	<i>nil</i>	<i>.13</i>	<i>.04</i>	24
25	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>.45</i>	<i>nil</i>	<i>.11</i>	<i>nil</i>	<i>nil</i>	<i>.15</i>	<i>.20</i>	25
26	<i>.02</i>	<i>.10</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.36</i>	<i>1.12</i>	<i>nil</i>	<i>nil</i>	<i>.31</i>	<i>nil</i>	26
27	<i>nil</i>	<i>.03</i>	<i>.04</i>	<i>nil</i>	<i>.03</i>	<i>.25</i>	<i>.44</i>	<i>.01</i>	<i>nil</i>	<i>1.0</i>	<i>.08</i>	<i>.30</i>	27
28	<i>nil</i>	<i>.03</i>	<i>.01</i>	<i>nil</i>	<i>.09</i>	<i>.01</i>	<i>.16</i>	<i>.54</i>	<i>nil</i>	<i>.34</i>	<i>nil</i>	<i>.16</i>	28
29	<i>nil</i>	<i>.03</i>	<i>.08</i>	<i>nil</i>	<i>nil</i>	<i>.10</i>	<i>.07</i>	<i>nil</i>	<i>nil</i>	<i>.28</i>	<i>Nov 25</i>	<i>nil</i>	29
30	<i>.05</i>	<i>.08</i>	<i>nil</i>	<i>nil</i>	<i>.23</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>.75</i>	<i>.06</i>	<i>nil</i>	<i>.10</i>	30
31	<i>nil</i>	<i>.06</i>	<i>.07</i>	<i>.07</i>	<i>.07</i>	<i>1.06</i>	<i>.20</i>	<i>.21</i>	<i>.02</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	31
Total	<i>3.81</i>	<i>1.895</i>	<i>3.11</i>	<i>.135</i>	<i>3.13</i>	<i>5.765</i>	<i>4.32</i>	<i>5.77</i>	<i>1.62</i>	<i>2.80</i>	<i>1.91</i>	<i>2.37</i>	TOTAL for year
No. of Rain Days.	<i>21</i>	<i>18</i>	<i>24</i>	<i>3</i>	<i>15</i>	<i>24</i>	<i>15</i>	<i>20</i>	<i>7</i>	<i>13</i>	<i>13</i>	<i>14</i>	<i>36.425</i>

Pattern Snowdon JAN 1913

RAIN Diameter of top 5 in.

GAUGE Height of top above Ground 1 ft. 0 in.

" " Sea Level 230 ft.

Time of Observation 9 am

Name Knaresborough

Nearest Railway Station { Distance 5 miles Direction NW

Jan. 1, following

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

Cor. for aith. 9. VII. 14

Kept at Knarborough Grammar School
in the County of Yorkshire (West Riding)
by H. Hislop

Lat. 54° 20' Long. 1° 27' 40"
Time of Observation 9 am.
Nearest Railway Station Knarborough
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 229.73 ft.

FORM A.
BRITISH RAINFALL
JUL 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	02	—	—	—	1	—	—	—	—	—	—	1
2	03	—	05	19	—	—	—	—	—	05	06	—	2
3	—	13	17	06	—	08	—	—	—	—	05	03	3
4	03	—	06	—	03	—	08	—	01	25	—	04	4
5	02	05	04	—	—	02	03	—	08	01	08	10	5
6	52	03	10	—	—	07	—	03	06	19	—	—	6
7	03	17	14	—	33	01	35	—	—	03	01	—	7
8	01	21	—	—	06	18	—	—	—	53	—	23	8
9	—	02	—	—	41	—	—	05	—	40	16	—	9
10	—	08	05	04	1	10	—	15	—	—	10	—	10
11	—	—	03	—	02	—	—	—	—	01	25	—	11
12	—	01	—	4	11	—	—	—	—	06	05	—	12
13	—	—	—	01	—	—	—	03	01	—	03	—	13
14	—	—	01	01	—	—	—	1	18	04	04	—	14
15	—	—	02	04	—	—	09	—	—	11	04	—	15
16	19	02	4	12	—	—	02	—	—	—	38	—	16
17	02	—	04	—	—	—	—	—	—	—	04	—	17
18	—	02	—	06	—	23	—	—	25	—	11	—	18
19	—	—	37	15	—	01	—	—	—	—	05	02	19
20	12	—	08	12	—	—	—	—	01	01	04	—	20
21	12	—	07	05	—	—	—	—	02	09	13	—	21
22	—	—	02	—	11	—	14	16	—	—	—	—	22
23	12	—	04	—	—	—	—	25	07	02	—	—	23
24	12	03	03	—	—	13	01	10	09	03	04	—	24
25	20	—	—	02	—	19	—	—	—	—	—	—	25
26	—	—	—	03	—	—	—	—	18	05	02	04	26
27	—	—	08	17	—	03	—	—	07	14	12	25	27
28	—	02	01	23	—	18	—	—	—	—	—	16	28
29	33	1	20	45	—	—	—	—	—	01	—	—	29
30	03	—	32	46	03	—	—	18	—	—	03	20	30
31	24	—	—	—	—	—	—	—	—	57	—	—	31
Total	2.13	.81	2.33	2.61	1.47	1.33	.72	1.05	1.03	2.60	18.3	107	YEAR'S TOTAL 19.08
Rain Days.	16	13	22	18	9	13	7	9	12	19	21	9	168

REGISTER OF RAINFALL IN 1914

Kept at *Rural Secondary School,*
Knaresborough
in the County of *Yorkshire*
by *C.W.H. Greaves B.Sc. and A.E. Lacey B.Sc.*

Lat. *54° 0' 30"* Long. *1° 28' W* - *6 FEB 1915*
Time of Observation *9 A.M.*
Nearest Railway Station *Knaresboro' (1/2 mile)*
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level *235* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.14	-	-	.01	-	1.63	.3	-	.02	.01	.15	1
2	-	-	-	-	-	-	.45	.31	-	.05	.53	.05	2
3	.4	-	.01	-	.15	-	.01	-	-	-	.04	.47	3
4	.1	-	.04	.2	.05	.08	-	-	-	-	.15	.46	4
5	.12	-	.1	.12	.03	.02	.02	-	-	.01	.21	.08	5
6	-	.03	.01	.09	.11	-	-	.03	-	-	.01	.02	6
7	-	.05	.24	.08	.04	.27	-	.02	-	-	.06	.14	7
8	.6	-	.02	-	.08	.31	.07	.04	-	.01	-	.05	8
9	.3	.02	-	.2	-	.77	-	.03	-	-	.03	.02	9
10	.15	.11	-	.03	.01	-	-	-	.07	-	.11	-	10
11	-	.22	.15	-	.01	-	-	-	-	-	.32	.41	11
12	-	-	.06	-	-	-	.05	-	.13	-	.05	.34	12
13	-	.15	.19	-	-	-	.02	-	.01	-	.12	.20	13
14	.03	.12	.08	-	-	-	.01	-	.01	.05	.2	.36	14
15	.02	-	.08	-	-	-	-	-	.02	.01	.24	-	15
16	-	-	.06	-	-	-	.75	-	.44	-	~~.03~~	-	16
17	.04	.11	.13	-	-	-	-	-	.44	-	-	.15	17
18	-	.04	.02	-	-	.03	-	-	-	-	-	.03	18
19	.02	-	-	-	-	-	.01	-	-	-	.02	-	19
20	-	.1	.08	-	-	.12	-	-	.01	.02	-	-	20
21	-	.35	-	-	-	.04	-	.04	-	.03	.03	-	21
22	-	-	-	-	.05	.07	-	-	-	.04	.01	.1	22
23	-	-	.01	.01	.33	.08	-	-	-	-	-	.05	23
24	.03	-	.12	-	.03	-	-	.29	-	.54	.12	-	24
25	.02	-	-	-	-	-	-	.15	-	.21	.03	.41	25
26	-	-	.11	-	-	-	.16	.03	-	.05	.26	.15	26
27	.07	-	-	-	-	-	-	-	-	.03	.26	.5	27
28	.03	.03	.03	-	.07	-	-	-	-	.27	.21	.15	28
29	-	~~X~~	.16	-	.01	-	-	.1	-	-	.07	-	29
30	-	~~X~~	.13	.02	-	-	-	.02	-	.09	.06	.12	30
31	-	~~X~~	-	~~X~~	-	~~X~~	.4	.02	~~X~~	.26	~~X~~	-	31
Total	2.18	1.47	1.83	.75	.98	1.72	3.58	1.38	1.13	1.69	3.25	4.41	YEAR'S TOTAL 24.37
Rain Days.	15	13	21	8	14	10	12	13	8	16	25	22	177

REGISTER OF RAINFALL IN 1915

Kept at Knaresborough Rural Secondary School
in the County of Yorkshire W 11
by C. W. H. Greaves, B.Sc.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Knaresborough
Diameter of Funnel of Rain Gauge _____
Height of top of Gauge above Ground as before ft. _____ in. _____
" " " " Sea Level _____ ft.

3566
3 - JAN 1916
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.40	-	-	.16	-	-	.01	.65	-	.05	.11	1
2	-	.09	.11	.32	-	.05	.04	.03	.01	.01	.01	-	2
3	1.00	-	-	.09	-	-	.45	.02	-	-	.02	.56	3
4	.15	-	-	-	.02	.01	.85	-	-	-	.01	.90	4
5	.20	.12	-	-	-	.01	-	-	-	.01	.05	.76	5
6	.12	.24	.09	.11	-	-	.79	.05	-	-	-	.07	6
7	.34	.49	.05	.24	-	-	.19	.31	.01	-	-	.06	7
8	.13	.05	.02	.10	-	-	.12	.04	-	-	.08	-	8
9	-	.02	-	-	-	-	-	.10	.01	.09	.04	.42	9
10	.29	.01	.12	-	-	-	-	.15	-	.04	-	.20	10
11	.02	.10	.02	.01	.73	-	-	.05	-	.01	.06	-	11
12	.05	.24	-	.24	.05	-	.05	-	-	.27	.72	-	12
13	.01	-	-	-	-	-	-	-	-	.01	-	.08	13
14	.02	.04	-	-	.01	-	.11	.01	-	.01	-	.04	14
15	.48	-	-	-	-	-	.02	.05	-	.03	.20	.48	15
16	-	.42	-	-	.06	-	1.00	.11	-	.01	-	-	16
17	-	.14	.01	-	.06	-	.14	.01	-	-	-	.04	17
18	-	.10	.11	-	-	-	.01	-	.02	.02	-	-	18
19	-	-	-	-	-	-	.03	-	-	-	-	-	19
20	.05	-	-	-	.01	-	.01	-	-	.01	-	.48	20
21	.09	.02	-	.05	-	-	.02	.01	-	.01	-	.20	21
22	-	.02	.14	-	-	-	.03	-	-	-	-	.09	22
23	.14	.02	.02	.01	-	-	.07	-	-	.03	-	.04	23
24	-	-	.13	.06	-	-	-	-	.59	.02	-	.41	24
25	-	-	-	-	-	.02	-	-	.01	.01	-	.11	25
26	.02	.03	-	-	-	.06	.20	-	-	-	-	.45	26
27	-	.12	-	-	-	-	.04	-	-	.46	-	.08	27
28	-	.09	.03	-	.10	-	.01	.35	-	.12	-	.01	28
29	-	X	-	-	.26	.03	.03	.03	-	.01	.15	.58	29
30	.08	X	-	.03	-	.94	.01	-	-	.01	.02	.01	30
31	.08	X	-	X	-	X	-	.53	X	.03	X	.37	31
Total	3.37	2.76	.85	1.26	1.40	1.12	4.22	1.86	1.30	1.22	1.44	6.55	27.32
Rain Days.	19	20	12	11	9	7	22	17	7	21	12	24	181

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Knaresborough
in the County of Yorkshire, W.R.
by C.W.H. Greaves, B.Sc.

Lat. 54°0'20" Long. 1°27'60"
Time of Observation 9 a.m.
Nearest Railway Station Knaresborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level about 230 ft.

FORM A.
BRITISH RAINFALL
29 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.03	.15	-	-	.03	.19	-	-	.04	.07	-	1
2	.06	.04	.24	-	-	-	-	-	.26	.13	.01	-	2
3	.06	.08	.14	.01	-	.04	.26	-	.64	.11	.11	-	3
4	.01	.48	-	.02	.73	.77	-	-	.23	.31	.46	-	4
5	-	.07	.15	-	.45	.21	-	-	-	.54	.17	-	5
6	.03	.36	.12	.15	.42	-	.13	-	-	.04	.32	-	6
7	-	.04	.04	-	.10	.01	.19	-	-	.22	.02	.45	7
8	-	.02	.08	-	.01	.04	-	-	-	.01	.04	.07	8
9	-	-	.04	-	.52	.16	-	-	.18	-	.06	.21	9
10	.01	.01	.01	-	-	.24	-	-	.02	.07	.03	-	10
11	-	.41	.14	.03	.01	.05	.30	-	.02	.05	-	.14	11
12	.04	.02	.26	.03	.23	.04	.05	.02	-	.03	-	.03	12
13	-	.04	.25	-	.01	.01	.01	.32	-	.66	.08	.09	13
14	-	.08	.03	.04	.04	.02	-	.16	.02	.12	.02	.07	14
15	-	.41	.89	.01	-	-	.11	.3	-	.02	-	-	15
16	-	.24	.24	.07	-	-	.02	.11	-	.01	-	-	16
17	.06	.02	-	.04	-	-	.10	-	.08	.16	-	-	17
18	-	.25	-	.04	-	-	-	.07	.24	.08	.66	.12	18
19	.12	-	.27	.18	-	-	-	.07	.07	.03	.32	-	19
20	.14	-	.45	.25	-	-	.14	-	-	-	.02	.04	20
21	.07	-	.01	.05	.03	-	.06	-	-	-	.01	.01	21
22	-	.10	-	.02	-	.12	-	-	-	.13	.01	-	22
23	-	.01	.14	.13	-	-	-	-	-	.01	.05	.28	23
24	-	-	.12	.09	-	.03	-	.25	-	.03	.01	.07	24
25	.01	.10	.16	-	.22	-	-	.2	-	.17	.06	.07	25
26	.02	.11	-	-	-	-	-	-	-	.02	-	-	26
27	-	.12	.02	-	-	-	-	.08	-	.28	-	-	27
28	-	.41	-	-	.15	-	-	-	.01	.45	.01	.21	28
29	-	.25	-	-	-	.11	-	-	-	.19	-	.10	29
30	.01	X	-	-	-	.03	-	-	-	.36	-	.01	30
31	.01	X	-	X	.03	X	-	-	X	.12	X	-	31
Total	.90	3.70	3.95	1.16	2.95	1.91	1.56	1.58	1.77	4.39	2.54	1.97	28.38
Rain Days.	15	24	22	16	14	16	12	10	11	28	21	16	205

REGISTER OF RAINFALL IN 1919

Kept at Knaresborough

in the County of Yorkshire

by C. W. H. Greaves, Rural Secondary Sch.

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	-	-	-	.15	-	.26	.06	-	.01	.07	1
2	.07	-	-	.30	-	.02	-	.06	-	-	.24	-	2
3	.01	-	-	.18	-	.04	-	.04	-	.04	.03	.01	3
4	-	-	.09	-	-	-	-	.05	-	.26	.02	.04	4
5	.27	-	.08	.25	-	-	.01	-	-	.08	.09	-	5
6	-	-	-	.01	-	.05	-	.01	-	.34	.16	.01	6
7	.44	-	-	-	-	.13	-	-	-	.27	-	.09	7
8	.45	-	-	.10	-	-	-	1.62	-	.36	.06	-	8
9	.02	-	-	.15	-	-	-	.18	-	.05	.19	.01	9
10	.22	-	.83	.12	.08	-	-	.29	-	.06	.02	-	10
11	.02	-	-	.08	-	-	-	.08	-	.27	-	-	11
12	.08	-	-	.02	.23	-	-	.62	.01	.64	-	.12	12
13	.14	-	-	.10	.23	.12	-	.42	.17	.02	-	.01	13
14	.30	-	.02	.21	.01	-	-	.41	-	-	-	.01	14
15	.06	-	-	.22	-	-	.21	-	-	.02	.01	.03	15
16	.06	.01	-	.26	-	-	-	.18	.01	-	-	.60	16
17	-	.09	-	.16	.41	-	-	.48	-	.03	-	-	17
18	.03	-	-	.09	.21	-	.41	.18	.07	.01	-	-	18
19	.10	.20	.18	-	.36	.16	-	-	-	-	.02	.01	19
20	.15	.24	.06	-	-	.37	-	.04	.03	-	-	-	20
21	.02	.07	.11	-	-	-	-	.04	-	.04	-	-	21
22	-	-	.12	-	-	.09	-	.15	.02	.01	-	-	22
23	-	.02	.01	-	.09	.13	-	.08	-	.04	.02	-	23
24	-	-	-	-	-	.01	-	.03	-	.34	.30	-	24
25	-	.01	.01	-	-	-	-	.09	-	.24	-	-	25
26	-	-	.04	-	-	.11	.01	.63	.06	.28	.03	-	26
27	-	-	.11	-	-	.20	.22	.69	-	.01	-	.03	27
28	-	-	.11	-	-	.02	.13	.05	-	.01	.10	-	28
29	-	X	-	-	-	-	.11	-	-	.36	.33	.03	29
30	.04	X	.23	-	-	-	-	.02	-	.02	.28	-	30
31	.04	X	-	X	-	X	.01	.24	X	.01	X	.06	31
Total	2.53	.65	2.00	2.25	1.62	1.60	1.11	6.94	.43	3.81	1.91	1.14	25.98
Rain Days.	20	8	14	15	8	14	8	26	8	25	17	15	178

REGISTER OF RAINFALL IN 1918

320
FORM A.
BRITISH RAINFALL
1. 19

Kept at Knaresborough
in the County of Yorkshire W.R.
by C. W. H. Greaves, B.Sc.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station as before
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	-	.01	.07	-	-	-	-	.04	.12	1.80	.01	1
2	-	.10	.09	.02	.02	-	-	-	.05	.12	-	-	2
3	-	.14	.03	-	.52	-	-	.05	-	-	.12	.26	3
4	.01	.13	.06	-	.02	-	-	1.00	.53	.03	.20	.34	4
5	-	.02	.15	.03	.70	-	-	.80	.01	.01	.10	-	5
6	-	.46	.01	.04	.01	.13	.17	.06	-	-	-	-	6
7	.11	.02	-	.33	-	-	-	-	.03	.10	.20	-	7
8	-	.21	.01	.32	-	-	-	.09	.07	.09	.04	.01	8
9	.01	.48	.04	.22	-	.07	.19	-	.93	.10	.50	.06	9
10	-	.09	.01	.03	-	-	.03	-	.20	-	.02	.01	10
11	-	.04	.10	.01	.18	-	.27	.02	.03	-	-	.07	11
12	-	.03	.08	.03	.03	-	-	-	.10	.01	-	.01	12
13	-	.42	-	.07	.45	-	-	-	.24	.12	-	-	13
14	.03	-	-	.03	-	.02	.38	-	.60	.02	-	.05	14
15	.02	-	.02	.01	.01	-	.45	-	.90	.01	-	.81	15
16	.01	-	-	-	-	.30	.17	.04	.21	.60	-	.02	16
17	.20	-	-	-	.23	.12	.15	.03	.21	.15	-	.14	17
18	1.00	-	.03	-	-	-	.17	-	.54	.01	-	.14	18
19	.28	-	.03	.13	-	.03	.40	.14	.24	.15	-	.30	19
20	.17	.52	-	-	-	-	.13	-	.07	.02	-	-	20
21	.19	.13	-	-	1.45	.01	-	-	.12	.29	-	-	21
22	.03	-	-	.05	-	.04	.35	-	-	.21	-	.41	22
23	.06	-	-	-	.38	-	.22	-	.04	-	-	-	23
24	-	.04	-	-	-	.02	.16	.03	.18	-	-	-	24
25	-	-	-	-	-	.03	.09	.24	.03	-	.01	-	25
26	-	-	-	-	-	.05	.12	.02	.45	-	.12	.08	26
27	.02	.02	.02	-	-	-	-	.45	.14	-	.14	.14	27
28	-	.09	.23	-	-	.02	-	.01	.15	-	-	.49	28
29	-	~~X~~	-	-	-	-	-	-	.25	-	.07	.45	29
30	.01	~~X~~	.24	-	-	-	-	-	.02	-	.01	.19	30
31	-	~~X~~	.11	~~X~~	-	~~X~~	-	.05	~~X~~	-	~~X~~	.06	31
Total	2.20	2.94	1.27	1.39	4.00	.84	3.45	3.03	6.35	2.16	3.38	4.05	YEAR'S TOTAL 35.04
Rain Days.	16	17	18	15	12	12	16	15	27	18	13	21	200

REGISTER OF RAINFALL IN 1919.

Kept at Knaresborough (Rural Secondary School)
in the County of Yorkshire
by C. W. H. Greaves

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51	.02	.01	-	.04	-	.25	-	.23	.14	.02	.06	1
2	.11	-	.05	-	.03	-	.25	-	.01	-	.08	.01	2
3	.49	-	-	-	.17	.08	.12	-	-	-	.02	.25	3
4	.02	.07	.31	-	.09	.03	.02	.18	.41	-	.17	.07	4
5	.25	-	-	-	.02	-	-	-	-	-	.02	.08	5
6	.02	.01	.06	-	.10	-	-	-	-	-	.07	.02	6
7	.03	-	.16	-	.12	-	-	-	-	-	-	.01	7
8	.11	-	.01	-	.09	.04	-	.04	-	-	.31	-	8
9	.04	-	.03	.01	-	.04	-	-	-	-	.05	-	9
10	-	.01	.14	-	.08	-	-	-	-	.03	.01	.05	10
11	-	-	.95	.02	.14	-	.02	-	~~.16~~	.04	.02	.06	11
12	-	-	.43	.01	-	.07	.13	-	.16	.12	.01	.02	12
13	.24	-	-	.06	-	-	-	-	-	.29	.01	-	13
14	.20	-	-	.18	-	-	-	.18	-	.06	-	.09	14
15	.26	.22	.02	.17	-	-	-	-	-	-	.01	.72	15
16	.03	.51	-	.03	-	-	-	-	-	-	.42	.01	16
17	-	.03	-	-	-	.10	-	.15	-	-	.29	.01	17
18	-	-	.02	-	-	-	.02	.20	.04	-	-	(.02)	18
19	.03	.26	1.03	.01	-	.04	.78	.10	.07	-	.21	.08	19
20	.56	.11	.01	-	-	.08	.25	-	.03	-	.07	.29	20
21	.20	.22	-	-	-	.04	.02	.04	-	-	.01	.21	21
22	-	.10	.02	-	-	.02	-	.01	.21	-	.01	.31	22
23	-	-	-	.03	-	-	-	-	-	.95	.03	-	23
24	.01	-	.01	.07	.05	.22	-	-	-	.02	.06	.12	24
25	.06	.05	-	.06	.05	.08	-	.50	-	-	.15	-	25
26	-	.04	.02	.08	-	.03	-	.09	.63	.08	.04	.54	26
27	.19	-	-	.22	-	-	-	.04	-	.28	.03	.02	27
28	.01	-	-	.09	-	-	-	.80	-	.24	-	.04	28
29	.11	-	-	.12	-	.03	-	.04	-	.64	-	.05	29
30	.01	~~X~~	.02	-	-	.16	-	.05	-	.04	.15	.28	30
31	.01	~~X~~	.02	~~X~~	-	~~X~~	.04	.02	~~X~~	.05	~~X~~	-	31
TOTAL	3.50	1.65	3.32	1.16	0.98	1.06	1.90	2.44	1.19	2.98	2.27	3.52	YEAR'S TOTAL
Days with ".01 in. or more	23	13	19	15	12	15	11	15	9	14	25	25	196

REGISTER OF RAINFALL IN 1920.

Kept at Rural Secondary School
Knaresborough
in the County of Yorkshire
by C. W. H. Greaves, B.Sc.

Lat. _____ Long. _____
Time of Observation 9 am as before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.15	.36	.49	.03	.45	.01	-	.09	-	.01	1
2	-	-	.03	.15	.01	-	.47	-	.12	.09	-	.38	2
3	-	-	-	.09	-	-	.61	.20	.11	.21	-	.21	3
4	.01	-	-	.04	-	-	.34	.71	-	.69	-	.25	4
5	-	.01	.03	-	-	-	.09	.02	-	.08	-	.06	5
6	-	-	.11	.20	.11	-	.04	-	-	-	.01	-	6
7	.14	.01	-	.01	.01	-	.71	-	-	-	-	.02	7
8	.09	.03	-	.31	.11	-	.23	.29	-	.03	.15	-	8
9	.14	.26	.02	.40	-	-	.02	.02	-	.03	-	-	9
10	1.04	.23	.08	.34	-	-	.25	.04	-	-	.01	-	10
11	.30	.11	.04	.18	.14	.09	-	-	-	-	-	.03	11
12	.16	.03	.11	.25	.02	-	-	-	.01	-	.07	.02	12
13	.04	.02	.05	.07	-	.50	-	-	-	-	.09	-	13
14	.01	.05	.23	.25	-	.03	.07	-	.32	.50	.17	-	14
15	-	.23	.30	.20	-	-	.02	-	.01	1.30	.18	-	15
16	.03	-	.01	-	-	-	.73	-	.08	-	.19	-	16
17	.01	-	-	-	.10	-	.01	.07	.22	-	-	-	17
18	.17	.14	-	.03	.01	.03	.01	.02	.02	-	-	-	18
19	-	.54	-	.22	.06	.05	-	.10	-	-	-	-	19
20	-	.01	-	.38	-	.07	-	-	-	-	-	-	20
21	-	.01	-	.50	-	-	.37	.20	.02	-	.01	.03	21
22	.07	-	-	.22	-	-	.16	.01	-	.01	-	-	22
23	-	-	-	-	-	-	.51	-	.01	-	-	.20	23
24	.03	-	.41	.04	-	-	.11	.02	.01	.01	-	.13	24
25	-	.06	.02	.01	-	-	.61	-	-	-	.03	.01	25
26	.07	.01	.37	.05	-	-	.05	-	-	-	-	-	26
27	.01	-	.07	-	.25	.50	.03	-	-	-	.27	-	27
28	.41	-	-	.07	.07	.01	.02	-	.01	-	-	.01	28
29	.52	-	.18	-	.90	.09	.02	-	.02	-	.15	.55	29
30	.25	~~X~~	.03	-	.03	.05	-	-	.12	-	.12	.20	30
31	.13	~~X~~	.06	~~X~~	.23	~~X~~	.01	-	~~X~~	.36	~~X~~	.12	31
TOTAL	3.63	1.75	2.30	4.37	2.54	1.45	5.94	1.71	1.08	3.40	1.45	2.23	YEAR'S TOTAL
Days with ".01 in. or more	20	16	19	23	15	11	25	13	14	12	13	16	197
Days with ".04 in. or more	14	8	13	20	10	7	17	7	6	8	9	9	128

Kept at *Knayton*
in the County of
by *G. E. T.*

KNAYTON HALL
YORKSHIRE

1912 - 1913

FORM A.
BRITISH RAINFALL
7 FEB 1913

ound *1* ft. *2* in.
Level *266.6* ft.

result entered to the

IMPORTANT
previous day. If a
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.55	.13	.01		.20	.25	.49	.16	.04		.10	1
2			.14	.01		.30	.99		.05	.11			2
3	.16	.14				.92		.26	.22	.04		.09	3
4	.29		.67		.01	.57		.84	.03		.36	.01	4
5					.21	.11		.03			.02		5
6	.04	.38						.35	.03		.26		6
7	.46	.05			.10	.05		.02	.10			.01	7
8	.42	.18	.10			1.35		.02	.48		.02		8
9		.03	.05	.02		.57					.20	.02	9
10	.08	.01		.01				.31	.02		.10	.03	10
11	.13	.01					.60	.24	.03		.23		11
12	.03	.02	.04			.08				.08	.52	.14	12
13	.03		.87								.46	.03	13
14	.18		.29		.66	.18					.02	.01	14
15	.07	.05			.03	.12		.02				.03	15
16	.57		.17			.01		.03		.13		.04	16
17			.28			.08	.01	.21					17
18	.10	.01				.20	.03	.24		.03	.01	.03	18
19	.09	.32					.48	.32		.04			19
20	.27	.08	.19		.67	.10	.13						20
21			.01		.03	.55				.14		.03	21
22	.01	.08			.53	.55		.22			.05		22
23	.01		.13			.01	.25	.33		.03	.10		23
24	.16					.69	.01	.12	.11		.02		24
25	.30					.01	.69	.08	.07		.09	.01	25
26	.11	.07	.03			.21	.01	.24	.12	.81		.08	26
27	.01		.07			.02	.21	.19	.01	.26	.08	.36	27
28					.22	.02	.22	.65		.05	.15	.10	28
29	.06	.01	.19	.01		.01	.16			.29			29
30			.15		.09	.01	.06	.01	.92	.17		.03	30
31			.18		.05		.76	.38		.04		.03	31
Total	3.58	1.99	3.69	.06	2.60	6.34	4.67	5.28	2.04	2.26	2.69	1.18	36.38
Rain Days.	22	16	18	5	11	22	16	23	10	15	17	19	194

R

Kept at *Skayton, Thirsk*in the County of *Yorkshire*by *G. E. Talbot*Time of Observation *9 a.m.*Nearest Railway Station *Thirsk*Diameter of Rain Gauge *5"* in.Height of top of Gauge above Ground *1* ft. *2* in." " " " Sea Level *266.6* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.55	.13	.01		.20	.25	.49	.16	.04		.10	1
2			.14	.01		.30	.99		.05	.11			2
3	.16	.14				.92		.26	.22	.04		.09	3
4	.29		.67		.01	.57		.84	.03		.36	.01	4
5					.21	.11		.03			.02		5
6	.04	.38						.35	.03		.26		6
7	.46	.05			.10	.05		.02	.10			.01	7
8	.42	.18	.10			1.35		.02	.48		.02		8
9		.03	.05	.02		.57					.20	.02	9
10	.08	.01		.01				.31	.02		.10	.03	10
11	.13	.01					.60	.24	.03		.23		11
12	.03	.02	.04			.08				.08	.52	.14	12
13	.03		.87								.46	.03	13
14	.18		.29		.66	.18					.02	.01	14
15	.07	.05			.03	.12		.02				.03	15
16	.57		.17			.01		.03		.13		.04	16
17			.28			.08	.01	.21					17
18	.10	.01				.20	.03	.24		.03	.01	.03	18
19	.09	.32					.48	.32		.04			19
20	.27	.08	.19		.67	.10	.13						20
21			.01		.03	.55				.14		.03	21
22	.01	.08			.53	.55		.22			.05		22
23	.01		.13			.01	.25	.33		.03	.10		23
24	.16					.69	.01	.12	.11		.02		24
25	.30					.01	.69	.08	.07		.09	.01	25
26	.11	.07	.03			.21	.01	.24	.12	.81		.08	26
27	.01		.07			.02	.21	.29	.01	.26	.68	.36	27
28					.22	.02	.22	.65		.05	.15	.10	28
29	.06	.01	.19	.01		.01	.16			.29			29
30			.15		.09	.01	.06	.01	.92	.17		.03	30
31			.18		.05		.76	.38		.04		.03	31
Total	3.58	1.99	3.69	.06	2.60	6.34	4.67	5.28	2.04	2.26	2.69	1.18	36.38
Rain Days.	22	16	18	5	11	22	16	23	10	15	17	19	194

REGISTER OF RAINFALL IN 1913

Kept at Knayton Hall, Thirsk
in the County of North Riding, Yorks
by Gilbert E. Salter

Lat. 54° 16' N Long. 1° 20' E
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 266' 6" ft.

FORM A.
BRITISH RAINFALL
4 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.05	.06	.25	.18	.07			.06		.07		1
2		.01	.09								.03	.20	2
3	.04						.13			.06			3
4	.10									.04	.18		4
5	.66		.01							.10		.61	5
6	.01	.19	.15		.47	.12	.26	.15					6
7		.28			.18	.21				.39	.04		7
8			.01	.05	.48	.03			.08				8
9		.06			.20			.03					9
10		.17			.14		.07				.11		10
11	.81		.02	.55	.02						.30		11
12									.05				12
13		.07		.02				.13	.10		.30		13
14			.20	.04			.19			.13	.13		14
15	.06	.01	.27	.30									15
16	.24						.01				.14		16
17			.16	.26		.19			.08		.09		17
18			.32	.10		.16							18
19				.06	.01	.07			.14				19
20	.20			.03	.04						.26		20
21	.08				.08			.26	.33	.08			21
22		.01	.30					.36	.09				22
23	.13					.06	.01				.03		23
24	.19					.41	.03		.12				24
25				.03			.02		.30				25
26		.02		.38					.09	.22	.06		26
27		.05		.43		.17		.02			.15	.20	27
28	.27		.02	.57									28
29	.01		.25	.40	.07							1.22	29
30			.03							.65			30
31					.03			.02					31
Total	2.87	.92	1.91	3.49	1.92	1.43	.66	.97	1.44	1.67	1.91	2.23	21.42
Rain Days.	14	11	14	15	12	10	8	7	11	8	14	4	128

REC
LANGSETT MOOR GAUGES
Swinden
Kept at Langset
in the County of WY York
by L. S. M. M.

LANGSETT
SWINDEN LODGE
1911-20

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

in.
Ground ft. in.
Sea Level ft.
Name
Distance Direction
the result entered to the
ersal rule, he is earnestly
ear in the space provided

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		78		01		05	04			21		1
2	10		03		16		01			02	05	09	2
3	-		02	01	45			08	08		25	01	3
4	07		12	01				10	09	17	65	28	4
5	14		-	02				32		31	03	01	5
6	34		02	02				23		17	104	84	6
7	03	02	01								14		7
8	16		29						03	04	18	51	8
9	05		02			02						13	9
10	31		08						02			104	10
11	23		02		03			20			75	11	11
12			32		01				69	02	45	01	12
13			02		17						23	40	13
14	02	44	02		08		03				04	80	14
15		34	18	09						16	16	40	15
16		78	04	01		07	01			08	23	20	16
17		06	05			48	04				17	20	17
18		90	05	03	04	22		02		02	12	20	18
19	02	17	03	18		41	03		34	27	19	11	19
20		15		41		03	05	77	22	02		32	20
21		73					04	112		21	101	14	21
22	02	08		05		05		05		20	05	17	22
23		63	01	01	03	51			26	06		50	23
24	25	13	102	05		162		02		18		73	24
25	20	56		37		02	02		36	01	03	45	25
26	101	03		25	09	01	14	10		56	46	33	26
27	02	26	12	82				50	34	02	01	02	27
28		50	02	20		16		02	05	02	08	18	28
29			03	57		28	01		36	71	01	15	29
30			01	02	13	16				77	03		30
31			31							27		01	31
Total	197	578	262	312	120	404	43	357	283	429	551	837	TOTAL for year 4373
No. of Rain Days.	16	16	25	18	11	14	11	14	12	22	25	28	212

RECORDED
LANGSETT MOOR GAUGES
Swinden
Kept at Langsett (Gauge No 5)
in the County of W Yorks
by L. S. M. Marsh.

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912
Ratterton
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		78		01		05	04			21		1
2	10		03		16		01			02	05	09	2
3	-		02	01	45			08	08		25	01	3
4	07		12	01				10	09	17	65	28	4
5	14		-	02				32		31	03	01	5
6	34		02	02				23		17	1 04	84	6
7	03	02	01								14		7
8	16		29						03	04	18	51	8
9	05		02			02						13	9
10	31		08						02			1 04	10
11	23		02		03			20			75	11	11
12			32		01				69	02	45	01	12
13			02		17						23	40	13
14	02	44	02		08		03				04	80	14
15		34	18	09						16	10	40	15
16		78	04	01		07	01			08	23	20	16
17		06	05			48	04				17	20	17
18		90	05	03	04	22		02		02	12	20	18
19	02	17	03	18		41	03		34	27	19	11	19
20		15		41		03	05	77	22	02		32	20
21		73					04	1 12		21	01	14	21
22	02	08		05		05		05		20	05	17	22
23		63	01	01	03	51			26	06		50	23
24	25	13	02	05		1 62		02		18		73	24
25	20	56		37		02	02		36	01	03	48	25
26	101	03		25	09	01	14	10		56	46	33	26
27	02	26	12	82				50	34	02	01	02	27
28		50	02	20		16		02	05	02	08	18	28
29			03	57		28	01		36	71	01	15	29
30			01	02	13	16				77	03		30
31			31							27		01	31
Total	1 97	5 78	2 62	3 12	1 20	4 04	4 3	3 57	2 83	4 29	5 51	8 37	TOTAL for year 43 73
No. of Rain Days.	16	16	25	18	11	14	11	14	12	22	25	28	212

REGISTER OF RAINFALL IN 1912.

(Langsett Moor.)

Kept at Swinden Lodge

in the County of Yorkshire

by L. S. M. Marsh.

Lat. Long.

Time of Observation As Before.

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

BRITISH RAINFALL FORM A. 24 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.21	-	-	.41	.06	.01	.11	-	-	.75	1
2	-	-	.14	.01	.07	.21	.70	-	.10	-	-	.12	2
3	.37	-	.02	-	.04	.30	.01	1.15	.59	-	-	.08	3
4	.39	-	.80	.44	.15	.44	-	.87	.13	-	.18	-	4
5	.30	.07	.02	-	.12	.37	-	.07	.06	-	.02	.03	5
6	.65	.14	-	.02	.06	.02	-	.51	-	-	-	-	6
7	-	.04	.08	-	.03	.05	-	.18	.14	-	-	.05	7
8	.24	.36	.23	.36	-	-	.11	.10	.15	-	.02	-	8
9	.22	.07	.13	.44	.02	.12	-	.08	.02	-	.18	.15	9
10	.19	.02	-	.05	-	.38	-	.14	-	-	.73	-	10
11	.21	.09	.01	-	-	.01	-	.07	-	-	.06	.75	11
12	.15	.65	.17	-	-	.20	1.17	.02	-	-	-	.11	12
13	.03	.02	-	-	-	-	-	.15	.02	.20	.08	.68	13
14	.15	-	.48	-	-	.05	-	.28	-	-	-	.50	14
15	.33	.13	.08	-	.67	.07	-	.06	-	-	-	.41	15
16	.74	-	.38	-	.05	.14	-	.14	-	.20	-	.18	16
17	.05	.04	.10	-	-	.45	.10	.17	-	.02	-	.69	17
18	.14	.02	.19	-	-	.03	.03	.08	-	.26	.03	.14	18
19	.32	.08	.10	-	-	.07	.64	.30	-	.22	.05	-	19
20	.23	-	.05	-	.23	.03	.18	.31	-	.61	-	.02	20
21	.01	-	.20	-	.54	-	.78	-	-	.16	-	.05	21
22	.08	.21	-	-	1.18	.12	.11	.110	.02	-	-	-	22
23	-	-	.24	-	.02	.07	.56	.64	-	-	.35	.03	23
24	.24	.02	.04	-	.01	.12	.07	.41	-	-	.15	.19	24
25	-	.02	.06	-	-	.19	-	.20	-	-	.77	.33	25
26	.04	.39	.24	-	-	.01	.46	.83	-	1.68	.32	.21	26
27	-	.02	.35	-	-	.36	.44	.01	-	.70	.04	.39	27
28	-	.06	.11	-	-	.01	.38	.53	.20	.24	.37	-	28
29	-	.02	.13	-	-	.10	.41	-	.73	.06	.02	.33	29
30	.04	-	.32	-	.15	-	.11	-	-	.05	-	-	30
31	-	-	.17	-	.56	-	.37	.24	-	.04	-	.02	31
Total	5.12	2.47	5.05	1.32	3.90	4.26	6.69	7.95	2.27	4.44	3.37	6.21	53.05
Rain Days.	22	20	27	6	16	25	19	27	12	13	16	23	226

Kept at Swinden Lodge
in the County of Yorkshire
by L. S. M. Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As Before
Diameter of Rain Gauge _____
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

14 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.18	.14		-			.09	.02	.13		1
2		.20	.24	.08		.05				.07	.06	.08	2
3	.10	.10	.54		.75	-	.02		.07	.69	.02	.70	3
4	.58	.10	.07		.05	.02	.07		.09	.01	.14	.35	4
5	.04	.07	.42			.11	.21		.10	.99			5
6	.07	.27	.27	.02	.59	.10	.67			.93		.02	6
7		.40	.03		.28	.21	.04			1.12	.06		7
8		.09	.03		.62	.03		.16		.14	.19	.02	8
9	.02	.28	.26		.12	.65	.05	.02			.11	.13	9
10		.01	.13	.23			.02		.01	.04	.34		10
11	.88	.01		.20		.18					.18	.05	11
12	.05				.01					.02	.20	.01	12
13			.40	.07			.03		.21		.27		13
14	.21	.12	.16	.14						.30	.32	.01	14
15	.09	.02	.35	.90			.01		.03		.54	.07	15
16		.03	.15	.08		.02	.02	.06	.11		.33	.02	16
17	.05	.04		.18	.09		.03		1.60		.15	.01	17
18	.09		.45	.24	.06	.03	.06			.01	.44	.06	18
19	.32		.03	.05	.01	.03			.09		.10		19
20	.38		.29	.14					.04	.14	.50		20
21	.04	.05	.16		.16		.20	.06			.03		21
22	.19		1.00		.09			.49	.17				22
23	.39		.02		.20	.23	.02	.40	.12	.03		.04	23
24	.63			.06		.15		.07			.10		24
25				.08					.09	.03	.05	.50	25
26			.23	.62					.02	.09		.99	26
27		.01		.23						.03	.03	.39	27
28	.28		.28	.24					.01	.02		.27	28
29	.01		.54	.49	.05			.25	.01	.02	.06	.28	29
30	.76									.68	.21		30
31			.12		.02		.01						31
Total	5.21	1.80	6.35	4.19	3.10	1.81	1.46	1.51	2.86	5.38	4.56	4.00	YEAR'S TOTAL 42.23
Rain Days.	21	16	24	19	15	13	15	8	17	20	24	19	211

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL
17 MAR 1915

Kept at Swinden Lodge
in the County of Yorkshire
by L S M Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05				1.00	.71			.01	.57	1
2	.02		.06				.31	.29		.04	.70	.31	2
3	.46		.30		.20			.11		.01	.05	.76	3
4	.87		1.08	.45	.27	.02	.01	.03			.61	.50	4
5	.07		.62	.50	.30	.13					.35	.35	5
6		.04	.08	.34	.12	.04	.05	.01			.02	.09	6
7	.02	.09	.12	.03	.33	.06		.06	.02		.02	.11	7
8	.40	-	.02		.44	.77	.02	.36	.75	.03	.02	.07	8
9	.45	.04	-	.16		1.42		.30	.02		.08		9
10	.14	.27	-	.13	.02	.02			.05	.01	.26	.02	10
11	-	.52	.41	.03	.01	.61	.04		.53		1.60	.76	11
12	-	.21	.10		.06	.04	.03		.48		.60	.90	12
13	.01	.24	.25	.06			.04		.13	.06	.60	.43	13
14	.04	.22	.17				.05		.38	.24	.40	.25	14
15	.02	.16	.38						.03	.09	.14		15
16	.04	.04	.06				.56		.51				16
17	.12	.60	.13				.09		.36			.90	17
18	-		-			.32			.05			.10	18
19	-	.01	.03				.07		.06		.06	.28	19
20	.02	.14	.04			.01	.01			.09			20
21	-	.65	.01			.61		.10		.08	.07	.09	21
22	-	.20	.03	.03	.39	.28		.06		.23		.03	22
23	-	.02	.14	.03	.28	.02	.06			.01		.10	23
24	.05		.33	.09	.04	.03	.54	.23		.01	.15		24
25	.12						.20	.20		.81	.07	.60	25
26	.04		.17					.06		.24	.19	.35	26
27	.03									.04	.41	.92	27
28	.20	.25	.03				.04			.10	.22	.20	28
29	.19		.36		.01			.01		.64	.30	.10	29
30	.03	X	.10	.02				.04		.16	.31	.80	30
31	.21	X	.11	X		X	.17		X	.32	X		31
Total	3.55	3.70	5.18	1.87	2.47	4.38	3.29	2.57	3.37	3.21	7.24	9.59	50.42
Rain Days.	22	17	26	12	13	15	18	15	13	19	24	25	219

Langsett Moor

REGISTER OF RAINFALL IN 1915

Kept at Swinden Lodge
in the County of Yorkshire W7
by L. S. M. Marsh Esq. C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
17 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.45	-	-	.42	-	.12	.27	.09	-	.01	.12	1
2	.02	.34	.32	.34	-	.05	.06	.70	-	.04	-	-	2
3	1.33	-	.03	.06	-	-	.14	.41	.01	-	.04	.73	3
4	.07	.07	-	-	.21	-	.80	-	-	-	-	1.20	4
5	.22	.30	.15	-	-	-	-	.01	-	.12	-	.67	5
6	.54	.14	.09	.60	-	-	.56	-	-	-	-	.44	6
7	.40	.65	-	.24	-	-	.15	.83	-	-	-	.31	7
8	.29	.21	.01	.15	-	-	-	.17	-	-	.35	-	8
9	.02	.05	-	.08	-	-	-	.11	-	.06	.74	.48	9
10	1.24	-	.02	-	-	-	.01	.21	-	.01	.03	.30	10
11	.30	-	.06	.01	.75	-	.32	.03	-	-	.68	.41	11
12	.06	-	-	.12	.24	-	-	-	-	.09	1.36	-	12
13	.21	1.10	-	-	-	-	-	-	-	-	-	.14	13
14	.27	-	-	-	-	-	.02	.39	.02	-	-	.38	14
15	1.76	-	-	-	-	-	.04	.12	.02	-	.33	.20	15
16	-	.41	-	.04	.22	-	1.56	.51	-	.06	-	-	16
17	-	.36	.06	-	-	-	.04	-	-	-	-	.02	17
18	-	.55	.45	-	-	-	-	-	.05	-	.02	-	18
19	-	.65	-	.04	-	-	.09	-	-	-	-	-	19
20	.32	-	.03	-	-	-	.09	-	-	.01	-	.19	20
21	.07	.05	-	.05	-	-	.22	-	-	-	-	.06	21
22	-	-	.11	.02	-	-	.14	-	-	-	-	.11	22
23	-	-	.05	-	-	-	.19	-	.03	.40	.01	.11	23
24	-	-	.14	.04	-	-	-	-	.39	.02	-	.22	24
25	-	-	.03	.05	-	.53	-	-	.01	.04	-	.30	25
26	.09	.60	-	-	-	.03	.35	-	.01	-	-	.59	26
27	-	.23	-	-	-	.07	.03	-	-	.70	-	.82	27
28	-	.20	.02	-	-	.24	-	.53	-	.12	-	.11	28
29	-	-	-	-	.15	.27	-	.03	-	-	.14	.95	29
30	.11	X	-	.03	-	.04	-	-	-	-	.03	.12	30
31	.20	X	-	X	-	X	.02	.45	X	.68	X	.44	31
Total	7.81	6.36	1.57	1.87	1.99	1.23	4.95	4.77	.63	2.35	3.74	9.42	YEAR'S TOTAL 46.69
Rain Days.	20	17	16	15	6	7	20	15	9	13	12	25	174

Kept at Swinden Lodge,
in the County of Yorkshire. WR
by L. S. M. Marsh Esq.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.78	.12	.28			.51	.23				.30		1
2	.51	.35	.39			.02			.20	.15	.01	.02	2
3	.06	.44				.01	.02		.48	.28	.19	.02	3
4	.45	.34		.04	.91	.90			.06	.46	.50		4
5	.07	.07			.12	.22				.75	.77		5
6	.78	.99	.37		.40	.05	.28			.23	.70	.01	6
7	.08	.04	.24	.01	.02	.08	.44		.01	.68	.05	.30	7
8			.93				.05			.03	.84	.15	8
9	.05		.28		.41	.11			.14		.26	.33	9
10	.06	.08	.10	.24		.32	.10		.12	.18	.01	.13	10
11	.01	.40	.65	.44		.27	.04		.11	.04		.16	11
12	.26	.11	.45	.18	.19	.02	.33	.09		.09			12
13		.13	.29	.12	.02		.02	.30		.67	.01	.13	13
14	.06	.19	.08	.10	.38			.48	.01	.32	.01	.21	14
15	.02	.79	.81	.01			.04	.23	.06	.10			15
16	.04	.16	.56	.20			.13	1.01					16
17	.07	.13		.91			.09	.02	.43	.18		.01	17
18	.01	.67	.08	.11	.01	.06	.01	.18	.38	.17	.98	.18	18
19	.28	.02	.35	.19				.05	.07		.40	.13	19
20	.35		.24	.03	.02		.02				.01	.11	20
21	.28		.20				.03			.01	.01		21
22				.01		.07				.13		.24	22
23	.05		.02	.10		.05		.01		.06	.22	.25	23
24		.61		.03		.36		.06		.12	.04	.09	24
25	.03	.03	.30		.15			.09	.02	.12	.50	.07	25
26	.05	.38	.21					.06	.01	.25	.03		26
27		.22					.65	.03	.01	.76			27
28	.01	.48				.05		.02	.04	.09		.41	28
29		.45				.28		.01		.53		.85	29
30		X			.01	.10				.42	.02	.11	30
31		X		X	.04	X	.03	.03	X	.90	X	.44	31
Total	4.36	7.20	6.83	2.72	2.68	3.48	2.51	2.66	2.15	7.72	5.86	4.35	YEAR'S TOTAL 52.52
Rain Days.	23	23	20	16	13	18	17	16	16	26	21	22	231

Langsett Moor Gauges
REGISTER OF RAINFALL IN 1917

Kept at Swinden Lodge
in the County of Yorkshire,
by L. S. M. Marsh.

Lat. Long.
Time of Observation As Before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
8101 JUN 17
4 MAR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15			.20		.07		.32	.56		.10	.40	1
2	.60			.20		.02		.10		.05	.06		2
3	.15	.01				.10		.15		.24	.18		3
4	.06	.02	.16					.01		.11			4
5	.21		.14	.28				.03		.20	.25		5
6	.04									.10	.25	.06	6
7	.43					.49				1.14	.02	.06	7
8	.54			.30				.94	.06	1.15	.35	.04	8
9			.01	.07						.20	.81		9
10	.10		.75	.12	.14			.09		.05	.02		10
11	.05			.59				.13		.85	.01	.02	11
12	.01	.01	.01	.02	.34			.23		.11		.06	12
13	.16			.33	.43	.01		.50	.29	.09		.13	13
14	.30			.19	.02			.80		.01		.19	14
15	.08			.10	.02		.82	.08	.04	.10		.15	15
16	.01	.05		.15		.05		.31		.02		.74	16
17	.01	.07	.10	.08	.46	.07	.15	.49	.23	.10	.01	.06	17
18	.07	.01	.12	.04	.17		.80	.24	.25	.07			18
19	.04	.20	.46		.30	.19		.17	.06		.16		19
20	.12	.12	.01		.35	.28			.30		.17		20
21	.01	.05	.11		.09	.05		.04		.06			21
22	.01		.11					.08	.27	.15	.07		22
23	.01	.02			.18	.40		.17	.02	.08	.06		23
24					.01	.15		.41		.85	.56		24
25		.05	.12					.05		.25	.12		25
26			.01			.01	.02	.70	.24	.10	.60		26
27			.02			.32	.13	1.22			.34	.06	27
28		.01	.23			.05	.09	.44		.01	.15	.07	28
29			.02				.13	.10		.48	.18	.40	29
30	.02	X	.32					.02		.08	.13	.01	30
31	.01	X	.29	X	.02	X	.01	.09	X		X	.06	31
Total	3.19	.62	2.99	2.65	2.53	2.26	2.15	7.91	2.32	6.65	4.60	2.51	YEAR'S TOTAL 40.38
Rain Days.	24	12	18	14	15	15	8	27	11	26	22	16	206

Langsett Moor

REGISTER OF RAINFALL IN 1918.

Kept at Swinden Lodge

in the County of Yorkshire

by L S Marshall

Lat. Long. Time of Observation As Before Nearest Railway Station Diameter of Funnel of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

Form A. BRITISH RAINFALL. 0.5.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.09		.04	.10				.55	.04	.42		1
2	.01	.15		.01	.01			.12	.37			.61	2
3			.07		.33			.20		.08	.09	.02	3
4		.04	.08		.25			.03	.46	.41	.58	.47	4
5			.05	.11	.30	.01		.31	.27	.34			5
6	.05	1.92	.05	.37	.01	.81		.02	.04	.19		.01	6
7	.09	.19		.23					.37	.38	.29		7
8		.08	.08				.33		1.30	.15	.12	.01	8
9	.37	1.32		.29		.15			.74	.42	.05	.10	9
10	.12	.36	.02	.04			.05		.24	.04	.28	.01	10
11	.66	.13	.02	.02	.01		.01		.34			.10	11
12		.20	.07	.24	.02	.08	.40		.25	.01		.22	12
13		.02		.05		.02			.41	.20			13
14	.54	.01	.03			.15	.28		1.24	.03	.01	.32	14
15	.28		.01	.01		.02	.44		1.37			.47	15
16			.01			.01	.16	.02	.11	.09		.41	16
17	.30				.08	.02	.34	.11	.10	.20		.48	17
18	.45		.07			.11	.36	.01	.47	.01		.34	18
19	.28	.01	.10	.06		.06	.13	.17	.57	.10		.43	19
20	.06	.35		.12		.13	.13		.20	.17			20
21	.17	.80		.01	.72	.16			.58	.14		.01	21
22	.02	.04			.22	.10	.10	.05	.06	.01		1.30	22
23	.14	.04		.02	.93	.01	.07		.08		.01	.03	23
24		.13					.10		.04	.04	.02		24
25					.01	.12	.08	.30	.15	.01			25
26		.07		.01			.47	.04	.25		.04	.27	26
27		.25	.06			.01	.01	.30	.58		.20	.68	27
28		.11	.27			.04		.04	.05		.10	.55	28
29									.12			.36	29
30		X	.36					.11			.05	.24	30
31		X	.35	X		X	.01	.11	X		X		31
Total	3.56	6.31	1.70	1.63	2.99	2.01	3.47	1.94	11.31	3.06	2.26	7.44	47.68
Rain Days.	16	21	17	16	13	18	18	16	28	21	15	23	221

Langselt Moor

Form A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Swinden Lodge
in the County of Yorkshire
by L S m marsh Esq

Lat. Long. As Before
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.15	.01	.07	.02	.63		.45	.05	.17	.12	.10	.26	1
2	1.12	.03	.24		.01		.37	.04	.03	.05	.08	.14	2
3	.51				.05	.17	.86		.03		.26	.32	3
4	.12		.25				.06	.12	.14	.01	.08	.46	4
5	.05	.01									.08	.50	5
6	.09		.72		.82					.05		.30	6
7	.08		.32								.03		7
8	.21				.03	.06		.01			.02		8
9	.26	.01	.10								.05		9
10	.01		.48	.02								.25	10
11	.02	.01	1.05	.08	.15		.02						11
12			.31	.20		.06	.12		.31	.02		.02	12
13	.52			.18				.02	.53	.12		.08	13
14	.26	.03	.01	.40				.01	.10		.09	.07	14
15	.32	.07	.05	.01						.01	.04	.45	15
16	.14	.76		.01							.17	.11	16
17	.22	.44		.01		.09		.21			1.00	.04	17
18			.05		.01		.01	.32	.19		.03	.39	18
19	.04	.26	1.00	.01		.08	<u>1.45</u>	.30	.12		.33	.09	19
20	.33	.09	.11			.10	.22	.07			.14	.58	20
21	.11	.40	.04			.02	.14	.01	.06		.01	.16	21
22		.08				.07		.05	.30		.13	.78	22
23						.11				1.22	.13	.27	23
24				.25	.02	.06		.01	.19	.60	.23	.13	24
25	.11	.01		.36	.14	.05		.55			.28		25
26	.02	.04	.94	.08		.06	.02	.67	.12		.04	1.00	26
27	.10		.02	.04				.01	.02		.04	.25	27
28				.11				1.00		.07		.50	28
29	.15			.03				.01		1.34		.14	29
30	.03	~~X~~	.01	.05		.17				.16	.24	.28	30
31		~~X~~	.03	~~X~~		~~X~~	.17		~~X~~	.07	~~X~~	.04	31
TOTAL	5.97	2.25	5.80	1.86	1.86	1.10	3.89	3.46	2.31	3.84	3.60	7.61	YEAR'S TOTAL
Days with 0.1 in. or more	24	15	19	17	9	13	12	18	14	13	23	26	203

Langsett Moor

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Swinden Lodge
in the County of Yorkshire
by L S M Marsh

Lat. _____ Long. _____
Time of Observation 6.30
Nearest Railway Station Asby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				28	62	06	32	08	07	24	30	13	1
2			02	21	04		04		32	34		21	2
3	06	07		14	22	11	113	24	05	29		32	3
4	03			08			18	90	04	49		01	4
5			06		23		05	15	04	13			5
6			31	28	11		04		01			12	6
7	15		04		05		60						7
8	36	06		44	13		25	13		02	05		8
9	30	63		66			07	09	01	02	03		9
10	100	111	13	29			47		01			01	10
11	67	08	08	49	28	33						08	11
12	19	06	21	52	04	21	04	18			10	06	12
13	24	18	26	32		78	06				04	06	13
14	06	03	44	31		109			37	05	82	02	14
15		15	16	51			05		03	33	05		15
16			16	13	10		01		08	05	10		16
17	09		05		24			11	42	20		03	17
18	19			07	22		02	02	02				18
19	11	113		13	69	10		17					19
20	07	18		26		12	16				01	15	20
21	05						40	12				29	21
22	10	01		60		04	46	04		01	01	09	22
23				01			71				01	54	23
24			51	03					02		01	20	24
25	04	01	20	10		01	71			01			25
26	15	26	27	32			15						26
27	31	05	08	22	85	43					17	20	27
28	161		15	15	20	05	02				02	14	28
29	10		16	02	100	02	25		03		24	97	29
30	42	~~X~~	01	12	03	05			20		22	60	30
31	38	~~X~~	16	~~X~~	03	~~X~~			~~X~~	98	~~X~~	25	31
TOTAL	668	401	346	669	508	340	679	223	172	316	218	448	YEAR'S TOTAL 4988
Days with 01 in. or more	23	15	20	26	18	14	23	12	16	14	16	21	218
Days with 04 in. or more	22	12	18	23	16	12	21	11	9	10	10	17	181

REGIST

LANGSETT MOOR
MIDHOPE RES.
YORKSHIRE

1911-19

Kept at Langsett Moor,
in the County of W. Riding
by J. H. Taylor

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

5 in.
round 1 ft. in.
a Level 830 ft.

me
tance Direction
he result entered to the

IMPORTANT NOTE.—Rain
previous day. If an Observer pro
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			60		01		03	06			08		1
2	14		04		12		01			01	09	13	2
3	02				45			11		01	21		3
4	07		09	07				04		19	68	24	4
5	04							32	18	27	03		5
6	94			02				17		18	1.14	76	6
7	03	01	02								15		7
8	11		20						04	01	14	43	8
9	05											21	9
10	22		08	01								72	10
11	31				04						65	17	11
12	02		28		02				68		45		12
13			02		02						14	34	13
14		46	05		08		04				08	65	14
15		30	16	04						10	06	31	15
16		75	05	02		08				09	12	21	16
17		05	06			34	01				24	20	17
18		74	04	01	01	24				01	20	16	18
19		31	02	10		35	02		21	07	54	10	19
20		05		35			02	82	09			25	20
21		58				01		95		21	01	11	21
22	03	22		01		02	01	04		12	04	16	22
23		64	01			40	02	01	12	08		54	23
24	24	09	03	02		1.54		02		17		68	24
25	16	60		18		01	03		39		02	41	25
26	04	02		29	09	02		05		54	44	31	26
27	01	19	06	67				46	27		03	02	27
28		37	01	20		07		11	03		05	11	28
29			02	45		18	01	12	31	71		14	29
30					12	15				67	02		30
31					01					30			31
Total	2.43	5.38	1.84	2.44	97	3.41	20	3.28	2.32	3.74	5.61	7.36	TOTAL for year 3898
No. of Rain Days	16	16	19	15	11	13	10	14	10	18	24	24	196

REGIST

FORM A2
BRITISH RAINFALL
20 JAN 1912

Kept at Lansett Moor, Up. Midhope
in the County of W. Riding Yorks
by J. H. Taylor

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 830 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			60		01		03	06			08		1
2	14		04		12		01			01	09	13	2
3	02				45			11		01	21		3
4	07		09	07				04		19	68	24	4
5	04							32	18	27	03		5
6	94			02				17		18	1.14	76	6
7	03	01	02								15		7
8	11		20						04	01	14	43	8
9	05											21	9
10	22		08	01								72	10
11	31				04						65	17	11
12	02		28		02				68		45		12
13			02		02						14	34	13
14		46	05		08		04				08	65	14
15		30	16	04						10	06	31	15
16		75	05	02		08				09	12	21	16
17		05	06			34	01				24	20	17
18		74	04	01	01	24				01	20	16	18
19		31	02	10		35	02		21	07	54	10	19
20		05		35			02	82	09			25	20
21		58				01		95		21	01	11	21
22	03	22		01		02	01	04		12	04	16	22
23		64	01			40	02	01	12	08		54	23
24	24	09	03	02		1.54		02		17		68	24
25	16	60		18		01	03		39		02	41	25
26	04	02		29	09	02		05		54	44	31	26
27	01	19	06	67				46	27		03	02	27
28		37	01	20		07		11	03		05	11	28
29			02	45		18	01	12	31	71		14	29
30					12	15				67	02		30
31					01					30			31
Total	2.43	5.38	1.84	2.44	97	3.41	20	3.28	2.32	3.74	5.61	7.36	TOTAL for year
No. of Rain Days	16	16	19	15	11	13	10	14	10	18	24	24	190

REGISTER OF RAINFALL IN 1912

25 JAN 1913
FORM A2.
BRITISH RAINFALL.

Kept at *Langselt Moor, Up. Midhope*
in the County of *West Riding W-7*
by *J. H. Taylor*

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		01	26			34	02		09			75	1
2	01		13		02	24	66		13			08	2
3	23		01		03	27	01	1.09	49			05	3
4	30		77	30	10	42		58	11		09		4
5	42	06	01	08	09	18		17	05			01	5
6	77	19		02	02	04		69					6
7		03	04	02	01	03		12	10			03	7
8	41	30	16	36			06	05	17				8
9	20	13	12	42		09		04	02		14	12	9
10	02	01		01		76		20			69		10
11	26	10	01	01		01		03			08	70	11
12	13	47	12			14	1.28					06	12
13	03	09						12		11	05	63	13
14	07		51			02		11				59	14
15	24	10	02		63	06		06				48	15
16	68		28		06	14		05		13		33	16
17	05	03	13			30	07	12				63	17
18	18	01	16			04		01		15		18	18
19	26	07	21			05	76	29		16	02		19
20	28		11		32	02	17	24		43			20
21			26		55		74			17		03	21
22	06	17	01		1.12	17	11	25				05	22
23		01	24		03		57	46			22	14	23
24	28				01	01	08	35		03	09	05	24
25			05			24		05			84	40	25
26	02	35	18				27	1.25		1.46	30	15	26
27			28			25	37			68	01	17	27
28		03	10				36	49	14	27	48		28
29		01	19			05	39	01	62	06		56	29
30	09		24		07		04	19		03		01	30
31			14		50		27			02		01	31
Total	4.99	2.17	4.74	1.22	3.56	3.87	6.23	7.02	1.92	3.70	3.01	6.21	TOTAL for year 48.64
No. of Rain Days	22	19	27	8	15	23	18	25	10	13	12	24	216

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 439
28 JAN 1914

Kept at *Langsett Moor, Up. Midhope*
in the County of *W. York*
by *J. H. Taylor*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *830* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	05	39	16					05	02	09		1
2		13	20	08		02				03	05	07	2
3	04	11	41		47		01		04	64		52	3
4	48	05	06		08	02	05		05	02	09	57	4
5	04	03	28			19	14		05	80			5
6	04	15	22		53	05	83			75		02	6
7		41	02		37	20	07			88	02	01	7
8		06	03		60			08		08	11		8
9		18	18		16	44	10				13	09	9
10	10		10	16			01			06	23		10
11	69			23		16					17	04	11
12									02		14	02	12
13	08		20	03					18		16		13
14	11	13	22	08						16	24	01	14
15	14	03	43	61					04		54	07	15
16		02	12	06				28	12		21	02	16
17	04	03		19	06	02	01		1.60		11	02	17
18			50	38	04	03	07				24	03	18
19	22		08	10		02			06		05		19
20	32		22	11					02	04	31		20
21			06		09		19	05			06		21
22	25		90		03			49	15				22
23	38				07	16	01	27	13	04	03	02	23
24	44			02		09		04			02	02	24
25	01			05					09	01	02	36	25
26			16	41						12		89	26
27		01	04	21						02	01	38	27
28	27		26	43					01	02		09	28
29	02		39	41	03			20		02	05	10	29
30	72									68	15	02	30
31	04		05		05								31
Total	444	139	552	372	258	140	149	141	261	439	323	337	3555
Rain Days.	21	14	24	18	13	12	11	7	15	18	24	21	198

conty B. 9-14.15

REGISTER OF RAINFALL IN 1914

23 JAN 1915
FORM A
BRITISH RAINFALL

Kept at Midhope
in the County of W. B. Yorkshire
by J. H. Taylor

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 830 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04				88	50		02	02	60	1
2			03				26	19		01	53	19	2
3	32		25		14			22			15	80	3
4	76		79	27	16	03					38	45	4
5	20		52	38	22	11				02	50	44	5
6		02	11	32	10		07				02	14	6
7		05	15	04	20	05		02	02			08	7
8	27		02		27	68		19	53			08	8
9	24			14	04	109		23	02		06		9
10	18	01	01	13	02	02			05	01	11	02	10
11		19	32			69	08		38		144	57	11
12		40	05		03	05			40		34	68	12
13		15	30						11	05	73	31	13
14	03	22	12				15		35	21	28	32	14
15	02	14	26						05	05	13	02	15
16	04	13	05				46		37			06	16
17	07	05	09						29			58	17
18		65	06			29	09		04			20	18
19			04				06		06		03	14	19
20	01		06							08		02	20
21		18	02			34		18		08	07	11	21
22		56	02	01	28	29	02	03		20			22
23		12	09	03	33	03	02					06	23
24	03	02	50	06	04	02	36	11		01	08		24
25	06		01				13	13		89	05	40	25
26	02		12					03		22	13	31	26
27	04									01	24	79	27
28	16	12	05							03	22	13	28
29	15		25		03					49	15		29
30	02		06	02				03		09	37	54	30
31	19		07				19			25			31
Total	2.83	3.01	4.46	1.40	1.86	3.69	2.77	1.86	2.67	2.72	6.03	7.98	4128
Rain Days.	19	16	29	10	13	13	13	12	13	18	22	26	204

REGISTER OF RAINFALL IN 1915

Kept at *Midhope*
in the County of *York. West Riding*
by *Wm. Taylor, M. Inst. C.E. Barnsley*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. - in.
" " " " Sea Level *830* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	.31	.04	.	.27	.	.03	.33	.08	.	.01	.09	1
2	.02	.28	.11	.31	.	.06	.05	.65	.	.04	.	.	2
3	.98	.	.03	.05	.	.	.08	.21	.	.	.02	.70	3
4	.08	.07	.	.	.16	.	.90	.	.	.	.	1.02	4
5	.13	.30	.12	.	.04	.01	.	.01	.	.09	.01	.70	5
6	.35	.25	.13	.42	.	.	.56	.	.	.02	.	.54	6
7	.25	.56	.01	.21	.	.	.08	.66	.	.	.01	.21	7
8	.20	.26	.02	.19	.	.	.	.21	.	.	.21	.	8
9	.05	.07	.	.08	.	.	.	.13	.	.03	.51	.58	9
10	.90	.	.01	.	.	.	.01	.14	.	.	.03	.32	10
11	.56	.	.06	.01	.71	.	.31	.06	.	.	.54	.54	11
12	.02	.	.	.10	.22	.	.	.05	.	.08	.40	.	12
13	.19	.61	.	.	.	.	.	.	.	.	.	.11	13
14	.12	.	.	.	.	.	.02	.16	.01	.	.	.49	14
15	1.65	.	.	.	.	.	.03	.26	.01	.	.26	.19	15
16	.	.36	.	.03	.23	.	1.23	.09	.	.05	.	.01	16
17	.	.40	.04	.	.	.	.04	.	.	.	.01	.01	17
18	.	.34	.06	.	.	.	.	.	.04	.	.01	.	18
19	.	.17	.02	.	.01	.	.11	.	.	.	.	.	19
20	.15	.	.	.02	.	.	.03	.01	.	.	.	.21	20
21	.08	.03	.	.05	.	.	.18	.	.	.	.	.08	21
22	.04	.	.09	.03	.	.	.22	.	.	.	.	.08	22
23	.12	.01	.05	.	.	.	.18	.	.	.31	.01	.05	23
24	.	.	.14	.06	.	.02	.	.	.54	.05	.	.28	24
25	.	.	.	.02	.	.42	.	.	.02	.02	.	.26	25
26	.03	.57	.	.	.	.19	.46	.	.01	.	.	.49	26
27	.02	.30	.	.	.	.10	.15	.	.	.65	.	.69	27
28	.	.55	.01	.	.	.22	.	.47	.	.14	.	.06	28
29	.02	.	.	.	.14	.32	.	.02	.01	.01	.14	.92	29
30	.11	X	.	.01	.	.01	.	.	.	.	.02	.05	30
31	.18	X	.	X	.	X	.	.35	X	.44	X	.36	31
Total	6.67	5.44	.94	1.59	1.78	1.35	4.67	3.81	.72	1.93	3.19	9.04	40.03
Rain Days.	24	18	16	15	8	9	19	17	8	13	15	26	188
YEAR'S TOTAL													41.13

REGISTER OF RAINFALL IN 1916

Kept at Midhope
in the County of W. Riding York
by J. H. Taylor

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	66	05	25			30	28				91		1
2	55	30	15			02	02		15	11	30		2
3		29		01					56	38	02		3
4	24	35		02	78	58			06	34	17		4
5	06	11		01	15	30				64	42	03	5
6	52	77	08	01	38	02	26			11	50	29	6
7	10	07	02		04		24			44	54	14	7
8		04	17							04	47	27	8
9	03		08		38	12			16		18	11	9
10	11	04	18	15	01	28	05		07	20		27	10
11	02	30	28	28		15	01		06	02			11
12	26	08	22	12	24	02	20	05		07		11	12
13		06	05	07	05		06	36		51	01	20	13
14	02	25	77	12	18	01		35	01	20	01		14
15	07	75	53	01			06	32	01	08			15
16		56	02	12			09	26				01	16
17	06	15	04	78			04	02	25	15		15	17
18		58	31	08		05		14	22	12	58	13	18
19	28	02	25	19				05	05		28	10	19
20	30		10	05	01		02						20
21	22			01			05			16		26	21
22		05	01	01		05						31	22
23	06	02	01	14		02		02			27	13	23
24		25	31	01		25		03		07	04	07	24
25	01	05	22		15			17		09	51		25
26	04	04						08	01	11	04		26
27		19					10	04	01	20			27
28		14				03			02	60	02	24	28
29		41				28				07		59	29
30		X			01	06				42		05	30
31		X		X	02	X	01		X	37	X	26	31
Total	3.61	5.92	4.05	2.19	2.40	2.54	1.49	1.89	1.64	5.50	5.27	3.72	40.22
Rain Days.	19	26	21	19	13	17	15	13	14	24	18	20	219

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at *Midhope, Langsett Moor*
in the County of *W. R. York*
by *J. H. Taylor*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11			.20		.06		.28	.36		.12	.33	1
2	.35					.08		.10			.06		2
3	.08	.01		.03		.13		.17		.09	.13		3
4	.05	.04	.12					.02		.07		.01	4
5	.21		.15	.19				.02	.01	.14	.24		5
6	.02					.07				.21	.14	.02	6
7	.48					.38				.40	.01	.03	7
8	.15			.29				1.04		.80	.30	.05	8
9	.02		.04	.10						.11	.52		9
10	.15		.71	.12	.15			.09		.04	.01		10
11	.03			.21				.07		.55			11
12	.11				.32			.12		.06		.07	12
13	.06			.27	.24			.38	.32	.07		.03	13
14	.17	.01				.01		.18				.30	14
15	.09			.05	.02		.46	.02	.01	.06		.17	15
16	.10	.01		.20		.05	.01	.11		.02		.50	16
17	.02	.01	.01	.04	.44	.04	.04	.34	.04	.04		.02	17
18	.06		.18	.05	.14		.48	.19	.17	.04			18
19	.05	.40	.33		.27	.26		.09			.05		19
20	.12	.10			.28	.17		.02	.19		.13		20
21	.01	.04	.09		.08	.09		.05		.04			21
22			.07					.06	.05	.14	.01		22
23	.01	.03			.09	.12		.10		.05	.02		23
24		.01			.01	.06		.15		.78	.39	.01	24
25		.02	.10					.02		.17	.05		25
26							.01	.45	.22	.29	.45		26
27			.03			.28	.08	.94		.02	.33	.05	27
28			.31			.06	.07	.37		.02	.03	.03	28
29	.01		.05				.12	.02		.41	.08	.56	29
30	.01	X	.30					.04		.02	.12	.02	30
31	.01	X	.28	X	.02	X	.01	.03	X	.01	X	.11	31
Total	2.48	.68	2.77	1.75	2.06	1.86	1.26	5.47	1.37	4.65	3.19	2.31	29.85
Rain Days.	25	11	15	12	12	15	9	28	9	26	20	17	199

Langsett Moor

REGISTER OF RAINFALL IN 1918

Kept at Upper Midhope

in the County of Yorkshire

by L. S. M. Marsh

Lat.

Long.

Time of Observation

As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

Sea Level

ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.06	.02	.06	.07				.55	.01	.37		1
2	.01	.15		.03	.01			.10	.33	.03		.62	2
3			.04		.42			.25	.01	.04	.08	.01	3
4		.03	.03		.19			.02	.44	.25	.61	.51	4
5	.01		.03	.06	.30	.01		.27	.18	.43			5
6	.02	1.30	.03	.33	.01	.43		.03	.12	.08			6
7	.09	.12	.01	.21		.01			.48	.48	.32		7
8	.01	.07	.14				.44		.99	.10	.06	.01	8
9	.43	1.73		.21		.20			.76	.49	.03	.08	9
10	.12	.22	.01	.08			.11		.16	.02	.29	.01	10
11	.53	.08		.02	.07				.25			.04	11
12	.03	.15	.05	.18	.01	.04	.28		.26	.01		.15	12
13	.01	.01		.08	.02	.04			.17	.08			13
14	.50	.01	.01			.12	.26		1.05	.08	.01	.25	14
15	.29		.01	.01		.04	.41		1.14			.28	15
16	.01		.01		.01	.03	.19	.02	.18	.07		.27	16
17	.29				.10	.04	.25	.12	.06	.14		.56	17
18	.42		.08			.15	.39	.01	.41	.01		.43	18
19	.30	.01	.08	.06		.02	.15	.12	.42	.14		.53	19
20	.06	.31		.13		.11	.12		.20	.19			20
21	.18	.77		.02	.52	.10	.01		.54	.14		.01	21
22	.02	.05			.23	.14	.10	.02	.04	.01	.01	1.07	22
23	.12	.06		.02	.85	.01	.10		.06		.02	.02	23
24		.11					.06	.01	.04	.03	.03	.01	24
25					.01	.07	.03	.12	.02	.01	.01		25
26		.02		.01			.43	.04	.37		.02	.38	26
27		.24	.06			.01	.03	.29	.56		.16	.47	27
28		.09	.36			.02		.02	.09		.13	.34	28
29									.14			.31	29
30		X	.39					.08			.03	.19	30
31		X	.35	X		X	.01	.08	X		X		31
Total	3.47	5.59	1.71	1.51	2.82	1.59	3.37	1.60	10.02	2.84	2.18	6.55	43.25
Rain Days.	21	21	18	16	15	19	18	17	29	22	16	23	235

REGISTER OF RAINFALL IN 1919

Kept at Midhope
in the County of W. R. Yorkshire
by J. H. Taylor

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2948
FORM A.
BRITISH RAINFALL
47120

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.40	.04	.03	.04	.59		.38	.02	.07	.07	.06	.22	1
2	.26	.01	.20		.01		.32	.04	.02	.04	.10	.07	2
3	.96				.05	.13	.84		.02		.42	.27	3
4	.36		.30			.01	.03	.17	.11		.03	.44	4
5	.02	.01			.04				.05		.04	.47	5
6	.05		.48		.74					(.03)		.27	6
7	.03		.30		.01								7
8	.11		.01		.01	.04		.01					8
9	.26		.05								.07		9
10			.35	.02		.01	.01				.03	.19	10
11			1.07	.04	.06		.01						11
12			.28	.08		.03	.07		.33	.02			12
13	.15			.13				.01	.63	.06		.03	13
14	.16	.01		.26					.11		.10	.01	14
15	.22	.09	.08	.04								.33	15
16	.11	.98		.02							.12		16
17	.21	.38		.01		.04		.14			.85		17
18			.20		.01		.01	.10	.09			.38	18
19	.05	.20	.75			.04	1.44	.42	.11		.42		19
20	.24	.11	.15			.04	.35	.08	.03		.23	.20	20
21	.04	.39	(.08)			.02	.18		.03			.32	21
22		.02				.01		.05	.25		.10	.58	22
23						.07				.95	.17	.31	23
24				.24	.02	.02			.19	.42	.21	.09	24
25	.07			.35	.13	.04		.40			.22	.05	25
26	.01	.02	1.20	.07		.02	.01	.75	.16		.05	.51	26
27	.09		.10	.18		.01		.02			.01	.25	27
28	.01			.05				.86		.06		.35	28
29	.17			.02				.02		1.05		.10	29
30	.03	X	.05	.05		.10				.16	.16	.24	30
31	.03	X	.02	X		X	.12		X	.08	X	.02	31
Total	5.04	2.26	5.70	1.60	1.67	.63	3.77	3.17	2.20	2.94	3.39	5.70	38.07
Rain Days	24	12	19	16	11	16	13	15	15	14	19	23	194

REGIST

LANGSETT MOOR GAUGES
Upper moor
Kept at Langsett (Ga
in the County of W Yorkshu
by L S m mar

LANGSETT MOOR
UPPER MIDHOPE
YORKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL
-1 MAR 1912

in.
ft. in.
ft. 3151
Name
Distance Direction
the result entered to the
rsal rule, he is earnestly
ar in the space provided

IMPORTANT NOTE.—Ra
previous day. If an Observer
requested to add the reading at
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		24		-		04	07			17		1
2	10		01		11					02	05	13	2
3					20			13			30		3
4	05		03	05				06	18	10	79	20	4
5	04							20		24	03		5
6	50		01	03				21		18	97	81	6
7	01	02	01								13		7
8	10		15						04	01	18	43	8
9	04					01						25	9
10	22		04									91	10
11	22				04			17	01		60	12	11
12	03		17		02				57		53		12
13					02						20	35	13
14		34	02		06		05				05	70	14
15		28	10	02						13	06	29	15
16		55	04	01		08				09	18	19	16
17		03	06			40	03				20	20	17
18		59	06	01	02	24					19	19	18
19		28	02	06		25	04		25	10	37	11	19
20		08		23		02	03	71	14			27	20
21		50				01		106		24		09	21
22	04	09		04		02		05		12	04	16	22
23		48	01		01	43		03	16	07		54	23
24	16	08	02	02		142		03		17		62	24
25	12	42		15		01	14		40	01	02	40	25
26	01	01		12	09	01		08		57	34	30	26
27	01	13	09	18				48	28		07	02	27
28		29	02	14		09		11	03		07	10	28
29			03	28		19		10	34	75		13	29
30			01	02	12	14				66	03		30
31			18		01					28		01	31
Total	165	417	138	136	70	332	33	355	240	380	557	758	TOTAL for year
No. of Rain Days.	15	16	31	15	11	15	6	15	11	17	23	25	35.81

REGIST

Form A2.
BRITISH RAINFALL
-1 MAR 1911

Kept at Langsett (Gauge No 7)
in the County of W Yorks shire
by L S M marsh.

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 8.02 ft. in.
" " " Sea Level 3151 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		24		-		04	07			17		1
2	10		01		11					02	05	13	2
3					20			13			30		3
4	05		03	05				06	18	16	79	26	4
5	04							20		24	03		5
6	50		01	03				21		18	97	51	6
7	01	02	01								13		7
8	10		15						04	01	18	43	8
9	04					01						25	9
10	22		04									91	10
11	22				04			17	01		60	12	11
12	03		17		02				57		53		12
13					02						20	35	13
14		34	02		06		05				05	70	14
15		28	16	02						13	06	29	15
16		55	04	01		08				09	18	19	16
17		03	06			40	03				20	20	17
18		59	06	01	02	24					19	19	18
19		28	02	06		25	04		25	10	37	11	19
20		08		23		02	03	71	14			27	20
21		50				01		1.06		24		09	21
22	04	09		04		02		05		12	04	16	22
23		48	01		01	43		03	16	07		54	23
24	16	08	02	02		142		03		17		62	24
25	12	42		15		01	14		40	01	02	40	25
26	01	01		12	09	01		08		57	34	30	26
27	01	13	09	18				48	28		07	02	27
28		29	02	14		09		11	03		07	10	28
29			03	28		19		10	34	75		13	29
30			01	02	12	14				66	03		30
31			18		01					28		01	31
Total	1.65	4.17	1.38	1.36	.70	3.32	.33	3.55	2.40	3.80	5.57	7.58	TOTAL for year
No. of Rain Days.	15	16	31	15	11	15	6	15	11	17	23	25	35.81

REGISTER OF RAINFALL IN 19 12

Langsett Moors

Kept at Upper Muthope

in the County of Yorkshire

by L. S. M. Marsh.

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A.
BRITISH RAINFALL
24 JAN 1913

3151

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.21			.36	.03		.09			.76	1
2			.13	.01	.03	.23	.62		.11			.07	2
3	.23	.02	.03		.03	.25	.03	.96	.54			.06	3
4	.25		.86	.31	.15	.49		.90	.09		.13		4
5	.30	.06	.02	.02	.08	.09		.15	.04			.01	5
6	1.00	.20		.01	.04	.04		.70					6
7		.05	.06	.02	.02	.03	.01	.12	.04			.04	7
8	.25	.31	.22	.24			.05	.06	.16				8
9	.15	.11	.08	.39		.07		.05	.02		.12	.16	9
10	.10	.01		.02		.58		.16	.01		.72		10
11	.22	.08		.02				.04			.06	.74	11
12	.15	.55	.15			.13	1.83				.01	.08	12
13	.03	.05						.05		.17	.05	.40	13
14	.08		.54			.04		.21				.68	14
15	.28	.11	.04		.61	.05		.06				.43	15
16	.45		.25		.05	.13		.09		.17		.23	16
17	.02	.04	.18			.31	.07	.12		.01		.73	17
18	.25	.02	.15			.04		.02		.16		.17	18
19	.25	.07	.09			.06	.67	.27		.17	.04		19
20	.28		.10		.29	.03	.17	.23		.48		.01	20
21			.26		.48		.67			.17		.03	21
22	.04	.18	.02		1.11	.18	.11	.34				.04	22
23		.01	.24		.03		.54	.48			.29	.06	23
24	.28		.02		.02	.02	.07	.37		.02	.02	.18	24
25	.02		.05			.25		.08			.93	.26	25
26	.01	.37	.20			.01	.31	1.21		.61	.33	.38	26
27		.02	.27			.30	.32	.01		.70	.02	.25	27
28		.03	.10			.01	.42	.54	.15	.29	.37		28
29		.01	.15			.08	.42	.01	.70	.08	.04	.52	29
30	.07		.19		.07		.04			.04			30
31			.22		.56		.38	.21		.02		.02	31
Total	4.77	2.31	4.83	1.04	3.57	3.78	6.76	7.44	1.95	4.09	3.13	6.31	YEAR'S TOTAL 49.98
Rain Days.	22	21	27	9	15	24	19	26	11	14	14	24	226

Langsett Moors REGISTER OF RAINFALL IN 1913

Kept at Upper Mudhops
in the County of Yorkshire
by L. S. M. Marsh

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Height of top of Gauge above Ground ft. in.
Sea Level

14 FEB 1914
3151
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.07	.25	.15					.06	.01	.09		1
2		.20	.25	.06		.03				.04	.05	.08	2
3	.06	.08	.46		.58				.05	.68		.59	3
4	.48	.05	.06		.06	.01	.06		.07	.01	.11	.35	4
5	.07	.06	.33		.01	.11	.12		.09	.90			5
6	.06	.18	.29	.01	.51	.07	.85			.80		.01	6
7		.50	.02	.01	.39	.20	.08			.94	.04	.01	7
8		.08	.01	.01	.68	.01		.09		.17	.15		8
9		.28	.17		.21	.50	.08	.01			.15	.08	9
10		.01	.07	.13			.01			.04	.20		10
11	.95			.26		.16					.18	.02	11
12	.03				.01	.01			.04		.16		12
13	.07		.26	.05			.02		.20		.20		13
14	.11	.11	.18	.09						.25	.27		14
15	.17	.02	.45	.73			.01		.02		.55	.06	15
16	.01	.01	.12	.07			.01	.13			.25		16
17	.03	.03	.01	.22	.06	.02	.01		1.62		.13		17
18	.03		.53	.43	.04	.02	.05				.31	.05	18
19	.24		.03	.10		.01	.01		.08		.06		19
20	.38		.21	.18					.02	.04	.43		20
21	.05	.01	.09		.11		.19	.06			.06		21
22	.23		.90		.03			.48	.17				22
23	.36		.01		.09	.18		.29	.14	.05	.03		23
24	.55			.04		.10		.04			.04	.03	24
25	.02			.07					.08	.01	.03	.29	25
26			.16	.61					.01	.11		1.09	26
27		.01	.04	.24						.03	.01	.35	27
28	.41		.27	.41					.02	.02		.27	28
29	.02		.52	.44	.02			.21		.02	.04	.29	29
30	.75									.64	.13	.02	30
31	.02		.07		.02		.01						31
Total	5.12	1.70	5.76	4.31	2.82	1.43	1.51	1.31	2.67	4.76	3.67	3.59	YEAR'S TOTAL 38.65
Rain Days.	24	16	26	21	15	14	14	8	15	18	24	16	211

Langsett Moor Gauges Exe 82

REGISTER OF RAINFALL IN 1914

Kept at Upper Nidhope
in the County of Yorkshire WR 7
by L S M Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
17 MAR 1915
3151

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04				.89	.60		.01	.01	.63	1
2			.03				.28	.16		.02	.60	.26	2
3	.28		.18		.17			.19			.12	.83	3
4	.95		.70	.36	.16	.02					.43	.45	4
5	.14		.38	.49	.23	.11				.01	.48	.37	5
6		.02	.09	.38	.12	.02	.06				.01	.13	6
7	.02	.07	.17	.04	.24	.02			.01			.11	7
8	.28		.01	-	.28	.76		.29	.56		.01	.06	8
9	.23	.02	-	.17	.05	1.12		.27	.01		.07		9
10	.19	.29	.01	.13		.02			.05	.01	.11	.02	10
11	-	.45	.44	.02	.01	.72	.09		.39		1.51	.64	11
12	-	.20	.03		.02	.05	.03		.37		.43	.89	12
13	.01	.26	.35	.02			.03		.14	.06	.59	.32	13
14	.02	.22	.12				.15		.35	.25	.45	.29	14
15	.02	.15	.31						.02	.05	.13		15
16	.06	.06	.05				.48		.37				16
17	.07	.72	.08				.08		.31			.90	17
18	-		.09			.10			.03			.15	18
19	-	.01	.02				.06		.06		.03	.16	19
20	.01	.25	.04							.08			20
21	-	.69	.01			.40		.16		.08	.06	.12	21
22	-	.19	.03	.01	.25	.30	.02	.03		.23			22
23		.02	.12	.03	.40	.02	.03					.08	23
24	.03		.45	.05	.04	.02	.33	.11		.01	.09		24
25	.07		-				.12	.17		.90	.05	.48	25
26	.02		.12					.03		.26	.14	.45	26
27	.03		.01							.01	.35	.96	27
28	.17	.16	.06							.02	.22	.08	28
29	.20		.31		.01					.66	.21	.04	29
30	.03	X	.09	.01				.04		.13	.40	.69	30
31	.22	X	.08	X		X	.19		X	.30	X		31
Total	3.05	3.78	4.42	1.71	1.98	3.68	2.84	2.05	2.67	3.09	6.50	9.11	44.88
Rain Days.	21	17	29	12	13	14	15	11	13	18	23	24	210

Langsett Moor.

REGISTER OF RAINFALL IN 1915.

Kept at Upper Midhope
in the County of Yorkshire
by L.S.M. Marsh Esq. C.E.

Lat. _____ Long. _____
Time of Observation As Before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3323
FORM A.
BRITISH RAINFALL
17 FEB 1916 151

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.43	.01	-	.30	-	.04	.24	.07	-	-	.10	1
2	.02	.32	.15	.37	-	.06	.06	.74	-	.04	-	-	2
3	.96	.01	.03	.06	-	-	.18	.23	-	-	.02	.70	3
4	.07	.08	-	-	.17	-	.81	-	-	-	-	1.03	4
5	.15	.49	.08	-	.02	.01	-	-	-	.10	.01	.70	5
6	.39	.27	.11	.50	-	-	.55	-	-	.03	-	.58	6
7	.26	.60	.01	.27	-	-	.09	.75	-	-	-	.25	7
8	.22	.22	.02	.18	-	-	-	.24	-	-	.30	.01	8
9	.02	.08	-	.08	-	-	-	.17	-	.05	.71	.45	9
10	.98	-	-	-	-	-	.01	.14	-	-	.03	.29	10
11	.31	-	.06	.01	.72	-	.34	.06	-	-	.56	.51	11
12	.03	-	-	.10	.27	-	-	.03	-	.08	1.50	-	12
13	.06	.85	-	-	-	-	-	-	-	-	-	.10	13
14	.13	-	-	-	-	-	.02	.23	-	-	-	.56	14
15	2.04	-	-	-	-	-	.04	.22	.02	-	.27	.18	15
16	-	.49	-	.02	.23	-	1.33	.14	-	.06	-	-	16
17	-	.38	.05	-	-	-	.08	-	-	-	-	.02	17
18	-	.45	.38	-	-	-	-	-	.05	-	.01	-	18
19	-	.20	.01	.01	-	-	.13	-	-	.01	-	-	19
20	.21	-	-	.02	-	-	.04	.01	-	.01	-	.19	20
21	.05	.03	-	.06	-	-	.22	-	-	-	-	.08	21
22	-	-	.10	.02	-	-	.26	-	-	.01	-	.10	22
23	.08	-	.05	-	-	-	.15	-	-	.41	.01	.06	23
24	-	-	.16	.05	-	.01	-	-	.47	.02	-	.30	24
25	-	-	.01	.04	-	.31	-	-	-	.03	-	.26	25
26	.03	.74	-	-	-	.28	.43	-	.03	-	-	.57	26
27	-	.25	-	-	-	.08	.21	-	-	.72	-	.94	27
28	-	.33	.01	-	-	.23	-	.48	-	.13	-	.09	28
29	.02	-	-	-	.14	.44	-	-	.01	-	.15	1.03	29
30	.10	X	-	.03	-	.01	-	-	-	-	.01	.04	30
31	.24	X	-	X	-	X	.03	.36	X	.56	X	.44	31
Total	6.82	6.22	1.24	1.82	1.85	1.43	5.02	4.04	.65	2.26	3.58	9.58	YEAR'S TOTAL 44.51
Rain Days.	22	18	16	16	7	9	20	15	6	15	12	26	182

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Upper Mudhope
in the County of Yorkshire WR.
by L. S. M. Marsh Esq.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge _____ in. 3151
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.75	.07	.28	-	-	.44	.30	-	-	-	.32	-	1
2	.58	.40	.37	-	-	.02	-	-	.18	.07	.02	.01	2
3	.02	.39	-	-	-	.02	.01	-	.54	.42	.20	-	3
4	.28	.33	-	.03	.81	.64	-	-	.06	.39	.64	-	4
5	.07	.09	-	.01	.14	.30	-	-	-	.78	.51	-	5
6	.48	.83	.36	.01	.40	.03	.25	-	-	.16	.64	.03	6
7	.13	.04	.17	-	.02	.01	.35	-	-	.59	.03	.30	7
8	.01	.02	.91	-	-	-	-	-	-	.04	.53	.10	8
9	.04	-	.21	-	.34	.08	-	-	.10	-	.22	.34	9
10	.06	.02	.10	.20	.01	.26	.06	-	.10	.29	.01	.10	10
11	.01	.42	.64	.34	-	.17	.02	-	.07	.02	-	.25	11
12	.24	.09	.60	.15	.17	.02	.26	.05	-	.10	-	.01	12
13	.01	.09	.26	.09	.07	-	.05	.35	-	.63	-	.07	13
14	.01	.20	.05	.12	.22	.01	-	.32	.01	.21	.02	.19	14
15	.04	.87	.79	.02	-	-	.04	.40	.01	.07	-	-	15
16	-	.26	.48	.13	-	-	.07	.09	-	-	-	.01	16
17	.09	.16	.01	.93	-	-	.05	.01	.33	.10	-	.01	17
18	-	.58	.05	.09	.01	.05	-	.11	.23	.09	.95	.13	18
19	.35	.05	.30	.17	-	-	-	.04	.08	-	.32	.15	19
20	.33	-	.18	.03	.01	-	.01	-	-	-	-	.10	20
21	.24	-	.20	-	-	-	.11	-	-	-	.01	-	21
22	-	.01	.01	.03	-	.06	-	-	-	.11	-	.22	22
23	.06	.01	.01	.11	-	.03	-	.03	-	.06	.25	.22	23
24	-	.73	.01	.95	-	.23	-	.03	.01	.05	.05	.13	24
25	-	.03	.31	-	.18	-	-	.13	.01	.20	.45	.06	25
26	.04	.38	.20	-	-	-	-	.07	.01	.12	.03	-	26
27	-	.23	.01	-	-	-	.17	.04	.02	.74	-	-	27
28	-	.48	.01	-	-	.04	-	-	.02	.17	.01	.28	28
29	-	.44	-	-	-	.30	-	-	-	.44	-	.76	29
30	~~X~~	~~X~~	-	-	.03	.07	-	-	-	.32	.01	.07	30
31	~~X~~	~~X~~	~~X~~	-	-	~~X~~	.02	.02	~~X~~	1.02	~~X~~	.29	31
Total	3.84	7.22	6.52	2.51	2.41	2.78	1.77	1.69	1.78	7.19	5.22	3.83	46.76
Rain Days.	21	26	25	17	13	19	15	14	16	25	20	23	234

YEAR'S TOTAL

Langsett Moor Gauges
REGISTER OF RAINFALL IN 1917

Kept at Upper Midhope
in the County of Yorkshire
by L S M Marsh

Lat. Long.
Time of Observation As Before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL
4 MAR 1918
3151

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15			.32		.06		.32	.52		.11	.42	1
2	.49			.21		.07		.09	.01	.02	.05		2
3	.07	.01		.01		.10		.14		.17	.14	.01	3
4	.05	.01	.15				.01	.05		.09			4
5	.22		.12	.19				.03		.21	.27		5
6	.02					.06			.01	.08	.22	.05	6
7	.39		.01			.42				1.06	.02	.05	7
8	.56			.33				1.46	.02	1.08	.29	.05	8
9			.04	.08				.01		.17	.81		9
10	.13		.77	.12	.16			.12		.05	.01		10
11	.03			.54				.09		.82		.01	11
12	.03	.01		.01	.36			.18		.07		.07	12
13	.25			.30	.35	.01		.52	.30	.07		.05	13
14	.37			.19				.24				.18	14
15	.05			.05	.02		.67	.03	.02	.08		.18	15
16	.03	.09		.24		.05	.01	.20		.03		.83	16
17	.06	.02	.03	.05	.42	.04	.06	.48	.09	.07		.02	17
18	.06		.06	.07	.14		.73	.21	.21	.06			18
19	.05	.17	.43		.30	.26		.15	.01		.08		19
20	.14	.11	.01		.30	.23		.02	.33		.10	.01	20
21	.01	.04	.13		.08	.08		.07		.03			21
22	.01		.10					.07	.17	.13	.03		22
23	.01	.03			.15	.26		.20		.06	.02	.01	23
24					.04	.03		.29		.88	.59	.01	24
25		.03	.12					.04		.20	.06		25
26								.68	.21	.13	.40		26
27			.03			.30	.09	1.09		.02	.25	.06	27
28			.27			.05	.10	.42		.02	.12	.06	28
29	.01		.04				.13	.04		.66	.16	.32	29
30	.02	X	.26					.05		.07	.09	.01	30
31	.01	X	.30	X	.02	X	.01	.03	X		X	.06	31
Total	3.22	.52	2.87	2.71	2.34	2.02	1.81	7.32	1.90	6.33	3.82	2.46	37.32
Rain Days.	25	10	17	15	12	15	9	20	12	26	20	20	210

REGISTER OF RAINFALL IN 1918

Kept at Upper Midhope
in the County of W. D. York
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02	01	03	05				56	02	20		1
2		07		01				11	30			36	2
3		01	07		50			15	02	06	06	02	3
4	01	01	06		04			02	44	37	32	34	4
5	02	01	05	04	33			12	32	32		01	5
6		100	04	20	01	34		02	02	15			6
7	05	05		21					38	28	22		7
8		06	04				38		82	04	06		8
9	61	136	06	22		15			52	25	03	06	9
10	15	25		11			08		15	02	25	02	10
11	37	07	01	02	06				24			04	11
12	01	08	04	15		02	20		25	02		15	12
13	01	01		09	02	05			32	05		01	13
14	38			01		09	16		90	02		24	14
15	27		01			02	32		104			25	15
16						01	26	01	14	06		28	16
17	31				16	02	34	09	02	14		26	17
18	44		05			11	31		38	02		35	18
19	24		07	11		01	12	09	44	09		50	19
20	05	25		12		11	08		14	14			20
21	13	90			39	12			22	15		14	21
22	01	09			32	11	03	01	01	01		75	22
23	05	03		01	84		08		04		01	02	23
24		09					06		03	04	04		24
25					01	05	01	07	05	01			25
26		02					44	05	37		01	24	26
27		17	06				01	20	54		11	50	27
28		09	30			02		02	09		14	62	28
29									12			18	29
30		X	29					05			03	14	30
31		X	20	X		X		07	X		X		31
Total	3.11	4.64	1.36	1.33	2.73	1.23	2.88	1.08	8.87	2.26	1.48	5.48	36.45
Rain Days.	17	21	16	14	12	15	16	15	29	21	13	23	212

Langsett Moor

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at upper midhope
in the County of Yorkshire
by L S M marsh Esq.

Lat. Long. 3151
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.14	02	03	01	54		29	02	23	11	07	30	1
2	1.10		22		01		36	07	04	04	10	09	2
3	44				01	10	87		05		32	28	3
4	19		24		05	05	03	20	17	01	09	38	4
5	02	02			02				04		05	45	5
6	05		55		77					04		29	6
7	11		45		01						02		7
8	20				01	05		02			01		8
9	23		02								06		9
10			45	02		01				01	01	38	10
11			95	06	10		01						11
12			50	12		07	09		31	01		01	12
13	35			20					79	10		02	13
14	24	01		42					11		10	03	14
15	29	08	06	03							01	38	15
16	07	74		01							09		16
17	20	38			01	05		24			79	01	17
18			12		02		01	28	11		01	31	18
19	03	24	99	01		04	1.25	60	11		36	01	19
20	15	14	10			05	36	13	02		15	34	20
21	10	44	04			04	19		03		01	27	21
22		03				03		06	25		08	66	22
23						05				1.08	17	31	23
24				25	03	04			19	73	26	12	24
25	09			30	13	05		62		01	27	01	25
26	01	04	1.00	04		01	01	60	12		05	97	26
27	08		03	19				02			03	26	27
28	01			05				78		08		68	28
29	15			01				03					29
30	02		02	05		12				1.35	01	14	" 30
31	01		02				15			18	33	33	31
TOTAL	5.28	2.14	5.79	1.77	1.71	.76	3.62	3.69	2.57	3.83	3.45	7.07	YEAR'S TOTAL 41.68
Days with 01 in. or more	4	4	4	4	4	4	4	4	4	4	4	4	4

REGISTER OF RAINFALL IN 1920.

Kept at Upper Midhope
in the County of Yorkshire
by L. S. M. Marsh

Lat. _____ Long. _____
Time of Observation As Before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge Before in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				31	74	03	33	10	06	21	33	13	1
2			02	41	03				28	18		34	2
3	01	05		15	13	10	75	13	04	26		29	3
4	02			07			16	74	02	57		04	4
5		01	06		20		03	12	02	12		01	5
6			44	32	15		03				01	06	6
7	22		04	02	04		59			01			7
8	39	06		42	17		29	09		01	01		8
9	35	91		57			06	14		02		01	9
10	115	145	16	28			40					01	10
11	85	17	09	28	27	36			01			08	11
12	27	17	35	51	04	24	02	13			11	07	12
13	28	32	40	35	01	71	03				09	08	13
14	09	04	40	34		111	02		34	12	86	02	14
15		23	18	54			02		05	24	06		15
16			19	17	06		61		11	04	07		16
17	10		07		17			07	52	18		01	17
18	21			06	25		01	02	01				18
19	13	118		09	57	08		14	01	01			19
20	07	02		28		09	10				01	13	20
21	05						44	08				25	21
22	16	01		62			29	03			02	14	22
23		01		01		01	54		01	01	02	48	23
24			63	04					01		01	16	24
25	01	01	16	11		01	66						25
26	17	31	29	38	13		21						26
27	56	05	09	28	73	46				01	16	18	27
28	141		24	14	14		01					18	28
29	24		13		87	08	14		03		28	85	29
30	16	~~X~~	03	07	14	03			28		24	38	30
31	72	~~X~~	13	~~X~~	01	~~X~~			~~X~~	82	~~X~~	34	31
TOTAL	762	500	410	682	485	331	579	179	180	281	228	424	YEAR'S TOTAL
Days with 01 in. or more	23	17	20	26	20	13	23	12	16	16	15	23	50 41
Days with 04 in. or more	20	12	18	24	17	9	15	10	8	10	9	18	224
													170

LANGSETT. MOOR. GAUGE

3157

11.

FORM A2.
BRITISH RAINFALL
-1 MAR 1912

Kept at Flouch LANGSETT, FLOUCH RD

in the County of Wilt

by L.S.M.

1911 - 20

25 in.
above Ground 25 ft. in.
Sea Level 25 ft.

Name _____
Distance _____ Direction _____
and the result entered to the
universal rule, he is earnestly
year in the space provided

IMPORTANT
previous day. If

requested to add the reading at 9 a.m. on 1st January 1912
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		1.08				.05	.06			.18		1
2	.15		.05		.18					.02	.08	.10	2
3	-		.03		.47			.13			.35		3
4	.07		.11	.03				.07	.18	.16	.70	.26	4
5	.04		-					.24		.25	.04		5
6	.60		.01	.03				.22		.18	1.18	.84	6
7	.02	.02	.02								.10		7
8	.12		.25						.03	.02	.20	.39	8
9	.06		-			.01						.25	9
10	.26		.10	.01								.87	10
11	.32		-		.05			.13	.01		.62	.13	11
12	.05		.29		.02				.58		.53		12
13	-		-		.02						.15	.35	13
14	-	.78	.04		.08		.04				.10	.66	14
15	-	.40	.10	.09						.11	.08	.30	15
16	-	1.00	.04	.01		.07				.08	.15	.20	16
17	-	.08	.05			.40	.03				.25	.20	17
18	-	.97	.05	.02	.03	.25					.13	.17	18
19	-	.33	.02	.15		.32	.04	.03	.27	.15	.53	.08	19
20	-	.10	-	.38		.02	.04	.72	.20			.32	20
21	-	1.16	-			.01		1.14		.20	.01	.08	21
22	.03	.20	-	.05		.03		.06		.13	.05	.17	22
23	-	.93	.02		.02	.40		.02	.16	.09		.56	23
24	.38	.10	.02	.04		1.63		.03		.18		.68	24
25	.18	.75	-	.26		.02	.04		.37	.01	.03	.45	25
26	.02	.02	-	.34	.09	.02		.08		.56	.35	.29	26
27	.02	.32	.08	.74		-		.47	.30		.06	.02	27
28	-	.44	.02	.19		.11		.04	.03		.07	.14	28
29	-		.03	.52		.25		.07	.35	.76		.14	29
30	-		.01	.02	.12	.17				.81	.03		30
31	-		.27		.01					.31		.01	31
Total	2.32	7.60	2.75	2.88	1.09	3.71	.24	3.51	2.48	4.02	6.09	7.66	TOTAL for year
No. of Rain Days.	15	16	22	16	11	15	6	16	11	17	24	25	44.35 194

Kept at Haguch Road.
Langsett Gauge No 6)
in the County of Yorkshire
by L. S. M. Marsh.

RAIN GAUGE { Diameter of top 2 in.
Height of top above Ground 8 ft. in.
" " " Sea Level 8 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		1.08				.05	.00			.18		1
2	.15		.05		.18					.02	.08	.10	2
3	-		.03		.47			.13			.35		3
4	.07		.11	.03				.07	.18	.10	.70	.26	4
5	.04		-					.24		.25	.04		5
6	.60		.01	.03				.22		.18	1.18	.84	6
7	.02	.02	.02								.10		7
8	.12		.25						.03	.02	.20	.39	8
9	.06		-			.01						.25	9
10	.26		.10	.01								.87	10
11	.32		-		.05			.13	.01		.62	.13	11
12	.05		.29		.02				.58		.53		12
13	-		-		.02						.15	.35	13
14	-	.78	.04		.08		.04				.10	.66	14
15	-	.40	.16	.09						.11	.08	.30	15
16	-	1.00	.04	.01		.07				.08	.15	.20	16
17	-	.08	.05			.40	.03				.25	.20	17
18	-	.97	.05	.02	.03	.25					.13	.17	18
19	-	.33	.02	.15		.32	.04	.03	.27	.15	.53	.08	19
20	-	.10	-	.38		.02	.04	.72	.20			.32	20
21	-	1.16	-			.01		1.14		.20	.01	.08	21
22	.03	.20	-	.05		.03		.06		.13	.05	.17	22
23	-	.93	.02		.02	.40		.02	.16	.09		.56	23
24	.38	.10	.02	.04		1.63		.03		.18		.68	24
25	.18	.75	-	.26		.02	.04		.37	.01	.03	.45	25
26	.02	.02	-	.34	.09	.02		.08		.56	.35	.29	26
27	.02	.32	.08	.74		-		.47	.30		.06	.02	27
28	-	.44	.02	.19		.11		.04	.03		.07	.14	28
29	-		.03	.52		.25		.07	.35	.76		.14	29
30	-		.01	.02	.12	.17				.81	.03		30
31	-		.27		.01					.31		.01	31
Total	2.32	7.60	2.75	2.88	1.09	3.71	.24	3.51	2.48	4.02	6.09	7.66	TOTAL for year
No. of Rain Days.	15	16	22	16	11	15	6	16	11	17	24	25	44.35

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
24 JAN 1913

Kept at *Flouch Rd (Langsett Moors)*
in the County of *Yorkshire*
by *L S m marsh*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.01	.27			.37	.06		.11			.82	1
2	-	-	.13	.02	.05	.21	.68		.12			.09	2
3	.28	.01	.02		.02	.27	.02	.99	.54			.06	3
4	.37	-	.82	.37	.15	.47		.80	.12		.14		4
5	.38	.05	.02	.06	.07	.11		.20	.06			.02	5
6	1.05	.21		.02	.04	.05		.60					6
7	-	.05	.06	.03	.03	.04	.01	.15	.08			.03	7
8	.25	.30	.22	.33			.07	.07	.18				8
9	.23	.11	.08	.44		.08		.03	.01		.15	.13	9
10	.01	.01		.03		.48		.17	.01		.81		10
11	.35	.07		.02				.06			.06	.77	11
12	.15	.54	.18			.16	1.06				.01	.09	12
13	.03	.08						.06		.16	.05	.52	13
14	.08		.50			.04		.24				.73	14
15	.27	.11	.05		.63	.04		.05				.44	15
16	.56		.26		.08	.16		.09		.16		.24	16
17	.03	.04	.15			.30	.08	.12		.01		.72	17
18	.25	.02	.16			.09		.02		.20		.19	18
19	.21	.08	.09			.06	.66	.24		.19	.05		19
20	.29		.23		.22	.02	.17	.25		.56		.01	20
21	-		.19		.44		.71			.15		.04	21
22	.03	.18	.02		1.39	.14	.10	.27				.05	22
23	-	.01	.24		.04		.50	.52			.31	.06	23
24	.30		.02		.02	.02	.05	.36		.02	.02	.16	24
25	.02		.05			.27		.15			.92	.27	25
26	.02	.42	.24			.01	.34	1.13		1.52	.36	.34	26
27	-	.02	.31			.36	.36	.04		.70	.03	.21	27
28	-	.03	.10			.02	.34	.52	.16	.25	.27		28
29	-	.01	.18			.08	.42	.02	.63	.07	.03	.62	29
30	.08		.16		.08		.08			.04			30
31	-		.27		.54		.36	.22		.03		.03	31
Total	5.24	2.36	5.02	1.32	3.80	3.79	6.67	7.34	2.02	4.06	3.21	6.64	51.47
Rain Days.	22	21	27	9	15	24	19	26	11	14	14	24	226

Langsett Moors REGISTER OF RAINFALL IN 1913

Kept at Flouch Road
in the County of Yorkshire
by L. S. M. Marsh.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Height of top of Gauge above Ground
Sea Level

FORM A.
BRITISH RAINFALL
14 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.05	.28	.18					.08	.01	.09		1
2		.24	.26	.08		.03				.04	.04	.08	2
3	.05	.15	.55		.57				.04	.73		.77	3
4	.46	.07	.08		.04	.02	.08		.07	.01	.13	.48	4
5	.05	.06	.40		.03	.09	.20		.07	.86			5
6	.06	.28	.30	.01	.50	.07	.66			.82		.01	6
7		.48	.03	.01	.31	.21	.10			1.07	.03	.01	7
8		.09	.01	.01	.58	.01		.12		.26	.16		8
9		.25	.26		.25	.50	.07	.01			.11	.11	9
10		.01	.12	.14		.06	.01			.03	.21		10
11	.95		.02	.25		.17		.01			.14	.03	11
12	.02				.01	.01			.03		.15		12
13	.05		.35	.05			.02		.20		.16		13
14	.12	.04	.21	.10						.24	.33	.01	14
15	.13	.08	.52	.76			.01		.01		.57	.07	15
16	.01	.01	.15	.09			.01	.10			.29	.01	16
17	.02	.03	.04	.22	.07	.02	.01		1.58		.11		17
18	.05		.47	.52	.05	.02	.05				.36	.05	18
19	.24		.06	.12		.03	.01		.08		.08		19
20	.34		.32	.17					.03	.04	.42		20
21	.05	.02	.12		.10		.20	.05			.07		21
22	.17		.94		.05			.46	.14				22
23	.43		.02		.14	.19	.01	.30	.13	.05	.02	.01	23
24	.65			.04		.14		.04			.05	.04	24
25	.02			.09					.08	.01	.03	.41	25
26			.17	.59					.01	.11		.98	26
27		.01	.04	.21						.02	.01	.45	27
28	.36		.26	.34					.02	.02		.25	28
29	.01		.50	.44	.03			.22		.02	.04	.25	29
30	.76									.60	.19	.02	30
31	.02		.05		.02		.01						31
Total	5.05	1.86	6.53	4.42	2.75	1.63	1.45	1.31	2.57	4.94	3.79	4.04	YEAR'S TOTAL 40.34
Rain Days.	24	16	27	21	15	15	15	9	15	18	24	19	218

Langsett Moor Gauges *Box 82*
REGISTER OF RAINFALL IN 1914

Kept at *Flouch Road*
in the County of *Yorkshire.* *WR 7*
by *L. S. M. Marsh.*

Lat. _____ Long. _____
Time of Observation *As Before*
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft. _____ in.

FORM A.
BRITISH RAINFALL
17 MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05				.91	.55		.01	.01	.64	1
2			.05				.27	.18		.02	.54	.28	2
3	.28		.26		.17		.01	.17			.12	.76	3
4	1.02		.94	.37	.17	.03		.01			.37	.42	4
5	.21		.56	.48	.28	.13				.01	.47	.43	5
6		.02	.11	.35	.11	.03	.03				.01	.12	6
7	.02	.07	.11	.02	.26	.02			.01			.10	7
8	.35		.02		.33	.78	.01	.30	.65		.01	.06	8
9	.22	.02		.14	.07	1.23		.27	.01		.07		9
10	.19	.26	.01	.13		.03			.05	.01	.09	.02	10
11		.47	.38	.03	.01	.60	.03		.43		1.71	.60	11
12		.23	.03		.03	.04	.03		.40		.43	.89	12
13	.01	.25	.32	.03			.02		.10	.07	.73	.29	13
14	.03	.25	.17				.17		.33	.27	.52	.34	14
15	.02	.15	.30						.06	.06	.12		15
16	.04	.08	.06				.50		.35				16
17	.11	.73	.07				.09		.32			.73	17
18			.08			.15			.04			.18	18
19		.01	.01				.06		.06		.05	.17	19
20	.01	.19	.03							.08			20
21		.65	.04			.58		.12		.07	.06	.11	21
22		.16	.03	.01	.20	.24		.03		.27			22
23		.06	.12	.04	.45	.08	.04					.11	23
24	.03		.47	.06	.04	.02	.38	.15		.01	.10		24
25	.10						.20	.17		.81	.04	.58	25
26	.03		.11					.05		.23	.17	.34	26
27	.03		.05							.03	.18	1.04	27
28	.13	.18	.08							.03	.48	.11	28
29	.19		.30		.01					.70	.12	.04	29
30	.02	X	.09	.02				.03		.10	.36	.67	30
31	.22	X	.09	X		X	.16		X	.29	X		31
Total	3.26	3.78	4.94	1.68	2.13	3.96	2.91	2.03	2.81	3.07	6.76	9.03	46.36
Rain Days.	21	17	29	12	13	14	16	12	13	18	23	24	212

Langsett Moor Gauges

To be filled and returned
to DR. H. R. MILL, Director,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.

Copies of this form will be supplied with pleasure.

BRITISH RAINFALL FORM B.
17 MAR 1915

RAINFALL IN 1914

At *Glouch Road*
In the County of *Yorkshire*

Rain Gauge { Diameter of Funnel *Before* in.
Height { Above Ground in.
of Top { Above Sea Level ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with '01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	3.26	1.02	4	21
FEB.	3.78	.73	17	17
MAR.	4.94	.94	4	29
APR.	1.68	.48	5	12
MAY	2.13	.45	23	13
JUNE	3.96	1.23	9	14
JULY	2.91	.91	1	16
AUG.	2.03	.55	1	12
SEPT.	2.81	.65	8	13
OCT.	3.07	.81	25	18
Nov.	6.76	1.71	11	23
DEC.	9.03	1.04	27	24
Total	46.36	11.78		212

Signed *L. H. Millard*

[Please fill in the other side also.]

If Gauge has been moved during year state—

Date.

Distance.

Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.

Height.

Distance.

Direction.

In order that the position may be accurately entered
on a map please mention

Latitude _____ N.

Longitude _____

Nearest Railway Station and Parish Church.

Name.

Distance.

Direction.

Station _____

Church _____

If you know of any record of rainfall not
quoted in *British Rainfall*, please give the
Observer's name and address below.

212

46 36 9h

Langsett Moor
REGISTER OF RAINFALL IN 1915.

Kept at *Flauch Rd*
in the County of *Yorkshire*. *W*
by *L. S. M. Marsh. Esq C.E.*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station *As Before*
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

3336
FORM A.
BRITISH RAINFALL
17 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.40	.02	-	.35	-	.03	.18	.14	-	-	.09	1
2	.02	.37	.14	.34	-	.05	.10	.70	-	.04	-	-	2
3	1.02	.01	.04	.07	-	-	.12	.27	.01	-	.05	.71	3
4	.09	.08	-	-	.19	-	.84	-	-	-	-	1.04	4
5	.17	.43	.08	-	.01	.01	-	-	-	.12	.02	.60	5
6	.40	.31	.16	.54	-	-	.55	.01	-	.05	-	.65	6
7	.29	.59	.01	.21	-	-	.11	.76	-	-	-	.27	7
8	.22	.27	.01	.30	-	-	-	.18	-	-	.29	.01	8
9	.04	.09	-	.06	-	-	-	.11	-	.05	.77	.48	9
10	1.08	-	-	-	-	-	.01	.14	-	-	.03	.31	10
11	.48	-	.07	.01	.74	-	.27	.04	-	-	.54	.50	11
12	.03	-	-	.11	.25	-	-	.02	-	.10	1.56	-	12
13	.14	.63	-	-	-	-	-	-	-	-	-	.03	13
14	.15	-	-	-	-	-	.03	.32	.02	-	-	.61	14
15	1.80	-	-	-	-	-	.04	.22	.02	-	.27	.18	15
16	-	.46	-	.03	.24	-	1.35	.27	-	.09	-	-	16
17	-	.34	.05	-	-	-	.09	-	-	-	-	.01	17
18	-	.47	.30	-	-	-	-	-	.07	-	.02	-	18
19	-	.19	.01	.01	-	-	.14	-	-	.01	-	-	19
20	.23	-	-	.04	-	-	.07	.01	-	.01	-	.19	20
21	.15	.03	-	.06	-	-	.21	-	-	-	-	.08	21
22	-	-	.11	.03	-	-	.23	-	-	.01	-	.10	22
23	.10	-	.06	-	-	-	.15	-	-	.41	.05	.05	23
24	-	-	.14	.06	-	.01	-	-	.46	.02	-	.28	24
25	-	-	.04	.04	-	.29	-	-	-	.03	-	.28	25
26	.02	.69	-	-	-	.29	.37	-	.02	-	-	.48	26
27	-	.30	-	-	-	.10	.10	-	-	.56	-	.79	27
28	-	.35	.02	-	-	.22	-	.54	-	.15	-	.09	28
29	.02	-	-	-	.14	.46	-	-	.02	-	.15	.96	29
30	.13	X	-	.03	-	.01	-	-	-	-	.01	.03	30
31	.25	X	-	X	-	X	.03	.35	X	.61	X	.44	31
Total	7.17	6.01	1.26	1.94	1.92	1.44	4.84	4.12	.76	2.26	3.72	9.26	44.70
Rain Days.	22	16	16	16	9	9	20	16	8	15	12	26	185

Langsett Moor

REGISTER OF RAINFALL IN 1916

3256
FORM A.
BRITISH RAINFALL.

Kept at Flouch Rd.
in the County of Yorkshire. WR
by L S M Marsh Esq.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.72	.04	.29	-	-	.49	.29	-	-	-	.30	-	1
2	.58	.40	.37	-	-	.02	-	-	.18	.07	.03	.01	2
3	.03	.32	-	-	-	.01	.01	-	.46	.26	.19	-	3
4	.29	.39	-	.04	.93	.63	-	-	.06	.44	.73	-	4
5	.07	.02	-	.01	.15	.33	-	-	-	.68	.46	-	5
6	.57	.95	.36	.01	.42	.03	.21	-	-	.16	.70	.03	6
7	.17	.05	.17	-	.02	.02	.46	-	-	.60	.05	.28	7
8	.01	.02	.91	-	-	-	.02	-	-	.04	.60	.06	8
9	.04	-	.21	-	.35	.10	-	-	.11	-	.23	.40	9
10	.07	.02	.10	.20	.01	.27	.10	-	.16	.23	.01	.09	10
11	.02	.52	.57	.38	-	.19	.03	-	.07	.02	-	.21	11
12	.27	.11	.56	.18	.16	.02	.27	.05	-	.07	-	.01	12
13	.02	.06	.36	.11	.97	-	.03	.34	-	.58	-	.08	13
14	.02	.21	.08	.14	.28	.01	-	.39	.08	.23	.02	.18	14
15	.07	.90	.75	.02	-	-	.05	.25	.02	.09	-	-	15
16	-	.36	.64	.12	-	-	.10	.06	-	-	-	.01	16
17	.10	.18	.01	.98	-	-	.06	.02	.34	.10	-	.01	17
18	-	.58	.05	.09	.01	.06	-	.15	.24	.10	.95	.09	18
19	.34	.11	.29	.16	-	-	-	.05	.11	-	.42	.17	19
20	.40	-	.25	.09	.01	-	.01	-	-	-	-	.10	20
21	.26	-	.26	-	-	-	.15	-	-	-	.01	-	21
22	-	.02	.03	.03	-	.07	-	-	-	.11	-	.15	22
23	.06	.02	.01	.11	-	.04	-	.03	-	.05	.23	.31	23
24	-	.73	.02	.03	-	.27	-	.03	.01	.03	.04	.13	24
25	-	.04	.35	-	.17	-	-	.10	.01	.23	.44	.05	25
26	.06	.38	.22	-	-	-	-	.05	.01	.06	.02	-	26
27	-	.23	.02	-	-	-	.26	.05	.02	.82	-	-	27
28	-	.48	.01	-	-	.04	-	-	.03	.18	.01	.26	28
29	-	.42	-	-	-	.30	-	-	-	.44	-	.76	29
30	X	X	-	-	.01	.07	-	-	-	.51	.01	.07	30
31	X	X	X	X	-	X	.02	.02	X	.90	X	.25	31
Total	4.17	7.56	6.89	2.70	2.59	2.97	2.07	1.59	1.91	7.00	5.45	3.71	48.61
Rain Days.	21	26	25	17	13	19	16	14	16	25	20	23	235

REGISTER OF RAINFALL IN 1917

Kept at Flouch Rd.
in the County of Yorkshire
by L S m marsh

Lat. _____ Long. _____
Time of Observation As Before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3107
FORM A.
BRITISH RAINFALL
181
4 MAR 1919

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12			.29		.07		.33	.56		.10	.43	1
2	.45			.26		.03		.11	.02	.02	.08		2
3	.08	.01		.01		.10		.07		.14	.12	.01	3
4	.07	.02	.15				.01	.17		.12			4
5	.18		.12	.16				.03		.20	.22		5
6	.03					.05			.01	.03	.21	.05	6
7	.37		.01			.44				1.11	.02	.03	7
8	.56			.31				1.25	.04	1.04	.24	.06	8
9			.04	.10				.01		.19	.90		9
10	.15		.82	.13	.15			.08		.06	.01		10
11	.03			.52				.07		.69		.02	11
12	.04	.01		.01	.37			.15		.09		.08	12
13	.25			.36	.39	.01		.41	.29	.09		.06	13
14	.35			.20				.58				.25	14
15	.06			.05	.02		.70	.04	.02	.06		.13	15
16	.03	.09		.26		.05	.01	.14		.03		.70	16
17	.06	.02	.03	.03	.40	.06	.05	.33	.15	.07		.02	17
18	.06		.07	.11	.15		.85	.31	.21	.07			18
19	.05	.15	.36		.31	.26		.14	.01		.10		19
20	.14	.11	.02		.22	.26		.04	.31		.14	.01	20
21	.02	.05	.14		.14	.06		.04		.04			21
22	.01		.11					.05	.21	.13	.04		22
23	.01	.02			.14	.37		.17	.01	.08	.03	.01	23
24					.03	.06		.26		.76	.65	.01	24
25		.03	.13					.03		.23	.07		25
26								.62	.21	.17	.53		26
27			.04			.31	.10	.85		.01	.37	.06	27
28			.29			.04	.09	.49		.01	.14	.05	28
29	.01		.04				.16	.06		.48	.15	.38	29
30	.02	X	.27					.06		.08	.07	.01	30
31	.01	X	.30	X	.02	X	.02	.03	X		X	.09	31
Total	3.16	.51	2.94	2.80	2.34	2.17	1.99	6.92	2.05	6.00	4.19	2.46	YEAR'S TOTAL 37.53
Rain Days.	25	10	17	15	12	15	9	29	13	28	20	20	211

Langsett Moor

REGISTER OF RAINFALL IN 1918

Kt at Houch Road

in the County of Yorkshire

by L. S. M. Marsh.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft. _____ in.

FORM A.
BRITISH RAINFALL.

6.5.19

As Before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.07	.02	.07	.08				.54	.03	.36		1
2	.02	.13		.02	.01			.14	.35	.01		.57	2
3			.06		.35			.21	.02	.06	.07	.02	3
4		.03	.04		.28			.02	.48	.35	.60	.45	4
5	.01		.04	.05	.29	.01		.23	.36	.43			5
6	.03	1.38	.03	.29	.01	.53		.03	.03	.22			6
7	.09	.16	.01	.25					.49	.36	.31		7
8	.01	.08	.14				.39	.01	1.17	.12	.09	.01	8
9	.46	1.48		.21		.21			.69	.40	.03	.07	9
10	.14	.35	.01	.09			.08		.19	.03	.26	.02	10
11	.66	.12		.02	.06		.02		.27			.09	11
12	.03	.15	.07	.19	.01	.05	.33		.22	.05		.18	12
13	.01	.02		.08	.02	.05			.36	.10			13
14	.46	.01	.01			.13	.32		1.21	.05	.01	.28	14
15	.28		.01	.01		.05	.43		1.47			.41	15
16	.01		.01		.01	.02	.13	.03	.17	.08		.35	16
17	.21				.08	.04	.28	.11	.08	.17		.50	17
18	.39		.06			.14	.32	.02	.43	.01		.44	18
19	.31	.01	.08	.08		.03	.16	.14	.53	.16		.47	19
20	.04	.33		.10		.12	.08		.18	.23			20
21	.15	.83		.02	.73	.13	.01		.52	.13		.03	21
22	.01	.11			.21	.13	.10	.02	.03	.01	.01	1.11	22
23	.09	.07		.02	.90	.01	.15		.07		.01	.03	23
24		.12					.06	.01	.04	.04	.03	.01	24
25					.01	.09	.05	.13	.06	.01	.01		25
26		.07		.02			.40	.05	.34		.01	.31	26
27		.27	.02			.02	.02	.28	.58		.16	.66	27
28		.11	.28			.02		.05	.10		.14	.49	28
29									.17			.40	29
30		X	.32					.11			.02	.26	30
31		X	.27	X		X	.01	.09	X		X		31
Total	3.43	5.90	1.48	1.52	3.05	1.78	3.34	1.68	11.15	3.05	2.12	7.16	YEAR'S TOTAL 45.66
Rain Days.	21	21	18	16	15	18	19	14	29	22	16	23	236

Langsett Moor

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Flouch Road

in the County of Yorkshire

by L S M Marsh Esq

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.39	02	03	03	61		37	03	20	15	10	28	1
2	1.05		25		01		47	09	04	05	10	15	2
3	42				01	15	84		04		37	38	3
4	11		31		03	02	05	21	14	01	07	50	4
5	03	02			05				02		08	58	5
6	04		59		80					06		35	6
7	09		45		01						02		7
8	19				02	05		03		01	01		8
9	42		05								09		9
10			52	02						01	04	30	10
11			98	07	06		02						11
12			48	15		05	14		46	02		01	12
13	41			26			01		79	14		03	13
14	25	01		30				01	20		13	04	14
15	31	07	07	03						01	02	50	15
16	14	74		01							09		16
17	25	37		01	01	07		28			96	02	17
18			05		01		02	30	16		01	59	18
19	04	21	92	01		08	1.44	64	16		42	01	19
20	27	11	12			08	35	11	03		25	48	20
21	12	41	04			06	23		04		01	28	21
22		04				05		07	26		19	67	22
23						10				1.23	20	35	23
24				28	04	04		01	24	80	25	14	24
25	10			33	13	05		51		01	30	01	25
26	01	04	92	04		03	01	57	18		05	1.10	26
27	12		05	20				01	01		04	15	27
28	01			08				1.08		11		56	28
29	17			02				02		1.55	01	11	29
30	02		02	05		16				19	35	28	30
31	01		02				17			10		04	31
TOTAL	5.97	2.04	5.87	1.89	1.79	.99	4.12	3.97	2.97	4.45	4.16	7.91	YEAR'S TOTAL
Days with 01 in. or more	4	4	4	4	4	4	4	4	4	4	4	4	46.13

REGISTER OF RAINFALL IN 1920.

Kept at Glouch Road
in the County of Yorkshire
by L. S. M. Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station B. B.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

19 MAY 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				26	75	05	34	11	05	20	28	13	1
2			02	38	01				26	31		32	2
3	01	09		11	16	10	80	18	03	28		27	3
4	03			07			17	52	02	52		03	4
5		01	05		17		04	14	03	10		01	5
6			41	34	14		04				01	08	6
7	31		06	01	05		65			01			7
8	48	07		41	15		27	07		01	02		8
9	26	93		54			07	12		02		01	9
10	106	143	18	26			46					01	10
11	103	18	07	41	24	37			01			06	11
12	29	13	20	52	03	23	03	14			10	08	12
13	31	26	34	36	01	68	04				07	07	13
14	09	04	42	30		108	03		27	09	87	02	14
15		17	17	55			03		02	33	05		15
16			22	15	10		65		09	05	07		16
17	16		04		19			06	34	18		01	17
18	21			06	26		02	01	01				18
19	18	124		07	68	10		13	01	01			19
20	09	03		30		08	16				01	14	20
21	07						45	08				24	21
22	16	01		56			33	03			01	12	22
23		01		01		01	69		01	01	02	56	23
24			52	04					01		01	16	24
25	01	02	15	10		01	63						25
26	11	37	25	38	03		20						26
27	46	04	07	24	84	45				01	18	16	27
28	138		18	13	15	01	01					16	28
29	25		13	01	90	04	19		02		28	93	29
30	26		03	07	13	04			25		24	37	30
31	60		14		02					94		45	31
TOTAL	7.81	5.03	3.65	6.64	5.01	3.25	6.30	1.59	1.43	3.07	2.22	4.39	50.39
Days with 01 in. or more	23.	17.	20.	27.	20.	14.	23.	12.	16.	16.	15.	23.	226
Days with 04 in. or more	20.	12.	18.	24.	15.	11.	18.	10.	6.	10.	9.	17.	170.
YEAR'S TOTAL													50.39

R

LEEDS.

MUSEUM

THE PHILOSOPHICAL HALL

Kept at the Philo

in the County of WR2

by H. Crowther

1911-1920

FORM A2.
BRITISH RAINFALL
8 JAN 1912

n.
d 44 ft. — in.
Level 144 ft.

ance. Direction
result entered to the
rule, he is earnestly
in the space provided

Jan. 1, following.

IMPORTANT NOTE
previous day. If an Observer prefers not to be
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.05	—	—	—	0.01	0.09	—	—	0.01	—	1
2	0.30	—	—	—	0.10	—	0.02	—	—	—	0.02	0.10	2
3	—	—	—	—	0.16	—	—	—	—	0.03	0.05	—	3
4	—	—	0.09	0.11	—	—	—	0.04	0.13	0.08	0.28	0.04	4
5	0.01	—	0.03	0.04	—	—	—	0.04	—	0.12	0.21	—	5
6	0.08	—	0.02	0.06	—	—	—	0.24	—	0.15	0.22	0.20	6
7	—	—	0.01	—	—	—	—	—	—	—	0.03	—	7
8	0.03	—	0.04	—	0.03	—	—	—	0.61	0.05	—	0.23	8
9	—	—	—	0.02	—	—	—	—	—	—	—	0.03	9
10	—	0.02	—	—	—	—	—	—	—	—	—	0.39	10
11	0.16	—	—	—	0.02	—	—	—	0.04	—	0.44	0.06	11
12	0.10	—	0.01	—	0.04	—	—	—	0.80	—	0.20	—	12
13	—	—	0.11	—	0.02	0.02	—	—	—	—	0.04	0.32	13
14	—	—	0.05	—	—	—	—	—	—	—	—	0.44	14
15	—	0.05	0.04	—	0.66	—	—	—	—	0.08	—	0.20	15
16	—	0.15	0.04	—	0.05	0.05	0.04	—	—	0.05	0.15	0.12	16
17	—	—	0.02	—	0.45	0.45	—	—	—	—	0.14	0.04	17
18	—	0.24	0.06	0.01	0.04	0.04	—	—	—	—	0.11	0.04	18
19	—	—	—	—	0.16	—	—	—	0.05	0.14	0.41	0.06	19
20	—	0.03	—	0.22	—	—	0.02	0.98	0.16	—	—	0.14	20
21	—	0.20	—	—	—	—	—	0.12	0.05	0.12	0.02	0.05	21
22	—	0.04	—	—	—	—	—	0.01	—	0.29	0.05	—	22
23	—	0.28	—	—	0.50	0.50	—	—	0.14	—	—	0.30	23
24	0.04	0.03	0.03	—	2.28	2.28	—	—	—	0.28	—	0.09	24
25	—	0.25	—	—	0.50	0.50	0.19	—	0.56	—	0.02	0.20	25
26	—	—	—	0.01	0.03	—	0.05	—	—	0.58	0.24	0.29	26
27	—	0.10	0.05	0.09	—	—	—	0.29	0.18	—	—	—	27
28	—	0.06	0.05	0.11	0.01	0.01	—	0.03	0.11	—	—	0.15	28
29	—	—	—	0.03	0.15	0.04	—	0.25	0.25	0.06	0.05	—	29
30	—	—	—	—	0.25	—	—	—	—	0.15	—	—	30
31	—	—	0.02	—	0.11	—	—	—	—	0.04	—	—	31
Total	0.42	1.45	0.48	0.43	1.13	3.99	0.34	1.84	2.51	2.44	2.49	3.66	22.44
No. of Rain Days.	4	12	14	10	8	12	4	9	12	15	19	22	150

Kept at *The Philosophical Hall, Leeds*
in the County of *W.R. Yorkshire 9*
by *H. Crowther & J. R. M. S.*

RAIN GAUGE
Pattern
Diameter of top *10* in.
Height of top above Ground *4 1/4* ft. — in.
" " " Sea Level *14 1/4* ft.
Time of Observation *9 am*
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.05	—	—	—	0.01	0.09	—	—	0.01	—	1
2	0.30	—	—	—	0.10	—	0.02	—	—	—	0.02	0.10	2
3	—	—	—	—	0.16	—	—	—	—	0.03	0.05	—	3
4	—	—	0.09	0.11	—	—	—	0.04	0.13	0.08	0.28	0.04	4
5	0.01	—	0.03	0.04	—	—	—	0.04	—	0.12	0.21	—	5
6	0.08	—	0.02	0.06	—	—	—	0.24	—	0.15	0.22	0.20	6
7	—	—	0.01	—	—	—	—	—	—	—	0.03	—	7
8	0.03	—	0.04	—	~~0.02~~	0.03	—	—	0.61	0.05	—	0.23	8
9	—	—	—	0.02	—	—	—	—	—	—	—	0.03	9
10	—	0.02	—	—	—	—	—	—	—	—	—	0.30	10
11	0.16	—	—	—	0.02	—	—	—	0.04	—	0.44	0.06	11
12	0.10	—	0.01	—	0.04	—	—	—	0.30	—	0.20	—	12
13	—	—	0.11	—	~~0.02~~	0.02	—	—	—	—	0.04	0.32	13
14	—	—	0.05	—	—	—	—	—	—	—	—	0.44	14
15	—	0.05	0.04	—	0.66	—	—	—	—	0.08	—	0.20	15
16	—	0.15	0.04	—	~~0.05~~	0.05	0.04	—	—	0.05	0.15	0.12	16
17	—	—	0.02	—	~~0.45~~	0.45	—	—	—	—	0.14	0.04	17
18	—	0.24	0.06	0.01	0.04	0.04	—	—	—	—	0.11	0.04	18
19	—	—	—	—	~~0.16~~	0.16	—	—	0.05	0.14	0.41	0.06	19
20	—	0.03	—	0.22	—	—	0.02	0.98	0.16	—	—	0.14	20
21	—	0.20	—	—	—	—	—	0.12	0.05	0.12	0.02	0.05	21
22	—	0.04	—	—	—	—	—	0.01	—	0.29	0.05	—	22
23	—	0.28	—	—	~~0.50~~	0.50	—	—	0.14	—	—	0.30	23
24	0.04	0.03	0.03	—	~~2.28~~	2.28	—	—	—	0.28	—	0.09	24
25	—	0.25	—	—	~~0.05~~	0.05	0.19	—	0.56	—	0.02	0.20	25
26	—	—	—	0.01	0.03	—	0.05	—	—	0.58	0.24	0.29	26
27	—	0.10	0.05	0.09	—	—	—	0.29	0.18	—	—	—	27
28	—	0.06	0.05	0.11	~~0.01~~	0.01	—	0.03	0.11	—	—	0.15	28
29	—	—	—	0.03	~~0.15~~	0.15	0.04	—	0.25	0.25	0.06	0.05	29
30	—	—	—	—	—	0.25	—	—	—	0.15	—	—	30
31	—	—	0.02	—	0.11	—	—	—	—	0.04	—	—	31
Total	0.42	1.45	0.48	0.43	1.13	3.99	0.34	1.84	2.51	2.44	2.79	3.66	366
No. of Rain Days.	7	12	17	10	8	12	4	9	12	15	19	22	22

REGISTER OF RAINFALL IN 1912

Can. for auth. & lysim. obs. 13. VII. 13.

FORM A2.
BRITISH RAINFALL
-9 AUG 1913

Kept at The Philosophical Hall, Leeds

in the County of Yorkshire

by H. Crowther, F.R.M.S.

RAIN GAUGE Pattern Square
Diameter of top 10 in.
Height of top above Ground 4.5 ft. 0 in.
" " " Sea Level 177 ft.
Time of Observation 10 am.
Nearest Railway Station { Name Central (GN, Mid. & York. R.)
Distance 600 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.44	0.11	—	—	0.21	0.11	0.04	0.06	0.04	—	0.20	1
2	—	—	0.03	—	—	0.15	0.34	—	—	—	—	—	2
3	0.07	0.05	—	—	0.01	0.45	—	0.65	0.21	—	—	0.03	3
4	0.13	—	0.49	—	0.06	0.57	—	0.37	—	—	0.08	—	4
5	0.09	0.01	—	—	0.23	0.48	—	0.03	—	—	—	—	5
6	0.68	0.19	0.08	—	—	—	—	0.17	—	—	—	—	6
7	—	0.01	0.02	—	—	0.02	—	0.33	0.04	—	—	—	7
8	0.30	0.18	0.03	0.02	—	—	—	—	0.13	—	—	—	8
9	0.21	0.20	0.05	0.15	—	—	—	—	—	—	—	—	9
10	0.14	—	—	—	—	0.30	—	0.05	—	—	0.26	—	10
11	0.13	0.10	—	—	—	—	—	—	—	—	0.15	0.31	11
12	0.07	0.24	0.02	—	—	0.35	1.22	—	—	—	0.03	0.02	12
13	~~0.10~~	0.01	—	—	—	—	—	0.09	—	0.07	0.15	0.09	13
14	0.10	—	0.57	—	—	0.08	—	0.02	—	—	—	0.11	14
15	0.09	0.04	0.29	—	0.79	0.04	—	—	—	—	—	0.15	15
16	0.64	—	0.25	—	0.04	0.19	—	—	—	0.05	—	0.03	16
17	0.04	—	0.15	—	—	0.28	—	0.18	—	—	—	0.30	17
18	0.12	—	0.20	—	—	—	—	0.32	—	0.04	—	0.01	18
19	0.45	0.20	0.08	—	—	0.03	0.21	0.31	—	0.14	0.02	—	19
20	0.16	—	0.05	—	0.34	0.04	0.44	—	—	0.13	—	—	20
21	—	—	0.26	—	0.25	—	0.02	—	—	—	—	0.01	21
22	—	0.13	0.03	—	0.84	0.25	0.18	0.51	—	—	—	0.02	22
23	0.02	—	0.18	—	—	—	0.30	0.23	—	—	0.05	—	23
24	0.38	—	—	—	—	0.28	0.23	0.24	—	—	0.04	0.12	24
25	—	—	0.02	—	—	0.35	—	0.03	—	—	0.48	0.08	25
26	—	0.10	—	—	—	—	0.43	0.78	—	1.25	0.21	0.25	26
27	—	—	0.03	—	—	0.33	0.32	0.05	—	0.52	—	0.13	27
28	—	—	—	—	0.05	0.07	0.14	0.49	0.08	0.17	0.21	—	28
29	—	0.04	0.08	—	—	0.01	0.09	—	0.48	0.05	0.10	0.16	29
30	0.05	—	0.13	—	0.37	0.06	—	—	0.21	0.07	—	0.01	30
31	—	—	0.04	—	0.16	—	0.71	0.20	—	—	—	—	31
Total	3.67	1.94	3.19	0.17	3.14	4.54	4.74	5.09	1.21	2.53	1.78	2.03	TOTAL for year 1912 34.03
No. of Rain Days.	19	15	23	2	11	21	14	20	7	11	12	18	173

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.44	0.11	—	—	0.21	0.11	0.04	0.06	0.04	—	0.20	1
2	—	—	0.03	—	—	0.15	0.34	—	—	—	—	—	2
3	0.07	0.05	—	—	0.01	0.45	—	0.15	0.21	—	—	0.03	3
4	0.13	—	0.49	—	0.06	0.57	—	0.37	—	—	0.08	—	4
5	0.09	0.01	—	—	0.23	0.48	—	0.03	—	—	—	—	5
6	0.68	0.19	0.08	—	—	—	—	0.17	—	—	—	—	6
7	—	0.01	0.02	—	—	0.02	—	0.33	0.04	—	—	—	7
8	0.30	0.18	0.03	0.02	—	—	—	—	0.13	—	—	—	8
9	0.01	0.20	0.05	0.15	—	—	—	—	—	—	—	—	9
10	0.14	—	—	—	—	0.30	—	0.05	—	—	0.26	—	10
11	0.13	0.10	—	—	—	—	—	—	—	—	0.15	0.31	11
12	0.07	0.24	0.02	—	—	0.35	1.22	—	—	—	0.03	0.02	12
13	—	0.01	—	—	—	—	—	0.09	—	0.07	0.15	0.09	13
14	0.10	—	0.57	—	—	0.08	—	0.02	—	—	—	0.11	14
15	0.09	0.04	0.29	—	0.79	0.04	—	—	—	—	—	0.15	15
16	0.64	—	0.25	—	0.04	0.19	—	—	—	0.05	—	0.03	16
17	0.04	—	0.15	—	—	0.28	—	0.18	—	—	—	0.30	17
18	0.12	—	0.20	—	—	—	—	0.32	—	0.04	—	0.01	18
19	0.45	0.20	0.08	—	—	0.03	0.21	0.31	—	0.14	0.02	—	19
20	0.16	—	0.05	—	0.34	0.04	0.44	—	—	0.13	—	—	20
21	—	—	0.26	—	0.25	—	0.02	—	—	—	—	0.01	21
22	—	0.13	0.03	—	0.84	0.25	0.18	0.51	—	—	—	0.02	22
23	0.02	—	0.18	—	—	—	0.30	0.23	—	—	0.05	—	23
24	0.38	—	—	—	—	0.28	0.23	0.24	—	—	0.04	0.12	24
25	—	—	0.02	—	—	0.35	—	0.03	—	—	0.48	0.08	25
26	—	0.10	—	—	—	—	0.43	0.78	—	1.25	0.21	0.25	26
27	—	—	0.03	—	—	0.33	0.32	0.05	—	0.52	—	0.13	27
28	—	—	—	—	0.05	0.07	0.14	0.49	0.08	0.17	0.21	—	28
29	—	0.04	0.08	—	—	0.01	0.09	—	0.48	0.05	0.10	0.16	29
30	0.05	—	0.13	—	0.37	0.06	—	—	0.21	0.07	—	0.01	30
31	—	—	0.04	—	0.16	—	0.71	0.20	—	—	—	—	31
Total	3.67	1.94	3.19	0.17	3.14	4.54	4.74	4.39	1.21	2.53	1.78	2.03	33.53
Rain Days.	19	15	23	2	11	21	14	20	7	11	12	18	173
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1913

Kept at *The Philosophical Hall, Leeds*
in the County of *Yorkshire*
by *H. Crowther. F.R.M.S.*

Lat. *53° 47' 51" N* Long. *1° 32' 45" W*

Time of Observation *9 a.m.*

Nearest Railway Station *Midland*

Diameter of Rain Gauge *10* in.

Height of top of Gauge above Ground *4.5* ft. *0* in.

" " " " Sea Level *174* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.18	.13	—	—	—	—	—	—	.02	—	1
2	—	.07	.11	.07	—	.01	—	—	—	—	.01	.02	2
3	.03	.03	.07	—	.38	—	.08	—	.01	.43	—	.42	3
4	.43	.03	.04	—	—	—	Trace	—	.01	.01	.09	.27	4
5	.02	.01	.12	—	—	.20	.02	Trace	.05	.15	—	—	5
6	.02	.10	.07	—	.47	—	.25	—	—	.16	.02	—	6
7	—	.16	—	—	.04	.12	—	—	—	.53	Trace	Trace	7
8	—	.02	—	—	.70	—	—	.04	—	.37	.09	—	8
9	—	.12	.05	.01	.27	.04	—	.01	—	—	.12	Trace	9
10	—	—	.01	.05	.03	—	.03	—	—	.03	.26	—	10
11	.05	.01	—	.40	—	Trace	—	—	—	.07	.05	—	11
12	.77	—	—	—	—	.02	—	.05	.01	—	.07	—	12
13	.03	—	.03	.01	—	—	—	.02	.19	Trace	.04	—	13
14	.02	.03	.13	.02	—	—	—	—	—	.07	.05	—	14
15	.10	.02	.39	.23	—	—	—	—	.04	—	.47	—	15
16	—	—	.04	—	—	—	—	.20	—	—	.02	—	16
17	.03	.02	.06	.02	—	.92	—	—	.34	—	.03	—	17
18	.05	—	.20	.15	—	Trace	.02	—	—	—	.21	.04	18
19	.10	—	.06	.06	—	—	—	—	.03	.01	.01	—	19
20	.12	—	.09	.13	—	—	—	—	Trace	.11	.20	—	20
21	.02	—	.20	—	.09	—	.15	.04	—	—	.12	—	21
22	.12	—	.37	—	—	—	—	.33	.07	—	—	—	22
23	.02	—	.03	—	.04	.10	—	.09	.21	.04	.02	Trace	23
24	.16	—	—	.02	—	.10	—	—	—	—	—	—	24
25	—	—	—	.03	—	—	—	—	.12	.01	—	.02	25
26	—	—	.12	.06	—	—	—	—	.06	.10	—	.44	26
27	—	—	.01	.18	—	.04	—	—	—	Trace	—	.11	27
28	.39	—	.15	.57	—	—	—	—	—	—	—	.22	28
29	—	—	.36	.32	.06	—	—	.23	—	—	.02	.21	29
30	.28	—	—	—	—	—	—	.15	—	.57	.01	.04	30
31	.16	—	.03	—	.02	—	—	—	—	—	—	—	31
Total	2.92	0.62	2.92	2.46	2.10	1.55	0.55	1.16	1.14	2.66	1.93	1.79	21.80
Rain Days.	20	12	24	18	10	9	6	10	12	15	21	10	167

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at The Philosophical Hall, Leeds
in the County of Yorkshire
by H. Bowther, F.R.M.S.

Lat. 53° 47' 51" Long. 1° 32' 45"
Time of Observation
Nearest Railway Station Midland
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 4.5 ft. 0 in.
Sea Level 177 ft.

FORM A
BRITISH RAINFALL
3 - MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	1.35	.61	—	—	.01	.31	1
2	—	—	—	—	—	—	.26	.46	—	—	.31	.03	2
3	—	—	.04	—	.15	—	—	—	—	.01	.08	.51	3
4	.21	—	.01	.23	.02	.01	—	—	—	—	.32	.63	4
5	.12	—	.20	.36	—	.01	—	.03	—	—	.12	.15	5
6	—	—	—	.25	.14	—	—	.06	—	—	.13	.02	6
7	—	—	.25	.03	.03	—	—	.02	.02	—	.02	.11	7
8	.07	—	.01	—	.02	.52	.14	—	.02	—	—	.01	8
9	.35	.04	—	.11	—	1.00	—	.13	.02	—	.02	.01	9
10	.08	.02	—	.05	—	—	—	—	.05	.01	.15	—	10
11	—	.32	.21	—	—	—	—	—	.01	—	.53	.37	11
12	—	.02	.08	—	—	—	—	—	.22	—	.07	.38	12
13	—	.16	.13	—	—	—	.04	—	.02	—	.22	.16	13
14	.04	.15	.04	—	—	—	.08	—	.01	.02	.38	.43	14
15	—	.08	.08	—	—	—	—	—	—	.02	—	.01	15
16	.03	—	.01	—	—	—	.60	—	.33	—	.03	.01	16
17	.08	.07	.10	—	—	—	.02	—	.41	—	—	.24	17
18	—	.01	—	—	—	—	—	—	—	—	—	.04	18
19	—	—	—	—	—	—	.03	—	—	—	.01	.16	19
20	—	.10	.02	—	—	—	—	.02	.03	.04	—	.01	20
21	—	.38	—	—	—	.14	.01	.03	—	.06	.02	.16	21
22	—	—	—	—	.15	.03	—	—	—	.02	—	.01	22
23	—	—	.04	.02	.21	—	—	—	—	—	—	.03	23
24	—	—	.39	.01	.04	—	.04	.27	—	—	.08	—	24
25	—	—	—	—	—	—	—	.30	—	.73	.01	.60	25
26	—	—	.05	—	—	—	—	.02	—	.20	.07	.18	26
27	.05	—	—	—	—	—	—	—	—	.02	.15	.74	27
28	.01	.02	.04	—	—	—	—	—	—	.10	.20	.04	28
29	—	—	.25	—	—	—	—	—	—	.46	.03	—	29
30	—	X	.04	—	.04	—	—	—	—	.06	.10	.04	30
31	.13	X	.06	X	—	X	.56	—	X	.36	X	—	31
Total	1.17	1.37	2.05	1.06	.80	1.71	3.13	1.95	1.12	2.06	3.01	5.39	24.82
Rain Days.	11	12	20	8	9	6	11	11	10	14	23	24	162

REGISTER OF RAINFALL IN 1915

Kept at Philosophical Hall, Leeds
in the County of Yorkshire
by H. Crowther, F.R.M.S.

Lat. 53° 47' 51" Long. 1° 32' 15"
Time of Observation 10 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 45 ft. 0 in.
" " " " Sea Level 177 ft.

3468
FORM A.
BRITISH RAINFALL
31. MAY 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
40

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.30	.19	—	.19	—	.18	.02	.02	—	.01	.02	1
2	.05	.25	.08	.20	—	—	.05	.24	—	.01	—	—	2
3	.85	—	—	.05	—	—	.22	.09	—	—	—	.67	3
4	.30	.01	—	—	.04	.15	.60	—	—	—	—	.85	4
5	.12	.32	.02	—	—	—	—	—	—	—	—	.80	5
6	.10	.24	.11	.10	—	—	.40	—	—	—	—	.20	6
7	.51	.34	.02	.05	.07	—	.05	.47	—	—	—	.17	7
8	.06	.04	—	.06	—	—	.11	.10	—	—	—	—	8
9	—	—	—	—	—	—	—	.11	—	—	.14	.49	9
10	.35	—	.04	—	—	—	—	.56	—	.01	.01	.02	10
11	.01	—	.01	—	.65	—	—	.08	—	—	.27	.28	11
12	.03	—	—	.18	.05	—	.01	—	—	.10	1.15	—	12
13	—	.70	—	—	—	—	—	—	.02	—	—	—	13
14	.03	—	—	—	—	—	.05	.02	—	—	—	.14	14
15	.75	—	—	—	—	—	—	.01	—	.02	.26	.20	15
16	—	.30	—	—	.13	—	1.01	.33	—	—	—	—	16
17	—	.18	.01	—	—	—	—	—	—	—	—	.01	17
18	—	.10	.24	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	19
20	.01	—	—	—	—	—	—	—	—	—	—	.33	20
21	.09	.05	—	.02	—	—	.11	—	—	—	—	.14	21
22	—	—	.11	—	—	—	.07	—	—	—	—	.03	22
23	.09	—	.02	—	—	—	.12	—	—	.14	—	.03	23
24	—	.02	.09	.03	—	.03	—	—	.57	.03	—	.17	24
25	—	—	—	—	—	—	—	—	—	.02	—	.27	25
26	—	.01	—	—	—	.05	.23	—	—	—	—	.55	26
27	—	.10	—	—	—	—	.04	—	—	.43	—	.08	27
28	—	.19	.05	—	.04	.11	—	.24	—	.10	—	—	28
29	.01	~~X~~	—	—	.09	.18	—	—	—	—	.09	.51	29
30	—	~~X~~	—	—	—	.99	—	—	—	—	—	.02	30
31	.13	~~X~~	—	~~X~~	—	~~X~~	.02	.23	~~X~~	.05	~~X~~	.10	31
Total	3.63	3.15	.99	.69	1.26	1.51	3.27	2.50	.61	.91	1.93	6.08	26.53
Rain Days.	18	16	13	8	8	6	16	13	3	10	7	23	141

REGISTER OF RAINFALL IN 1916.

Kept at The Museum, Leeds
in the County of Yorkshire
by H. Crowther

Lat. 53° 47' 51" N Long. 1° 32' 45" W
Time of Observation W. am.
Nearest Railway Station Mid.
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 146 ft.
" " " " Sea Level 177 ft.

FORM A.
BRITISH RAINFALL
JUN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	40		15			15					12		1
2	04	02	27						18	12	09		2
3		09		01		02			70	16			3
4	02	21		01	70	31			41	23	32		4
5	02	05			04	11				43	20		5
6	06	24	13	03	31		20			03	32	03	6
7		12	05		04		08			20	09	22	7
8		04	22									17	8
9			03		30	07			24		03	12	9
10		05	02	03		19			01	08		10	10
11	04	46	47	11	03	06	01		02	06		07	11
12	01	02	46	02	33	01	20	01				02	12
13		05	13	01			15	32		86	03	08	13
14		06	03	02	13			05		10	02	03	14
15		33	69	10			13	10					15
16		10	27	07			01	52					16
17	03	09		13			04		06	17			17
18		38		03				08	20	02	11	13	18
19	10		22	31					02		36	07	19
20	02		32	02			07					03	20
21	17	01		09	02								21
22		08	02	02		15				12		07	22
23		01	66	08				05			11	20	23
24		33	02			65		30		04			24
25		05	22		07			15		05		01	25
26		04	15			03				10	09		26
27		29					05	01		36			27
28		33	08		11	02				20		09	28
29		18				08				28		29	29
30		X			01			03		32			30
31		X		X	01	X			X	13	X	18	31
Total	91	3.63	4.01	1.09	2.10	1.25	94	1.62	1.84	4.06	2.89	1.82	26.25
Rain Days.	11	25	21	14	13	13	10	11	9	21	13	18	182

REGISTER OF RAINFALL IN 1918 17

Kept at Philosophical Hall Leeds
in the County of Yorkshire
by H. M. M. M.

Lat. 53° 47' 51" Long. 1° 32' 45"
Time of Observation 10.14 p.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 4.5 ft. 0 in.
" " " " Sea Level 177 ft.

Jan. 1, following.

0.00

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				0.12		0.06		0.19	0.22		0.21	0.07	1
2	0.08			0.15		0.02		0.06					2
3	0.01			0.02		0.03		0.05		0.09	0.04		3
4										0.06			4
5	0.35		0.10							0.05			5
6			0.12	0.01		0.18				0.51			6
7	0.44					0.10		0.30		0.03	0.23	0.03	7
8	0.50			0.10				1.42		0.59	0.04	0.05	8
9	0.05			0.07				0.10		0.02	0.26		9
10	0.19		0.81	0.36	0.08			0.10		0.05			10
11	0.03			0.22				0.03		0.25			11
12	0.04			0.02	0.26			0.16		0.27	0.07		12
13	0.12			0.07	0.27			0.30	0.12	0.02	0.02		13
14	0.21			0.15				0.46			0.15		14
15	0.03			0.03		0.22		0.07			0.12		15
16	0.01	0.02	0.03	0.09				0.08			0.46		16
17		0.04			0.75	0.01	0.08	0.50		0.01		(10)	17
18	0.05	0.04		0.06	0.06		0.35		0.11				18
19	0.05	0.08	0.13	0.01	0.65	0.19							19
20	0.03	0.20	0.02		0.11	0.27		0.03	0.07				20
21	0.01	0.03	0.06					0.06		0.02			21
22			0.05					0.18	0.02	0.04	0.01		22
23						0.07		0.20			0.05		23
24		0.04	0.01			0.04		0.03		0.82	0.27		24
25			0.02					0.09		0.52			25
26						0.06		0.60	0.02	0.27	0.01		26
27			0.13			0.26	0.08	0.45				0.03	27
28			0.38			0.02	0.13	0.02		0.01	0.03	0.02	28
29			0.02				0.16			0.21	0.18	0.11	29
30	0.03	X	0.09							0.10	0.04	0.02	30
31		X	0.35	X		X		0.07	X		X		31
Total	2.23	0.45	2.32	1.48	2.18	1.31	1.02	5.48	0.63	3.94	1.40	1.25	23.69
Rain Days.	18	7	15	15	7	13	6	23	7	20	12	13	155

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Not at the Philosophical Hall, Leeds
in the County of York W.R
by J. C. Crowther

Lat. 53° 44' 57" N Long. 1° 32' 45" W
Time of Observation 10 a.m.
Nearest Railway Station Mid. Ry.
Diameter of Funnel of Rain Gauge 4.8 in.
Height of top of Gauge above Ground 46 ft.
Sea Level 177 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.09	.05	.03	.02				.08	.08	.15	.08	1
2		.14							.12			.14	2
3		.02	.03		.61			.23			.08		3
4		.02	.04		.06			.46	.40	.01	.23	.35	4
5		.01	.02	.05	.26			.60	.05	.05			5
6	.02	.52	.01	.14	.01	.14		.11		.08		.04	6
7	.15	.06		.36					.29	.12	.14		7
8		.06	.12				.12		.32	.14	.01	.05	8
9	.12	.59		.04		.06	.08		.94	.24	.04	.01	9
10	.02	.06					.04		.15	.60	.11		10
11	.10		.15	.01	.13		.16		.08			.04	11
12	.03	.13	.09	.08	.03		.20		.03			.14	12
13				.04	.64				.26	.05			13
14	.10			.01		.01	.03		.46	.02		.20	14
15	.12			.02		.04	.44		1.25			.34	15
16						.04	.10	.03	.22	.01		.12	16
17	.28				.11	.03	1.14	.02	.03	.21			17
18	.36		.03			.06	.34	.03	.36			.38	18
19	.23		.05	.03			.42	.02	.29	.09		1.01	19
20	.11	.42		.08		.03	.60		.08	.02			20
21	.15	.18			.61	.03			.15	.26			21
22	.03	.01			.14		.20			.02		.44	22
23	.01				.33	.01	.26					.02	23
24		.01				.01	.18	.03	.05				24
25						.65	.06	.24	.15				25
26						.01	.26	.08	.28		.13		26
27			.02			.01		.35	.64		.10	.09	27
28		.24	.11					.10	.03			.45	28
29									.09			.08	29
30		X	.25					.04				.25	30
31		X	.03	X	X	X		.03	X	X	X	.01	31
Total	1.86	2.59	1.03	.98	2.98	1.19	4.59	2.30	6.80	1.95	.99	4.63	31.87
Rain Days.	16	16	14	12	12	14	14	15	124	16	9	20	185

REGISTER OF RAINFALL IN 1919.

Kept at Philosophical Hall, Leeds
 in the County of Yorkshire
 by H. Brownther

Lat. 53° 47' 51" N Long. 1° 32' 45" W
 Time of Observation 10 a.m.
 Nearest Railway Station Midland
 Diameter of Funnel of Rain Gauge 8 ins.
 Height of top of Gauge above Ground 4.6 ft. in.
 " " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.55	—	—	—	0.27	—	0.18	—	0.24	0.13	0.05	0.08	1
2	—	—	0.08	—	0.01	—	0.17	—	—	—	0.06	—	2
3	—	~~1.40~~	—	—	0.05	0.20	0.81	—	—	—	0.30	0.23	3
4	0.35	—	0.29	—	—	—	0.01	0.10	0.15	—	0.03	0.02	4
5	0.62	—	0.02	—	0.08	—	—	—	—	—	0.01	0.08	5
6	0.07	~~0.40~~	0.01	—	0.57	—	—	—	—	—	—	0.03	6
7	0.04	~~1.00~~	0.14	—	0.16	—	—	—	—	—	0.02	—	7
8	0.11	~~3.20~~	0.04	—	0.01	0.02	—	—	—	—	0.01	—	8
9	0.25	~~1.00~~	0.03	—	—	—	—	—	—	—	0.04	—	9
10	0.01	~~1.20~~	0.07	0.04	0.29	—	—	—	—	—	0.01	0.16	10
11	—	—	1.01	0.05	0.26	—	0.10	—	—	—	0.01	0.02	11
12	—	~~1.00~~	0.53	0.09	—	0.05	0.34	—	0.03	—	0.08	0.01	12
13	0.18	—	—	0.11	—	—	—	—	—	0.34	0.01	0.03	13
14	0.17	—	—	0.17	—	—	0.03	0.05	—	—	0.07	0.02	14
15	0.09	0.78	0.03	0.13	—	—	—	—	—	—	0.01	0.44	15
16	0.04	0.22	—	0.07	—	—	—	—	—	—	0.15	0.01	16
17	—	—	—	0.04	—	0.03	—	0.02	—	—	(0.17)	—	17
18	—	~~1.00~~	0.16	—	0.02	—	0.04	0.40	0.02	—	0.01	0.20	18
19	0.06	0.30	1.08	—	—	0.02	0.98	0.10	0.07	—	0.19	—	19
20	0.61	0.72	0.04	—	—	0.05	0.27	0.03	0.04	—	0.12	0.02	20
21	0.16	0.23	0.01	—	—	0.12	0.12	—	—	—	0.01	0.14	21
22	—	0.19	—	—	—	—	—	—	0.10	—	0.01	0.21	22
23	—	~~1.00~~	—	0.05	—	0.01	—	—	—	0.74	0.01	0.07	23
24	0.01	~~8.20~~	—	0.07	0.02	0.11	—	—	0.02	0.27	0.06	0.30	24
25	0.10	~~2.20~~	—	0.23	—	0.01	—	0.56	0.01	—	0.04	0.01	25
26	0.04	~~0.20~~	0.46	0.11	—	0.01	—	0.17	0.03	—	0.05	0.50	26
27	0.15	~~1.00~~	—	0.16	—	—	—	—	—	0.03	0.01	0.22	27
28	—	~~2.10~~	—	0.08	—	—	—	0.61	—	0.13	—	0.19	28
29	0.05	~~X~~	—	0.04	—	0.20	—	0.01	—	1.07	—	0.07	29
30	—	~~X~~	—	0.10	—	0.09	—	—	—	0.03	0.18	0.17	30
31	0.01	~~X~~	—	~~X~~	—	~~X~~	0.02	—	~~X~~	0.04	~~X~~	—	31
TOTAL	3.67	1.25	4.00	1.54	1.74	0.92	3.07	2.05	0.71	2.78	1.67	3.23	YEAR'S TOTAL
Days with 0.1 in. or more	21	7	16	16	11	13	12	10	10	9	27	24	26.63 176

REGISTER OF RAINFALL IN 1920.

Kept at *Philosophical Hall, Leeds*

in the County of *Yorks*

by *W. Brown & Co. F.R.M.S.*

Lat. *53° 47' 51" N* Long. *1° 32' 45" W*

Time of Observation *10 a.m.*

Nearest Railway Station *Midland Ry.*

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *4.5 ft. 10 in.*

Sea Level *176.8 ft.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.10	.33	.37	.03	.48	.01	—	.11	.08	.08	1
2	—	—	.03	.24	.09	—	.05	—	.19	.13	—	.21	2
3	—	.10	—	.02	.03	.02	1.25	—	.08	.03	—	.24	3
4	.01	—	—	—	.02	—	.20	.83	.01	.48	—	.07	4
5	—	—	.02	—	.04	—	.09	.08	.01	.06	—	.02	5
6	—	—	.01	.09	.03	—	.20	—	—	—	—	.05	6
7	.03	.01	.11	.01	.01	—	.30	—	—	—	—	—	7
8	.03	.03	.01	.30	.05	—	.11	.11	—	.01	.03	—	8
9	.18	.28	—	.39	—	—	.01	.04	—	.01	—	—	9
10	.66	.34	—	.38	—	—	.36	.24	—	—	—	—	10
11	.18	.02	.02	.27	.17	.03	—	—	—	—	—	.08	11
12	.05	.01	.11	.42	—	—	—	—	—	—	.06	.09	12
13	.04	.01	.10	.02	—	.43	—	—	—	—	.04	.15	13
14	.02	.02	.33	.09	—	.19	.02	—	.18	.19	.27	—	14
15	.01	.11	.04	.10	—	—	—	—	—	.49	.06	.06	15
16	—	.01	—	—	.04	—	.50	—	.07	—	.09	—	16
17	—	.02	—	—	.13	—	—	—	.17	.02	—	—	17
18	.07	—	—	.04	.06	.02	—	.07	.26	—	—	—	18
19	.01	.64	—	.07	.04	.13	—	.08	.04	—	—	—	19
20	.03	.02	—	.21	—	.02	.07	—	—	—	—	—	20
21	.01	—	—	.10	—	—	.36	.10	—	—	—	.02	21
22	.02	—	—	.32	—	.02	.11	—	—	—	—	.05	22
23	—	—	—	—	—	—	.34	—	—	.01	—	.30	23
24	—	—	.40	.01	—	—	.10	—	—	—	—	.07	24
25	.03	.01	.04	—	—	.01	.50	—	—	—	—	—	25
26	.06	.02	.21	.03	(.06)	—	.22	—	—	—	—	.02	26
27	.07	.01	.02	.02	.29	.43	—	—	—	.01	.26	.06	27
28	1.04	—	.05	.17	.13	.05	—	—	—	—	—	.10	28
29	.19	—	.02	—	.38	—	.04	—	.01	—	.11	.62	29
30	.19	~~X~~	.01	.03	.29	.09	—	—	.16	—	.09	.33	30
31	.11	~~X~~	.12	~~X~~	.02	~~X~~	—	—	~~X~~	.32	~~X~~	—	31
TOTAL	3.04	1.66	1.75	3.66	2.25	1.47	5.28	1.56	1.18	1.87	1.09	2.62	YEAR'S TOTAL
Days with ".01 in. or more	22	17	19	23	19	13	20	9	11	13	10	19	27.43
Days with ".04 in. or more	12	5	11	16	14	6	18	9	8	7	9	15	137

LEEDS

HOLBECK N.W

YORKSHIRE

1911 - 1915

Kept at

in the County of

by

in.
ft.
in.
Level
ft.
e
Direction

FORM A2.
BRITISH RAINFALL
-2 MAR 1912

IMPORTANT NOTE: The result entered to the previous day. If an observer does not conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.23	.08	.06		.08		.01				.02		2
3				.01	.16				.01	.02	.04	.10	3
4			.08	.14	.11			.04	.14	.08	.24	.04	4
5	.01		.02	.04				.08		.12	.26	.01	5
6	.06		.03	.06				.14		.15	.26	.14	6
7			.03								.02		7
8	.03		.04			.03			.01	.04		.21	8
9				.02								.02	9
10	.01	.03										.40	10
11	.14				.04			.01	.04		.48	.04	11
12	.06		.02		.04				.41		.18	.01	12
13			.09			.02					.04	.32	13
14			.05		.46						.01	.48	14
15		.06	.04	.02						.06	.01	.19	15
16		.15	.08			.06	.04			.03	.12	.10	16
17			.02		.02	.35					.14	.04	17
18		.26	.05			.05				.01	.09	.04	18
19			.01	.01		.14			.05	.16	.33	.05	19
20		.04		.22			.04	.99	.23	.01		.14	20
21		.18						.13	.03	.10	.01	.03	21
22	.03	.05	.01					.01		.24	.02		22
23		.24				.43			.14		.01	.29	23
24	.04	.04	.04	.01		2.12	.02	.02		.29		.10	24
25		.24				.04	.12		.58	.01		.18	25
26				.03	.04		.05			.58	.29	.29	26
27		.11	.06	.09	.01			.30	.16		.01	.01	27
28		.06	.02	.12		.02		.03	.11		.04	.12	28
29			.01	.04		.14	.04		.23	.22	.01	.05	29
30					.09	.25				.15			30
31			.01		.13					.11			31
Total	.64	1.52	.49	.81	1.53	3.41	.35	1.89	2.44	2.41	2.64	3.52	TOTAL for year 22.31
No. of Rain Days	9	12	20	13	11	12	4	11	13	13	23	25	144

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
-2 MAR 1912

Kept at

Holbert

in the County of

W.R. York 9

by

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.23				.08		.01				.02		2
3				.01	.16				.01	.02	.04	.10	3
4			.08	.14	.11			.04	.14	.08	.24	.04	4
5	.01		.02	.04				.08		.12	.26	.01	5
6	.06		.03	.06				.14		.15	.26	.14	6
7			.03								.02		7
8	.03		.04			.03			.01	.04		.21	8
9				.02								.02	9
10	.01	.03										.40	10
11	.14				.04			.01	.04		.48	.04	11
12	.06		.02		.04				.41		.18	.01	12
13			.09			.02					.04	.32	13
14			.05		.48						.01	.48	14
15		.06	.04	.02						.06	.01	.19	15
16		.15	.08			.06	.04			.03	.12	.10	16
17			.02		.02	.35					.14	.04	17
18		.26	.08			.05				.01	.09	.04	18
19			.01	.01		.14			.05	.16	.33	.05	19
20		.04		.22			.04	.99	.23	.01		.14	20
21		.18						.13	.03	.10	.01	.03	21
22	.03	.05	.01					.01		.24	.02		22
23		.24				.43			.14		.01	.29	23
24	.04	.04	.04	.01		2.12	.02	.02		.29		.10	24
25		.24				.04	.12		.58	.01		.18	25
26				.03	.04		.05			.58	.29	.29	26
27		.11	.06	.09	.01			.30	.16		.01	.01	27
28		.06	.02	.12		.02		.03	.11		.04	.12	28
29			.01	.04		.14	.04		.23	.22	.01	.05	29
30					.09	.25				.15			30
31			.01		.13					.11			31
Total	.64	1.52	.49	.81	1.53	3.41	.35	1.89	2.44	2.41	2.64	3.52	TOTAL for year 22.31
No. of Rain Days	9	12	20	13	11	12	4	11	18	18	23	25	144

REGISTER OF RAINFALL IN 1911

FORM A2
BRITISH RAINFALL
10 JAN 1912

Kept at

Holbeck

in the County of

WR York 9

by

James Rimmer & Co. Clothiers, Limited

Pattern
RAIN GAUGE Diameter of top 10 in.
Height of top above Ground 32 ft. in.
" " " Sea Level 127 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Leeds
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	28	-	-5	-	-	-	-	-	26	-	-2	-	2
3	-	-	-4	-1	-	10	-	-9	-3	-2	-3	-	3
4	-	-	-	13	-7	11	-	-	-	-7	-4	10	4
5	-	-	-	-	14	-	-	-8	-	30	-6	-6	5
6	-5	-	-	-	-	-	-	-	-	-2	44	-	6
7	-	-	15	-5	-	-	-	-	-	-	23	-	7
8	-2	-	-1	-	-	-	-	12	-	-	-	20	8
9	-	-	-7	-	-	-5	-	15	-	-4	-	-	9
10	-	-	-	-	-	-	-	-	-	-	-	22	10
11	19	-2	-	-2	-	-	-	-	-	-	-	40	11
12	-5	-	-	-	-	-	-4	-	80	-	65	-6	12
13	-	-	-1	-	-	-	-	66	-	-	-5	-	13
14	-	-	-8	-	-	-3	-	-8	-	-	-	32	14
15	-	-	-6	-	50	-	-	-5	-	-	-	48	15
16	-3	-	-5	-	10	-5	-3	-	-	-	16	18	16
17	-	-	-6	-	-	-	-	-	-	-5	-5	12	17
18	-	-4	-	-1	-	43	-	-4	-	-1	-4	27	18
19	-	12	-	24	-	23	-	-2	-8	-	44	4	19
20	-	-	-5	-	-	-	-	-	16	-1	-1	5	20
21	-	25	-	-	-	-	-	-	-	17	-1	15	21
22	-	15	-	-	-	-	-1	-6	-	-	-3	-3	22
23	-	-4	-	-	-	-4	15	-	-	34	-	-4	23
24	-	12	-	-1	-	50	-4	-	-	-	-	40	24
25	-3	11	-	-	-	60	-	-4	16	28	-	25	25
26	-3	-4	-4	-2	-3	46	-	-	65	-1	27	-	26
27	-	12	-6	-7	-	-	-	-	-	63	-1	12	27
28	-	16	-2	-	-	-	-	14	11	-1	-4	-5	28
29	-	-	-	-	-	15	-	-	25	-	-	-2	29
30	-	-	-	-2	-	25	-	-	-	24	-	-	30
31	-	-	-1	-	-	-	-	-	-	20	-	-	31
Total	68	117	86	58	87	300	28	153	251	240	263	356	TOTAL for year 2007?
No. of Rain Days	8	11	16	10	6	13	6	12	10	16	19	21	148

REGISTER OF RAINFALL IN 1912

Kept at *Holbeck*
in the County of *York*
by *Leeds Corporation Waterworks*

Lat. _____ Long. _____
Time of Observation *9.0 am.*
Nearest Railway Station *Leeds.*
Diameter of Rain Gauge *10 8* in.
Height of top of Gauge above Ground _____ ft. *9* in.
" " " " Sea Level *93.* ft.

BRITISH RAINFALL FORM A.
23 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.33	.09	.	.	.26	.19	.04	.10	.02	.	.25	1
2	.	.08	.01	.	.	.17	.33	.	.03	.	.	.	2
3	.07	.	.	.	.02	.44	.	.65	.30	.	.	.06	3
4	.13	.	.50	.02	.06	.54	.	.42	.01	.	.10	.	4
5	.10	.02	.01	.	.20	.50	.	.03	.	.	.	.	5
6	.71	.19	.05	.	.01	.	.	.22	.	.	.	.	6
7	.	.02	.02	.	.02	.02	.	.30	.05	.	.	.	7
8	.52	.19	.04	.	.	.01	.02	.	.11	.	.	.	8
9	.04	.19	.04	.19	.	.	.	.	.	.	.	.	9
10	.12	.	.01	.01	.	.30	.	.05	.	.	.32	.	10
11	.13	.10	.	.	.	.	.	.	.	.	.12	.02	11
12	.04	.24	.01	.	.	.24	1.30	.	.	.	.02	.10	12
13	.	.02	.	.	.	.	.	.11	.	.09	.17	.	13
14	.10	.	.55	.01	.	.09	.	.04	.	.	.	.12	14
15	.07	.03	.29	.	.62	.15	.	.	.	.	.	.15	15
16	1.10	.	.30	.	.02	.05	.	.	.	.	.	.	16
17	.09	.01	.11	.	.	.29	.02	.18	.	.	.	.35	17
18	.16	.	.08	.	.	.01	.	.30	.	.08	.	.02	18
19	.28	.16	.07	.	.	.03	.20	.32	.	.16	.	.	19
20	.17	.	.03	.	.34	.03	.40	.02	.	.16	.	.	20
21	.	.	.30	.	.25	.	.02	.	.	.	.	.	21
22	.	.12	.03	.	.85	.26	.19	.50	.	.	.	.01	22
23	.01	.	.19	.	.	.	.30	.25	.	.	.02	.	23
24	.36	.	.	.	.01	.22	.21	.23	.	.	.03	.14	24
25	.01	.	.02	.	.	.31	.01	.	.	.	.52	.08	25
26	.	.10	.02	.	.	.01	.37	1.00	.	1.25	.20	.25	26
27	.	.01	.03	.	.	.34	.31	.04	.	.52	.	.15	27
28	.	.	.	.	.04	.06	.15	.50	.05	.20	.25	.	28
29	.	.03	.07	.	.	.	.08	.	.50	.05	.	.16	29
30	.06	.	.09	.	.40	.01	.01	.	.20	.	.	.	30
31	.	.	.04	.	.17	.	.66	.18	.	.	.	.	31
Total	4.27	1.84	3.00	.23	3.01	4.34	4.77	5.38	1.35	2.53	1.75	1.86	YEAR'S TOTAL 34.331
Rain Days.	20	17	26	4	14	23	18	20	9	9	10	14	184

REGISTER OF RAINFALL IN 1913.

Kept at *Holbeck - Leeds by RR*
 in the County of *Yorks.*
 by *Chas. R. Henshelly*

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Leeds, N.E.R.*
 Diameter of Rain Gauge *8* in.
 Height of top of Gauge above Ground *9* ft. *9* in.
 " " " " Sea Level *93* ft.

FORM A.
 BRITISH RAINFALL
 18 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.15	.	.	.	.	.	.	.01	.	1
2	.	.10	.11	.10	.	.03	.	.	.	.	.02	.	2
3	.06	.05	.07	.	.45	.	.10	.	.03	.47	.	.50	3
4	.44	.05	.03	.	.	.	.	.	.07	.07	.11	.25	4
5	.01	.	.02	.	.	.21	.03	.01	.	.12	.	.	5
6	.03	.11	.20	.	.50	.	.30	.	.	.19	.01	.	6
7	.	.17	.	.	.	.14	.	.	.	.61	.02	.	7
8	.	.01	.	.	.90	.	.	.05	.	.42	.13	.	8
9	.	.14	.06	.	.36	.10	.	.06	.	.	.13	.	9
10	.05	.	.	.06	.05	.	.05	.	.	.04	.25	.	10
11	.14	.	.	.01	.	.	.	.	.	.06	.07	.	11
12	.	.	.	.	.	.04	.	.06	.	.	.06	.	12
13	.	.	.	.50	.	.	.	.02	.20	.02	.10	.	13
14	.10	.04	.12	.05	.	.	.	.	.	.08	.02	.	14
15	.11	.	.39	.25	.	.	.	.	.06	.	.45	.01	15
16	.	.	.06	.	.	.	.	.20	.	.	.07	.	16
17	.05	.	.	.	.	.75	.02	.	.40	.01	.	.	17
18	.04	.	.25	.02	.	.	.05	.	.	.	.25	.02	18
19	.11	.	.	.26	.	.	.	.	.	.03	.	.	19
20	.12	.	.08	.16	.	.	.	.	.	.14	.27	.	20
21	.	.	.21	.	.10	.	.18	.04	.	.	.12	.	21
22	.15	.	.38	.	.	.	.	.33	.10	.	.	.	22
23	.05	.	.	.	.04	.13	.	.10	.20	.	.02	.	23
24	.	.	.	.04	.	.12	.	.	.	.	.	.	24
25	.	.	.	.	.	.	.	.	.12	.	.	.02	25
26	.	.	.15	.08	.	.	.	.	.05	.	.	.43	26
27	.	.	.02	.20	.	.	.	.	.	.	.	.14	27
28	.60	.	.17	.60	.	.	.	.	.	.	.	.21	28
29	.	.	.36	.35	.04	.	.	.25	.	.	.	.14	29
30	.27	.	.	.	.	.	.	.14	.	.59	.	.01	30
31	.18	.	.05	.	.02	.	.	.	.	.	.	.	31
Total	3.51	.67	2.73	2.83	2.46	1.52	.73	1.26	1.23	2.85	2.11	1.73	YEAR'S TOTAL 23.63
Rain Days.	17	8	18	15	9	8	7	11	9	14	18	10	144

REGISTER OF RAINFALL IN 1914

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

BRITISH RAINFALL FORM A.
20 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.	.	.	.	1.22	.62	.	.01	.01	.28	1
2	.	.	.01	.	.	.	.23	.34	.	.02	.30	.05	2
3	.03	.	.04	.	.17	.	.	.02	.	.	.04	.50	3
4	.22	.	.04	.24	.04	.01	.	.	.	.	.20	.61	4
5	.14	.	.21	.32	.01	.02	.	.04	.	.	.16	.19	5
6	.	.	.01	.26	.15	.	.	.04	.	.	.12	.02	6
7	.01	.	.24	.05	.05	.	.	.04	.	.	.02	.13	7
8	.09	.01	.02	.	.03	.55	.20	.14	.04	.	.01	.02	8
9	.13	.05	.	.12	.	.97	.	.03	.05	.	.02	.01	9
10	.10	.03	.	.07	.	.	.	.	.03	.	.14	.01	10
11	.01	.33	.30	.01	.01	.	.	.	.03	.	.47	.35	11
12	.	.03	.08	.	.	.	.	.	.20	.	.07	.32	12
13	.	.13	.18	.	.	.	.04	.	.02	.01	.25	.18	13
14	.06	.16	.04	.	.	.	.11	.	.03	.04	.32	.47	14
15	.01	.07	.11	.	.	.	.	.	.02	.	.14	.03	15
16	.02	.	.02	.	.	.	.61	.	.35	.	.	.	16
17	.10	.09	.11	.	.	.	.03	.	.37	.	.	.23	17
18	.	.02	.02	.	.	.01	.	.	.	.	.	.14	18
19	.01	.	.	.	.	.	.04	.	.	.	.03	.11	19
20	.01	.11	.03	.	.	.	.	.02	.03	.06	.	.01	20
21	.	.40	.	.	.	.15	.01	.03	.	.09	.	.15	21
22	.	.01	.	.	.16	.09	.	.01	.	.02	.01	.02	22
23	.	.	.07	.03	.20	.04	.	.	.	.	.	.03	23
24	.	.	.38	.02	.05	.	.06	.24	.	.	.09	.	24
25	.01	.	.01	.	.	.	.02	.27	.	.70	.02	.59	25
26	.02	.	.06	.	.	.	.02	.04	.	.20	.11	.19	26
27	.09	.	.	.	.	.	.	.	.	.05	.14	.73	27
28	.02	.03	.04	.	.	.	.	.	.	.08	.21	.05	28
29	.01	.	.26	.	.	.	.	.02	.	.45	.04	.	29
30	.	X	.05	.	.04	.	.	.	.	.07	.13	.06	30
31	.04	X	.05	X	.	X	.58	.	X	.27	X	.	31
Total	1.44	1.48	2.38	1.12	.91	1.84	3.15	1.90	1.17	2.07	3.05	5.48	YEAR'S TOTAL 25.99
Rain Days.	21	15	24	9	11	8	13	15	11	14	24	27	192

REGISTER OF RAINFALL IN 1915

Kept at Holbeck, Leeds
in the County of York
by The Leeds Corporation

Lat. _____ Long. _____
Time of Observation 9. Am.
Nearest Railway Station Leeds New Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 93 in.
" " " " Sea Level _____ ft.

2467
FORM A.
BRITISH RAINFALL
14 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.25	.01	.	.19	.	.10	.04	.02	.	.01	.03	1
2	.05	.22	.10	.22	.	.05	.14	.35	.	.	.	.	2
3	.81	.01	.01	.08	.	.	.20	.12	.	.	.	.69	3
4	.10	.01	.	.	.05	.	.64	.01	.	.	.	.83	4
5	.14	.26	.03	.	.	.	.	.02	.	.	.01	.76	5
6	.08	.22	.13	.14	.	.	.41	.	.	.	.	.28	6
7	.34	.33	.04	.03	.10	.	.09	.45	.	.	.	.21	7
8	.07	.06	.02	.09	.	.01	.11	.07	.	.	.02	.01	8
9	.02	.01	.	.01	.	.	.01	.10	.	.01	.12	.54	9
10	.40	.	.05	.	.	.	.	.35	.	.01	.01	.05	10
11	.04	.	.02	.02	.62	.	.	.10	.	.	.23	.29	11
12	.04	.	.	.18	.07	.	.03	.	.	.13	1.13	.03	12
13	.01	.69	.	.	.	.	.01	.02	.03	.	.	.01	13
14	.05	.01	.	.	.04	.	.08	.05	.	.	.	.13	14
15	.82	.	.	.	.	.	.01	.01	.	.02	.28	.22	15
16	.	.30	.	.	.11	.	.84	.31	.	.01	.	.01	16
17	.	.19	.02	.	.	.	.05	.	.	.	.01	.02	17
18	.	.12	.17	.	.	.	.01	.01	.	.02	.01	.	18
19	.	.01	.	.	.01	.	.02	.	.	.	.	.	19
20	.03	.	.	.	.	.	.01	.	.	.03	.	.32	20
21	.10	.06	.	.02	.	.	.13	.	.	.	.	.15	21
22	.01	.	.12	.	.	.	.12	.	.	.	.	.04	22
23	.06	.03	.04	.	.	.	.15	.	.	.15	.	.04	23
24	.01	.01	.09	.04	.	.05	.	.	.58	.02	.	.18	24
25	.	.	.01	.01	.	.02	.	.	.	.05	.	.22	25
26	.01	.11	.	.	.	.04	.23	.	.	.	.	.56	26
27	.02	.20	.	.	.	.03	.07	.	.	.47	.	.09	27
28	.	.26	.02	.	.04	.13	.	.23	.	.12	.	.01	28
29	.02	~~X~~	.	.	.09	.22	.	.	.	.01	.12	.54	29
30	.10	~~X~~	.	.02	.	.80	.	.	.	.	.01	.01	30
31	.04	~~X~~	.	~~X~~	.	~~X~~	.	.21	~~X~~	.05	~~X~~	.11	31
Total	3.51	3.36	.88	.86	1.32	1.35	3.46	2.45	.63	1.10	1.96	6.38	YEAR'S TOTAL 27.26
Rain Days.	25	21	16	12	10	9	22	17	3	14	12	28	189

REGIS

LEEDS

ALLERTON HILL

Kept at Allerton Hill

in the County of York

by Chas. G. Fenwick
No. 8.

IMPORTANT NOTE.—R
previous day. If an Observer
requested to add the reading a
for it at the end of this par
the selection and placing of
Organization are given in "Ru
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911-1913
1915-1920

FORM A2.
BRITISH RAINFALL

ft. 7.12
vel 418 ft.

Mid. G. N. L. & Y.
N. E. & L. & N. W.
ce 3 m. Direction S.

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.04	-	-	-	.01	.06	-	-	.01	-	1
2	.23	-	-	-	.14	-	.02	-	-	-	.01	.07	2
3	.01	-	-	-	.21	-	-	-	-	.03	.07	.02	3
4	-	-	.12	.15	.03	-	-	.07	.17	.10	.22	.06	4
5	.04	-	.04	.06	-	-	-	.08	-	.12	.11	-	5
6	.06	-	.01	.04	-	-	-	.16	-	.15	.21	.17	6
7	-	.01	-	-	-	-	-	-	-	-	.04	-	7
8	.05	-	.12	-	-	-	-	-	.06	.03	-	.25	8
9	-	-	-	.02	-	.01	-	-	-	-	-	.04	9
10	.01	.03	-	.01	-	-	-	-	-	-	-	.42	10
11	.11	-	-	-	-	-	-	.01	.02	-	.47	.04	11
12	.05	-	.02	-	.09	.02	-	-	.73	-	.28	.01	12
13	-	.01	.10	-	-	.02	-	-	-	-	.03	.31	13
14	.01	.03	.05	-	.20	-	-	-	-	.01	-	.46	14
15	-	.05	.05	.01	-	-	-	-	-	.08	.01	.17	15
16	-	.12	.11	-	-	.04	.04	-	-	.05	.20	.12	16
17	-	-	.03	-	.01	.57	.01	-	-	-	.14	.08	17
18	-	.17	.08	.01	-	.02	-	-	-	.02	.11	.10	18
19	-	-	-	.01	-	.16	-	-	.05	.19	.32	.06	19
20	-	.07	-	.19	-	.02	.14	.82	.10	.01	-	.19	20
21	-	.20	.01	-	-	-	.01	.20	.01	.14	.01	.04	21
22	.04	.05	-	-	-	-	-	.05	-	.38	.05	-	22
23	-	.17	-	-	-	.58	-	-	.20	-	-	.25	23
24	.03	.05	.04	-	-	2.41	-	.02	-	.25	-	.08	24
25	-	.29	-	-	-	.06	.15	-	.51	-	-	.15	25
26	-	.01	-	.04	.11	-	.03	.01	-	.60	.28	.29	26
27	-	.11	.06	.11	.01	-	-	.33	.19	-	.02	.02	27
28	-	.10	.03	.15	-	.03	-	.02	.11	-	.04	.14	28
29	-	-	.01	.06	-	.11	.10	-	.27	.27	.01	.04	29
30	-	-	-	-	.09	.24	-	-	-	.08	-	-	30
31	-	-	.02	-	.08	-	-	-	-	.15	-	-	31
Total	.64	1.47	.94	.86	.97	4.29	.51	1.83	2.42	2.66	2.64	3.58	TOTAL for year
No. of Rain Days.	11	16	18	13	10	14	9	12	12	18	21	25	22-81 inches

REGIS

FORM A2.
BRITISH RAINFALL.

Kept at *Allerton Hill, Leeds.*

RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *—* ft.
" " " Sea Level *418* ft.

Time of Observation *9 a.m.*

Nearest Railway Station { Name *Mid. G. N. L. & Y.*
N. E. & L. N. W.
Distance *3 m.* Direction *S.*

in the County of *York*

by *Chas. R. Fenwick M. Inst. C. E.*
No. 8.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.04	—	—	—	.01	.06	—	—	.01	—	1
2	.23	—	—	—	.14	—	.02	—	—	—	.01	.07	2
3	.01	—	—	—	.21	—	—	—	—	.03	.07	.02	3
4	—	—	.12	.15	.03	—	—	.07	.17	.10	.22	.06	4
5	.04	—	.04	.06	—	—	—	.08	—	.12	.11	—	5
6	.06	—	.01	.04	—	—	—	.16	—	.15	.21	.17	6
7	—	.01	—	—	—	—	—	—	—	—	.04	—	7
8	.05	—	.12	—	—	—	—	—	.06	.03	—	.25	8
9	—	—	—	.02	—	.01	—	—	—	—	—	.04	9
10	.01	.03	—	.01	—	—	—	—	—	—	—	.42	10
11	.11	—	—	—	—	—	—	.01	.02	—	.47	.04	11
12	.05	—	.02	—	.09	.02	—	—	.73	—	.28	.01	12
13	—	.01	.10	—	—	.02	—	—	—	—	.03	.31	13
14	.01	.03	.05	—	.20	—	—	—	—	.01	—	.46	14
15	—	.05	.05	.01	—	—	—	—	—	.08	.01	.17	15
16	—	.12	.11	—	—	.04	.04	—	—	.05	.20	.12	16
17	—	—	.03	—	.01	.57	.01	—	—	—	.14	.08	17
18	—	.17	.08	.01	—	.02	—	—	—	.02	.11	.10	18
19	—	—	—	.01	—	.16	—	—	.05	.19	.32	.06	19
20	—	.07	—	.19	—	.02	.14	.82	.10	.01	—	.19	20
21	—	.20	.01	—	—	—	.01	.20	.01	.14	.01	.04	21
22	.04	.05	—	—	—	—	—	.05	—	.38	.05	—	22
23	—	.17	—	—	—	.58	—	—	.20	—	—	.25	23
24	.03	.05	.04	—	—	2.41	—	.02	—	.25	—	.08	24
25	—	.29	—	—	—	.06	.15	—	.51	—	—	.15	25
26	—	.01	—	.04	.11	—	.03	.01	—	.60	.28	.29	26
27	—	.11	.06	.11	.01	—	—	.33	.19	—	.02	.02	27
28	—	.10	.03	.15	—	.03	—	.02	.11	—	.04	.14	28
29	—	—	.01	.06	—	.11	.10	—	.27	.27	.01	.04	29
30	—	—	—	—	.09	.24	—	—	—	.08	—	—	30
31	—	—	.02	—	.08	—	—	—	—	.15	—	—	31
Total	.64	1.47	.94	.86	.97	4.29	.51	1.83	2.42	2.66	2.64	3.58	TOTAL for year
No. of Rain Days.	11	16	18	13	10	14	9	12	12	18	21	25	22-81 inches

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.

Kept at *Allerton Hill, Leeds.*

in the County of *York*

by *J. E. Fenwick.*

T. Harding Churston from 10 June 24

RAIN GAUGE Pattern
Diameter of top *5* in.
Height of top above Ground *—* ft. *7* in.
" " " Sea Level *418* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Leeds.*
Distance *3 m.* Direction *S.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	<i>17^s</i>	<i>.11</i>	—	—	<i>.24</i>			<i>(.11)</i>			<i>(.20)</i>	1
2	—	—	<i>.05</i>	—	—	<i>.15</i>					<i>(—)</i>		2
3	<i>.10</i>	—	<i>.01</i>	—	<i>.02</i>	<i>.36</i>							3
4	<i>.17</i>	—	<i>.50</i>	<i>.06</i>	<i>.05</i>	<i>.75</i>		—					4
5	<i>.07</i>	<i>.02</i>	<i>.02</i>	<i>1.11</i>	<i>.26</i>	<i>.42</i>							5
6	<i>.90</i>	<i>.19</i>	<i>.01</i>	—	<i>.02</i>	—							6
7	—	<i>.04</i>	<i>.03</i>	<i>.01</i>	<i>.03</i>	<i>.03</i>	<i>.61</i>			<i>(.10)</i>			7
8	<i>.36</i>	<i>.34</i>	<i>.06</i>	—	<i>.03</i>	<i>.06</i>			<i>.45</i>			<i>.04</i>	8
9	<i>.02</i>	<i>.05</i>	<i>.05</i>	<i>.13</i>	—	<i>.05</i>							9
10	<i>.21</i>	<i>.01</i>	—	<i>.05</i>	<i>.02</i>	<i>.28</i>					<i>.40</i>		10
11	<i>.02</i>	<i>.00</i>	—	—	—	—		—					11
12	<i>.04</i>	<i>.30</i>	<i>.01</i>	—	—	<i>.16</i>							12
13	<i>.01</i>	<i>.02</i>	—	—	—	—							13
14	<i>.12</i>	—	<i>.55</i>	<i>.04</i>	<i>.64</i>	<i>.13</i>	<i>1.50</i>			—			14
15	<i>.10</i>	<i>.02</i>	<i>.34</i>	—	<i>.04</i>	<i>.22</i>			—			<i>.62</i>	15
16	<i>1.11</i>	—	<i>.28</i>	—	—	<i>.12</i>							16
17	<i>.13</i>	<i>.02</i>	<i>.12</i>	—	—	?					<i>.35</i>		17
18	<i>.14</i>	—	<i>.02</i>	—	—	<i>.30</i>		<i>.65</i>					18
19	<i>.28</i>	<i>.25</i>	<i>.06</i>	—	—	—							19
20	<i>.16</i>	—	<i>.02</i>	—	<i>.32</i>	<i>.06</i>				<i>.45</i>			20
21	<i>.01</i>	<i>.01</i>	<i>.35</i>	—	<i>.33</i>	—	<i>.72</i>						21
22	<i>.07</i>	<i>.14</i>	<i>.01</i>	—	<i>1.12</i>	<i>.26</i>			—			<i>.70</i>	22
23	<i>.02</i>	—	<i>.15</i>	—	—	—							23
24	<i>.37</i>	—	—	—	<i>.01</i>	<i>.04</i>					<i>.50</i>		24
25	<i>.01</i>	—	<i>.01</i>	—	—	—							25
26	<i>.01</i>	<i>.10</i>	<i>.03</i>	—	—	—		<i>2.00</i>					26
27	—	<i>.02</i>	<i>.06</i>	—	<i>.01</i>	—				<i>1.75</i>			27
28	—	<i>.01</i>	—	—	<i>.03</i>	—	<i>1.12</i>	<i>2.85</i>					28
29	—	<i>.05</i>	<i>.14</i>	—	—	—			<i>.73</i>			<i>.77</i>	29
30	<i>.05</i>	—	<i>.16</i>	—	<i>.28</i>	—			<i>(.10)</i>		<i>(.55)</i>		30
31	—	—	<i>.05</i>	—	<i>.16</i>	—	—	<i>(.80)</i>		<i>.25</i>		—	31
Total	<i>4.48</i>	<i>1.84</i>	<i>3.18</i>	<i>.29</i>	<i>3.37</i>	<i>4.75</i>	<i>5.68</i>	<i>3.60</i>	<i>1.39</i>	<i>2.55</i>	<i>1.80</i>	<i>2.33</i>	TOTAL for year <i>35.26</i>
No. of Rain Days.	<i>24</i>	<i>19</i>	<i>26</i>	<i>5</i>	<i>17</i>	<i>25</i>							

W.D. see copy

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
JAN 1913

Kept at Alkerton Hill, Chapel A. Alkerton
in the County of Leeds
by Harding Hurston

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				(week ending)		1'12							1
2									'91			'75	2
3											'25		3
4													4
5								'00					5
6													6
7													7
8							'61			'20			8
9									'45			'04	9
10													10
11											'40		11
12								'15					12
13													13
14													14
15							1'50			'00			15
16									'00			'62	16
17													17
18											'35		18
19								'65					19
20													20
21										'45			21
22							'72						22
23									'00			'70	23
24													24
25											'50		25
26													26
27								2'00					27
28										1'75			28
29							2'85						29
30									'73			'77	30
31										(date)		'00	31
Total							6'80	2'80	2'09	2'40	1'50	2'88	YEAR'S TOTAL
Rain Days.	not recorded						(from June 24 half year)						

Rain recorded weekly - (Monday morning)

REGISTER OF RAINFALL IN 19 13

Kept at Allerton Hill, Chapel Allerton
in the County of Leeds
by Harding

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
6- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.33			.03	1
2						.06							2
3		.90	.16								.63		3
4								.00					4
5					1.30								5
6	.54									.60			6
7				.23			.51						7
8									.13			.60	8
9						.38							9
10		.50	.34								.39		10
11								.03					11
12					1.35								12
13	.51									1.27			13
14				.56			.03						14
15									.20			.01	15
16						.10							16
17		.13	.44								.93		17
18								.16					18
19					.04								19
20	.36									.15			20
21				.61			.04						21
22									.52			.01	22
23						.80							23
24		.01	.87								.45		24
25								.50					25
26					.37								26
27	.48									.28			27
28				.34			.23						28
29									.47			.50	29
30						.28							30
31	.83	-	.69	.90	.06	-	-	.33	-	.60	.03	.42	31
Total	2.72	.71	2.55	2.64	2.22	1.56	.81	1.02	1.32	2.40	1.83	1.54	21.82
Rain Days.													

W.7,000, XI. 13 those on which the readings are taken -

REGISTER OF RAINFALL IN 1915

3473

FORM A.
BRITISH RAINFALL.

Kept at "Allerton Hill," Leeds
in the County of Yorks W.R.G.
by Harding

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													28.79

REGISTER OF RAINFALL IN 1915

339
FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Allerton Hill, Leeds
in the County of Yorks W R
by Harding Hurden

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	for year ending Jan'y 1. 17. 9am (measured weekly)												YEAR'S TOTAL 27.81
Rain Days.													

Total for 1913	=	21.90	
" 1914	=	26.94	
1915	=	28.79	} average 27.84
1916	=	27.81	

In view of the ~~closely~~ ^{equal} approximate results for the last 3 years, it would be interesting, if possible, to discover any possible explanation of the lower rainfall here in 1913 - Can Dr. Will suggest one? R.H.

REGISTER OF RAINFALL IN 1917

Kept at Allerton Hill
in the County of Leeds
by P. Harding Leeds
Yorkshire W. Rid

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

32483
FORM A.
BRITISH RAINFALL.
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													
Rain Days.													

(record taken weekly)
YEAR'S TOTAL 23.70

REGISTER OF RAINFALL IN 1918

224

FORM A.
BRITISH RAINFALL

Kept at Allerton Hill, Chapel Allerton
in the County of Yorkshire W Leeds
by T. Harding Churton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total									(6.51)				YEAR'S TOTAL 31.20 (inches)
Rain Days.													

(measured weekly)

REGISTER OF RAINFALL IN 1919.

Kept at Allerton Hill, Leeds.
in the County of York
by Harding Hurton

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL													YEAR'S TOTAL
Days with "or more													27.08

Kept at Allerton Hill, Leeds
in the County of York
by T. Harding Churton, M.I.E.E.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X		X		X			31
TOTAL													YEAR'S TOTAL
Days with "01 in. or more													
Days with "04 in. or more													

Sir,—In response to your request for rainfall records for the last month, I may say that the gauge at Allerton Hill showed a total of 6.38 in. in July. The average rainfall here during the last seven years has been 26.77 in., the lowest during that period being in 1913, 21.90 in., and the highest in 1918, 31.20 in.—Yours, etc.,
T. HARDING CHURTON.
Allerton Hill, Chapel-Allerton, Leeds,
August 6, 1920.

6.38
Total for year 1920 = 29.36

3280

mber 1919.

NEEDS, KINGFISHER

SHER
NEEDS.

8 APR 1921

1920 - ~~32~~

Date.	1.											12.	Date.
1.	0	22	12	20	04	50	0	12	01	0.02	1.		
2.	0	0	10	..	48	0	07	22	01	29	2.		
3.	02	01	..	02	6.02	02	09	18	0	22	3.		
4.	03	0	0	..	07	0	1.96	90	49	0	4.		
5.	0	0	03	..	07	..	07	13	03	09	5.		
6.	0	0	..	05	0	05	0	0	0	05	6.		
7.	01	14	35	03	0	41	0	0	0	0	7.		
8.	08	04	09	38	0	08	11	0	0	04	8.		
9.	23	19	0	44	09	0	12	05	0	0	9.		
10.	40	0	..	0	0	..	22	0	12	0	10.		
11.	96	02	0	31	19	0.06	31	0	0	0	11.		
12.	14	0	17	30	0	..	01	0	0	07	12.		
13.	06	02	..	03	0	39	0	0	0	0	13.		
14.	01	56	12	0	25	03	0	19	0.21	43	14.		
15.	0	11	09	11	0	0	0	03	62	08	15.		
16.	0	0	01	01	0	0	59	0	10	14	16.		
17.	0	0	..	18	0	..	0	16	02	0	17.		
18.	0	0	02	09	05	09	09	..	0	0	18.		
19.	02	75	0	11	07	19	0	13	19	0	19.		
20.	02	01	29	0	..	01	0	0	0	0	20.		
21.	02	0	09	..	0	39	..	0	0	0	21.		
22.	02	0	0	32	03	14	12	0	01	0	22.		
23.	01	0	0	41	0	34	0	0	0	0	23.		
24.	0	34	..	..	0	..	0	0	01	0	24.		
25.	06	01	08	04	0	02	69	0	..	0	25.		
26.	07	04	26	04	06	..	25	0	0	0	26.		
27.	10	02	09	34	43	0	0	0	0	..	27.		
28.	144	10	14	0	0	01	..	01	0	0.28	28.		
29.	16	01	11	03	..	08	07	0	0	0	29.		
30.	11	~~03~~	~~01~~	~~90~~	~~06~~	..	0	~~11~~	..	12	30.		
31.	..	~~11~~	~~..~~	~~02~~	~~..~~	..	0	~~31~~	~~..~~	11	31.		
Total. Days with .00 in or more.	3.65	1.86	2.35	3.49	2.66	1.62	6.19	1.77	1.23	2.08	1.42	2.69	Years Total 31.01 175
	20	14	17	22	15	12	21	9	10	11	10	14	128
	12	7	13	17	12	9	17	8	7	7	9	10	

ember 1919

Sept at

KINGFISHER
24881 LEEDS.

8 APR 1921

REGISTER OF RAINFALL IN 1920.

Date.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	Date.
1.	0	22	12	30	..	04	50	..	0	12	0.11	0.02	1.
2.	0	0	10	..	48	0	07	..	22	..	01	29	2.
3.	..	02	01	..	02	6.02	..	02	09	18	0	22	3.
4.	03	0	0	..	07	0	1.96	90	..	49	0	..	4.
5.	0	0	03	..	07	..	07	13	03	09	0	11	5.
6.	0	0	..	..	05	0	05	0	0	0	..	05	6.
7.	01	..	14	35	03	0	41	..	0	0	0	0	7.
8.	08	04	09	33	..	0	08	11	0	0	04	0	8.
9.	23	19	0	44	09	0	12	05	0	..	0	0	9.
10.	..	40	0	..	0	0	..	22	0	02	0	0	10.
11.	96	02	0	31	19	0.06	31	0	..	0	0	..	11.
12.	14	0	17	30	0	..	01	0	0	0	07	21	12.
13.	06	02	..	03	0	39	0	0	0	0	..	14	13.
14.	01	..	56	12	0	25	03	0	19	0.21	43	02	14.
15.	0	11	09	11	..	0	0	0	03	62	08	0.01	15.
16.	0	0	01	01	0	0	59	0	10	..	14	10	16.
17.	..	0	0	..	18	0	..	0	16	02	0	0	17.
18.	10	0	0	02	09	05	09	09	..	0	0	0	18.
19.	02	15	0	11	09	19	0	13	19	0	0	0	19.
20.	02	01	..	29	0	..	01	0	0	0	..	0	20.
21.	02	..	0	09	..	0	39	..	0	0	0	01	21.
22.	02	0	0	32	..	03	14	12	0	01	0	04	22.
23.	01	0	0	41	..	0	34	0	0	..	0	..	23.
24.	..	0	34	..	..	0	..	0	0	01	0	..	24.
25.	06	01	08	04	0	02	69	0	..	0	0	..	25.
26.	07	04	26	04	06	..	25	0	0	0	0	..	26.
27.	10	02	..	09	34	43	0	0	0	0	..	..	27.
28.	144	..	10	14	0	0	01	..	01	0	0.28	..	28.
29.	16	01	11	03	..	08	07	0	0	0	14	1.18	29.
30.	11	~~X~~	03	01	90	06	..	0	11	..	12	28	30.
31.	..	~~X~~	11	~~X~~	02	~~X~~	..	0	~~X~~	31	~~X~~	11	31.
Total. Days with 0.01 in or more.	3.65	1.86	2.35	3.48	2.66	1.62	6.19	1.77	1.23	2.08	1.42	2.69	Years Total 31.01 175
	12	7	13	17	12	9	17	8	7	7	9	10	128

LEEDS UNIVERSITY

1920

✓ Rept at.

LEE

APR 1921

Date.	1.	2.										12.	Date.
1.	—	0.01										0.02	1.
2.	—	—										.25	2.
3.	0.01	.01	.01		.02	.01	2.05	(2.30)	.10			.14	3.
4.	.01	—	—		.04	—	.42	.93	.01	.57	—	.07	4.
5.	—	—	.03		.07	—	.05	.08	.01	.08	—	.02	5.
6.	—	—	.07	.32	.05	—	.06	—	—	—	—	.05	6.
7.	.01	—	.09	.03	.04	—	.15	—	—	—	.01	—	7.
8.	.06	—	—	.29	.06	—	.09	.15	—	.01	.04	—	8.
9.	.06	—	—	.41	—	—	—	.07	—	.03	—	—	9.
10.	.77	—	—	.21	—	—	.69	.21	—	—	—	—	10.
11.	.36	—	.01	.15	.16	—	.01	.01	—	—	—	.10	11.
12.	.09	—	.09	.31	.01	—	.01	.01	—	—	.08	.10	12.
13.	.06	—	.05	.02	.01	—	—	—	—	—	.04	.12	13.
14.	.02	—	.49	.11	—	—	.02	—	—	.15	.24	.03	14.
15.	.02	—	.08	.07	—	.63	.01	—	—	.45	.06	—	15.
16.	—	.74	—	.01	—	—	—	—	.30	.01	.11	—	16.
17.	—	.01	—	—	.16	—	—	—	.13	.01	.01	—	17.
18.	.10	—	—	.03	.07	—	—	.01	.17	—	—	—	18.
19.	.02	.76	—	.11	.05	—	—	.07	.04	—	—	—	19.
20.	.03	.01	—	.32	—	.22	—	.08	—	—	—	—	20.
21.	.01	.01	—	.01	—	—	—	—	—	—	—	.02	21.
22.	.03	—	—	.27	—	.03	—	.10	—	—	.01	.04	22.
23.	—	—	—	—	—	—	2.30	—	—	.01	—	.32	23.
24.	.03	—	.32	.03	—	—	—	—	—	—	.01	.10	24.
25.	.01	.01	.06	.02	—	—	—	—	—	—	—	—	25.
26.	.05	.02	.20	.06	—	—	—	—	—	—	—	—	26.
27.	.09	.02	.01	.06	.40	.48	—	—	—	—	.30	.03	27.
28.	1.44	.02	.08	.15	.13	.07	—	—	.01	—	.01	.10	28.
29.	.05	—	.13	.01	.58	.12	—	—	—	—	.12	.62	29.
30.	.13	~~X~~	.02	.01	.05	.06	—	—	.13	—	.09	.21	30.
31.	.20	~~X~~	.05	~~X~~	.03	~~X~~	—	—	~~X~~	.31	~~X~~	(.18)	31.
Total	3.66	1.62	2.01	3.31	2.47	1.59	6.57	1.72	1.13	1.89	1.25	2.62	Years total.
Days with .01 in or more.	24.	11	19	24	19	9	13	12	10	13	16	19	+89 (196)
5.04	13	2	14	15	14	5	8	9	7	8	10	14	+20 (127)

✓ Kept at.

LEEDS

APL 18

Date.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	Date.
1.	—	0.01	0.09	0.30	0.53	0.03	0.58	—	—	0.11	0.11	0.02	1.
2.	—	—	.13	—	.01	—	.10	—	0.23	.09	.01	.25	2.
3.	0.01	.01	.01	—	.02	.01	2.05	2.30	.10	.06	—	.14	3.
4.	.01	—	—	—	.04	—	.42	.93	.01	.57	—	.07	4.
5.	—	—	.03	—	.07	—	.05	.08	.01	.08	—	.02	5.
6.	—	—	.07	.32	.05	—	.06	—	—	—	—	.05	6.
7.	.01	—	.09	.03	.04	—	.15	—	—	—	.01	—	7.
8.	.06	—	—	.29	.06	—	.09	.15	—	.01	.04	—	8.
9.	.06	—	—	.41	—	—	—	.07	—	.03	—	—	9.
10.	.77	—	—	.21	—	—	.69	.21	—	—	—	—	10.
11.	.36	—	.01	.15	.16	—	.01	.01	—	—	—	.10	11.
12.	.09	—	.09	.31	.01	—	.01	.01	—	—	.08	.10	12.
13.	.06	—	.05	.02	.01	—	—	—	—	—	.04	.12	13.
14.	.02	—	.49	.11	—	—	.02	—	—	.15	.24	.03	14.
15.	.02	—	.08	.07	—	.63	.01	—	—	.45	.06	—	15.
16.	—	.74	—	.01	—	—	—	—	.30	.01	.11	—	16.
17.	—	.01	—	—	.16	—	—	—	.13	.01	.01	—	17.
18.	.10	—	—	.03	.07	—	—	.01	.17	—	—	—	18.
19.	.02	.76	—	.11	.05	—	—	.07	.04	—	—	—	19.
20.	.03	.01	—	.32	—	.22	—	.08	—	—	—	—	20.
21.	.01	.01	—	.01	—	—	—	—	—	—	—	.02	21.
22.	.03	—	—	.27	—	.03	—	.10	—	—	.01	.04	22.
23.	—	—	—	—	—	—	2.30	—	—	.01	—	.32	23.
24.	.03	—	.32	.03	—	—	—	—	—	—	.01	.10	24.
25.	.01	.01	.06	.02	—	—	—	—	—	—	—	—	25.
26.	.05	.02	.20	.06	—	—	—	—	—	—	—	—	26.
27.	.09	.02	.01	.06	.40	.48	—	—	—	—	.30	.03	27.
28.	1.44	.02	.08	.15	.13	.01	—	—	.01	—	.01	.10	28.
29.	.05	—	.13	.01	.58	.12	—	—	—	—	.12	.62	29.
30.	.13	~~—~~	.02	.01	.05	.06	—	—	.13	—	.09	.21	30.
31.	.20	~~—~~	.05	~~—~~	.03	~~—~~	6.56	1.72	~~—~~	.31	~~—~~	(.18)	31.
Total	3.66	1.62	2.01	3.31	2.47	1.59	4.24	4.02	1.13	1.89	1.25	2.62	Years total.
Days with .01 in or more.	24.	11	19	24	19	9	13	12	10	13	16	19	+89 (196)
F.04	13	2	14	15	14	5	9	9	7	8	10	14	+20 (127)

REG

LEYBURN

Kept at Bolton Hall
in the County of York
by Frederick Scr

BOLTON HALL
YORKS.

1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

in.
ound 1 ft. in.
a Level 420 ft. 3423
ame Wensley
istance 1 mile Direction N E
he result entered to the
sal rule, he is earnestly
r in the space provided
nt of rain,
sh Rainfall
plication to

IMPORTANT NOTE.
previous day. If an Obser
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20					.03			.03		1
2	.47				.02		.01			.04	.04	.16	2
3			.04	.02	.40			.17		.06	.16	.03	3
4	.02		.12	.26				.29		.12	.49	.29	4
5	.28		.01	.04				.36		.02	.10	.03	5
6	.40		.03	.10				.22		.01	.28	.89	6
7	.03			.01	.01					.01	.18		7
8			.13	.01					.02	.01	.30	.48	8
9	.01											.40	9
10	.19	.05	.03	.01								.68	10
11	.14		.01						.26		.44	.04	11
12	.22		.01		.12	.22			1.05		.24	.01	12
13			.16		.28	.01					.04	.44	13
14		.01	.15		.32						.02	.43	14
15		.09	.30							.03	.41	.19	15
16		.32	.23	.03		.13				.04	.04	.08	16
17	.01		.02			.52	.01				.27	.25	17
18		.63	.26	.01		.02	.01			.01	.27	.49	18
19		.01	.01	.18		.01		.01	.09	.17	1.07	.16	19
20		.02		.04				.14	.01			.15	20
21		.47		.05			.01	.44	.02	.14	.03	.04	21
22	.22	.08				.02		.04		.02	.22		22
23	.01	.72			.02	.60	.01		.14	.16		.08	23
24	.01	.01	.15			1.02				.11		.34	24
25	.01	.15		.03		.05		.01	.54	.10	.01	.19	25
26				.01	.02			.03	.03	.86	.78	.21	26
27		.14	.15	.13				.14	.06	.03	.02	.01	27
28		.21	.05	.21		.01			.02			.15	28
29		X		.10			.05	.03	.54	.56		.05	29
30		X	.01		.03	.03		.06	.26				30
31		X	.01	X	.07	X			X	.05	X	.01	31
Total	2.02	2.91	2.08	1.24	1.29	2.64	.10	1.91	2.84	2.80	5.44	6.28	TOTAL 31.55
No. of Rain Days.	14	14	21	17	10	12	6	13	13	20	22	27	189

REG

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Bolton Hall Gardens
 in the County of NR Yorks
 by Frederick Scrivener

RAIN GAUGE Pattern
 Diameter of top 8 in.
 Height of top above Ground 1 ft. in.
 " " " Sea Level 420 ft. 3423
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Wensley
 Distance 1 mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20					.03			.03		1
2	.47				.02		.01			.04	.04	.16	2
3			.04	.02	.40			.17		.06	.16	.03	3
4	.02		.12	.26				.29		.12	.49	.29	4
5	.28		.01	.04				.36		.02	.10	.03	5
6	.40		.03	.10				.22		.01	.28	.89	6
7	.03			.01	.01						.18		7
8			.13	.01					.02	.01	.30	.48	8
9	.01											.40	9
10	.19	.05	.03	.01								.68	10
11	.14		.01						.26		.44	.04	11
12	.22		.01		.12	.22			1.05		.24	.01	12
13			.16		.28	.01					.04	.44	13
14		.01	.15		.32						.02	.43	14
15		.09	.30							.03	.41	.19	15
16		.32	.23	.03		.13				.04	.04	.08	16
17	.01		.02			.52	.01				.27	.25	17
18		.63	.26	.01		.02	.01			.01	.27	.49	18
19		.01	.01	.18		.01		.01	.09	.17	1.07	.16	19
20		.02		.04				.14	.01			.15	20
21		.47		.05			.01	.44	.02	.14	.03	.04	21
22	.22	.08				.02		.04		.02	.22		22
23	.01	.72			.02	.60	.01		.14	.16		.08	23
24	.01	.01	.15			1.02				.11		.34	24
25	.01	.15		.03		.05		.01	.54	.10	.01	.19	25
26				.01	.02			.03	.03	.86	.78	.21	26
27		.14	.15	.13				.14	.06	.03	.02	.01	27
28		.21	.05	.21		.01			.02			.15	28
29		X		.10			.05	.03	.54	.56		.05	29
30		X	.01		.03	.03			.06	.26			30
31		X	.01	X	.07	X			X	.05	X	.01	31
Total	2.02	2.91	2.08	1.24	1.29	2.64	.10	1.91	2.84	2.80	5.44	6.28	TOTAL for year
No. of Rain Days.	14	14	21	17	10	12	6	13	13	20	22	27	189

REGISTER OF RAINFALL IN 1912

Kept at Bolton Hall Gardens
 in the County of Yorks NI
 by F. Scriver

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Wensley
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 420 ft.

BRITISH RAINFALL
 FORM A.
 8-JAN 1913
 3423

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	.10	.20			.48	.61	.20	.08	.05		.14	1
2	-	.20	.30		.02	.30	.20	.04	.01				2
3	.16	.10	.01			1.14		.81	.22			.09	3
4	.26		.53	.08	.02	.80		.62	.14		.07	.01	4
5	.05		.01	.01	.23	.13		.01			.01		5
6	.78	.29	.02			.04		.28					6
7	.10	.01	.01	.04				.04	.12		.08	.02	7
8	.56	.14	.14	.10		.15	.01	.04	.18		.20		8
9	.04	.15	.13	.12		.27		.02			.01	.02	9
10	.08	.02	.01	.02		.24			.02		.20		10
11	.08	.14				.09		.04	.01		.10	.20	11
12	.14	.25				.07	.18				.09	.31	12
13	.01	.07				.07			.02	.12	.25	.41	13
14	.13		.12		.02	.11		.01	.01			.29	14
15	.16	.03	.08		.45	.11				.01		.21	15
16	.79		.01			.08				.01		.02	16
17	.01	.11	.28			.28	.01	.18			.01	.28	17
18	.15	.04				.01		.02		.12	.02	.02	18
19	.10	.33	.13		.02	.10	.18	.05		.16	.05		19
20	.16	.01			.73	.09		.07		.47			20
21	.01		.36		.02		.08	.01					21
22	.06	.13	.01		.68	.21		.37					22
23	.01		.13		.04	.08	.18	.35		.02	.09	.01	23
24	.22		.01		.02	.16	.45	.22		.02	.29	.22	24
25	.06		.02			.28	.38	.46			.40	.05	25
26	.02	.35	.05			.02	.20	.31		1.28	.44	.39	26
27		.03	.05			.28	.65	.02		.17		.54	27
28		.03	.03			.08	.39	.36	.02	.22		.02	28
29		.03	.40				.18	.12	.84	.15		.25	29
30	.12	X	.12		.07		.13		.06	.07		.01	30
31		X	.08	X	.08	X	.92	.20	X		X	.01	31
Total	4.16	2.65	3.24	.34	2.44	5.67	4.75	4.85	1.73	2.87	2.31	3.52	38.53
Rain Days.	24	21	26	6	14	26	16	25	13	14	16	22	223

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

6-JAN 1914
3423

Kept at *Bolton Hall Gardens*
in the County of *Yorks*
by *Frederick Scrivener*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Wensley*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *420* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.01	.21	.13	—	—	—	—	—	—	.06	—	1
2	.01	.27	.83	.08	—	.09	—	—	—	.08	.15	—	2
3	.10	.07	.17	—	.43	—	.01	—	—	.01	.01	.07	3
4	.23	.04	.11	—	.01	.07	.03	—	—	.21	.04	.36	4
5	.42	.07	.12	—	.02	.07	.05	.03	.01	.08	—	—	5
6	.01	.34	.50	.01	.58	.02	.90	—	—	.07	.05	—	6
7	.02	.63	.10	.01	.22	.10	—	—	—	1.01	.01	—	7
8	.01	.04	.01	—	.82	.05	—	.03	—	.19	.14	—	8
9	.01	.06	.04	.01	.22	.25	—	.15	—	—	.08	—	9
10	.02	—	.16	.05	.02	.01	—	—	—	—	.16	—	10
11	1.00	—	—	.41	.01	—	—	—	—	.07	.10	.04	11
12	.09	—	—	—	—	—	.01	—	.41	—	.10	—	12
13	—	—	.10	.01	—	—	—	.01	.28	.01	.07	—	13
14	.17	.02	.24	.16	—	—	—	—	—	.12	.11	.01	14
15	.14	.01	.85	.46	—	—	—	.09	—	—	.29	.02	15
16	.01	—	.08	.01	—	—	—	—	—	—	.04	—	16
17	.01	.01	.09	.02	—	.07	.03	—	.01	—	.08	—	17
18	.01	—	.72	.32	.01	.10	.05	—	—	—	.27	.01	18
19	.20	—	.43	.08	.04	.01	—	—	.02	.07	.19	—	19
20	.63	.01	.14	.02	—	—	—	—	.06	.12	.67	—	20
21	.05	—	.12	—	.01	—	.09	.17	—	—	—	—	21
22	.03	—	.85	—	.02	—	—	.24	.09	—	—	—	22
23	.17	—	.01	—	.01	.10	.01	.14	.01	.01	.09	—	23
24	.37	—	—	.02	—	.23	—	—	—	—	.01	—	24
25	—	.01	—	.08	—	—	—	—	.48	—	.01	.19	25
26	—	.02	.12	1.02	—	.01	—	—	.29	.08	—	.54	26
27	—	—	.02	.55	—	—	—	—	—	.20	—	.28	27
28	.57	—	.35	.35	—	—	—	—	—	.04	—	.26	28
29	.01	~~X~~	.53	.30	—	—	—	.32	—	.12	.02	.20	29
30	.47	~~X~~	.01	—	.01	.01	—	—	—	.17	—	—	30
31	.20	~~X~~	.05	~~X~~	.07	~~X~~	—	—	~~X~~	—	~~X~~	—	31
Total	5.05	1.61	6.96	4.10	2.50	1.19	1.18	1.18	1.66	2.66	2.75	1.98	32.82
Rain Days.	27	15	27	21	16	15	9	9	10	18	23	11	201

REGISTER OF RAINFALL IN 1914

Kept at Bolton Hall Gardens
in the County of Yorkshire N.R. 1
by Frederick Scivener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wensley
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1420 ft.

FORM A.
BRITISH RAINFALL
1914
3423

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	x	.02	.01	.01		.01	.78	.05		.06	.01	.56	1
2	x	.01	.01	.02			.28	.59		.01	.53	.32	2
3	.02	x	.19	x	.21		.01	.01		x	.08	.88	3
4	.29	x	.03	.10	.11	.01				x	.14	1.12	4
5	.04	x	.12	.23	.01	.04				.01	.35	.23	5
6	x	.01	.01	.33	.09	x					.01	.19	6
7	.02	.19	.21	.03	.12	.18					x	.43	7
8	.17	.01	.02	x	.08	.59	.13	.16	.01		.01	.10	8
9	.40	.05	.07	.19		1.90			.02		.10	.06	9
10	.05	.24	x	.03					.05		.22	x	10
11	x	.08	.07	.01	.11				.01		.30	.40	11
12	.01	.24	.10	x		.01	.16		.04		.13	1.00	12
13	x	.16	.08	.01			.01		.01	.02	.29	.57	13
14	.11	.81	.05				.06		.05		.30	.37	14
15	.03	.18	.25				x		.32		.52	x	15
16	.08	.01	.03				.68		.41			x	16
17	.11	.32	.11				.08		.79			.52	17
18	.04	.20	.01			1.15	x		.05	.01		.04	18
19	.02	.01	x		.02		.08		.01	x	.08	.06	19
20	x	.24	.05							.01	x	x	20
21	x	.63	x			.07				x	.06	.04	21
22	x	.23	x		.48	.10		.10		.08	.03	.12	22
23	x	.03	.01	.02	.21	.01	.01	x			x	.08	23
24	.02	.01	.20	.03	.16		.02	.14			.05	x	24
25	.04	x	.03				.03	.06		.51	.01	.32	25
26	x	.01	.22				.01			.12	.33	.40	26
27	.01	x	x							.04	.38	.62	27
28	.01	.04	.04					.02		.04	.26	.01	28
29	.02	X	.10		.01			.20		.61	.38	x	29
30	.22	X	.31	.02	x			.11		.11	.48	.41	30
31	.43	X	X	X	.04	X	.32	x	X	.28	X	x	31
Total	2.14	3.73	2.33	1.02	1.65	4.07	2.66	1.44	1.77	1.91	5.05	8.85	YEAR'S TOTAL 36.62
Rain Days.	21	23	25	12	13	11	15	10	12	14	24	24	204

REGISTER OF RAINFALL IN 1915

Kept at Bolton Hall Gardens
in the County of Yorks N.I.
by Frederick Scrivener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wensley **3423**
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.66	.41	.01	-	.09		.03	.20	.08		.08	.19	1
2	-	.31	.18	.15		.02	.05	.57			.01	.03	2
3	.90	.01	-	.06			.21	.51			.08	.63	3
4	.05	.09	.02	.02		.04	-	.01				.93	4
5	.20	.35	.01	-	.12		-	.01			.01	.78	5
6	.34	.35	.12	.21			1.32	-		.01	.02	.14	6
7	.19	.70	.03	.07			.36	.21				.22	7
8	.15	.42	.05	.10			.05	.08			.23	-	8
9	-	.01					.08	.02		.03	.03	.55	9
10	.36	.01	.01				-	.02		.09	-	.36	10
11	.13	-	.02		.91		-	.08		-	.07	.09	11
12	.14	.02		.09	.05		.19	.01		.11	1.43	-	12
13	.06	.44		-	-		.03	.02		.01	-	.05	13
14	.16	.08		.01	.15		.03	.02		-	-	.12	14
15	.61	-			-		.01	.08		.01	.33	.22	15
16	-	.64			.01		.93	.34	.02	.02	-	-	16
17	-	.49					-	-	-	-	-	.03	17
18	-	.57	.25				-	.08	.05	.05	.02	-	18
19	-	.02	.06	.10			.20		.01	.06		-	19
20	-	.01		-			.07			.02		.43	20
21	.18	.09		.02			.03			-		.14	21
22	.03	-	.06	-			.02			-		.15	22
23	.05	.08	.03	-			.13		.01	.09		.20	23
24			.20	.11			.01		.23	.03		.49	24
25			.01				-		.09	.03		-	25
26	.01	.87	.01			.17	.04					.47	26
27	-	.26	.02			-	.01			.16		.32	27
28	-	.22	.10		.10	.03	.02	.38		.01		.01	28
29	-		.01	-	.19	.10	.01	.03	.01	-	.15	.68	29
30	.08		-	-	-	.07	.02	-	-	-	-	.04	30
31	.09		-		-		.01	.47		.04		.36	31
Total	4.39	6.39	1.20	.94	1.62	.43	3.86	3.14	.50	.77	2.46	7.63	33.33
Rain Days.	19	23	19	11	8	6	24	19	8	16	12	25	190

REGISTER OF RAINFALL IN 1916

Kept at Bolton Hall Gardens
in the County of Yorkshire (Leigham)
by Frederick Scrivener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wensley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.94	.02	.24			.10	.32	.07	X	X	.02	X	1
2	.07	.08	.15			.16	.01	X	.32	.09	.04	.03	2
3	.12	.30	.07	.03		X	.09	.01	1.52	.11	.45		3
4	.20	.15	X	.03	.70	.26	.05		.27	.30	.30		4
5	.01	.34	.04	.01	.28	.09	X			.82	.47		5
6	.21	.34	.24	.07	.52	.01	.10			.12	.33		6
7	.01	.17	.30		.25	.10	.60			.18	.07	.20	7
8	X	.03	.31		.02	.09	X			.01	.09	.07	8
9	.03	X	.16		.15	.19	.04		.02	X	.03	.55	9
10	.23	.01	.04	.03	.01	.20	.02		X	.34	.05	.02	10
11	X	.28	.38	.10	.02	.15	.01		.02	.13	.01	.12	11
12	.06	.08	.47	.02	.36	.04	.42	.02	X	.01	X	.19	12
13	X	.20	.21	.06	.02		.14	.25	.01	.62	.01	.14	13
14	.11	.27	.03	.02	.10		X	.21		.32	.02	.12	14
15	.03	.36	.71	.01	.01		.08	1.20		.02	X	X	15
16	X	.23	.38	.14			.05	.25		X	X	.02	16
17	.04	.07	X	.13			.01	X	.03	.17	.01	X	17
18	X	.28	.01	.07			.03	.02	.21	.07	1.08	.14	18
19	.45	.03	.13	.26			X	X	.02		.79	X	19
20	.27	X	.34	.08			.13	.04	X		.12	.12	20
21	.23	.01	.05	.02	.05				X		.01	X	21
22	.04	.12	.02	.06		.01			.02	.13	.01	X	22
23	.07	.14	.22	.06		X				.09	.18	.13	23
24		.02	.05	.01		.60		.14		.08	.14	.10	24
25		.14	.35		.21	.01		.41		.17	.12	.01	25
26		.16	.10			.01		X		.08	.01	X	26
27		.38	.03			X		.02		.60		X	27
28		.22	.11	.01	.02	X		.01		.12		.66	28
29		.70	.01		.01	.09		.02	.01	.20		.13	29
30	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	.02	.03	.02	~~X~~	.93	~~X~~	.03	30
31	~~X~~	~~X~~	~~X~~	~~X~~	.03	~~X~~	~~X~~	~~X~~	~~X~~	.74	~~X~~	.02	31
Total	3.12	5.13	5.15	1.22	2.75	2.13	2.13	2.60	2.45	6.45	4.45	2.80	40.48
Rain Days.	18	27	27	20	17	17	17	15	11	25	23	19	236

REGISTER OF RAINFALL IN 1917

Kept at Bolton Hall Gardens
in the County of Yorks, Leyburn
by F. Scrivener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wensley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 420 ft.

FORM A.
BRITISH RAINFALL
JAN. 1917
3423

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	X	X	.02	X	X	—	.12	.29	—	.14	X	1
2	.11	X	X	.33	X	.13	—	.14	.02	.01	.02	X	2
3	.05	.01	X	.44	X	.05	—	.02	X	.19	.03	X	3
4	X	.01	.10	X	X	X	—	.01	X	.01	X	.01	4
5	.16	X	.22	.20	X	X	—	X	X	.03	.18	.10	5
6	X	X	.04	X	X	.01	—	.01	X	.12	.30	.03	6
7	.55	X	.12	X	X	.21	—	.02	X	.18	X	.08	7
8	.70	X	.02	.17	X	X	—	1.52	.02	.28	.08	.16	8
9	.09	X	.01	.12	X	X	—	.49	X	.06	.05	.02	9
10	.12	X	.86	.60	.11	X	—	.10	X	.20	X	X	10
11	.03	.02	X	.04	.03	X	—	.05	X	.08	.01	X	11
12	.01	.01	X	.01	.18	X	—	X	X	.72	X	X	12
13	.25	X	X	.28	X	.06	—	.42	.23	.05	.01	.07	13
14	.61	X	.02	.16	.06	X	—	.95	X	.01	X	.11	14
15	.01	X	X	.03	X	X	.21	.03	.01	.03	X	.08	15
16	.08	X	.01	.27	X	.21	X	.18	.06	X	X	.64	16
17	.02	.10	.01	.15	.48	X	.05	.42	.07	.02	X	.26	17
18	.01	X	.06	.02	.15	X	.32	.07	.02	X	X	.01	18
19	.04	.18	.21	X	.45	.08	.03	.03	X	X	.02	X	19
20	.22	.17	.08	X	X	.36	.02	.01	.33	.01	.09	.15	20
21	.03	.10	.04	.01	X	X	X	.07	X	.02	X	X	21
22	.01	X	.03	X	X	.04	X	.01	.02	.03	X	X	22
23	.01	.02	X	X	.14	.23	X	.25	.02	.07	.05	X	23
24	.01	.01	X	.01	X	.03	.01	.16	X	.75	.41	X	24
25	X	.01	.05	X	X	X	X	.01	X	.17	X	X	25
26	X	X	.02	X	X	.23	X	.64	.09	.19	.14	X	26
27	.01	X	.07	X	.12	.20	.65	.61	X	.03	.03	.09	27
28	X	X	.27	X	X	.01	X	.15	.01	X	.02	.06	28
29	X	X	.09	X	.21	X	.18	.01	.01	.53	.03	.02	29
30	.05	X	.07	.01	—	—	—	.04	—	.13	.05	.04	30
31	.02	X	.30	X	.03	X	—	.04	X	—	X	.17	31
Total	3.22	.64	2.70	2.87	1.96	1.85	1.47	6.58	1.20	3.92	1.66	2.10	30.17
Rain Days.	25	11	22	18	11	14	8	29	14	25	18	18	213

REGISTER OF RAINFALL IN 1918

Kept at Bolton Gardens, Leyburn
 in the County of Yorks N
 by Fred K. Scrivener

Lat. 54° 8' Long. 2°
 Time of Observation 9 a.m.
 Nearest Railway Station Kensley
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 420 ft.

FORM A.
 BRITISH RAINFALL.
 3423

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.07	.08	.06	.06				.45	.03	.48	.03	1
2	.01	.04	.06	.01	—				.38	.01	.01	.06	2
3	—	.02	.02	—	.16					.07	.03	.01	3
4	.01	.05	.04	—	.20			.30	.24	.30	.46	.07	4
5	—	.02	.05	.09	.49			1.44	.01	.39	.07	—	5
6	.02	.72	.03	.16	.02	.08		.23	.01	.30	—	.05	6
7	.15	.01	.03	.11				—	.11	.40	.40	—	7
8	.02	.31	.18	—			.23	.04	.17	.03	.12	.02	8
9	.06	.78	—	.02		.03	—	—	.60	.18	.16	.08	9
10	.04	.69	.01	.02			.05	—	.30	.05	.12	—	10
11	.21	.03		.02	.14		.02	.02	.04	.03		.06	11
12	.02	.07		.01	.03		.83	—	.06	.02		.03	12
13	—	.01		.18	.14	.02	—	—	.32	.14		.03	13
14	.26			—		.04	.16	.01	.55	.02		.11	14
15	.04			.06		.03	.67	—	.99	—		1.04	15
16	.02			—		.08	.15	.02	.38	.02		.20	16
17	.20			—	.19	.12	.81	.02	.17	.28		.31	17
18	1.05			.01	—	.01	.20	.02	.31	.06		.21	18
19	.49	.02	.16	.05	.79	—	.46	.13	.22	.32		.30	19
20	.28	.60	.06	.14	.02	.02	1.28	—	.09	.03		.01	20
21	.37	.33		—	—	.05	.02	—	.33	.20		—	21
22	.04	—		.02	.38	.14	.04	.01	.02	.01		.40	22
23	.04	—		.04	.38		.35	—	.05		.04	.03	23
24	.02	.02					.04	.01	.05		.02	.02	24
25						.02	.11	.47	.03		.02	—	25
26							.11	.01	.37		.08	.08	26
27		.06	.13				.02	.57	.23		.03	.13	27
28		.17	.43					.03	.03		.03	.60	28
29		~~X~~	—					—	.11		—	.33	29
30		~~X~~	.03					.02	.01		.02	.43	30
31		~~X~~	.15	~~X~~	—	~~X~~		.02	~~X~~		~~X~~	.10	31
Total	3.42	4.02	1.46	1.00	2.21	.64	5.55	3.37	6.63	2.89	2.09	4.74	38.02
Rain Days	21	19	15	16	12	12	18	18	29	21	16	26	223

REGISTER OF RAINFALL IN ~~1919~~ 1919

Kept at Bolton Hall Gardens
in the County of Lancs. N.R.
by Frederick Scrivener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wensley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	.01	.04		.16		.72		.09	.13	.13	.13	1
2	.33	x	.09		.13		.36		.03		.22	.02	2
3	.41	x	x		.26	.17	.35		.03		.11	.16	3
4	.60	.10	.32		.06		.05	.08	.02		.12	.24	4
5	.15	.01	x		.05				.01		.08	.08	5
6	.06		.33		.43					.03	.03	.12	6
7	.07		.17	.01	.17						.07		7
8	.13		.03	.02	.11	.02		.02			.07		8
9	.23		.05	.02	x	.07					.12		9
10	.01		.53	.02	.01	x				.03	.18	.26	10
11	x		.72	x	.02	x	.02		.10	.02	.06	.03	11
12	.01		.63	.04		.02	.02		.12	.05	.42	x	12
13	.14		.04	.20			.12	.03		.08	.01	.06	13
14	.12		x	.41			.30	.04			.05	.01	14
15	.23	.29	.02	.25				.03			.06	.55	15
16	.12	.88	x	.01				x			.08	.01	16
17	.01	.15	x	.01	.01			.08			.30	x	17
18	x		.05	x			.02	.24	.02		.02	.21	18
19	.04	.24	.90	.02				.16	.02		.47	.03	19
20	.32	.23	.01	x		.08	.45	.09	.01		.02	.07	20
21	.06	.20	.03			x	.02	.02	x		x	.25	21
22	x	.17	.03			.01		.15	.02		.01	.14	22
23	.03		.03	.05		.01		x	x	.95	.15	.19	23
24	x		.04	.05		.20	.01	x	.06	.52	.38	.09	24
25	.04	.04	x	.09	.02	.10		.66	.10	x	.20	x	25
26	.07	.27	.45	.03		.05		.09	.08	.01	.28	.49	26
27	.15	.01	.03	.25				x	x	.01	.32	.15	27
28	.02		x	.31				.88	.10	.72	x	.39	28
29	.14		.02	.01		.12				2.05	x	.14	29
30	.02		.03			.15				.23	.32	.38	30
31	.02		.02				.07			.18			31
TOTAL	5.00	2.60	4.61	1.80	1.43	1.00	2.51	2.57	.81	5.01	4.28	4.20	35.82
Days with ≥ .01 in. or more	27	13	24	18	12	12	13	14	15	14	27	24	213

REGISTER OF RAINFALL IN 1920.

Kept at Bottom Hall Gardens
in the County of Yorkshire
by Frederick Scrivener

Lat. 54 Long 2
Time of Observation 9 a.m.
Nearest Railway Station Hensley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.37	.83	—	.24	.05	.01	.08	.02	.02	1
2	—	.02	.04	.20	.08	—	.51	.17	.14	.16	—	.40	2
3	.03	.03	—	.32	.08	—	.92	.20	.07	.68	—	.40	3
4	.04	—	—	.03	.02	—	.51	.43	—	.98	—	.22	4
5	—	—	—	—	.05	—	.08	.13	.01	.15	—	.04	5
6	—	—	.13	.08	.10	—	.05	—	—	.01	.01	.04	6
7	.25	.02	.05	.03	.02	—	.72	—	—	—	—	.01	7
8	.13	.03	—	.32	.06	—	.18	.01	—	—	.01	—	8
9	.32	.50	—	.44	—	—	.05	.09	.02	.03	—	—	9
10	1.05	.41	—	.65	—	—	.10	.10	—	—	—	.02	10
11	.66	.06	.12	.18	.26	.07	—	—	—	—	.02	.24	11
12	.23	.08	.49	.37	.03	.01	.09	—	—	—	.08	.24	12
13	.11	.02	.15	.21	.03	.14	.01	—	—	—	.25	.18	13
14	.01	.07	.32	.31	—	—	.05	—	.04	.16	.02	.03	14
15	—	.12	.15	.42	—	—	.04	—	—	1.00	.24	.02	15
16	.02	—	.02	.02	.03	—	.50	—	.50	—	.18	—	16
17	.15	—	.04	.02	.09	—	.01	.07	.06	.07	—	—	17
18	.14	—	.02	.04	.67	.07	—	.03	—	—	—	—	18
19	.02	.46	—	.18	.02	.01	—	.08	—	—	—	—	19
20	.03	.02	—	.35	—	.03	—	—	.20	—	—	.04	20
21	.08	—	—	.01	—	—	.40	.14	.20	—	—	.22	21
22	.08	—	—	.10	—	.01	.12	.02	—	.01	—	—	22
23	—	—	—	—	—	—	.19	—	—	—	—	.18	23
24	.13	—	.59	.02	—	—	.03	—	—	—	—	.07	24
25	—	—	.18	.03	—	.06	.51	—	—	—	—	.01	25
26	.06	.11	.75	.09	—	—	.26	—	—	—	.01	—	26
27	.42	—	.22	.10	.19	.39	—	—	—	—	.15	.03	27
28	.43	—	.42	.42	—	.02	.01	—	—	—	.03	.16	28
29	.28	~~.12~~	.12	.03	.72	.02	.04	—	.03	—	.08	.75	29
30	.03	~~.06~~	.06	—	.01	.03	—	—	.09	—	.15	.12	30
31	16	~~.07~~	.07	~~.07~~	—	~~.07~~	—	—	~~.09~~	.54	~~.09~~	.09	31
TOTAL	4.86	1.95	4.07	5.34	3.29	0.86	5.62	1.52	1.37	3.87	2.25	3.53	38.53
Days with "01 in. or more	24	14	20	21	18	12	24	13	12	12	14	23	213
Days with "04 in. or more	18	8	18	19	11	5	20	10	8	9	8	16	150

REGISTER

LANGSETT GAUGES

Kept at Underbank Reservoir.

in the County of W Yorksh

by L. S. M. Mar

LITTLE DON VALE
UNDERBANK RES
YORKSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

in. ft. in.
ft. ft.
me
Distance Direction

IMPORTANT NOTE.—Rain previous day. If an Observer requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			26					10			10	01	1
2	26				12		03				03	13	2
3				02	45			09	01	02	26		3
4	11		09	11				01	17	19	64	15	4
5	14			03				16		26	05		5
6	64		01	02				11		14	80	50	6
7	01		03								15		7
8	11		11						06	04	10	38	8
9	03			02		02						32	9
10	16		05									55	10
11	35				07			03			75	09	11
12	06		16		03				69		39		12
13	02		03								14	31	13
14		27	04		09		05				03	67	14
15		26	17							15	02	20	15
16		36	08	05		11				09	17	18	16
17		03	09			19					14	22	17
18		58	07	01		16				02	26	14	18
19		15	02	06	02	20			03	08	44	11	19
20		07		32			04	56	25			16	20
21		54				02		96	02	16		06	21
22	04	06		02			05	09		10	04	19	22
23		50	02			42		02	10	03	01	46	23
24	10	07	03	03		141	04	03		22		40	24
25	06	41		12					36		06	29	25
26		04		22				04		31	54	30	26
27	01	13	16	44	11			42	22	01	02	02	27
28		32	03	13		05		15	05		05	06	28
29			04	24		08	02	17	21	57	02	09	29
30					16	13				62			30
31			29							25			31
Total	2.10x	3.79x	1.78x	1.81x	1.05x	2.79x	.23x	2.94x	2.17x	3.26x	5.27x	5.99x	TOTAL for year 33.18x
No. of Rain Days.	15	15	20	16	8	11	6	15	12	18	24	25	185

REGISTER

LANGSETT GAUGES

Kept at Underbank (Gauge No 1)
Reservoir.
in the County of W York shire.
by L. S. M. Marsh.

(Pattern
RAIN Diameter of top in.
GAUGE Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			26					10			10	01	1
2	26				12		03				03	13	2
3				02	45			09	01	02	26		3
4	11		09	11				01	17	19	64	15	4
5	14			03				16		26	05		5
6	64		01	02				11		14	86	50	6
7	01		03								15		7
8	11		11						06	04	10	38	8
9	03			02		02						32	9
10	16		05									55	10
11	35				07			03			75	09	11
12	06		16		03				69		39		12
13	02		03								14	31	13
14		27	04		09		05				03	67	14
15		26	17							15	02	20	15
16		36	08	05		11				09	17	18	16
17		03	09			19					14	22	17
18		58	07	01		16				02	26	14	18
19		15	02	06	02	20			03	08	44	11	19
20		07		32			04	56	25			16	20
21		54				02		96	02	16		06	21
22	04	06		02			05	09		10	04	19	22
23		50	02			42		02	10	03	01	46	23
24	10	07	03	03		1.41	04	03		22		40	24
25	06	41		12					36		06	29	25
26		04		22				04		31	54	30	26
27	01	13	16	44	11			42	22	01	02	02	27
28		32	03	13		05		15	05		05	06	28
29			04	24		08	02	17	21	57	02	09	29
30					16	13				62			30
31			29							25			31
Total	2.10	3.79	1.78	1.81	1.05	2.79	.23	2.94	2.17	3.26	5.27	5.99	TOTAL for year 33.18
No. of Rain Days.	15	15	20	16	8	11	6	15	12	18	24	25	185

Little Don Valley REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
24 JAN 1913

Kept at Underbank Reservoir.
in the County of Yorkshire. W7
by L S M Marsh.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.08	.10			.39	.01		.07			.54	1
2	.01		.12		.01	.21	.67		.08			.07	2
3	.12					.30	.02	.85	.36			.04	3
4	.23		.69	.17	.15	.45		.76	.06		.06		4
5	.27	.05			.08	.13		.13	.02				5
6	1.07	.22			.02			.60					6
7	-	.04			.01	.04		.12				.03	7
8	.37	.38	.14	.21			.04	.04	.16				8
9	.11	.03	.06	.29		.06		.11	.03		.07	.16	9
10	.73	.04		.03		.22		.40	.01		.64		10
11	.06	.05		.02				.02			.09	.54	11
12	.10	.59	.09			.13	1.20					.04	12
13	-	.03						.05		.11	.06	.24	13
14	.07		.39			.02		.08				.42	14
15	.22	.05	.01		.57	.06		.01				.37	15
16	.77		.15		.06	.13		.05		.09		.22	16
17	.13	.03	.12			.23	.08	.13				.55	17
18	.11		.19					.04		.08		.14	18
19	.32	.09	.21			.03	.77	.54		.15	.01		19
20	.26		.26		.37	.02	.14	.15		.33			20
21	-		.24		.67		.79			.12		.02	21
22	.08	.12			1.32	.08	.11	.27				.04	22
23	.03	.06	.23		.05		.93	.30			.18	.03	23
24	.34		.01		.04	.09	.17	.34			.08	.20	24
25			.05			.12		.38			.65	.50	25
26	.02	.28	.13			.01	.08	.98		1.30	.28	.06	26
27			.14			.23	.47	.43		.61	.03	.15	27
28		.04	.07				.36		.12	.30	.62		28
29		.02	.16	.03		.05	.31	.03	.61	.05	.05	.43	29
30	.06		.18		.20		.02		.04	.03			30
31			.13		.28		.17	.15		.02		.01	31
Total	5.48	2.20	3.93	.75	3.83	3.00	6.34	6.96	1.50	3.19	2.82	4.80	YEAR'S TOTAL 44.86
Rain Days.	22	18	23	6	14	21	18	25	11	12	13	22	205

Little Don Valley REGISTER OF RAINFALL IN 1913.

Kept at Underbank Reservoir
in the County of Yorkshire
by L. S. M. Marsh.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL
14 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	.32	.10					.10	.02	.09		1
2	-	.15	.26	.11		.02				.07	.08	.05	2
3	.07	.03	.30		.44		.03		.03	.51		.53	3
4	.51	.04	.06		.05	.01	.09		.08	.02	.04	.41	4
5	.03	.06	.28			.29	.10		.08	.96			5
6	.06	.15	.25	.03	.56	.05	.85			.93			6
7		.46	.04		.35	.19	.03			1.11	.02		7
8		.05	.05		.67	.02		.07		.05	.10		8
9		.22	.08		.13	.34	.11	.02			.16	.05	9
10			.03	.15			.02			.04	.18		10
11	.96			.21	.01	.10				.01	.15	.01	11
12						.01			.01	.01	.11		12
13	.07		.13	.03					.18		.14		13
14	.16	.06	.20	.05						.13	.21		14
15	.12	.05	.48	.78					.02		.41	.03	15
16		.02	.14	.05				.28	.17		.13		16
17	.05	.04	.02	.12	.04	.02			1.66		.08	.01	17
18	.02		.47	.36	.03		.06			.01	.18	.05	18
19	.19		.06	.11		.01	.01		.08		.02		19
20	.24		.17	.09					.01	.02	.25		20
21	.03	.01	.05		.08		.23	.03			.07		21
22	.15		.88					.45	.18				22
23	.20		.01		.02	.12	.01	.20	.09	.04	.02		23
24	.42			.05		.02		.05			.03	.02	24
25	.04			.06					.10	.01	.01	.18	25
26			.22	.30	.01				.01	.09		.81	26
27				.20						.01		.41	27
28	.21		.26	.44					.02	.02		.25	28
29	.01		.55	.45	.01			.24			.03	.29	29
30	.77									.61	.07	.04	30
31	.03		.06		.08					.01			31
Total	4.36	1.39	5.43	3.75	2.42	1.20	1.60	1.34	2.82	4.68	2.58	3.14	YEAR'S TOTAL 34.71
Rain Days.	22	14	25	19	14	13	11	8	16	21	23	15	201

Little Don Valley

REGISTER OF RAINFALL IN 1914

Kept at Underbank Reservoir

in the County of Yorkshire

by L.S.M. Marsh.

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A.
BRITISH RAINFALL
17 MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03				.69	.43		.02	.01	.56	1
2	.01		.02				.20	.15			.48	.20	2
3	.11		.09		.13		.02	.10			.05	.75	3
4	.61		.40	.25	.14	.01		.02			.54	.34	4
5	.13		.21	.38	.20	.08					.42	.38	5
6		.02	.05	.32	.10	.01	.04				.01	.08	6
7		.03	.17	.05	.15	.03			.01			.16	7
8	.13				.17	.85		.14	.37			.03	8
9	.22	.01		.15	.05	1.20		.19			.04		9
10	.23	.19		.06		.01			.07	.01	.11	.02	10
11		.30	.41	.02	.01	.74	.06		.31		1.32	.53	11
12		.12	.06			.03			.32		.29	.80	12
13	.02	.18	.26	.01			.02		.08	.06	.49	.34	13
14	.04	.14	.12				.04	.01	.24	.27	.41	.25	14
15	.03	.13	.19						.03	.07	.08	.01	15
16	.02	.05	.04				.38		.30				16
17	.08	.52	.13				.06		.32		.01	.76	17
18			.03			.25						.09	18
19			.09				.05		.03		.08	.13	19
20		.18	.07						.01	.10		.02	20
21		.63	.02			.49		.31		.07	.05	.12	21
22		.14	.03		.19	.24	.04	.03		.19			22
23		.01	.06	.01	.36	.02	.02					.04	23
24	.02		.64	.03	.03	.01	.27	.04		.01	.06		24
25	.05						.09	.09		.79	.03	.51	25
26	.01		.15					.04		.17	.12	.23	26
27	.04										.07	.79	27
28	.13	.08	.07							.10	.34	.24	28
29	.14		.15		.01					.61	.19	.03	29
30	.01	X	.05	.02				.03		.14	.29	.34	30
31	.16	X	.04	X		X	.20		X	.28	X		31
Total	2.19	2.73	3.58	1.30	1.54	3.97	2.18	1.58	2.09	2.89	5.49	7.75	37.29
Rain Days.	20	16	26	11	12	14	15	13	12	15	23	26	203

Little Don Valley

To be filled and returned

to DR. H. R. MILL, Director,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.

Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL
17 MAR 1915

RAINFALL IN 1914

At Underbank Reservoir

In the County of Yorkshire

Rain Gauge { Diameter of Funnel W7 in.
Height of Top { Above Ground Before ft. in.
Above Sea Level Before ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with '01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2.19	.61	4	20
FEB.	2.73	.63	21	16
MAR.	3.58	.64	24	26
APR.	1.30	.38	5	11
MAY	1.54	.36	23	12
JUNE	3.97	1.20	9	14
JULY	2.18	.69	1	15
AUG.	1.58	.43	1	13
SEPT.	2.09	.37	8	12
OCT.	2.89	.79	25	15
Nov.	5.49	1.32	11	23
DEC.	7.75	.80	12	26
Total	37.29	947		203

Signed Sheldrake

[Please fill in the other side also.]

If Gauge has been moved during year state—

Date.

Distance.

Direction.

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.

Height.

Distance.

Direction.

*In order that the position may be accurately entered
on a map please mention*

Latitude N.

Longitude

Nearest Railway Station and Parish Church.

Name.

Distance.

Direction.

Station

Church

**If you know of any record of rainfall not
quoted in *British Rainfall*, please give the
Observer's name and address below.**

20

6775

Little Don Valley
REGISTER OF RAINFALL IN 1915.

Kept at Underbank Reservoir:
in the County of Yorkshire W7
by L. S. M. Marsh Esq C.E.

Lat. _____ Long. _____
Time of Observation As Before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3326
FORM A.
BRITISH RAINFALL
17 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36	.30	.02		.19		.05	.04	.07		.02	.11	1
2	.02	.24	.09	.41		.04	.03	.42		.06		.01	2
3	1.25		.01	.05			.21	.17			.03	.63	3
4	.07	.04			.14		.68					1.21	4
5	.09	.39	.02		.01			.01		.33	.03	.75	5
6	.28	.25	.11	.30			.52	.01				.31	6
7	.17	.41	.03	.22			.05	.63				.17	7
8	.19	.24	.02	.18				.15			.28		8
9	.03	.06		.05				.08		.03	.39	.58	9
10	.77		.04					.06		.01		.22	10
11	.30		.06	.02	.73		.23	.02			.73	.53	11
12	.01			.12	.29			.07		.07	1.87		12
13	.02	1.03										.12	13
14	.07						.02	.08	.01			.40	14
15	1.46							.54			.28	.20	15
16		.36			.21		1.49	.10		.02	.03		16
17		.21	.03				.15	.03				.01	17
18		.24	.17						.02		.02		18
19		.11		.01			.10						19
20	.08						.02					.19	20
21	.05	.02		.08			.14					.06	21
22			.11	.01			.16					.08	22
23	.08	.03	.04				.38		.01	.36	.01	.05	23
24			.24	.05		.01			.55	.02		.25	24
25				.06		.30			.02	.04		.21	25
26	.02	.61				.23	.17		.04			.46	26
27		.32				.10	.08			.71		.65	27
28		.42	.03			.22		.49		.09		.05	28
29	.01				.13	.40		.01			.13	.93	29
30	.10	X		.02		.02					.01	.06	30
31	.14	X		X		X	.03	.24	X	.47	X	.33	31
Total	5.57	5.28	1.02	1.58	1.70	1.32	4.51	3.15	.72	2.21	3.83	8.57	39.46
Rain Days.	29	18	15	14	7	8	18	18	7	12	13	26	178

REGISTER OF RAINFALL IN 1916

3252
FORM A.
BRITISH RAINFALL.

Kept at Underbank Reservoir
in the County of Yorkshire
by L S M Marsh Esq

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge
Height of top of Gauge above Ground
Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.74	.04	.35			.24	.24				.19		1
2	.62	.23	.29						.14	.10			2
3		.30				.01	.01		.48	.33	.18	.01	3
4	.16	.25		.03	.82	.59		.01	.03	.19	.44		4
5	.03	.06			.10	.14				.58	.52		5
6	.37	.74	.27	.01	.41	.02	.22			.18	.46	.04	6
7	.03	.03	.13		.04		.15			.43	.02	.24	7
8		.01	.51							.03	.32	.03	8
9	.01		.18		.44	.20			.13		.07	.54	9
10	.02	.05	.03	.11		.25	.03		.12	.16		.10	10
11		.55	.47	.17	.01	.12			.05	.01		.31	11
12	.16	.06	.43	.08	.28	.01	.20	.07		.06		.01	12
13		.10	.46	.05	.07		.01	.32		.33		.09	13
14		.20	.05	.22	.11	.01		.39	.01	.26	.01	.22	14
15	.01	.61	1.03	.01			.04	.28		.08			15
16		.46	.46	.08			.06	.06		.02			16
17	.04	.13		.56			.04		.14	.17			17
18		.39	.04	.04		.06		.27	.25	.10	1.32	.17	18
19	.26	.09	.35	.24				.07	.04		.62	.12	19
20	.30		.42	.02	.02		.03					.08	20
21	.14		.06	.03			.12					.02	21
22		.04				.04				.14		.13	22
23	.04	.06		.13				.02		.04	.27	.44	23
24		.65		.02		.20		.02		.09	.03	.13	24
25		.07	.23		.14			.19		.12	.38	.05	25
26	.02	.16	.05					.08		.21	.02		26
27		.27	.03				.08	.05	.02	.47			27
28		.42	.02			.01			.04	.13		.19	28
29		.47				.29				.43		.45	29
30		X			.02	.05				.38		.04	30
31		X		X		X			X	.82	X	.15	31
Total	2.95	6.44	5.86	1.80	2.46	2.24	1.23	1.53	1.45	5.86	4.85	3.56	40.53
Rain Days.	16	26	21	16	12	16	13	13	12	26	15	22	208

REGISTER OF RAINFALL IN 1917

3103
FORM A.
BRITISH RAINFALL
4 MAR 1918

Kept at Underbank Reservoir
in the County of Yorkshire
by L. S. M. Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07			.32		.05		.30	.40		.12	.28	1
2	.34			.05		.03		.10	.01		.04		2
3	.11	.02				.06		.15		.15	.11	.01	3
4	.04	.01	.13	.02				.03		.08			4
5	.21		.11	.25				.04	.01	.22	.15		5
6	.02					.28				.38	.17	.04	6
7	.31					.19				.55	.01	.04	7
8	.78			.32				1.24		.87	.20	.08	8
9	.01		.02	.10				.01		.13	.60		9
10	.11		.80	.09	.13			.12		.06	.02	.01	10
11	.03			.62				.13		.53	.02		11
12	.07		.01	.02	.29			.12		.09		.05	12
13	.15			.19	.28			.26	.19	.04		.02	13
14	.24			.17	.01			.04		.02		.27	14
15	.06			.05	.01		.83	.04	.01	.07		.16	15
16	.04	.11		.19		.07	.02	.21		.02		.88	16
17	.03	.05	.01	.07	.48	.03	.14	.24	.07	.02		.09	17
18	.07		.04	.03	.12		.35	.20	.20	.04			18
19	.03	.17	.31		.28	.27		.08	.01		.03		19
20	.04	.09			.26	.28			.25	.01	.06	.01	20
21		.05	.17		.08	.10		.03		.02			21
22			.10					.07	.06	.05	.02		22
23					.16	.19		.17		.05	.01	.02	23
24					.91	.05		.16		.68	.62		24
25		.02	.10				.02	.03		.18	.10		25
26							.02	.46	.14	.24	.22		26
27			.04			.25	.07	.77		.02	.07	.09	27
28			.22			.05	.13	.40		.03	.03	.07	28
29	.01		.04				.09	.01		.46	.05	.46	29
30	.01	X	.38					.09		.06	.10	.01	30
31	.01	X	.34	X	.02	X	.01	.04	X	.03	X	.14	31
Total	2.79	.52	2.82	2.49	2.13	1.90	1.68	5.54	1.35	5.10	2.75	2.73	31.80
Rain Days.	23	8	16	15	13	14	10	28	11	28	21	19	206

REGISTER OF RAINFALL IN 1918.

Kept at Underbanks Reservoir

in the County of Yorkshire

by L S M Marsh

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

Sea Level

ft.

FORM A.
BRITISH RAINFALL
6.5.19

84

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.05		.02	.06				.42	.03	.30		1
2		.06		.04				.12	.28			.44	2
3	.01	.03	.10		.65			.19	.03	.05	.09	.01	3
4		.01	.08		.02			.05	.41	.20	.44	.42	4
5			.02	.06	.33			.13	.42	.33	.01	.03	5
6	.02	.95	.05	.19	.02	.17		.02	.03	.18			6
7	.06	.06		.20					.42	.28	.30		7
8	.02	.06	.12	.02			.32		.81	.06	.06	.02	8
9	.28	1.56		.33		.13	.03		.55	.30	.02	.04	9
10	.09	.15		.03			.45		.14	.02	.18	.04	10
11	.37	.05	.02	.02	.11		.01		.19		.01	.04	11
12	.03	.09	.03	.16	.02	.02	.18		.15	.04	.01	.08	12
13	.01	.03		.11	.03	.03			.23	.06	.01	.01	13
14	.64		.01	.03		.07	.16		.99	.02	.01	.36	14
15	.28	.01	.01			.04	.48		1.14		.01	.30	15
16	.05		.01				.11	.01	.22	.07	.00	.22	16
17	.27				.06	.01	.19	.04	.05	.20		.37	17
18	.37		.06			.10	.30		.44	.01		.43	18
19	.28		.20	.15		.02	.15	.02	.30	.15	.01	.47	19
20	.06	.28	.01	.14		.11	.07		.12	.16	.01	.01	20
21	.14	.56			.29	.06			.37	.12	.01	.04	21
22	.02	.03			.43	.12	.03		.04	.01	.01	.99	22
23	.08	.01		.02	.49		.13		.03		.01	.03	23
24		.10					.07		.02	.02	.03	.02	24
25				.02		.04	.04	.09	.10	.01	.01	.01	25
26		.01					.32	.04	.17		.03	.30	26
27		.15	.10			.01	.02	.17	.43		.09	.39	27
28		.10	.25			.01		.09	.09		.12	.49	28
29									.15		.01	.15	29
30		X	.31					.03	.01		.02	.20	30
31		X	.15	X		X		.09	X		X	.02	31
Total	3.09	4.35	1.53	1.54	2.51	.94	3.06	1.09	8.75	2.32	1.81	5.93	36.92
Rain Days	20	21	17	15	12	15	18	14	30	21	26	28	238
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1919.

Kept at Underbank Reservoir

in the County of Yorkshire

by L S m marsh Esq

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.44	.08	.06	.02	.44		.42	.01	.09	.08	.09	.25	1
2	.20	.01	.20				.30	.03	.03	.06	.09	.05	2
3	1.30				.06	.13	1.37		.05	.01	.40	.26	3
4	.27		.26			.02	.03	.26	.09	.01	.07	.40	4
5	.04	.02	.01		.12				.07	.02	.05	.35	5
6	.07		.38		.71					.06		.21	6
7	.05		.35		.01					.01	.07		7
8	.20				.01	.04		.02			.04		8
9	.36		.08		.01						.09		9
10	.02		.18	.03	.01	.01				.01	.03	.12	10
11	.12		1.60	.06	.08		.01		.02			.02	11
12	.02		1.11	.09		.06	.06		.36	.04	.01	.01	12
13	.33			.27					1.15	.04	.01	.04	13
14	.18			.10				.01	.13	.02	.10	.01	14
15	.27	.12	.07	.08							.05	.42	15
16	.12	1.20		.02		.01				.01	.08	.01	16
17	.17	.35		.03		.04		.15			.56		17
18	.02	.01	.08		.05		.02	.23	.07	.01	.01	.35	18
19	.04	.28	.69	.02		.03	1.52	.35	.10		.35	.01	19
20	.37	.05	.06			.05	.38	.12	.04		.21	.72	20
21	.08	.34	.03			.05	.21		.02			.17	21
22		.03	.02			.01		.02	.22		.10	.50	22
23				.03		.06				1.26	.11	.17	23
24		.01		.23	.03	.03		.04	.10	.53	.30	.17	24
25	.04	.03		.24	.12	.06		.70	.02	.02	.16	.02	25
26	.02	.02	.87	.11		.02	.02	.40	.10		.07	.72	26
27	.14	.01	.03	.20				.05			.03	.08	27
28	.05			.10				1.09	.02	.08		.35	28
29	.17			.04						1.58	.03	.15	29
30	.03	X	.04	.04		.12				.13	.30	.22	30
31	.02	X	.03	X		X	.10		X	.09	X	.04	31
TOTAL	6.01	2.56	6.15	1.71	1.65	.74	4.44	3.48	2.68	4.07	3.40	5.82	YEAR'S TOTAL 42.71
Days with .01 in. or more	27	15	20	18	12	16	12	15	18	20	26	27	226

Little Don Valley.

FORM A. 1: METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Underbank Reservoir

in the County of Yorkshire

by L.S.M. Marsh.

Lat. Long. Time of Observation As Before Nearest Railway Station Diameter of Funnel of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				40	61	01	15	10	05	15	37	10	1
2			01	44	02		07		28	27		24	2
3	02	02		17	12	09	78	06	04	26	01	28	3
4	04	01		06			19	55	02	44	01	06	4
5			06		06		06	07		06		02	5
6			36	22	11		04			05	02	06	6
7	27	01	14		03		44			01	01	01	7
8	28	01		50	11		58	07		03		01	8
9	29	26		56			08	11		03		01	9
10	93	86	06	15			28					03	10
11	65	15	07	15	27	65						07	11
12	16	03	20	40	01	26	03	15		01	05	06	12
13	15	12	22	12		64	01				05	06	13
14	04	01	49	08		86	02		27	10	64	03	14
15		15	20	40			01		07	16	05	01	15
16			06	06	05		61		09	11	06		16
17	05		05		16		02	03	35	05		02	17
18	10			06	20			02	02				18
19	09	49		07	40	11		16	03	02	01		19
20	05	21		28		11	06					09	20
21	04	02		01			39	08			02	09	21
22	08	01		38		02	15	15		01	02	07	22
23	01	01	01				38		02	02	01	38	23
24			38	04					02		01	11	24
25	01	02	12	08			72		02				25
26	11	18	20	28	05		16		01			03	26
27	30	02	04	17	57	36	01		01	02	17	22	27
28	153		14	12	15	03						18	28
29	15		16	02	160	06	10		02		23	70	29
30	24		02	08	15	11			15		18	42	30
31	26		20		02					68		17	31
TOTAL	5.85	3.59	3.19	5.30	4.69	3.31	5.34	1.55	1.47	2.48	1.92	3.53	42.22
Days with .01 in. or more	24	19	21	26	19	13	24	12	17	19	18	27	239
Days with .04 in. or more	21	8	18	24	15	10	18	10	8	11	9	18	179
YEAR'S TOTAL													

REGI

LITTLE DON VALE

Bridge 2
Kept at Underbank
LANGSETT
in the County of Yorks

BRIDG LANE

YORKSHIRE

1911-1920

FORM A2.
BRITISH RAINFALL.

1 MAR 1912

by L. S. M. Mar

IMPORTANT NOTE.—R
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

in.
Ground ft. in.
Sea Level ft.
Name
Distance Direction
and the result entered to the
versal rule, he is earnestly

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.52				.04	.07			.10		1
2	.20		.02		.16					.03	.07	.09	2
3			.01		.41			.13			.20		3
4	.09		.09	.06				.04	.18	.19	.68	.21	4
5	.04		-					.24		.20	.03		5
6	.63		.01	.03				.18		.14	.89	.61	6
7	.01	.02	.02								.13		7
8	.12		.19						.04	.03	.16	.33	8
9	.04					.02						.18	9
10	.19		.08	.01								.65	10
11	.32				.08			.17	.01		.61	.13	11
12	.05		.28		.02				.59		.36		12
13					.02						.10	.31	13
14		.32	.06		.08		.06				.07	.52	14
15		.31	.18	.07						.10	.05	.20	15
16		.66	.09	.01		.08				.06	.11	.12	16
17		.03	.05			.37	.03				.25	.17	17
18		.71	.06	.02	.01	.22					.17	.14	18
19		.27	.01	.10		.28	.04	.01	.24	.09	.57	.11	19
20		.09		.31		.02	.04	.68	.19			.22	20
21		.52				.01		1.07		.19	.02	.10	21
22	.03	.16		.04		.02		.07		.12	.05	.11	22
23		.61	.01		.01	.40		.02	.12	.09		.51	23
24	.23	.08	.02	.03		1.60		.03		.10		.58	24
25	.11	.49		.25		.01	.17		.37	.01	.03	.37	25
26	.01	.03		.30	.10	.03		.08		.51	.34	.28	26
27	.01	.13	.12	.68				.47	.30		.12	.02	27
28		.44	.02	.15		.10		.08	.02		.06	.08	28
29			.03	.37		.17		.08	.30	.62		.11	29
30			.01	.01	.14	.10				.72	.02		30
31			.26		.02					.32			31
Total	2.08	4.87	2.14	2.44	1.05	3.49	.38	3.42	2.36	3.64	5.19	6.21	TOTAL for year 37.27
No. of Rain Days.	15	16	22	16	11	15	6	16	11	17	24	24	193

REGI

FORM A2.
BRITISH RAINFALL
-1 MAR 1912

Kept at Bridge 2
Underbank (Gauge No 4)
LANGSETT
in the County of Yorkshire
by L. S. Marsh

RAIN GAUGE
Pattern 3
Diameter of top 3 in.
Height of top above Ground 5 ft. in.
" " " Sea Level 5 ft.
Time of Observation 5
Nearest Railway Station { Name 5
Distance 5 Direction 5

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.52				.04	.07			.10		1
2	.20		.02		.16					.03	.07	.09	2
3			.01		.41			.13			.20		3
4	.09		.09	.06				.04	.18	.19	.68	.21	4
5	.04		-					.24		.20	.03		5
6	.63		.01	.03				.18		.14	.89	.61	6
7	.01	.02	.02								.13		7
8	.12		.19						.04	.03	.10	.33	8
9	.04					.02						.18	9
10	.19		.08	.01								.65	10
11	.32				.08			.17	.01		.61	.13	11
12	.05		.28		.02				.59		.36		12
13					.02						.10	.31	13
14		.32	.06		.08		.06				.07	.52	14
15		.31	.18	.07						.10	.05	.20	15
16		.66	.09	.01		.08				.06	.11	.12	16
17		.03	.05			.37	.03				.25	.17	17
18		.71	.06	.02	.01	.22					.17	.14	18
19		.27	.01	.10		.28	.04	.01	.24	.09	.57	.11	19
20		.09		.31		.02	.04	.68	.19			.22	20
21		.52				.01		.107		.19	.02	.10	21
22	.03	.16		.04		.02		.07		.12	.05	.11	22
23		.61	.01		.01	.40		.02	.12	.09		.51	23
24	.23	.08	.02	.03		1.60		.03		.16		.58	24
25	.11	.49		.25		.01	.17		.37	.01	.03	.37	25
26	.01	.03		.30	.10	.03		.08		.51	.34	.28	26
27	.01	.13	.12	.68				.47	.30		.12	.02	27
28		.44	.02	.15		.10		.08	.02		.06	.08	28
29			.03	.37		.17		.08	.30	.62		.11	29
30			.01	.01	.14	.10				.72	.02		30
31			.26		.02					.32			31
Total	2.08	4.87	2.14	2.44	1.05	3.49	.38	3.42	2.36	3.64	5.19	6.21	TOTAL for year 37.27
No. of Rain Days.	15	16	22	16	11	15	6	16	11	17	24	24	193

Little Don Valley REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL FORM A. 24 JAN 1913

Kept at Bridge Lane.
in the County of Yorkshire.
by L. S. M. Marsh.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Height of top of Gauge above Ground in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.20			.34	.04		.09			.66	1
2			.12	.01	.03	.17	.70		.15			.08	2
3	.16	.04	.03		.02	.28	.02	.75	.43			.06	3
4	.27		.70	.22	.15	.49		.71	.08		.07		4
5	.42	.05	.01	.02	.08	.13		.14	.05			.01	5
6	.99	.18		.01	.03	.06		.53	-				6
7		.04	.06	.02	.02	.04		.12	.03			.03	7
8	.25	.27	.13	.24			.05	.06	.18				8
9	.20	.12	.07	.37		.07		.04	.02		.10	.17	9
10	.03	.01		.02		1.02		.20	.02		.76		10
11	.23	.07		.03				.05			.07	.62	11
12	.14	.48	.10			.18	1.42				.01	.07	12
13	.02	.04						.05		.12	.05	.47	13
14	.07		.43			.04		.19				.47	14
15	.18	.07	.03		.59	.03		.03				.36	15
16	.31		.21		.09	.20		.06		.11		.23	16
17	.04	.04	.13			.30	.07	.11		.01		.65	17
18	.16	.01	.16			.02		.02		.12		.20	18
19	.35	.07	.12			.06	.66	.29		.17	.03		19
20	.24		.25		.30	.02	.18	.21		.41		.01	20
21			.20		.34		.71			.15		.02	21
22	.05	.15	.02		1.38	.16	.10	.17				.05	22
23		.01	.24		.05		.54	.43			.27	.05	23
24	.33		.02		.03	.01	.07	.34		.05	.04	.16	24
25	.02		.05			.24		.08			.79	.26	25
26	.02	.34	.19			.01	.20	1.17		1.20	.34	.31	26
27		.03	.24			.24	.36	.01		.63	.04	.20	27
28		.02	.10			.01	.37	.46	.15	.24	.34		28
29		.01	.18			.08	.32	.01	.49	.05	.14	.44	29
30	.09		.14		.07		.06			.05			30
31			.22		.44		.31	.17		.02		.01	31
Total	4.57	2.06	4.35	.94	3.62	4.20	6.18	6.40	1.69	3.33	3.05	5.59	YEAR'S TOTAL 45.95
Rain Days.	22	21	27	9	15	24	18	26	11	14	14	24	125

Little Don Valley REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 14 FEB 1914

Kept at Bridge Lane
in the County of Yorkshire W7
by L. S. M. Marsh

Lat. Long.
Time of Observation
Nearest Railway Station As Before
Diameter of Rain Gauge
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	.35	.21					.12	.02	.08		1
2		.10	.24	.05		.03				.05	.05	.08	2
3	.03	.07	.53		.51				.04	.08		.60	3
4	.45	.04	.07		.05	.02	.07		.05	.01	.10	.58	4
5	.04	.05	.31		.02	.13	.23		.07	.85			5
6	.04	.22	.23	.01	.52	.07	.80			.84		.01	6
7		.45	.03	.02	.35	.20	.08			1.10	.02	.01	7
8		.08	.02	.01	.54	.02		.12		.19	.15		8
9		.23	.14		.18	.58	.08	.02			.08	.09	9
10		.01	.10	.18		.01	.01			.05	.22		10
11	.95			.24		.15		.01			.15	.02	11
12	.02				.01	.01			.03		.15		12
13	.10		.23	.04			.02		.19		.14		13
14	.15	.14	.22	.08						.23	.32		14
15	.11	.02	.45	.58			.01		.03		.52	.06	15
16	.01	.01	.13	.08			.01	.21			.21	.01	16
17	.02	.03	.02	.18	.08	.02	.01		1.67		.07	.01	17
18	.05		.48	.53	.05	.02	.06				.35	.05	18
19	.21		.10	.15		.02			.08		.06		19
20	.31		.31	.19					.02	.04	.37		20
21	.06	.03	.10		.10		.21	.05			.06		21
22	.15		.96		.03			.52	.16				22
23	.39		.01		.10	.18	.01	.30	.14	.06	.03		23
24	.61			.03		.12		.04			.05	.03	24
25	.01			.07					.09	.01	.03	.35	25
26			.19	.37					.01	.10		.96	26
27		.01	.04	.23						.02	.01	.56	27
28	.30		.26	.41					.02	.02		.35	28
29	.01		.52	.44	.02			.22		.02	.04	.35	29
30	.60									.63	.14	.04	30
31	.07		.05		.03		.01						31
Total	4.71	1.60	6.09	4.10	2.59	1.58	1.61	1.49	2.72	4.92	3.40	4.22	YEARS TOTAL 39.03
Rain Days.	24	16	26	21	15	15	14	9	15	18	24	18	21 4

Little Don Valley - Eose D.L.
REGISTER OF RAINFALL IN 1914

Kept at Bridge Lane
in the County of Yorkshire WR 7
by L. S. M. Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As Before
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
17 MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04				.88	.62		.01	.01	.59	1
2			.04				.28	.16		.02	.47	.23	2
3	.26		.15		.15		.02	.16			.13	.75	3
4	.91		.68	.27	.13	.03		.01			.29	.45	4
5	.25		.35	.44	.27	.13				.01	.52	.51	5
6		.03	.08	.37	.10	.02	.07				.01	.09	6
7	.01	.05	.12	.03	.22	.04			.01			.09	7
8	.30	-	.02		.29	.80		.21	.53		.01	.56	8
9	.27	.01		.13	.08	1.19		.22	.01		.07		9
10	.18	.21	.01	.11		.03			.05	.01	.07	.02	10
11		.41	.36	.03	.01	.59	.06		.47		1.75	.65	11
12		.16	.02		.03	.05	.06		.41		.31	.45	12
13	.01	.25	.27	.02					.06	.06	.84	.20	13
14	.03	.22	.14				.15		.31	.25	.31	.34	14
15	.02	.13	.25						.07	.05	.10		15
16	.08	.08	.06				.44		.35				16
17	.10	.56	.05				.10		.28			.58	17
18			.11			.17			.03			.18	18
19		.01	.03				.06		.06		.05	.15	19
20	.01	.19	.05							.07			20
21		.60	.04			.45		.17		.07	.07	.11	21
22		.11	.02	.01	.16	.26	.01	.03		.17			22
23		.05	.08	.01	.46	.03	.04					.10	23
24	.03		.57	.06	.04	.02	.40	.12		.01	.08		24
25	.07						.15	.12		.75	.03	.45	25
26	.03		.14					.05		.24	.14	.20	26
27	.03		.02							.02	.06	.93	27
28	.16	.14	.05							.03	.48	.20	28
29	.18		.26		.02					.67	.12	.04	29
30	.02	X	.56	.01				.03		.10	.35	.54	30
31	.20	X	.07	X		X	.18		X	.23	X		31
Total	3.15	3.21	4.14	1.49	1.96	3.81	2.90	1.90	2.64	2.77	6.27	7.91	42.15
Rain Days.	21	17	29	12	13	14	15	12	13	18	23	24	211

Little Don Valley

REGISTER OF RAINFALL IN 1915

Kept at Bridge Lane

in the County of Yorkshire

by L. S. M. Marsh Esq. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27	.31	.04		.30		.02	.31	.11			.09	1
2	.02	.33	.11	.31		.06	.09	.78		.04			2
3	1.11	.01	.03	.05			.15	.31	.01		.04	.66	3
4	.08	.07			.18		.82					1.09	4
5	.14	.40	.07		.03	.01				.14	.02	.54	5
6	.33	.20	.11	.41			.55	.01		.06		.55	6
7	.28	.32	.01	.17			.11	.71				.25	7
8	.21	.24	.02	.28				.18			.21	.04	8
9	.02	.06		.08				.16		.05	.66	.50	9
10	.90						.01	.15			.02	.24	10
11	.49		.05	.02	.73		.24	.04			.50	.62	11
12	.02			.11	.22		.01	.03		.09	1.60		12
13	.06	.69										.02	13
14	.14						.03	.31	.01			.61	14
15	1.67						.03	.22	.01		.26	.15	15
16		.30		.02	.22		1.33	.17		.07			16
17		.31	.04				.14					.01	17
18		.37	.28						.05		.02		18
19		.16	.02	.01			.13			.01			19
20	.15			.02			.05	.01		.01		.21	20
21	.12	.03		.05			.18					.09	21
22			.10	.04			.25			.01		.08	22
23	.08	.01	.05				.17			.41	.01	.05	23
24			.19	.05		.02			.52	.03		.31	24
25			.02	.03		.36				.03		.26	25
26	.02	.48				.21	.38		.03			.46	26
27		.41				.09	.19			.47		.78	27
28		.54	.02			.20		.54		.17		.08	28
29	.01				.16	.44			.02		.14	.82	29
30	.13	X		.03		.02					.01	.02	30
31	.23	X		X		X	.03	.34	X	.48	X	.33	31
Total	6.48	5.24	1.16	1.68	1.84	1.41	4.91	4.27	.76	2.07	3.49	8.86	YEAR'S TOTAL 42.17
Rain Days.	22	19	16	16	9	9	21	16	8	15	12	26	187

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bridge Lane
in the County of Yorkshire WR
by L S M Marsh Esq

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.80	.04	.32			.39	.28				.23		1
2	.56	.32	.37			.03			.16	.07	.03	.01	2
3	.04	.24				.01	.01		.51	.24	.11		3
4	.25	.40		.04	.80	.54			.07	.40	.51		4
5	.06	.03		.01	.14	.32				.52	.39		5
6	.55	.84	.36	.01	.38	.03	.20			.11	.50	.03	6
7	.14	.08	.17		.02	.02	.43			.60	.04	.29	7
8	.01	.06	.79				.02			.04	.51	.13	8
9	.03		.16		.36	.10			.13		.18	.23	9
10	.07	.02	.10	.20	.01	.29	.07		.13	.22	.01	.09	10
11	.01	.65	.59	.30		.20	.03		.08	.02		.25	11
12	.19	.08	.45	.16	.24	.03	.24	.05		.07		.01	12
13	.02	.03	.28	.13	.05		.03	.24		.51		.10	13
14	.02	.31	.05	.15	.28	.02		.41	.03	.21	.02	.22	14
15	.05	.90	.81	.01			.06	.35	.01	.12			15
16		.65	.60	.10			.10	.07				.01	16
17	.06	.22	.01	.80			.06	.04	.29	.11		.01	17
18		.52	.05	.08	.01	.06		.23	.27	.10	.95	.09	18
19	.30	.07	.29	.20				.08	.10		.45	.14	19
20	.35		.28	.10	.01		.01					.09	20
21	.22		.26				.08				.01		21
22		.02	.02	.04		.06				.11		.12	22
23	.04	.04	.02	.11		.04		.02		.05	.23	.44	23
24		.73	.01	.04		.24		.03	.01	.01	.04	.12	24
25		.08	.33		.17			.11	.01	.19	.42	.05	25
26	.04	.38	.23					.06	.01	.04	.03		26
27		.25	.02				.24	.05	.02	.62			27
28		.48	.01			.03			.02	.13	.01	.26	28
29		.46				.31				.32		.76	29
30		X			.02	.07				.48	.01	.08	30
31		X		X	.01	X	.01	.02	X	.93	X	.20	31
Total	3.81	7.90	6.58	2.48	2.50	2.79	1.87	1.76	1.85	6.22	4.68	3.73	46.17
Rain Days.	21	26	25	14	14	19	16	14	16	25	20	23	236

Little Don Valley
REGISTER OF RAINFALL IN 1917

Kept at Bridge Lane
in the County of Yorkshire
by L S Marsh.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2100
FORM A.
BRITISH RAINFALL
4 March 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10			.23		.06		.37	.53		.12	.40	1
2	.56			.25		.05		.10	.02	.02	.07		2
3	.11	.01		.01		.09		.04		.14	.10	.02	3
4	.09	.02	.14				.01	.19		.12			4
5	.13		.11	.23				.02		.23	.24		5
6	.03					.07			.01	.01	.20	.03	6
7	.39		.01			.40				1.56	.02	.05	7
8	.56			.38				1.43	.03	.96	.23	.05	8
9			.04	.15				.01		.18	.86		9
10	.18		.75	.11	.14			.11		.05	.02		10
11	.05			.54				.06		.65		.01	11
12	.07	.01		.01	.36			.14		.09		.09	12
13	.28			.34	.36	.01		.45	.27	.09		.06	13
14	.32			.23				.20				.34	14
15	.07			.05	.02		.58	.04	.03	.07		.16	15
16	.03	.09		.25		.05		.11		.03		.86	16
17	.06	.02	.03	.05	.42	.05	.06	.28	.11	.07		.05	17
18	.06		.06	.08	.14		.68	.37	.23	.07			18
19	.05	.12	.53		.26	.26		.14	.01		.08		19
20	.14	.08	.01		.21	.20		.04	.32		.14	.01	20
21	.01	.04	.16		.14	.09		.05		.03			21
22	.01		.12					.04	.13	.12	.03		22
23	.01	.02			.13	.31		.22	.01	.09	.03	.01	23
24					.03	.04		.26		.73	.72	.01	24
25		.03	.13					.03		.23	.11		25
26								.59	.20	.25	.24		26
27			.03			.30	.09	.85		.01	.28	.06	27
28			.32			.05	.12	.45		.02	.13	.09	28
29	.01		.04				.15	.05		.57	.15	.35	29
30	.02	X	.30					.06		.08	.06	.01	30
31	.01	X	.29	X	.02	X	.02	.03	X		X	.10	31
Total	3.35	.44	3.07	2.91	2.23	2.03	1.71	6.73	1.90	5.97	3.83	2.76	36.93
Rain Days.	25	10	17	15	12	15	8	29	13	26	20	20	210

Little Don Valley Gauges
REGISTER OF RAINFALL IN 19 18

Kept at Bridge Lane

in the County of Yorkshire

by L S m marsh

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.09	.02	.06	.07				.37	.02	.25		1
2	.01	.10		.03	.01			.09	.48	.03	.01	.46	2
3			.05		.48			.24	.01	.03	.08	.03	3
4		.03	.04		.11			.02	.32	.13	.42	.42	4
5	.01		.03	.04	.28	.01		.21	.23	.62			5
6	.02	1.32	.03	.30	.01	.49		.04	.17	.08			6
7	.10	.12	.01	.26		.02			.40	.46	.33		7
8	.02	.07	.14				.40	.01	1.21	.09	.09		8
9	.41	1.57		.24		.21			.72	.32	.03	.06	9
10	.13	.34	.01	.09			.11		.17	.03	.16	.01	10
11	.57	.10		.02	.08		.01		.24			.07	11
12	.03	.14	.05	.21	.01	.05	.28		.22	.02		.14	12
13	.01	.01		.08	.01	.04			.12	.05			13
14	.57	.01	.01			.12	.26		1.26	.06	.01	.20	14
15	.29		.01	.02		.05	.40		1.28			.46	15
16	.01				.01	.03	.15	.02	.17	.07		.30	16
17	.30				.08	.04	.25	.08	.07	.16		.40	17
18	.43		.08			.13	.36	.02	.43	.01		.51	18
19	.29	.01	.07	.09		.03	.15	.08	.41	.15		.53	19
20	.07	.30		.13		.13	.14		.18	.18			20
21	.17	.68		.02	.59	.09	.02		.41	.13		.02	21
22	.01	.08			.32	.16	.08	.01	.03	.01	.01	1.03	22
23	.11	.05		.02	.76	.01	.16		.06		.02	.03	23
24		.14					.06	.01	.03	.02	.03	.03	24
25						.10	.04	.11	.02	.02	.01		25
26		.05		.02			.43	.04	.31		.02	.18	26
27		.24	.03			.01	.03	.26	.55		.13	.43	27
28		.12	.35			.02		.05	.09		.14	.39	28
29									.13			.32	29
30		X	.28					.08	.02		.01	.23	30
31		X	.25	X		X	.01	.09	X		X		31
Total	3.58	5.57	1.46	1.63	2.82	1.74	3.34	1.46	10.11	2.69	1.75	6.25	42.40
Rain Days.	21	21	17	16	14	15	19	18	30	22	17	22	286

Little Don Valley.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bridge Lane

in the County of Yorkshire

by L S Marshall Esq.

Lat. Long.

Time of Observation As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. in.

Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.27	.02	.03	.02	.57		.38	.02	.14	.09	.09	.26	1
2	.80		.20		.02		.42	.07	.04	.04	.09	.07	2
3	.80				.01	.10	.92		.04		.34	.32	3
4	.21		.29		.03	.07	.03	.25	.15	.01	.07	.46	4
5	.03	.01			.03				.03		.05	.55	5
6	.03		.46		.81					.04		.31	6
7	.09		.38		.02						.03		7
8	.19				.01	.06		.02		.01			8
9	.40		.01								.08		9
10			.41	.02		.01				.01	.01	.31	10
11			1.02	.06	.07		.01						11
12			.63	.14		.03	.10		.27	.02		.01	12
13	.34			.15			.01		.71	.09		.03	13
14	.27	.01		.31				.01	.08		.12	.01	14
15	.20	.09	.11	.03						.02	.03	.49	15
16	.20	.75		.02							.09		16
17	.25	.46			.01	.05		.12			.68	.01	17
18			.09		.01		.02	.10	.12		.01	.44	18
19	.03	.18	.96	.01		.04	1.56	.70	.14		.41		19
20	.27	.16	.12			.06	.41	.14	.02		.28	.21	20
21	.14	.39	.04			.06	.22		.03			.35	21
22		.02				.04		.07	.25		.06	.57	22
23						.07				1.04	.15	.30	23
24				.24	.03	.05			.11	.81	.25	.15	24
25	.08			.31	.13	.07		.54		.01	.25	.02	25
26	.02	.04	.91	.04		.03	.02	.51	.14		.07	.75	26
27	.12		.09	.22		.01		.02	.01		.03	.28	27
28	.02			.06				.94		.07		.45	28
29	.14			.02				.06		1.27	.01	.10	29
30	.02		.04	.06		.14				.16	.30	.26	30
31	.02		.02				.14			.10		.04	31
TOTAL	5.94	2.13	5.81	1.71	1.75	.89	4.24	3.57	2.28	3.79	3.50	6.75	YEAR'S TOTAL 42.36
Days with 01 in. or more	11	4	4	4	4	4	4	4	4	4	11	4	

Little Don Valley

FORM A. 1

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Bridge Lane
in the County of Yorkshire
by L. S. M. Marsh

Lat. Pong
Time of Observation As Before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				38	62	04	31	09	07	23	30	09	1
2			02	36	03	01			29	21		26	2
3	01	06		14	15	12	79	16	04	16		34	3
4	03			07			18	59	02	47		05	4
5		01	05		08		04	13	01	15		01	5
6			38	28	11		04				01	08	6
7	11		12	10	06		48			01			7
8	43	06		41	13		31	07		01	01		8
9	30	40		48			07	13		02		01	9
10	73	108	08	28			43					02	10
11	84	13	06	30	24	33			02			07	11
12	15	07	22	42	04	23	03	12			07	10	12
13	26	19	27	23	01	62	03				06	07	13
14	05	05	41	27		96	02		28	10	81	02	14
15		14	22	37			02		05	25	11		15
16			12	15	06		49		10	03	09		16
17	04		08		17			05	42	16		01	17
18	20			05	22		02	02	01				18
19	15	134		08	51	06		15	02	01			19
20	07	02		28		09	13				01	19	20
21	06						50	09				21	21
22	09	01		48			31	95			02	13	22
23		01		01		01	61		01	01	02	39	23
24			44	03					01		01	16	24
25	01	02	12	09		01	61						25
26	12	21	21	27	04		23						26
27	42	07	06	26	71	41				01	16	16	27
28	143		23	14	11		01					16	28
29	23		12	01	84	08	14		02		23	77	29
30	09		04	06	19	03	01		25		20	35	30
31	48		07		02					62		30	31
TOTAL	630	387	332	600	434	300	581	165	162	245	211	386	YEAR'S TOTAL 4433
Days with 01 in. or more	23	17	20	27	20	14	24	12	16	16	15	23	227
Days with 04 in. or more	20	12	19	24	17	10	17	11	8	9	9	18	174

82 ✓

R

Kept at Lowthorpe
in the County of E. Y.
by F. R. Hawke

LOWTHORPE
THE ELMS
YORKS

1911 - 1920

11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

5 in.
above Ground 1 ft.
Sea Level 637 ft.

Name _____
Distance _____ Direction _____
and the result entered to the
universal rule, he is earnestly
pleased to see the space provided
for the statement of rain,
British Rainfall
application to

Jan. 1, following.

IMPORTANT NOTE
previous day. If an O
requested to add the rea
for it at the end of th
the selection and plac
Organization are given in
Dr. H. R. MILL, 62, Cannon Square, London, E. W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32						02	13		02		03	1
2	20		03		05		20	15		02		14	2
3	02	02		18	11			10		20			3
4	07	01	11	28				06	05	11	15	29	4
5	13			04	03			14		21	05	04	5
6	19		06					08		03	07	27	6
7	01	02	02								01	04	7
8	03		12			04			11	01	01	10	8
9			07	06								06	9
10	04	04	04			02					10	56	10
11	31	02			09						29		11
12	15		19			08			45		10	02	12
13	02		60			28			01		03	30	13
14		09	28		06		02		05		02	41	14
15		12	21						05	03	11	15	15
16			09	01			08				12	10	16
17			01			06	02				12	19	17
18		03	15			40					85	07	18
19		07	03			24	03	18	11		65	06	19
20		02		10		04	13	67	30	05	05	34	20
21		25						06		05	16	01	21
22	06	01						29		04	20		22
23	01	16		01		73		04	59	04			23
24	01	03		03		1.13				10		20	24
25		09	05	06		26			27		10	10	25
26				01	01		24	01		50	40	12	26
27		10	09	15			08	40	27	01		04	27
28	01	05	02	22			02	06			02	07	28
29		X	01	01		03	26		53	43	02	03	29
30		X			31	02			40	08			30
31		X		X	08	X			X	04	X	03	31
Total	1.58	1.13	2.18	1.16	.74	3.33	1.10	2.37	3.19	1.97	3.63	3.77	2615
No. of Rain Days	16	17	19	13	8	13	11	14	13	18	22	26	190

82

11

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Louthorpe
in the County of E. R. York 3
by F. H. Hawes

RAIN GAUGE

Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 637 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	32						02	13		02		03	1
2	20		03		05		20	15		02		14	2
3	02	02		18	11			10		20			3
4	07	01	11	28				06	05	11	15	29	4
5	13			04	03			14		21	05	04	5
6	19		06					08		03	07	27	6
7	01	02	02								01	04	7
8	03		12			04			11	01	01	10	8
9			07	06								06	9
10	04	04	04			02					10	56	10
11	31	02			09						29		11
12	15		19			08			45		10	02	12
13	02		60			28			01		03	30	13
14		09	28		06		02		05		02	41	14
15		12	21						05	03	11	15	15
16			09	01			08				12	10	16
17			01			06	02				12	19	17
18		03	15			40					85	07	18
19		07	03			24	03	18	11		65	06	19
20		02		10		04	13	67	30	05	05	34	20
21		25						06		05	16	01	21
22	06	01						29		04	20		22
23	01	16		01		73		04	59	04			23
24	01	03		03		1.13				10		20	24
25		09	05	06		26			27		10	10	25
26				01	01		24	01		50	40	12	26
27		10	09	15			08	40	27	01		04	27
28	01	05	02	22			02	06			02	07	28
29		X	01	01		03	26		53	43	02	03	29
30		X			31	02			40	08			30
31		X		X	08	X			X	04	X	03	31
Total	1.58	1.13	2.18	1.16	.74	3.33	1.10	2.37	3.19	1.97	3.63	3.77	2615
No. of Rain Days	16	17	19	13	8	13	11	14	13	18	22	26	198

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Louthorpe
in the County of E. Riding York **E3**
by F. H. Hawes

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		19	03			26	42	20	04	03		07	1
2		20	09	02	02	19	32	04		27	02		2
3	11	27				87		20		03		16	3
4	22		30		04	37		31	03		29	01	4
5	02				18	10							5
6	90	10	17			03	03	87	06		02	01	6
7	05	03			07	02		08	19			01	7
8	20	15	20	05				02	30		19		8
9		06	05	13		03			16		01	03	9
10	20			01		21		04	12		13		10
11		02					45	22	02		29	48	11
12	05	07	04			39					1.10		12
13	05	04				10		02		15	29	05	13
14	06	01	35			13		11			02		14
15	01	02	43		49	09				02		01	15
16	12		17		13	03		06		03			16
17		02	18			37		28			01		17
18	22		05			03	08	01		03	02	16	18
19	29	23					36	32		07	02	01	19
20	04	09	03		30		05			30			20
21			33		28		02			05			21
22	06	09	04		1.12	05		11				09	22
23	05	01	14		01		15	46		03	07		23
24	28		02				34	03				10	24
25	20					33	20	13			14	07	25
26	07	06	02			01	11	76		91	15	26	26
27			02			12	05	01		03	02	14	27
28					02	02	03	37	02	23	40		28
29		03	12			17	05	02	69	07	06	09	29
30	04	X	05					03	18	08		03	30
31		X	05	X	12	X	60	23	X	33	X		31
Total	3.24	1.69	2.88	21	2.78	3.92	3.76	4.93	1.81	3.16	3.25	1.78	33.41
No. of Rain Days.	21	19	22	4	12	22	16	25	11	17	19	18	206

REGISTER OF RAINFALL IN 1913

Kept at *The Elms, Louthorpe*
in the County of *E. R. York*
by *F. H. Hawes*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A.
446
31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	09	11					01		07		1
2	02	06	11	05		02					06		2
3	02	01	04		05				01	33		05	3
4	47	01	03			02	03		03	73	25	48	4
5	02	01			02	03	10	03	01	04	01		5
6	02	11	19	02	21	01	04			01			6
7		20			06					78			7
8	01		02		55	15			02	03	07		8
9		11	01	05	19			03		03	10		9
10		05	05	01	03		03			09	62		10
11	80			42							10		11
12	27			01		05					04		12
13	05	01		03				09	03	01	13		13
14	04	04	17	01						06	04	03	14
15	22		12	25			02				30		15
16			10	02					07		07		16
17	01	02	48	02	04				19		08	02	17
18			18		07	02					15	02	18
19	10		01	02	13								19
20	28		06	02	01				01	15	07		20
21	07	02			10		02	17			05		21
22	05		30		02		08	24	03	02			22
23	14		08			01	07	17	08	03			23
24	18			01		86		11				02	24
25		01		07		01			08		01	02	25
26			04	04						33	07	33	26
27		12	02	12		03				01	02	10	27
28	30	05	11	17						03		24	28
29	17	X	30	27	40					01	05	37	29
30	29	X					02			13		02	30
31	02	X	02	X	06	X	01		X		X		31
Total	3.55	84	2.53	1.72	1.94	1.21	42	84	57	2.82	2.36	1.70	20.50
Rain Days.	22	16	22	20	15	11	10	7	12	18	21	12	186

REGISTER OF RAINFALL IN 1914

Kept at Louthorpe
in the County of E. R. York
by F. H. Hawes

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.88	.32			.03	.18	1
2							.68	.30			.16	.10	2
3			.08		.10		.26				.05	.26	3
4	.07		.03	.13	.11			.01			.30	.35	4
5			.14	.14		.02	.02	.02			.20	.03	5
6		.06		.01	.07	.02	.08				.05	.04	6
7		.03	.17			.35						.04	7
8	.41		.03	.06	.25	.26	.01	.06		.05			8
9	.34	.03	.04	.02	.01	.50		.38	.14		.02	.08	9
10	.48	.10		.02					.05		.01	.01	10
11	.01	.03	.19	.03	.11				.02		.18	.08	11
12	.06		.01				.05		.22			.72	12
13		.07	.23									.32	13
14	.04	.04	.03				.05			.07	.08	.14	14
15	.04		.23		.01		.29				.50	.06	15
16	.06		.10				.86		.32		.09		16
17	.06	.16					.02		.47			.12	17
18	.09	.03	.12			.10	.05		.04			.47	18
19			.12			.04			.11		.11	.16	19
20	.04	.06	.14			.10			.04	.09			20
21		.26	.03			.04				.06		.05	21
22	.02	.03	.07	.03	.48	.02	.03	.06		.09	.11	.14	22
23			.02	.02	.59	.18						.08	23
24	.01		.02	.10	.07			1.55			.24	.30	24
25		.06					.01	.11		.42	.03	.33	25
26			.03				.07	.15		.22	.13	.61	26
27			.03				.01				.07	.28	27
28	.02	.04								.02	.02	.03	28
29		X	.14					.10		.57	.04		29
30		X	.02					.06		.04	.15	.10	30
31	.03	X	.01	X		X	.31		X	.31	X	.04	31
Total	1.78	1.00	2.03	.56	1.80	1.63	3.68	3.12	1.41	1.94	2.57	5.12	26.64
Rain Days.	15	14	24	10	10	11	17	12	9	11	21	27	181

REGISTER OF RAINFALL IN 1915

Kept at Louthorpe
 in the County of E. R. Yorks E 56m 28
 by F. H. Hawes

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

3609
 412
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12	28	06		21		07	10	72	02	19	16	1
2		04	16	09				03	02		06	04	2
3	65		04	10			50	06	03		14	57	3
4	20						129	18			10	91	4
5	23	02			43			04		03	08	58	5
6	05	21	09	20			60	17	03			14	6
7	29	37	06	04			12	28	01		01	01	7
8	04	05	09					02			02		8
9	04	08	01				07	04		01	01	38	9
10	25	02						61				01	10
11	05	32			45			01			14	12	11
12	17	03		17	05		12	13		06	107	04	12
13	01	50									02	01	13
14	01	21					02	03				15	14
15	16	07					19			11	05	09	15
16	13	47					129			01	12	04	16
17	16	17	02				35					10	17
18	04	08	40				01		02		04	01	18
19		01	05				04						19
20	12									18		46	20
21	22			14			03	02				01	21
22	06		06				18	02				22	22
23	04	10	04				24		07		09	05	23
24	01	12	19	04					32	08	02	21	24
25	01					14			01	02	18	02	25
26	05	30	09			02	11		05	08		36	26
27	01	09	06				30		01	30		26	27
28		11	08		21		21	22		33		05	28
29		X	01		32		01	02	37		33	35	29
30	05	X		03			51		20	01		01	30
31	09	X		X		X	01	20	X	02	X	20	31
Total	3.26	3.65	1.51	.81	1.67	.16	6.27	2.18	1.86	1.26	2.67	5.56	30.86
Rain Days.	27	22	17	8	6	2	22	18	13	14	18	29	196

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Louthorpe
 in the County of E. R. Yorkshire
 by F. H. Hawes

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

BRITISH RAINFALL
 FORM A.
 30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15		06			07	08			01	19		1
2	05	09	28		20				12	03	01		2
3		26	15	02		02			22	14	12		3
4	02	07	03	01	50	33			28	51	34	34	4
5	06	04	40		03	09	03		01	24	20	10	5
6	02	22	09	07	23	03	06				28		6
7			14	01	28	01	10			08	03	23	7
8			25		10						09		8
9			07		53	17			04		02	33	9
10	17	08	02	02		04	01		01			15	10
11		52	50	17	01	24	06		04	08		18	11
12	03	01	39		50	26	38	03		03		07	12
13	02	02	10		19		41	26	01	53		05	13
14		03	02	05	14	01		35		11		01	14
15	03	40	50				01	48		07	01	02	15
16		17	03	09			07	20		04		13	16
17	03	01		08			01	15	18	07	01		17
18		21	01	36		01		04	25	11	1.10		18
19	08	01							21	02	20	22	19
20	06		19				46	05			10	02	20
21	11	09	09	03	01		07			03	01	38	21
22		31	01			05						10	22
23	01	02		02		27		01			11	39	23
24		14		10		10		12		04		04	24
25		11	11		03			27		20	18	09	25
26		13					01				12		26
27		30	02					01		18			27
28		32	02		08					03		12	28
29	01	04				23		03		10		08	29
30		X				01			01	15			30
31		X		X		X	05		X	01	X	01	31
Total	85	3.60	3.48	1.03	2.83	1.94	1.81	2.00	1.38	2.81	3.12	3.06	27.92
Rain Days.	15	24	23	13	14	17	15	13	12	23	18	21	208

REGISTER OF RAINFALL IN 1917

3391
FORM A.
BRITISH RAINFALL.

Kept at *Louthorpe*
in the County of *E. R. Yorkshire*
by *F. R. Hawes*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				30				82	21		12	04	1
2	04			11		03		26					2
3			05	20		05	01	13		03	01		3
4		03						02		25			4
5	17		08	27				02		01	05		5
6										14			6
7	47					25				33	06	02	7
8	71			07				1.32	01	41	04		8
9	46			07	05			06		04	30	02	9
10	31		58	17	20			29		14	24		10
11	04		01					03		37	01		11
12	21			07	48			21		17		01	12
13	21	01		04	02			14	09	11		03	13
14	23		05	11	02		08	14				06	14
15	02						12	04			01	11	15
16		05		31				05		01		33	16
17	04	03		12	33	03		15		03		08	17
18	06			01	05		24	02	15				18
19	16	07	25		03	02		02					19
20	04	41	20	02		17	05	01			22		20
21	05	20	29		03			03			03		21
22		01	09			14		09		07			22
23					10			03		06			23
24			01			24	02	04		38	13		24
25		01	07				71			11	11	09	25
26		02	10			19		71	02	10	26	17	26
27			01			10	12	53				04	27
28		01	09			14	07	25		11		03	28
29	02		02				31	05		15		04	29
30	03		07	09			23			01	02	01	30
31	10		09				02	01					31
Total	3.37	85	2.06	1.96	1.31	1.36	1.98	5.47	48	3.03	1.61	1.08	24.56
Rain Days.	19	11	17	15	10	11	12	27	5	21	15	15	178

REGISTER OF RAINFALL IN 1918

Kept at Louthorpe

in the County of E. R. York

by H. L. Hawes

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
22-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.01	.01	.02					.50		.16	.18	1
2		.36		.16				.04	.03	.05		.20	2
3	.10	.03	.03		.07			.36		.01	.39		3
4	.05	.05	.03		.17			.11	.37	.01	.22	.30	4
5			.06		.37			.40		.06			5
6		.37		.61	.01	.09		.01		.10		.02	6
7	.03	.02		.02		.12	.01	.01		.02	.15		7
8		.02	.07				.31		.05		.01	.01	8
9		.28							.74	.21	.04	.15	9
10	.03	.01		.02		.02	.02	.01	.03		.01	.08	10
11	.17	.03	.02		.52		.13		.02	.03		.07	11
12		.12		.02	.02		.14	.11	.12	.04		.03	12
13		.01		.01	.10				.19				13
14	.08			.05			.13		.38	.03		.10	14
15	.02				.01	.09	.18		.95			.41	15
16							.02	.02	.48	.04		.14	16
17	.27				.48	.10	1.44	.07	.12	.04		.21	17
18	.22		.01	.29			.13		.45				18
19	.28		.03	.22			.04	.14		.17			19
20	.09	.45		.06		.01	.02		.09	.02			20
21	.06				.02	.02	.01		.10	.07			21
22				.05	.14		.03		.03	.02		.51	22
23	.10				.32		.25		.06				23
24							.02		.09	.04			24
25		.03	.03				.04	.25				.22	25
26							.08	.04	.40	.01	.13	.08	26
27			.05			.02		.28	.19		.08		27
28		.15	.44					.02			.09		28
29									.17			.29	29
30		X	.26						.14			.06	30
31		X	.12	X		X		.05	X		X	.10	31
Total	1.52	1.94	1.11	1.53	2.23	.47	3.00	1.92	5.70	.97	1.28	4.16	25.832
Rain Days.	14	15	13	12	12	8	18	16	23	18	10	18	176

REGISTER OF RAINFALL IN 1919

FORM A
BRITISH RAINFALL

Kept at Louthorpe
in the County of E. R. York
by H. H. Hawes

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.02	.01	.03	.23		.24		.05		.07	.11	1
2	.18	.01	.05				.50		.21		.14	.01	2
3	.50					.02	.03		.02		.27	.14	3
4	.09	.02	.36		.05	.11		.02	.08		.29	.12	4
5	.22	.02				.02			.13	.02	.03	.03	5
6	.01		.19								.10	.17	6
7			.29		.29				.01			.33	7
8	.10			.05	.02						.14	.09	8
9	.05		.01	.01						.20	.09		9
10	.01		.10							.08	.07	.23	10
11			.80	.01	.10		.20		.01	.01	.16	.01	11
12			.81	.08		.04	.05		.03	.29	.07		12
13	.27		.05	.03		.10	.14		.69	.18	.04	.01	13
14	.29			.26				.04	.03		.25		14
15	.13	.04	.09	.21				.01		.15	.09	.55	15
16	.01	.50		.03						.01	.02		16
17		.08			.10	.06		.03			.16		17
18							.01	.15				.07	18
19		.20	.26				.04	.29	.17		.05	.03	19
20	.33	.16	.01			.01	.09	.16	.09			.25	20
21	.17	.18	.05			.02	.01		.02		.02	.07	21
22		.10				.02	.11		.20		.03	.20	22
23			.03			.12	.04			.60		.03	23
24		.15	.02					.01		.20	.02		24
25	.03			.08		.10		.41				.02	25
26			.15	.13		.01		.37		.56	.34	.35	26
27		.09		.70			.01	.01		.49	.11	.07	27
28	.29							.72		.50	.08	.23	28
29	.08					.08		.01		1.01		.11	29
30	.05	X	.08	.25		.15		.01		.31	.19	.14	30
31	.16	X	.11	X		X	.03		X	.21	X	.02	31
Total	3.20	1.57	3.47	1.87	.79	.86	1.50	2.24	1.74	4.82	2.83	3.39	27.28
Rain Days	21	13	19	13	6	14	14	14	13	16	24	24	188
	16	9	14	9	5	8	9	7	8	13	29	17	134

REGISTER OF RAINFALL IN 1920.

Kept at Louthorpe
in the County of E. R. Yorks
by L. L. Hawes

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02	36	34	03	49			95			1
2			03	12			05		08	05		54	2
3				13			11	06	17	14		36	3
4	04		04				62	76	01	59		03	4
5					12		23	04	11			10	5
6			03		01		08	01				20	6
7				09			18	02				09	7
8	08	05		31	01		13	01		02		02	8
9	17	09		37	01		04	04		01		03	9
10	47		04	45			02						10
11	32	04	03	16	01							05	11
12	12		03	21	01	02	01				01	22	12
13	04	03	12	03				01	06		01	13	13
14		02	50	13			13		23	04	10	03	14
15		05	31	23			01		04	09	08	07	15
16				03			96		17		01	08	16
17					11		17	01	34	06		04	17
18	10				10		56	01	06				18
19	02	45		31				11					19
20	18	03		43		36	02					04	20
21				04			47	16				02	21
22	04			14									22
23				02			24					15	23
24	03		33	12			04					04	24
25		06		04			66				03		25
26	05	03	06	09		02	15					01	26
27	11	01		06	48	39					24	14	27
28	94		03	08	05	02					32	09	28
29	06		17	11	65		03				07	41	29
30	07								23		11	13	30
31	13				02		06			01		20	31
TOTAL	2.97	.86	1.74	4.06	1.92	.84	5.46	1.24	1.50	1.96	.98	3.22	26.75
Days with 0.1 in. or more	18	11	14	24	13	6	24	8	11	10	10	25	175

REGIS
(LOXLEY VALLEY)
GAUGES

LOXLEY VALLEY

911

FORM A2.
BRITISH RAINFALL.

1 MAR 1912

Sept at Dale DiKe

DALE DIKE RES
YORKS

top in.
above Ground ft. in.
Sea Level ft.

in the County of W Yorks

1911 - 1920

by L S M Marsh

Nearest Railway Station

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	375	-	-	005	090	110	-	005	090	-	1
2	245	-	025	-	160	-	005	-	-	020	050	095	2
3	020	-	005	-	360	-	-	005	-	005	245	005	3
4	045	-	060	045	015	005	-	015	130	210	020	210	4
5	025	-	005	140	-	-	-	195	-	245	-	-	5
6	320	-	015	015	-	-	-	250	-	125	1070	580	6
7	050	005	020	-	-	-	-	-	-	-	170	-	7
8	210	-	195	-	-	-	-	-	015	030	105	465	8
9	035	-	015	010	-	015	-	-	-	-	-	105	9
10	185	-	035	010	-	-	-	-	005	010	-	690	10
11	270	-	-	-	-	-	-	015	-	005	670	060	11
12	110	-	240	-	115	-	-	-	690	010	370	-	12
13	040	-	020	-	-	005	-	005	010	-	120	325	13
14	-	320	020	-	100	-	050	-	-	-	175	595	14
15	-	290	160	020	010	-	-	-	-	060	015	245	15
16	005	560	075	075	-	080	-	-	-	090	105	050	16
17	-	045	030	-	-	365	010	-	-	-	265	175	17
18	-	585	030	005	005	215	-	-	-	-	130	080	18
19	-	205	020	065	005	040	050	010	075	240	590	060	19
20	-	125	005	370	-	005	030	575	160	005	005	225	20
21	-	630	005	025	-	035	-	045	010	150	005	020	21
22	005	250	-	025	-	015	020	080	-	145	060	210	22
23	-	370	010	005	020	355	-	020	295	140	060	180	23
24	200	185	015	035	-	1450	-	020	-	125	-	380	24
25	-	395	010	225	-	010	-	-	300	010	020	575	25
26	030	025	-	310	115	015	-	050	-	500	350	365	26
27	005	285	160	015	-	005	-	570	555	005	130	020	27
28	010	345	010	255	-	120	-	050	040	-	080	100	28
29	-	-	015	390	-	160	015	045	460	625	005	055	29
30	-	-	010	-	105	175	-	005	-	545	025	-	30
31	005	-	400	-	-	-	-	-	-	120	-	-	31
Total	1815	4620	1985	2060	1010	3075	270	2665	2745	3425	5530	5870	TOTAL for year 35670
No. of Rain Days.	18	16	26	18	10	16	8	16	13	21	25	24	211

-1 MAR 1912

Sept at Dale Duke (Crosley)
in the County of W Yorkshre
by L S m marsh

RAIN GAUGE
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation Before.
Nearest Railway Station { Name Before.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	375	-	-	005	090	110	-	005	090	-	1
2	245	-	025	-	160	-	005	-	-	020	050	095	2
3	020	-	005	-	360	-	-	005	-	005	245	005	3
4	045	-	060	045	015	005	-	015	130	210	020	210	4
5	025	-	005	140	-	-	-	195	-	245	-	-	5
6	320	-	015	015	-	-	-	250	-	125	1070	580	6
7	050	005	020	-	-	-	-	-	-	-	170	-	7
8	210	-	195	-	-	-	-	-	015	030	105	465	8
9	035	-	015	010	-	015	-	-	-	-	-	105	9
10	185	-	035	010	-	-	-	-	005	010	-	690	10
11	270	-	-	-	-	-	-	015	-	005	670	060	11
12	110	-	240	-	115	-	-	-	690	010	370	-	12
13	040	-	020	-	-	005	-	005	010	-	120	325	13
14	-	320	020	-	100	-	050	-	-	-	175	595	14
15	-	290	160	020	010	-	-	-	-	060	015	245	15
16	005	560	075	075	-	080	-	-	-	090	105	050	16
17	-	045	030	-	-	365	010	-	-	-	265	175	17
18	-	585	030	005	005	215	-	-	-	-	130	080	18
19	-	205	020	065	005	040	050	010	075	240	590	060	19
20	-	125	005	370	-	005	030	575	160	005	005	225	20
21	-	630	005	025	-	035	-	045	010	150	005	020	21
22	005	250	-	025	-	015	020	080	-	145	060	210	22
23	-	370	010	005	020	355	-	020	295	140	060	180	23
24	200	185	015	035	-	1450	-	020	-	125	-	380	24
25	-	395	010	225	-	010	-	-	300	010	020	575	25
26	030	025	-	310	115	015	-	050	-	500	350	365	26
27	005	285	160	615	-	005	-	570	555	005	130	020	27
28	010	345	010	255	-	120	-	050	040	-	080	100	28
29	-	-	015	390	-	160	015	045	460	625	005	055	29
30	-	-	010	-	105	175	-	005	-	545	025	-	30
31	005	-	400	-	-	-	-	-	-	120	-	-	31
Total	1.815	4.620	1.985	2.660	1.010	3.075	270	2.665	2.745	3.425	5.530	5.870	TOTAL for year 35.670
No. of Rain Days.	18	16	26	18	10	16	8	16	13	21	25	24	211

LOXLEY VALLEY REGISTER OF RAINFALL IN 19 12

Kept at Dale Dike (Crosley)
in the County of Yorkshire
by L. S. M. Marsh

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
24 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.040	.200	.010	-	.375	.065	.020	.110	.005		1.270	1
2		.010	.050	.025	.015	.245	.875	-	.105			.090	2
3	.250		.030		.020	.270	.045	.985	.440		.010	.080	3
4	.260		.765	.440	.120	.750		.835	.090		.100		4
5	.460	.100	.040	.090	.110	.145		.205	.045		.020		5
6	.910	.230		.010	.045	.050		.550		.005		.005	6
7	-	.025	.085		.055	.020		.325	.080	.010		.015	7
8	.270	.245	.140	.180		.020	.065	.035	.105	.005			8
9	.135	.085	.090	.505	.005	.125		.055	.030	.005	.030	.100	9
10	.010	.010		.025		.180	.015	.265	.020	.005	.680		10
11	.175	.055	.010				.025	.060		.005	.110	.780	11
12	.105	.500	.160			.080	1.225				.010	.050	12
13	.015	.070	.005					.030	.010	.080	.085	.225	13
14	.1975	.005	.410			.125		.150				.475	14
15	.180	.115	.060		.760	.100	.005	.030				.400	15
16	.910	-	.315		.115	.140		.105		.145		.110	16
17	.250	.055	.100	.010	.005	.440	.045	.180		.005		.790	17
18	.260	.005	.220			.045		.025		.165	.005	.180	18
19	.305	.070	.105			.040	.985	.290		.060	.105		19
20	.285		.105		.415	.110	.050	.250		.365		.010	20
21		.010	.330		.485		.790	.040		.180	.010	.020	21
22	.005	.105	.015		1.125	.110	.060	.245	.010	.070		.090	22
23		.060	.230		.035		.680	.645			.235	.085	23
24	.230		.005		.005	.030	.130	.320				.145	24
25	.010	.015	.095			.165	.005	.045			.595	.250	25
26		.165	.150			.005	.375	1.335	.005	1.400	.210	.295	26
27	.020	.005	.440			.285	.390	.005		.760	.050	.150	27
28	.010	.020	.140			.010	.450	.370	.170	.230	.390		28
29			.085	.030		.200	.195	.020	.650	.060	.050	.290	29
30	.020		.150		.100		.055		.005	.035			30
31	.055		.320		.520		.215	.290		.110		.020	31
Total	5.205	2.000	4.850	1.325	3.935	4.065	6.745	7.710	1.875	3.705	2.695	5.925	YEAR'S TOTAL 50.035
Rain Days.	24	21	28	10	16	24	21	28	14	17	17	23	243

Loxley Valley

REGISTER OF RAINFALL IN 19 13.

Kept at Dale Dike (Crosley) (No 4)
in the County of York shire
by L. S. M. Marsh

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Height of top of Gauge above Ground ft. in.
Sea Level ft.

BRITISH RAINFALL FORM A.
14 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	005	030	125	120					125	005	095		1
2		065	115	055		015				010	045	045	2
3	015	035	340		465			005	025	545		620	3
4	060	065	025		080	010	055		050	030	110	475	4
5	080	060	180		010	175	060		050	1120		040	5
6	080	085	140	035	485	040	920		020	870	005	010	6
7		445		005	340	160	045			1250	020	010	7
8	010	055	030		535	140		080		070	135		8
9		320	125	005	135	350	045	030			155	060	9
10		020	040	125		035	010			040	265		10
11	1360	005		250		140		010		010	170	010	11
12		005		025	010	005				010	200		12
13			205	035			020		160		185	005	13
14	100	050	325	115				005		245	580		14
15	170	055	310	360			025		100		600		15
16	020	010	015	150				40	005		320	025	16
17	060	030	155	345	050	025	010		1720		070		17
18	060		255	375	115		040				210	030	18
19	190		025	100		010	015		120		045		19
20	275		125	095					060	015	270		20
21	040		020		170		130	020		005	260		21
22	195		1020	005	040			715	155				22
23	040		015		210	135	005	355	135	020	040	010	23
24	750			040		175		020		005	050	030	24
25	040			050					085	005	025	240	25
26		005	145	265	030				010	115		860	26
27		010	055	225						010		285	27
28	215		030	425	010				005	015		170	28
29	005		585	445	020			310			020	280	29
30	440		010		025					625	110	040	30
31	020		020		200					005			31
Total	4830	1350	4430	3650	2930	1415	1380	1960	2825	5025	3985	3245	37025
Rain Days.	22	16	26	22	18	13	13	10	15	19	24	18	216

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
17 MAR 1915

Kept at Dale Dike (Cressley)
in the County of Yorkshire
by L. S. M. Marsh

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.005	.075		.005		.575	.170	.005	.005		.355	1
2			.120				.420	.230			.640	.150	2
3	.195		.200		.135		.020	.010		.005	.160	.860	3
4	.750		.610	.180	.165	.005		.050			.330	.315	4
5	.205		.415	.605	.200	.105					.820	.375	5
6		.010	.270	.380	.130		.040	.030	.005		.010	.080	6
7	.005	.030	.150	.145	.150	.025		.010				.080	7
8	.460		.025	.010	.340	.925	.005	.290	.625	.020		.110	8
9	.235	.005		.100	.050	1.320		.435			.050		9
10	.200	.170		.095	.020	.055			.065	.005	.045		10
11		.235	.400	.035	.010	.640	.030		.335		1.855	.600	11
12		.180	.020	.095	.040	.010	.025	.005	.710		.380	1.200	12
13		.120	.235	.005			.005		.150	.055	1.015	.420	13
14	.060	.230	.120	.020			.080		.325	.405	.260	.370	14
15	.025	.035	.295					.005	.030	.060	.175		15
16	.040	.015	.195		.005		.530		.305				16
17	.040	.375	.090				.030	.005	.510			.550	17
18	.010	.010	.050	.005		.425			.020			.495	18
19			.120				.040		.055	.010	.065	.145	19
20		.170	.040					.060	.005	.100		.020	20
21		.800	.030			.195		.005		.080	.030	.185	21
22		.030	.060		.140	.210	.070	.065		.270			22
23		.030	.060	.010	.440	.065	.065			.010		.025	23
24	.025	.020	.270	.040	.035	.010	.375	.040	.005	.010	.095		24
25	.055						.275	.165		.800	.005	.240	25
26	.015		.130					.100		.315	.205	.310	26
27	.050		.055							.015	.015	1.080	27
28	.145	.130	.035							.110	.250	.270	28
29	.165		.130		.020					.700	.095	.030	29
30	.020	X	.035	.020				.010		.140	.205	.310	30
31	.140	X	.025	X		X	.175		X	.480	X	.020	31
Total	2.840	2.600	4.260	1.655	1.885	3.990	2.760	1.685	3.150	3.595	6.705	8.595	43.720
Rain Days.	20	18	28	13	15	13	16	16	13	18	20	25	215

REGISTER OF RAINFALL IN 1915.

3301

FORM A.
BRITISH RAINFALL
17 FEB 1916

Kept at Dale Dike Reservoir
in the County of Yorkshire WY
by L. S. M. Marsh.

Lat. Long.
Time of Observation
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.320	.455	.010	-	.265	-	-	.205	.205	-	.060	.130	1
2	.020	.235	.190	.330	.005	.065	.080	.305	-	.120	-	-	2
3	1.185	-	.055	.145	-	-	.190	.240	.010	-	.050	.565	3
4	.035	.040	-	-	.175	-	1.050	.005	.005	.005	-	1.145	4
5	.115	.325	.100	.005	-	.010	-	.030	-	.080	.025	.630	5
6	.375	.335	.130	.320	-	-	.520	.140	-	.005	-	.330	6
7	.340	.540	.005	.310	-	-	.140	.640	-	-	-	.140	7
8	.200	.280	.030	.315	-	-	-	.115	-	-	.230	.035	8
9	.070	.020	-	.120	-	-	-	.220	-	.095	.680	.760	9
10	.980	-	.015	-	-	-	.015	.075	-	.020	.205	.150	10
11	.440	-	.055	.005	.710	-	.230	-	-	.010	.580	.570	11
12	.050	-	-	.095	.305	-	.020	.050	.005	.120	2.210	-	12
13	.135	1.650	-	-	-	-	-	-	.020	-	.005	.040	13
14	.090	.080	-	-	-	-	-	.145	-	-	-	.520	14
15	1.645	-	-	-	-	-	.035	.305	.015	-	.310	.135	15
16	.010	.275	-	.025	.250	-	1.815	.050	-	.050	-	-	16
17	-	.235	.060	-	-	-	.265	.010	-	.010	-	.005	17
18	-	.270	.280	-	-	-	-	-	.005	-	.050	-	18
19	-	.190	.010	-	.010	-	.125	-	.010	.030	.020	-	19
20	.160	-	.010	.015	-	-	.045	.025	-	.005	-	.195	20
21	.070	.020	-	.040	-	-	.200	-	.005	-	-	.070	21
22	.015	-	.175	.015	-	-	.230	-	-	.005	-	.075	22
23	.070	.030	.090	-	-	-	.650	-	-	.345	-	.080	23
24	.005	-	.220	.050	-	.040	-	-	.565	.140	-	.305	24
25	-	-	.025	.050	-	.265	-	-	-	.030	.005	.175	25
26	.025	.375	-	-	-	.360	.105	-	.070	-	-	.600	26
27	.005	.210	-	-	-	.270	.090	-	-	.495	.005	.745	27
28	-	.730	.010	-	-	.250	-	.435	-	.360	-	.025	28
29	.005	-	.005	-	.105	.110	-	.015	.035	-	.160	1.060	29
30	.115	X	-	.015	-	-	-	.030	-	.010	.015	.015	30
31	.260	X	-	X	-	X	-	.150	X	.575	X	.335	31
Total	6.740	6.295	1.475	1.855	1.825	1.370	5.805	3.190	.950	2.510	4.610	8.835	45.460
Rain Days.	25	19	18	15	4	8	18	20	10	18	14	26	198

Kept at Dale Dike
in the County of Yorkshire
by L. J. M. Marsh Esq.

Lat. Long.
Time of Observation As Before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	480	005	295	-	-	335	180	-	-	-	220	-	1
2	480	430	470	-	-	020	-	-	100	120	015	-	2
3	-	280	020	-	-	-	-	-	510	205	120	015	3
4	145	280	-	020	675	785	-	-	100	415	370	-	4
5	175	005	-	005	075	505	-	-	-	685	575	-	5
6	370	835	300	-	440	120	150	-	-	115	450	-	6
7	235	060	105	005	110	005	395	-	-	380	015	240	7
8	-	080	780	010	010	-	-	-	-	035	400	020	8
9	025	-	120	-	410	035	030	-	010	005	210	580	9
10	025	050	-	210	-	700	130	-	115	160	010	080	10
11	045	545	500	250	-	180	020	-	060	010	-	100	11
12	190	115	490	165	265	050	305	015	-	030	-	040	12
13	005	080	395	065	055	-	010	395	-	280	005	090	13
14	-	255	055	260	315	020	-	330	-	240	005	130	14
15	005	805	800	-	-	-	060	190	045	070	-	-	15
16	-	460	675	160	-	-	120	085	-	-	-	-	16
17	120	295	005	1075	-	-	040	-	425	155	-	-	17
18	-	465	010	220	-	040	-	015	285	140	1290	150	18
19	210	080	235	230	-	010	-	050	080	-	690	160	19
20	180	-	365	115	005	-	-	-	-	-	-	040	20
21	160	-	220	-	195	-	050	-	-	-	005	050	21
22	-	045	-	050	-	035	-	-	-	150	-	150	22
23	040	240	030	025	-	020	-	100	010	025	195	320	23
24	-	640	-	065	-	075	-	060	-	025	015	140	24
25	-	150	250	-	120	-	-	245	-	200	540	140	25
26	025	250	160	-	-	-	-	130	-	090	040	-	26
27	-	300	020	-	-	-	1210	070	-	385	-	-	27
28	-	710	120	-	-	330	-	-	015	220	030	180	28
29	005	390	020	-	005	380	-	010	-	545	-	550	29
30	-	X	-	-	125	160	-	005	005	200	-	060	30
31	-	X	-	X	-	X	010	020	X	480	X	320	31
Total	2920	7850	6440	2930	2805	3805	2710	1720	1760	5365	5200	3555	47060
Rain Days.	18	25	23	16	18	19	14	14	13	25	19	21	220

20xley Valley Gauges
REGISTER OF RAINFALL IN 1917

Kept at Dale Dike (Grosley)

in the County of Yorkshire

by L S m marsh

Lat. Long.

Time of Observation

Nearest Railway Station As Before

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

3079
FORM A.
BRITISH RAINFALL
4 MAR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.110			.300		.060		.320	.400		.120	.200	1
2	.420			.360		.045		.090	.010		.035		2
3	.080	.020				.105		.145	.005	.150	.125		3
4	.120	.010	.130	.010				.100		.210	.010		4
5	.190		.160	.150				.010	.010	.170	.145		5
6	.020		.020			.060		.005	.005	.150	.190	.060	6
7	.360					.450				1.270	.045	.065	7
8	.880			.430				1.300	.005	1.180	.400	.080	8
9	.030		.060	.100				.040	.005	.230	.645	.020	9
10	.170		.890	.310	.145			.100	.005	.060	.025		10
11	.120			.460				.150		.440	.005	.005	11
12	.110			.030	.295			.145		.080		.040	12
13	.200			.200				.230	.285	.080	.005	.040	13
14	.230			.130				.010				.280	14
15	.130			.050	.010		.170	.005		.070		.145	15
16	.100	.090		.220		.150	.060	.120		.010		.700	16
17	.040	.050	.015	.040	.325	.015	.150	.240	.095	.070		.070	17
18	.060		.025	.080	.105		.725	.185	.295	.100			18
19	.050	.185	.425		.220	.230		.015	.010		.115		19
20	.090	.180	.010		.260	.310			.140		.155	.020	20
21	.010	.050	.130		.065	.040		.080	.005	.075			21
22	.060		.080					.050	.140	.110	.040		22
23		.035			.135	.045		.345	.025	.175	.005	.050	23
24		.005			.040	.150		.315		.940	.645		24
25		.020	.090					.040		.110	.115		25
26		.005				.020	.050	.540	.255	.145	.400		26
27			.060			.245	.105	1.115			.370	.075	27
28			.180			.080	.005	.765	.010	.020	.035	.010	28
29			.110		.065		.120	.115		.325	.040	.550	29
30	.040	X	.390	X			.035	.105	.005	.130	.010	.010	30
31	.030	X	.420	X	.015	X	.005	.050	X		X	.130	31
Total	3.650	.650	3.200	2.870	1.680	2.005	1.425	6.730	1.710	6.300	3.680	2.550	36.450
Rain Days.	24	10	17	15	12	15	9	28	16	24	21	19	210

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Dale Dike (Grosley)

in the County of Yorkshire

by L S Marshall

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A.
BRITISH RAINFALL.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	020	020	035	080	040	-	-	-	470	040	305	005	1
2	-	200	-	055	010	-	010	145	345	-	020	670	2
3	-	-	080	-	325	-	-	200	040	085	085	015	3
4	-	005	065	-	370	-	-	030	435	260	225	600	4
5	-	-	060	035	205	-	010	130	370	390	005	005	5
6	025	910	045	525	010	280	-	085	020	160	-	-	6
7	050	085	020	245	-	005	-	-	300	350	220	-	7
8	-	105	170	-	-	-	320	-	450	100	080	-	8
9	665	1120	-	190	-	105	020	-	505	495	030	085	9
10	250	180	010	125	-	-	295	-	000	030	250	060	10
11	420	155	005	005	080	-	180	-	070	-	-	105	11
12	010	260	050	130	040	040	290	-	315	005	-	260	12
13	020	010	-	065	065	015	-	-	350	170	010	010	13
14	380	-	-	010	-	130	155	-	740	060	005	345	14
15	330	-	005	010	-	140	385	-	1120	-	-	370	15
16	-	-	-	-	-	020	095	040	305	090	-	400	16
17	295	-	-	-	045	-	260	125	095	140	-	255	17
18	285	-	050	010	-	115	270	-	530	-	-	425	18
19	320	020	195	120	-	020	085	105	270	145	-	510	19
20	080	295	-	050	-	115	085	-	180	200	-	005	20
21	140	440	-	020	180	015	010	-	395	190	-	005	21
22	025	050	-	005	200	240	315	025	100	015	-	970	22
23	105	025	-	015	655	-	120	-	160	-	020	045	23
24	-	075	-	-	005	-	320	005	115	010	035	045	24
25	-	-	-	-	-	140	030	100	075	020	-	005	25
26	-	035	-	005	-	-	175	075	335	-	060	290	26
27	-	165	020	-	-	025	015	290	890	-	125	450	27
28	-	100	270	-	-	-	-	075	205	-	100	605	28
29	-	-	-	-	-	-	-	-	325	-	-	345	29
30	-	X	350	-	-	-	-	115	010	-	030	245	30
31	-	X	250	X	-	X	-	050	X	-	X	020	31
Total	3420	4255	1680	1700	2230	1405	3445	1595	9580	2955	1665	7115	YEAR'S TOTAL 41045
Rain Days	17	20	16	17	14	14	21	16	30	19	16	26	226

REGISTER OF RAINFALL IN 1919.

Kept at Dale Dike (Crosley)

in the County of Yorkshire

by L. S. M. Marsh Esq

Lat. 53 Long. 10
Time of Observation Before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	995	010	020	060	425		645	045	205	125	125	370	1
2	130	050	020		005		270	245	105	020	140	065	2
3	1160				080	125	1090		070		360	240	3
4	080		205		005	010	065	130	110	005	065	415	4
5	155	020	020		060				085		030	640	5
6	065		615		710				030			400	6
7	055		400								035		7
8	180		015		010	050			015	010			8
9	105		075		005						120		9
10			250	070					020	040	160		10
11			745	040	075					020	055		11
12			1075	100		120	170		130	030		025	12
13	480			160		005	005	010	1095	175	010	100	13
14	310	010		225				020	095		120	005	14
15	255	085	020	070					005	030	030	405	15
16	200	770	030	030		015	020				110	005	16
17	155	520		020		090	050	180	020		685	005	17
18			120				015	350	245		100	530	18
19	055	295	980	005	005	080	1270	380	015		455	020	19
20	345	080	280			085	390	095	030		180	340	20
21	100	470	050			025	130		040		025	370	21
22		100				020		050	205		195	730	22
23						095	005			635	100	430	23
24				260	020	050		050	105	630	175	170	24
25	105	015		680	110	045		665		010	220	010	25
26	020	005	590	105		020	005	495	105		060	805	26
27	200	015	080	245				040			085	065	27
28	045		035	090				865		130		550	28
29	150			050		135		040		1600		260	29
30	075	X	070	070		X			X	095	120	220	30
31	010	X	040	X		X	180		X	110	X	030	31
TOTAL	5.430	2.445	5.735	2.280	1.510	970	4.310	3.660	2.725	3.660	3.615	7.420	YEAR'S TOTAL 43.760
Days with 01 in. or more	24	5	22	16	10	16	14	16	16	16	26	26	21.6

REGISTER OF RAINFALL IN 1920.

Kept at Dale Dike (Croxley)
in the County of Yorkshire
by L S Marshall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		005		270	450		340	090	055	155	290	075	1
2			010	320	010		110		265	270		210	2
3	010	020		400	370	045	1580	080	100	290		350	3
4	015			120			160	530	030	470		090	4
5		010	065		190		060	110	030	080		030	5
6			345	185	030		055			010		080	6
7	215		120	010	110		375			005	030		7
8	180	020		435	130		240	170		010		005	8
9	365	520		480			210	040		015	010		9
10	915	900	155	120			260						10
11	575	215	100	340	330	325						230	11
12	135	065	105	455	050	250	095	255			070	060	12
13	355	155	145	315	030	1060	065				040	070	13
14	015	015	450	125		1020	040		560	060	580	050	14
15		105	150	275			015		030	105	070		15
16			120	060	060		655		075	045	020		16
17	015		060		110	030	020	075	255	090			17
18	145			065	245			015				025	18
19	290	1400		095	335	155		180	020				19
20	085	060		350		215	110					110	20
21	050			005			340	100				175	21
22	085			355		045	490	030		010	020	115	22
23			025	010			280	010	010	005		405	23
24	020		285	060			010					150	24
25	005	035	060	140		010	550				005		25
26	195	180	115	330	305	025	160	005			005		26
27	330	055	025	220	450	725				010	210	220	27
28	1270		140	145	110	015	040		010		010	175	28
29	060		145		1145	070	215		035	005	180	750	29
30	190	X	020	145	330	060			110		155	340	30
31	365	X	175	X	040	X	015		X	750	X	205	31
TOTAL	5885	3760	2815	5830	4830	4050	6480	1690	1585	2385	1695	3920	YEAR'S TOTAL
Days with 01 in. or more	23	15	21	26	20	15	26	13	14	17	14	21	44925
Days with 04 in. or more	18	10	17	24	17	11	22	10	7	10	8	19	2227

RI

LUNEDALE

Kept at Grassholme

in the County of

NR

GRASSHOLME RES

by The Tees Valley

1911 - 1920

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

11.

London Gauge
5 in.

Ground

1 ft.

Sea Level 935.83ft.

V.M.

Name

Mickleton

Distance

3 1/2 miles

Direction N.E.

the result entered to the
arsal rule, he is earnestly
r in the space provided
nt of rain,
sh Rainfall

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.53	—	—	—	.02	.08	—	—	.15	.05	1
2	S .30	—	.03	—	.12	—	.09	.03	—	.08	.12	.22	2
3	.02	—	.16 S	.02	.63	—	—	.02	—	.05	.23	.06	3
4	—	—	.14 S	.18	.05	—	—	.60	—	—	.44	.16	4
5	SR .26	—	— S	.04	—	—	—	.39	—	.14 SR	.17	—	5
6	.09	—	.10	.05	—	—	—	.25	—	—	.22	.69	6
7	—	—	—	—	—	—	—	—	—	.07	.35	—	7
8	.14	—	.17	—	—	—	—	—	—	—	.23 S	.31	8
9	—	—	—	—	—	—	—	—	—	—	—	.27	9
10	.28	—	.07	.04	—	—	—	—	—	—	.03	.68	10
11	SR .10	—	.07	—	—	—	—	—	.36	—	.18	.22	11
12	S .08	—	—	—	.16	.02	—	—	.74	—	.14	.05	12
13	—	.07	—	—	.16	—	—	—	.04	—	.13	.53	13
14	.05	.34 S	.08	—	.28	—	—	—	—	—	.06	.38	14
15	—	.31 S	.13	.03	—	—	—	—	—	.03	.66	.11	15
16	—	.43 S	.26	.09	—	.05	—	—	—	.11	.25	.10	16
17	—	.05 S	.09	.05	—	.55	.03	—	—	—	.34	.19	17
18	—	1.25 S	.29	.02	—	.11	—	—	—	—	.09	.43	18
19	—	SR .06 S	.08	.24	—	.09	.18	—	.19	.27	.57	.24	19
20	—	SR .12	—	.16	—	—	.32	.38	.08	—	—	.27	20
21	—	.70	—	.19	—	.03	.21	.71	—	.22 S	.05	.06	21
22	SR .35	.30	—	.18	—	.10	—	—	—	.02 SR	.13	—	22
23	.02	.76	—	.05	.23	.35	—	—	.07	.21	—	.14	23
24	—	.06	—	.14	.05	1.22	—	.08	—	.16	—	.35	24
25	.12	.21	—	.41	—	.04	—	—	.24	.22	—	S .15	25
26	.03	.02	—	.12	—	—	—	.16	—	.73 SR	.61	.20	26
27	.06	.56	.10	.10	—	—	—	.12	.21	—	SR .20	.03	27
28	—	.25	—	.48	—	.09	—	.26	.09	—	—	.23	28
29	—	—	.04	.18	—	.09	.06	.06	.45	1.06	—	.21	29
30	—	—	—	—	.02	—	—	—	.05	.40	—	—	30
31	—	—	—	—	.09	—	—	—	—	.23	—	—	31
Total	1.90	5.49	2.34	2.77	1.79	2.74	.91	3.14	2.52	4.00	5.45	6.33	TOTAL for year 39.38
No. of Rain Days	14	16	16	20	10	12	7	13	11	16	22	26	183

R

11
London Gauge
BRITISH RAINFALL
FORM A2
JAN 1923Kept at Grassholme Reservoirin the County of NR York 6by The Tees Valley Water BoardRAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. —
" " " Sea Level 935.83 ft.Time of Observation 9 a.m.Nearest Railway Station { Name Mickleton
Distance 3 1/2 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.53	—	—	—	.02	.08	—	—	.15	.05	1
2	<u>\$</u> .30	—	.03	—	.12	—	.09	.03	—	.08	.12	.22	2
3	.02	—	.16	<u>s</u> .02	.63	—	—	.02	—	.05	.33	.06	3
4	—	—	.14	<u>s</u> .18	.05	—	—	.60	—	—	.44	.16	4
5	<u>SR</u> .26	—	—	<u>s</u> .04	—	—	—	.39	—	.14	<u>SR</u> .17	—	5
6	.09	—	.10	.05	—	—	—	.25	—	—	.22	.69	6
7	—	—	—	—	—	—	—	—	—	.07	.35	—	7
8	.14	—	.17	—	—	—	—	—	—	—	.23	<u>s</u> .31	8
9	—	—	—	—	—	—	—	—	—	—	—	.27	9
10	.28	—	.07	.04	—	—	—	—	—	—	.03	.68	10
11	<u>SR</u> .10	—	.07	—	—	—	—	—	.36	—	.18	.22	11
12	<u>\$</u> .08	—	—	—	.16	.02	—	—	.74	—	.14	.05	12
13	—	.07	—	—	.16	—	—	—	.04	—	.13	.53	13
14	.05	.34	<u>s</u> .08	—	.28	—	—	—	—	—	.06	.38	14
15	—	.31	<u>s</u> .13	.03	—	—	—	—	—	.03	.66	.11	15
16	—	.43	<u>s</u> .26	.09	—	.05	—	—	—	.11	.25	.10	16
17	—	.05	<u>s</u> .09	.05	—	.55	.03	—	—	—	.34	.19	17
18	—	<u>1.25</u>	<u>s</u> .29	.02	—	.11	—	—	—	—	.09	.43	18
19	—	<u>SR</u> .06	<u>s</u> .08	.24	—	.09	.18	—	.19	.27	.57	.24	19
20	—	<u>SR</u> .12	—	.16	—	—	.32	.38	.08	—	—	.27	20
21	—	.70	—	.19	—	.03	.21	.71	—	.22	<u>s</u> .05	.06	21
22	<u>SR</u> .35	.30	—	.18	—	.10	—	—	—	.02	<u>SR</u> .13	—	22
23	.02	.76	—	.05	.23	.35	—	—	.07	.21	—	.14	23
24	—	.06	—	.14	.05	1.22	—	.08	—	.16	—	.35	24
25	.12	.21	—	.41	—	.04	—	—	.24	.22	—	<u>s</u> .15	25
26	.03	.02	—	.12	—	—	—	.16	—	.73	<u>SR</u> .61	.20	26
27	.06	.56	.10	.10	—	—	—	.12	.21	—	<u>SR</u> .20	.03	27
28	—	.25	—	.48	—	.09	—	.26	.09	—	—	.23	28
29	—	—	.04	.18	—	.09	.06	.06	.45	1.06	—	.21	29
30	—	—	—	—	.02	—	—	—	.05	.40	—	—	30
31	—	—	—	—	.09	—	—	—	—	.23	—	—	31
Total	1.90	5.49	2.34	2.77	1.79	2.74	.91	3.14	2.52	4.00	5.45	6.33	39.38
No. of Rain Days	14	16	16	20	10	12	7	13	11	16	22	26	183

REGISTER OF RAINFALL IN 1912

Kept at Grassholme Reservoir

in the County of York

by The Tees Valley Water Board

RAIN GAUGE

Pattern Snowdon Copper Gauge
 Diameter of top 5 in.
 Height of top above Ground 1 ft. — in.
 " " " Sea Level 935.83 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station {

Name Middleton-in-Teesdale
 Distance 3 1/3 M Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.19	—	.10	.38	.05	.40	.03	.05	—	<u>s</u> .14	1
2	—	—	.34	—	.15	.42	.09	.11	—	.04	—	—	2
3	.14	<u>s</u> .03	.02	—	—	1.00	.02	.53	.41	—	—	.11	3
4	.19	—	<u>SR</u> .43	.23	.06	.68	—	.60	.24	—	.45	—	4
5	<u>SR</u> .03	—	.06	—	.33	.06	—	.24	.03	—	—	—	5
6	<u>s</u> .72	<u>SR</u> .18	—	—	—	.02	—	.13	—	—	—	—	6
7	—	.15	.02	.12	.19	—	—	.13	.12	—	.28	.09	7
8	<u>s</u> .64	.08	.04	.19	.03	—	—	—	.53	—	.15	—	8
9	.08	.10	.18	<u>SR</u> .12	—	.24	—	—	—	—	.10	.08	9
10	.08	—	.03	—	.08	.18	—	.11	—	—	.26	.04	10
11	.04	.24	—	—	—	—	.12	.08	—	—	<u>SR</u> .10	.20	11
12	.11	.09	.05	—	—	.22	.19	—	—	—	<u>SR</u> .06	.62	12
13	.03	.02	—	—	—	.02	—	—	—	.22	.10	1.55	13
14	.11	—	—	—	—	.09	—	—	—	.02	—	.39	14
15	.16	.05	.04	—	.48	.16	—	—	—	.21	—	.61	15
16	<u>SR</u> .44	—	.10	—	.02	—	—	.11	—	.14	—	<u>s</u> .13	16
17	—	.18	.24	—	.05	.49	—	.26	—	—	—	<u>SR</u> .28	17
18	.05	.14	—	—	—	.14	—	.02	—	.19	.08	<u>SR</u> .06	18
19	.05	.45	<u>SR</u> .24	—	.05	.12	.05	.20	—	.04	.04	.04	19
20	.14	—	<u>SR</u> .10	—	.65	.10	—	.14	—	.63	—	.05	20
21	.02	—	<u>SR</u> .24	—	.02	—	.05	—	—	—	—	.08	21
22	.02	.34	.02	—	.20	.08	—	.22	—	—	—	—	22
23	<u>s</u> .03	—	—	—	.02	.03	.22	.58	—	.03	.14	.06	23
24	<u>SR</u> .13	—	.08	—	.04	—	.21	.09	—	—	.33	.18	24
25	<u>SR</u> .05	—	.09	—	—	.95	.05	.46	—	—	.57	—	25
26	—	.36	.29	—	—	.20	—	.11	—	1.64	.44	<u>SR</u> .43	26
27	—	.12	.14	—	—	.42	.59	—	—	.14	—	.40	27
28	—	.05	.04	—	—	.03	.89	.52	.08	.38	<u>s</u> .25	.04	28
29	—	.04	<u>SR</u> .45	—	—	.84	.69	.15	.65	.20	—	.26	29
30	<u>SR</u> .08	—	.34	—	.04	—	.10	—	.36	.14	—	.06	30
31	—	—	<u>SR</u> .06	—	.06	—	.92	.26	—	—	—	.13	31
Total	3.64	2.41	3.95	.66	2.60	6.90	4.24	5.48	2.45	4.13	3.38	6.36	TOTAL for year 46.83
No. of Rain Days.	22	14	25	4	18	23	15	22	9	15	15	24	209

REGISTER OF RAINFALL IN 1913

Kept at Grassholme Reservoir
in the County of York
by Fees Valley Water Board

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Middleton-in-Tees
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 935.83 ft.

FORM A.
BRITISH RAINFALL
6-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	5.09	.12	.08	—	—	—	—	.06	.12	.07	—	1
2	—	SR.22	.72	—	—	—	—	—	—	.19	.14	.12	2
3	.08	.35	.17	—	.36	—	.08	—	.03	—	.12	.58	3
4	.26	.27	.16	—	—	.11	—	—	.04	.11	.09s	.37	4
5	.50	.15	.08	—	—	.14	.04	—	.02	.04	—	—	5
6	.02	.38	SR.49	—	.53	.03	.81	—	—	.03	—	—	6
7	—	.68s	.15	—	.19	.18	—	—	—	1.09	—	.02	7
8	—	.15	.10	—	.69	.03	—	—	.03	.45	.07	.06	8
9	.03	.10	.21	—	.21	.64	—	—	—	—	.07	.08	9
10	—	.05	.41	SR.03	.18	.06	—	—	—	.03	.24	—	10
11	s.83	—	—	s.42	.02	.17	—	—	—	.05	.08	.09	11
12	s.13	—	—	—	—	.03	.08	—	.67	—	.13	.06	12
13	—	—	.36	.06	—	—	—	—	.23	.05	.14	—	13
14	SR.26	—	SR.20	.22	—	—	.07	—	—	.24	.21	.03	14
15	SR.11	—	SR.63	.41	—	—	—	.15	—	—	.58	.11	15
16	—	—	s.13	SR.11	—	—	—	.03	—	—	.28	—	16
17	—	—	s.04	SR.17	—	.05	.06	—	—	—	.25	—	17
18	SR.07	—	SR.57	.36	—	.09	.03	—	—	—	.32	—	18
19	SR.18	—	SR.20	.32	.11	—	—	—	.85	.05	.27	—	19
20	SR.67	—	SR.08	.04	—	—	—	—	.10	.22	.68	—	20
21	SR.04	—	SR.19	—	.07	—	.09	.48	—	—	—	—	21
22	SR.13	—	SR.74	—	.04	—	—	.16	.06	—	—	—	22
23	.18	—	SR.05	—	—	.35	—	.15	.06	—	.04	—	23
24	.70	—	—	—	—	.20	—	—	—	—	.05	—	24
25	—	—	—	.06	.03	—	—	—	.27	—	—	.40	25
26	—	.06	.07	.78	.03	—	—	—	1.07	.07	—	SR.95	26
27	—	—	—	.66	.53	—	—	—	—	.29	—	s.11	27
28	SR.34	—	.36	.26	.12	—	—	—	—	—	—	—	28
29	.03	—	.59	.25	.05	—	—	.14	—	.04	.07s	.18	29
30	SR.50	—	.02	—	.04	.07	—	—	—	.13	—	—	30
31	s.08	—	—	—	—	—	—	—	—	—	—	—	31
Total	5.14	2.50	6.84	4.23	3.20	2.15	1.26	1.11	3.49	3.20	3.90	3.16	40.18
Rain Days.	20	11	25	16	16	14	8	6	13	17	20	14	180

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Grassholme Reservoir
 in the County of York NR 6
 by Tees Valley Water Board

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station Middleton-in-Teesdale
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 83 in.
 " " " " Sea Level 935.83 ft.

FORM A.
 BRITISH RAINFALL
 5 - JAN - 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.34	.03	.04	—	—	.11	.33	—	—	—	.29	1
2	—	.22	.04	.03	—	—	.24	.42	—	.11	.64	.31	2
3	.11	.30	.22	—	.19	—	—	.02	—	—	.06 SR	.93	3
4	.91	—	.19	.09	.32	.04	—	—	.02	—	.11 SR	.79	4
5	.14	—	.24	.33	.14	—	—	—	—	—	.49 SR	.09	5
6	—	—	.04	.48	.05	—	—	.11	—	—	— SR	.21	6
7	—	.08 s	.14	.15	.19	.10	—	.14	—	—	.05 SR	.20	7
8	.14	.04 s	.12	.04	.33	.73	.08	.52	—	.02	.04	.31	8
9	.35	.04	—	.25	—	2.19	—	—	.02	—	.26	.05	9
10	.03	.13 s	.04	.02	—	—	—	—	.02	—	.43	—	10
11	— SR	.04 s	.15	—	.11	.06	—	—	.19	—	.49	.29	11
12	—	.34	.11	—	—	—	.14	—	.14	—	.44	1.07	12
13	—	.04	.34	.04	—	—	—	—	.04	—	.35	.61	13
14	.04	1.23	.14	—	—	—	.04	—	.14	.03 s	.31	.38	14
15	—	.12	.23	—	—	—	.03	—	.15	— SR	.49	—	15
16	.06 SR	.03 s	.03	—	—	—	.55	—	.84	— SR	.02	.08	16
17	.04	.12	.15	—	—	—	.08	—	.61	—	—	1.00	17
18	— SR	.52 s	.02	—	—	—	—	—	.05	.12	—	—	18
19	—	.10	—	—	—	—	.06	—	—	—	.04	—	19
20	—	.23 SR	.22	—	—	—	—	—	—	—	—	—	20
21	— SR	.62	.02	—	—	.15	.03	—	—	.09	.12	—	21
22	— SR	.23	.15	—	.34	.04	—	.03	—	.10	.04 SR	.12	22
23	—	.06	.05	.14	.12	—	—	.02	—	—	— SR	.11	23
24	.30	—	.40	.05	.04	—	.04	.02	—	—	.04	—	24
25	.11	—	.08	—	—	—	.10	.38	—	.45	.08	.29	25
26	.03	—	.09	—	—	—	.02	.02	—	.09	.19	.37	26
27	—	.03	—	—	—	—	—	—	.02	—	.45 SR	.15	27
28	.05	.23	.05	—	—	—	—	.06	—	—	.92	—	28
29	.26	—	.06	—	.02	—	—	.33	—	.43	.41	—	29
30	.28	~~X~~	.39	—	—	—	—	.06	—	.14	.52	.30	30
31	.91	~~X~~	—	~~X~~	.03	~~X~~	.25	.02	~~X~~	.24	~~X~~	—	31
Total	3.94	5.21	3.80	1.42	1.94	3.31	1.83	2.48	2.24	2.15	4.35	4.95	43.95
Rain Days.	14	22	27	12	12	7	14	15	12	11	24	21	194

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915.

Kept at Grassholme Reservoir
in the County of York
by The Tees Valley Water Board

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Middleton in Teesdale
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 935.83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	SR .43	20	—	—	20	—	.06	.22	.02	—	.07	.13	1
2	—	.37 s	.26	.21	—	.03	.04	.11	—	—	—	.02	2
3	SR .30	.06	.05	.14	—	—	.21	.16	—	—	—	SR .59	3
4	.03	.04	.18	.22	.02	.09	—	.85	—	—	.06 s	.62	4
5	SR .12	.36	.14	—	—	—	—	.03	—	—	—	SR .59	5
6	.45	.65	.07	.15	—	—	.54	.02	—	.04	—	.37	6
7	.31 SR	.47	—	.25	—	—	.33	.15	.10	—	—	.10	7
8	.11 SR	.36 s	.04	.15	.12	—	.04	.03	—	—	.68	—	8
9	SR .04	—	—	—	—	—	—	.07	—	.03	.30 s	.79	9
10	SR .63	—	—	—	—	—	—	—	—	—	—	.57	10
11	.32 s	.05	—	—	SR .65	—	—	—	—	—	s .06	.12	11
12	.06 s	.04	—	.07 SR	.02	—	—	—	—	.08 s	.75	—	12
13	.34 SR	.33	—	.02	—	—	—	.06	—	—	—	—	13
14	.33 s	.04	—	.06 SR	.10	—	—	—	—	—	—	.09	14
15	1.02	—	—	—	—	—	.08	.60	.03	.02 s	.22	.21	15
16	—	SR .38	—	.02	—	—	.47	.12	—	—	—	—	16
17	—	.23	—	—	—	—	—	—	—	—	—	—	17
18	—	.18	—	—	—	—	.04	—	.16	.09	.03	—	18
19	—	SR .08 s	.05	.40	—	—	.33	—	—	.02	—	—	19
20	.14	—	.08	—	—	—	.18	—	—	.02	—	.38	20
21	SR .08 s	.09	—	.07	—	—	.03	—	—	—	—	.11	21
22	—	—	.04	—	—	—	.28	—	—	—	—	.14	22
23	—	s .05	.06	—	—	—	—	—	—	.21	—	.27	23
24	—	—	s .10	.07	—	—	—	—	.69	.14	—	.35	24
25	—	—	—	—	—	.04	.09	—	—	.02	—	—	25
26	—	SR .24 s	.03	—	—	.06	.03	—	—	—	—	.40	26
27	—	s .36	—	—	—	—	.12	—	—	.30	—	.48	27
28	—	s .24 s	.04	—	.28	—	.04	.33	—	—	—	.05	28
29	—	—	—	—	SR .11	.17	—	—	—	—	.16	.48	29
30	s .20	X	—	.05	—	.03	—	—	—	—	—	—	30
31	SR .08	X	—	X	—	X	.02	.73	X	.06	X	.42	31
Total	4.99	4.82	1.14	1.88	1.50	.42	2.93	3.48	1.00	1.03	2.33	7.28	32.83
Rain Days.	18	21	13	14	8	6	18	14	5	12	9	22	160

REGISTER OF RAINFALL IN 1916

Kept at Grassholme, in the North Riding
in the County of York NR
by The Tees Valley Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Middleton in Teesdale
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 935.83 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.98	.02 s	.12	—	—	.28	.54	.02	—	—	.21	—	1
2	.15	.08 s	.07	—	—	.06	—	—	.21	.14	.02	—	2
3	—	.18	—	—	—	.04	—	—	.94	.12	.39	—	3
4	.31	SR .07	—	.06	.73	.23	.15	—	.17	.84	.26	—	4
5	.12	.79	—	—	.51	.33	—	—	—	.61	.53	—	5
6	.87	.45 s	.32 s	.05	.26	.11	.13	—	—	.25	.18	—	6
7	.02 s	.15 s	.25	—	.29	.19	.70	—	—	.41	.02	.19	7
8	—	s .05	s .81	—	—	.03	—	—	—	.03	.17	—	8
9	.05	—	s .12	—	.03	.02	—	—	—	—	.20	SR .76	9
10	.13 s	.05 s	.09	.12	—	.08	.27	—	—	.70	.04	SR .10	10
11	—	SR .15 s	.42	.41	.02	—	.10	—	.03	.08	.12	SR .16	11
12	.17	.36 s	.33	.33	.26	.06	.48	—	—	.09	.03	SR .06	12
13	—	.21 s	.31	.06	—	—	.19	.18	—	.37	—	SR .05	13
14	.08 s	.42	SR .11	SR .21	.22	—	—	.25	—	.36	.05	SR .05	14
15	.12	SR .65	SR .62	.02	.03	—	.02	.61	—	.02	—	—	15
16	—	SR .26	.41	.19	—	—	.07	.07	—	—	—	—	16
17	.14	.06	—	.33	—	—	—	.05	.28	.16 s	.02	—	17
18	.05	SR .52	—	.13	—	—	—	.27	.41	.11	SR .98	SR .16	18
19	.41	—	—	.13	—	—	—	.06	.05	—	SR .94	—	19
20	SR .16	—	SR .12	.04	—	—	.15	.08	—	—	.12	SR .26	20
21	.42	—	s .16	—	—	—	—	—	.05	—	—	—	21
22	.07 s	.09 s	.03	—	—	.08	—	—	—	.18	.03 s	.02	22
23	.13 s	.03 s	.11	.02	—	—	—	—	—	.10	.13 s	.10	23
24	.02	—	s .02	.03	—	.69	—	.32	—	.04	.21	.11	24
25	.06 s	.12 s	.30	—	.13	.02	—	.63	—	.18	.18	SR .05	25
26	.25 s	.22 s	.28	—	—	.02	.13	—	—	.03	—	—	26
27	—	s .46 s	.02	—	.13	.11	—	—	—	.67	—	—	27
28	.19 s	.21	—	—	.04	—	—	—	—	.25	.05	1.60	28
29	.03	SR .40	—	—	—	—	—	—	—	.28	.19	.18	29
30	.02	~~X~~	—	—	.26	—	.03	—	—	.79	—	.19	30
31	—	~~X~~	—	~~X~~	.62	~~X~~	—	.05	~~X~~	.39	~~X~~	.26	31
Total	4.95	6.00	5.02	2.13	3.53	2.35	2.96	2.59	2.14	7.20	5.07	4.09	48.03
Rain Days.	24	24	21	15	14	16	13	12	8	25	23	17	212
YEAR'S TOTAL													Total.

REGISTER OF RAINFALL IN 1917

Kept at Grassholme Reservoir
 in the County of West Yorkshire
 by West Valley Water Board

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	-	-	.09	-	.15	.48	-	.15	.25	1
2	.63	-	-	S .40	-	-	-	.03	-	-	-	-	2
3	.09	S .10	-	S .11	-	.25	-	-	-	.36	.03	-	3
4	-	-	S .23	-	-	-	-	-	-	-	-	-	4
5	S .14	-	.22	S .22	-	-	-	-	-	.09	.38	-	5
6	-	-	S .03	-	-	-	-	-	-	S .16	.28	.20	6
7	SR .85	-	S .16	-	-	.25	-	.54	-	SR .19	-	.15	7
8	SR .60	-	-	SR .25	-	.03	-	.93	.04	.65	.20	S .24	8
9	S .14	-	-	-	-	-	-	.49	-	.10	.19	S .06	9
10	S .20	-	S .80	S .33	.23	-	-	.05	-	.11	-	-	10
11	.02	S .10	-	S .05	.04	-	-	.58	-	.04	.02	-	11
12	-	-	-	-	.29	.12	-	.06	-	.04	-	.03	12
13	S .23	-	-	.19	.09	-	-	.45	.50	.06	.03	.15	13
14	S .62	-	-	S .31	.38	-	-	.29	-	-	-	SR .16	14
15	S .13	-	-	S .16	.05	-	-	.02	.05	.02	-	S .19	15
16	S .12	-	.02	S .23	-	-	-	.30	.04	.04	-	S .35	16
17	S .03	.10	.03	SR .16	.12	-	-	.94	.08	.04	-	S .14	17
18	S .03	-	.04	.03	.28	-	.48	.21	.13	-	-	S .03	18
19	S .12	.16	SR .45	-	.21	-	-	.02	.08	-	.04	.14	19
20	S .14	.62	S .08	-	-	.44	-	.18	.23	-	.16	.14	20
21	S .06	.11	-	.02	-	-	-	.04	-	.03	-	-	21
22	-	-	S .02	-	-	.03	-	.03	.03	.38	.02	-	22
23	S .02	-	-	-	.14	.38	-	.31	~~.21~~	.11	.32	-	23
24	-	.03	-	-	-	-	-	.39	-	.09	.61	-	24
25	-	-	.10	-	-	-	.02	-	-	S .28	-	-	25
26	-	-	-	-	-	.10	.03	.62	.23	S .45	.63	-	26
27	-	-	-	-	.02	.06	.55	.59	-	S .14	.16	.03	27
28	S .08	-	SR .44	-	-	-	-	.23	.03	-	.23	-	28
29	S .03	-	S .06	-	.02	-	.03	.04	-	.64	.04	-	29
30	S .03	~~X~~	-	-	-	-	-	.03	-	.50	.10	.08	30
31	S .03	~~X~~	S .23	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	.11	31
Total	4.40	1.22	2.94	2.40	1.90	1.46	1.11	4.58	2.25	5.51	3.59	2.51	YEAR'S TOTAL 34.19
Rain Days.	23	4	15	13	12	10	5	25	12	22	18	14	149

REGISTER OF RAINFALL IN 1918

Kept at Grassholm Reservoir
in the County of North Devon
by Tees Valley Water Board

Lat. Long. 9 41 N 1 18 W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 935.83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	09	—	04	SR 11	—	—	—	17	04	45	12	1
2	—	—	—	SR 16	—	—	—	—	21	05	02	23	2
3	—	02	—	—	—	—	—	—	—	18	—	—	3
4	—	06	SR 07	—	28	—	—	07	—	46	70	03	4
5	—	05	SR 16	13	41	—	—	1 57	—	36	05	—	5
6	—	38	—	14	—	10	—	27	—	45	—	11	6
7	SR 15	04	—	23	—	—	03	—	30	17	59	—	7
8	SR 04	31	21	—	—	—	06	09	21	20	20	—	8
9	11	1 17	—	—	—	—	—	—	75	38	21	03	9
10	18	1 19	05	05	—	—	15	—	38	05	22	—	10
11	SR 40	09	05	—	20	—	07	—	04	—	—	10	11
12	—	26	—	—	—	—	16	—	08	—	—	11	12
13	—	—	—	SR 14	14	—	—	—	25	12	—	08	13
14	SR 30	—	—	—	—	57	31	05	48	—	—	—	14
15	—	—	—	03	—	08	60	—	2 83	—	—	75	15
16	—	—	SR 03	—	—	03	91	13	57	—	—	28	16
17	SR 42	—	—	—	13	22	68	10	12	18	—	SR 27	17
18	SR 1 49	—	12	—	—	—	22	—	10	19	—	SR 20	18
19	SR 52	08	05	SR 10	—	—	44	14	31	33	—	—	19
20	58	39	—	SR 15	05	03	33	—	20	—	—	—	20
21	24	61	—	—	—	13	—	—	44	05	—	—	21
22	04	02	—	—	29	07	17	—	09	—	—	SR 1 12	22
23	10	—	—	—	45	—	87	—	10	—	05	04	23
24	05	02	—	—	—	—	07	—	05	03	05	—	24
25	—	—	—	—	15	—	08	77	20	—	—	—	25
26	13	29	—	—	—	—	21	—	40	—	03	05	26
27	—	20	18	—	—	—	—	46	38	—	04	34	27
28	—	SR 14	SR 25	—	—	—	—	06	07	05	02	44	28
29	—	—	—	—	—	—	—	—	09	—	—	43	29
30	—	X	07	—	—	—	—	03	—	—	02	20	30
31	—	X	22	X	—	X	—	11	X	—	X	—	31
Total	4 78	5 41	1 46	1 14	2 21	1 23	5 36	3 85	8 82	3 29	2 65	4 93	45 16
Rain Days.	16	19	12	10	10	8	17	13	25	17	14	19	180

REGISTER OF RAINFALL IN 1919.

Kept at Grassington
 in the County of York
 by J. Hawley

Lat. _____ Long. _____
 Time of Observation 9.00 AM
 Nearest Railway Station Middleton iii Teesdale
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 935 8.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55	—	.04	—	.18	—	.44	.06	.38	.16	—	.08	1
2	.16	—	.14	—	.09	—	.42	—	.17	—	.09	.12	2
3	.35	—	—	—	.32	.15	.31	—	—	—	.27	.67	3
4	.18	.10	.38	—	.06	—	.05	.18	—	—	.19	.30	4
5	.03	.05	—	—	.10	—	—	—	.04	—	.08	.29	5
6	.05	—	.26	—	.44	—	—	—	—	.03	.03	.09	6
7	.14	—	.39	.05	.09	—	—	—	—	—	.06	—	7
8	.22	—	—	.04	.14	.07	—	.02	—	—	.10	—	8
9	.70	—	.08	.12	—	—	—	—	—	—	.37	—	9
10	—	—	.79	.08	.05	—	—	—	—	.02	.08	.21	10
11	—	—	.60	.04	.06	—	—	—	.54	—	—	.03	11
12	—	—	.39	.24	—	.08	.07	—	.15	.21	.41	—	12
13	—	—	.04	.18	—	—	.10	.07	—	.14	—	.04	13
14	.35	—	—	.14	—	—	.11	—	—	—	.06	.03	14
15	.43	.22	.07	.27	—	—	—	.02	—	.03	.13	.43	15
16	.21	.26	—	.02	—	.05	—	—	—	—	.12	—	16
17	—	.05	—	—	—	—	—	.14	—	—	.50	—	17
18	—	—	.16	—	—	—	.03	.24	.06	—	.20	.40	18
19	—	.36	.12	—	—	.13	.08	.04	.03	—	.27	.02	19
20	.36	.33	.25	—	—	.04	.19	.02	—	—	.02	.25	20
21	.06	.25	.05	—	—	—	—	.06	.09	—	—	.17	21
22	—	.20	—	—	—	.13	—	.08	.08	—	.25	.11	22
23	—	—	—	.16	—	.05	—	.03	—	.90	.24	.15	23
24	.04	—	—	.03	.04	.17	—	—	.20	.46	.56	—	24
25	.13	.02	—	.11	—	—	—	.17	.32	.04	.13	—	25
26	—	.02	.40	.06	—	.03	—	.12	.26	—	.28	.62	26
27	.06	.06	—	.10	—	—	—	—	—	.03	.05	.17	27
28	—	—	—	.12	—	—	—	.60	.02	.28	—	.56	28
29	.24	—	.08	—	—	.13	—	—	.04	<u>1.62</u>	—	.14	29
30	—	~~X~~	—	.02	—	.12	—	—	—	.37	.20	.48	30
31	.11	~~X~~	—	~~X~~	—	~~X~~	.44	—	~~X~~	.09	~~X~~	—	31
TOTAL	4.36	1.92	5.24	1.78	1.57	1.15	2.24	2.85	2.38	4.38	4.69	5.36	37.92
Days with "1 in. or more	19	12	17	17	11	12	11	15	14	14	24	22	188

YEAR'S TOTAL

max daily fall 1.62 in on Oct 29.

REGISTER OF RAINFALL IN 1920.

Kept at Pascholme, Reservoir
in the County of Yorks
by Tees Valley Water Board

Lat. 54° 36' Long. 2° 5'
Time of Observation 9 A.M.
Nearest Railway Station Whickleton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 936.83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.02	.06	.27	.69	—	.39	.05	—	.09	.09	—	1
2	—	.12	.02	.20	.19	—	.35	.02	.19	.04	—	.41	2
3	—	.23	—	.14	.06	—	.39	.11	.13	.52	—	.36	3
4	—	—	—	.04	—	.05	.14	.55	—	.92	—	.20	4
5	—	—	.15	.02	.21	—	.08	.03	—	.19	—	.02	5
6	—	—	SR .09	.10	.33	—	.02	—	—	—	—	.08	6
7	.64	.09	.02	.02	.04	—	.16	—	—	—	—	.02	7
8	.12	.05	—	S .24	.15	—	.28	—	—	—	.03	—	8
9	S .26	.93	—	S .40	—	—	.12	.12	.05	—	—	.02	9
10	~~1.08~~	.55	.05	SR .56	—	—	.11	.11	—	—	—	.03	10
11	.90	.06	SR .04	.19	.43	.04	—	—	—	—	—	S .36	11
12	.43	.25	SR .24	.24	.14	.05	.12	—	—	—	.12	S .53	12
13	SR .41	.16	SR .12	.29	.02	.65	.02	—	—	—	.25	S .13	13
14	SR .04	.10	SR .15	.24	—	—	.29	—	.03	.08	.49	S .03	14
15	—	.16	SR .24	.54	—	—	.02	—	—	.42	.08	S .03	15
16	.08	—	SR .06	.06	.12	—	.24	—	.46	—	.16	—	16
17	.24	—	.22	—	.18	—	.02	.28	.10	.05	—	—	17
18	.25	.04	—	—	.94	.48	.04	—	—	—	—	—	18
19	S .09	S .30	—	.11	.18	.03	—	.04	—	—	—	—	19
20	.12	S .06	—	.05	—	—	.11	—	.44	—	—	.11	20
21	—	—	—	.03	.02	—	.13	.04	.14	—	—	.28	21
22	.18	—	—	.19	—	.10	.60	.03	—	—	—	—	22
23	.05	—	.02	—	—	—	.35	—	—	—	—	S .10	23
24	.10	—	.48	.06	—	—	.09	—	—	—	.02	.25	24
25	.04	.08	.24	.04	—	—	.38	—	—	—	—	.09	25
26	.04	.09	SR .41	.24	—	—	.04	—	.02	—	.02	—	26
27	SR .32	—	.30	SR .10	.18	.84	.06	—	—	—	.15	.05	27
28	S .06	.08	.46	SR .03	—	.04	.08	—	—	—	—	.28	28
29	SR .32	.03	.06	—	.61	.02	.15	—	.04	—	.23	.85	29
30	.19	~~X~~	.02	—	.04	.03	—	—	.14	—	.12	.12	30
31	.35	~~X~~	.05	~~X~~	.05	~~X~~	—	—	~~X~~	.46	~~X~~	.18	31
TOTAL	6.42	3.40	4.19	4.46	4.64	2.42	4.84	1.41	1.44	2.80	1.46	4.53	YEAR'S TOTAL 42.64
Days with "01 in. or more	24	19	22	25	19	11	24	11	11	9	12	23	213
Days with "04 in. or more	24	14	18	22	14	8	23	8	9	9	9	14	180

MALHAM TARN

YORKSHIRE

1911 - 1920

Kept at Malham

in the County of WRY

by Thomas G

IMPORTANT NOTE

previous day. If an

requested to add the

for it at the end of this paragraph.

Full instructions for the measurement of rain,

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.
JAN 1912in.
d 1 ft.

level 1296 ft.

m
Settle

6 Direction West

result entered to the

rule, he is earnestly

requested to add the

for it at the end of this paragraph.

Full instructions for the measurement of rain,

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.32	—	.06	—	.36	—	.50	—	—	.05	.24	.30	2
3	—	—	.70	—	.56	—	—	.11	.05	—	.59	.05	3
4	—	—	.09	.13	.06	—	.02	.60	.03	.07	.50	.36	4
5	.18	—	.05	.06	—	—	—	.66	—	—	.30	.37	5
6	.19	—	.07	.06	—	—	—	.50	—	—	.60	.29	6
7	.08	—	.02	—	—	—	—	—	—	—	.21	—	7
8	.13	—	.43	—	—	—	—	—	—	.03	.20	.50	8
9	—	—	—	—	—	—	—	—	—	—	—	.50	9
10	.35	.06	.12	—	—	—	—	—	—	—	—	.85	10
11	.11	—	—	—	.01	—	—	.03	.32	—	.20	.30	11
12	.10	—	.34	—	—	.05	—	—	1.15	—	.70	.01	12
13	—	—	—	—	.60	.02	—	—	—	—	.23	.54	13
14	.08	.40	.09	—	.20	—	—	—	.03	—	.10	.30	14
15	—	.35	.08	.04	—	—	—	—	—	.06	1.05	.57	15
16	.11	.87	.10	.08	—	.31	.08	—	—	.03	.32	.30	16
17	.18	.04	.04	.01	.01	.90	.07	—	—	.02	.46	.18	17
18	—	.96	.18	—	—	.15	—	—	.37	.16	.10	.16	18
19	—	.14	.07	.09	—	.07	.16	—	.20	—	.40	.35	19
20	—	.34	—	.20	—	.05	.16	.15	.15	.04	—	.36	20
21	—	1.25	—	.10	—	—	.15	.03	.02	.45	—	.15	21
22	.18	.22	—	.04	—	.03	—	—	.64	.15	.09	—	22
23	.04	.65	—	.03	.47	.45	—	—	—	.55	—	.40	23
24	.21	.28	—	.36	—	.53	—	.07	.64	.33	—	.30	24
25	.18	.50	—	.36	—	.20	.01	—	.02	.02	—	.30	25
26	.04	.18	.01	.30	—	.02	—	.20	.25	1.41	.31	.21	26
27	.06	.50	.02	.39	—	—	—	.50	.35	—	—	.08	27
28	.01	.36	—	.57	—	.58	—	.01	.77	—	—	.57	28
29	—	—	—	.24	—	.02	.01	—	.01	1.38	—	.34	29
30	—	—	—	—	—	.32	—	—	—	.55	.09	—	30
31	—	—	.02	—	.05	—	—	—	—	.12	—	.08	31
Total	2.55	7.10	2.94	3.06	2.34	3.70	1.21	2.89	5.00	5.41	7.05	8.58	TOTAL for year 51.83
No. of Rain Days	18	16	19	17	10	15	10	12	16	17	20	28	190

F

FORM A2.
BRITISH RAINFALL.
JAN 1912

Kept at Malham Tarn
in the County of WYORK 9
by Thomas Coulthard

Pattern casella
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 296 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Settle
Distance 6 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.45	—	.02	—	.05	.03	—	—	.36	.06	1
2	.32	—	.06	—	.36	—	.50	—	—	.05	.24	.30	2
3	—	—	.70	—	.56	—	—	.11	.05	—	.59	.05	3
4	—	—	.09	.13	.06	—	.02	.60	.03	.07	.50	.36	4
5	.18	—	.05	.06	—	—	—	.66	—	—	.30	.37	5
6	.19	—	.07	.06	—	—	—	.50	—	—	.60	.29	6
7	.08	—	.02	—	—	—	—	—	—	—	.21	—	7
8	.13	—	.43	—	—	—	—	—	—	.03	.20	.50	8
9	—	—	—	—	—	—	—	—	—	—	—	.50	9
10	.35	.06	.12	—	—	—	—	—	—	—	—	.85	10
11	.11	—	—	—	.01	—	—	.03	.32	—	.20	.30	11
12	.10	—	.34	—	—	.05	—	—	1.15	—	.70	.01	12
13	—	—	—	—	.60	.02	—	—	—	—	.23	.54	13
14	.08	.40	.09	—	.20	—	—	—	.03	—	.10	.30	14
15	—	.35	.08	.04	—	—	—	—	—	.06	1.05	.57	15
16	.11	.87	.10	.08	—	.31	.08	—	—	.02	.32	.30	16
17	.18	.04	.04	.01	.01	.90	.07	—	—	.02	.46	.18	17
18	—	.96	.18	—	—	.15	—	—	.37	.16	.10	.16	18
19	—	.14	.07	.09	—	.07	.16	—	.20	—	.40	.35	19
20	—	.34	—	.20	—	.05	.16	.15	.15	.04	—	.36	20
21	—	1.25	—	.10	—	—	.15	.03	.02	.45	—	.15	21
22	.18	.22	—	.04	—	.03	—	—	.64	.15	.09	—	22
23	.04	.65	—	.63	.47	.45	—	—	—	.55	—	.40	23
24	.21	.28	—	.36	—	.53	—	.07	.64	.33	—	.30	24
25	.18	.50	—	.36	—	.20	.01	—	.02	.02	—	.30	25
26	.04	.18	.01	.30	—	.02	—	.20	.25	1.41	.31	.21	26
27	.06	.50	.02	.39	—	—	—	.50	.35	—	—	.08	27
28	.01	.36	—	.57	—	.58	—	.01	.77	—	—	.57	28
29	—	—	—	.24	—	.02	.01	—	.01	1.38	—	.24	29
30	—	—	—	—	—	.32	—	—	—	.55	.09	—	30
31	—	—	.02	—	.05	—	—	—	—	.12	—	.08	31
Total	2.55	7.10	2.94	3.06	2.34	3.70	1.21	2.89	5.00	5.41	7.05	8.58	TOTAL for year
No. of Rain Days	18	16	19	17	10	15	10	12	16	17	20	28	190

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A. 6 JAN 1913

Kept at W. Morrison, Esq. Malham Tarn, Settle
in the County of Yorkshire W.9
by J. Winstanley

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Settle
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 1296 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	.07		.59		.05	.10	.26	.17	.45	.41	.40	.04	.04	1
2	.18	S.04	.70	.10	.25	.17	.17		.01	.01				2
3	.53	S.01	.26			.77		.50	.48	.45	.93	.02	.02	3
4	.75		1.23	.48	.15	.37		1.09	1.07	.20	.20	1.55	1.53	4
5	^S .13		.07	1.00	.35	.46		.07	.07	.01	.01	.01	.01	5
6	S.32	^S .40	.07	.04	.05	.02		.40	.38		.01	.01	.03	6
7	S.10	.10	.05	.06	.20		.10	.17	.17	.19	.17	.62	.60	7
8	S.20	.33	.25	.26	.21	.04			.50	.50		.41	.39	8
9	.32	.17	.49	^R .40		T.36	.01					.30	.20	9
10	.25	.05	.02	S.06	.01	T.56	.02		.01	.01		^R .37	.84	10
11	.22	.04	.01		.05	^R	.07	.21	.21			.70	.20	11
12	.21	.11	.81			T.21	T.79					.30	.30	12
13	.60	.02	.05			.16		.20	.10		.27	.27	.16	13
14	.22		.57			.37		.16	.16	.01	.01		.50	14
15	.15	.11	S.20		.51	.40		.08	.07		.07	.07	.30	15
16	^S .61		.76			.25		.17	.17	.21	.21	.08	.08	16
17	S.02	.05	.50		.05	1.20		.52	.50		.06	.06	.49	17
18	S.09	.15	.04			.24		.28	.27	.44	.44	.06	.06	18
19	.06	.22	S.53			.16	.07	.23	.23	.20	.20	.30	.30	19
20	^R .20		S.20		.81	.24		.35	.35	.70	.70	.06	.06	20
21	.08	.02	S.30		.08	.02		.01	.01		.01	.01	.10	21
22	.01	.52			.52	.20		.53	.52		.04	.04	.00	22
23			.07			.15	.36	.66	.65		.42	.41	.03	23
24	S.07		.30		.09	.28	T.15			.16	.16	.41	.39	24
25	.00	.07	.12			1.03	T.52	.23	.23		.48	.45	.08	25
26	S.03	.31	.26			.05	T.33	.05	.05	1.20	1.25	.46	.44	26
27		.15	.76			1.25	.60			.75	.75	.02	.02	27
28		.13	.04			.16	.90	.22	.22	.47	.45	.28	.20	28
29		.06	^R .17				T.37	.30	.30	.50	.37	.37		29
30			.40		.21		.73		.03	.03	.44	.04		30
31			^S .30		.06		.95	.81	.80			.27	.26	31
Total	5.22	3.02	9.62	2.25	3.66	9.22	5.79	8.26	3.03	5.50	6.17	6.90	6.85	YEAR'S TOTAL
Rain Days.	25	21	30	8	17	26	17	23	11	16	22	29	24	245

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
7 - JAN 1913

Kept at *W. Morrison Esq. Malham Tarn*
in the County of *York*
by *J. Winskill*

Lat. *54°* Long. *2° 10'*
Time of Observation *9 A.M.*
Nearest Railway Station *Settle*
Diameter of Rain Gauge *5.8"* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *12.96* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan. 8"	Feb. 8"	March. 8"	April. 8"	May. 8"	June. 8"	July. 8"	Aug. 8"	Sept. 8"	Oct. 8"	Nov. 8"	Dec. 8"	Date.	
1	.07		.59		.05	.10	.26	.14	.15	.41	.40	.04	.04	1
2	.18	S.04	.70	.10	.25	.17	.17		.01	.01				2
3	.53	S.01	.26			.77		.50	.48	.95	.93	.02	.02	3
4	.75		1.23	.48	.15	.37		1.09	1.07	.20	.20	1.65	1.53	4
5	.13 ^S / _R		.07	1.00	.35	.46		.07	.07	.01	.01	.01	.01	5
6	S.32 ^S / _R	.40	.07	.04	.05	.02		.40	.38		.01	.01	.03	6
7	S.10	.10	.05	.06	.20		.10	.17	.17	.19	.17	.62	.60	7
8	S.20	.33	.25	.16	.21	.04		.50	.50			.41	.39	8
9	.32	.17	.49	S.48		.36	.01					.30	.30	9
10	.25	.05	.02	S.01	.01	.56	.02		.01	.01		S+R .37	.34	10
11	.22	.04	.01		.05		.07	.21	.21			.70	.70	11
12	.21	.11	.31			.21	.79					.30	.30	12
13	.40	.02	.05			.16		.20	.19		.27	.27	S+R .16	13
14	.22		.57			.37		.16	.16		.01	.01		14
15	.15	.11	S.20		.51	.40		.08	.07		.07	.07	.30	15
16	S _R .61		.76			.25		.17	.17		.21	.21	S+R .08	16
17	S.02	.05	.50		.05	1.20		.52	.50		.06	.06	S+R .49	17
18	S.09	.15	.04			.24		.28	.27		.94	.94	.06	18
19	.06	.22	S.53			.16	.07	.23	.23		.20	.20	.30	19
20	S _R .20		S.20		.81	.24		.35	.35		.70	.70	.06	20
21	.08	.02	S.30		.08	.02		.01	.01		.04	.04	.10	21
22	.01	.52	S		.53	.20		.53	.53		.04	.04		22
23			.07			.15	.36	.66	.65		.42	.44	.03	23
24	S.07		.30		.09	.28	.15			.16	.16	.41	.39	24
25	.00	.03	.12			1.03	1.52	.23	.23		.48	.45	.07	25
26	S.03	.31	.26			.05	1.33	.05	.05		S+R .25	.46	.44	26
27		.15	.76			1.25	.60			.75	.75	.02	.02	27
28		.13	.04			1.6	.90	1.07	1.03	.22	.22	.47	.45	28
29		.06	S _R .17				1.37	.30	.30	.50	.50	.37	.37	29
30			.40		.2.1		.12		.03	.03	.04	.04	.04	30
31			S _R .30		.06		.95	.81	.80			.37	.26	31
Total	5.22	3.02	9.62	2.25	3.66	9.22	5.79	8.16	3.00	5.49	6.09	6.85	6.87	
Rain Days.	25	21	30	8	17	26	17	23	11	16	22	29	24.5	

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at *Malham Tarn*
in the County of *Yorkshire*
by *John Winskill.*

Lat. *54°* Long. *2° 10'*
Nearest Railway Station *6 miles to Settle*
Time of Observation *9 A.M.*
Diameter *5"* in. *7 8"*
Height of top above Ground *1* ft. *0* in.
Sea Level *1296* ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	5 JAN 8	5 FEB 8	5 MARCH 8	5 APRIL 8	5 MAY 8	5 JUNE 8	5 JULY 8	5 AUG 8	5 SEPT 8	OCT.	Nov.	DEC.	Date.														
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.															
1	4.0	3.9	1.0	1.0	1.2	1.0	1.5	1.5					1														
2	0.5	0.5	2.9	2.7	1.3	1.3		2.5	2.3	0.3	0.3	3.4	3.4	1.7	1.7	2											
3	1.8	1.8	2.0	2.0	4.5	4.3	4.0	4.0				0.3	0.3	2.5	2.5	3											
4	4.0	4.0	2.2	2.2	0.9	0.9	0.9	0.9	0.2	0.2		3.5	3.5	4.6	4.6	4											
5	5.0	5.0	1.4	1.4	0.3	0.3	0.5	0.5	0.9	0.9	0.7	0.7	0.1	0.1	0.1	0.1	5										
6	1.1	1.0	5.5	5.3	4.0	3.9	6.9	6.5	1.8	1.6	4.2	4.2	0.1	0.1	0.1	0.1	6										
7	0.4	0.4	7.1	7.1	0.4	0.4	3.2	3.1	3.0	3.0			4.7	4.7	0.2	0.2	7										
8		1.0	9	5	5		4.2	4.2	0.4	0.4			0.3	0.3	0.5	0.5	8										
9	0.1	0.1	2.9	2.8	6.0	5.5	0.5	0.5	2.0	2.0	7.3	7.0	0.1	0.1	1.2	1.2	9										
10	0.2	0.2	3.0	3.0	4.5	4.5	5.0	1.0	0.5	0.5	0.1	0.1			4.0	3.8	10										
11	2.2	2.6	0.1	0.1	0.1	0.1	5.8	3.6			1.0	1.0			3.1	3.1	11										
12	0.7	0.8		0.3	0.3					0.6	0.6				2.5	2.5	12										
13				5.9	5.6	0.5	0.5		0.1	0.1	0.9	0.9			0.9	0.9	13										
14	0.3	0.3	0.1	0.1	2.9	2.9	4.3	4.2			2.3	2.3	3.4	3.3	1.6	1.6	14										
15	1.2	1.2		2.0	2.0	7.5	7.5			0.1	0.1			1.0	1.0	1.2	1.2	15									
16				2.0	2.0	0.5	0.5			1.2	1.2			5.2	5.0	1.2	1.2	16									
17	0.2	0.2	0.1	0.1	0.1	0.1	5.4	0.4			0.7	0.7	5.0	5.0			17										
18	0.8	0.8		5.0	4.8	6.3	6.5			0.4	0.4	0.3	0.3					18									
19	1.2	1.2		0.3	0.3	5.0	5.0	3.2	3.2	0.7	0.7			3.2	3.1	1.3	1.3	19									
20	2.2	2.2		1.8	1.8	2.0	2.0	0.2	0.2					2.3	2.3	1.5	1.5	20									
21				1.2	1.2	0.1	0.1	3.0	3.0					1.5	1.5	8.0	8.0	21									
22	3.4	3.1		5.0	4.9			2.5	2.4					6.1	5.8	2.0	1.9	22									
23	6.2	6.1		2.8	2.8			4.2	4.0	4.0	4.0			2.0	2.0	4.6	4.5	23									
24	8.2	8.2	0.5	0.5			1.3	1.3	1.1	1.1	5.2	5.0			0.5	0.5			24								
25							0.8	0.8							6.8	6.6	0.2	0.2	25								
26		0.2	0.2	0.6	0.6	7.0	6.6							3.8	3.7	1.7	1.7	26									
27							1.0	6.1	0.0					0.8	0.8			27									
28	8.0	7.8		2.6	2.6	5.0	5.0	0.3	0.3					0.3	0.3	0.1	0.1	28									
29	0.2	0.2		3.5	3.3	3.8	3.8	0.2	0.2					3.2	3.0			29									
30	9.9	9.9		0.9	0.9			0.5	0.5					3.0	3.0			30									
31	3.0	3.0		0.5	0.5			0.8	0.8									31									
Totals	64.9	64.5	30.0	2.9	4.5	6.7	3.0	6.5	6.4	3.8	3.7	1.9	2.8	1.2	4.4	2.3	2.2	2.7	2.6	2.5	2.5	7.6	7.6	3.9	3.9	5.0	5.0
Total from Jan. 1	64.9	2.9	7.4	6.4	3.7	2.8	1.2	2.3	2.6	2.5	7.6	3.9	5.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0

REGISTER OF RAINFALL IN 1914.

8 FORM A. BRITISH RAINFALL JAN 1915

Kept at Malham Tarn
in the County of West Riding of York.
by John Winskill

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	5" 8"												
1		09 09	30 30			05 05	46 46	64 63		11 11	05 05	29 28	1
2	02 02	07 07	05 05	02 02	10 10		26 26	50 49		39 38	41 40	20 20	2
3	04 04	07 07	31 31		109 103			07 07		04 04	03 03	108 107	3
4	90 86	02 02	75 75	34 34	40 39						05 05	75 74	4
5	11 11		125 120	52 50	09 09	04 04	03 03			01 01	29 29	30 28	5
6		03 03	29 29	10 10	18 18			13 13			15 15	13 13	6
7	08 08	06 06	50 50	07 07	59 59	10 10		02 02			7 7	28 27	7
8	112 110	04 04	12 12	02 02	59 59	27 27	06 06	54 51		01 01	40 39	03 03	8
9	68 68	16 16		30 30		100 100		34 31	01 01		37 35	-	9
10		17 17		07 07	04 04			01 01	18 18		48 47	52 50	10
11		20 20	46 46		11 11		08 08		17 17		102 100	40 40	11
12		35 35	12 12		21 21		06 06		30 30		52 51	50 50	12
13	01 01	46 44	30 30	07 07	01 01		07 07		43 42	01 01	72 74	61 60	13
14	09 09	90 90	20 20				13 13		34 34		25 25	-	14
15		03 03	75 74						26 26		24 24	01 01	15
16	10 10	01 01	02 02				138 138		109 107			101 98	16
17	04 04	37 36	17 17				21 21		48 47			14 14	17
18	06 06	40 40	06 06			04 04	04 04		01 01	01 01			18
19		22 22	24 24				08 08				02 02	05 05	19
20	01 01	23 23	15 15		08 08				06 06			10 10	20
21		51 51				19 19	54 54	03 03		07 07		07 07	21
22		30 30	03 03	05 05	34 34	44 43		15 15		10 10	02 02	01 01	22
23		25 25	20 20	16 16	39 37	09 09	11 11				01 01	02 02	23
24	24 22		15 15	13 13	21 21	10 10	23 23	24 24			30 29	-	24
25	10 10		04 04				08 08	59 56	02 02	126 124	08 08	65 65	25
26	07 07	04 04	10 10					01 01		29 29	49 47	26 26	26
27	07 07	03 03							19 19	25 25	48 46	90 90	27
28	15 15	20 20	22 21		02 02	07 07		03 03	05 05	12 12	40 39	02 02	28
29	25 22		35 34		03 03			12 12		31 31	69 66	09 09	29
30	30 30		93 92	01 01				06 06		07 07	57 55	25 24	30
31	89 89		08 08		07 07		79 79			20 19			31
Total	533.522	521.518	814.805	186.184	414.405	239.238	461.461	348.337	359.358	925.921	812.824	897.882	YEAR'S TOTAL 5299.5822
Rain Days.	5275	5495	8096	185	4095	2385	461	3425	357	323	803	8895	58655
W. 8,000.	24days	25days	27days	13days	18days	11days	17days	16days	14days	16days	25days	27days	23 days

REGISTER OF RAINFALL IN 1915

Kept at *Malham Tarn*
in the County of *West Riding of York*
by *Sam Whiskill*

Lat. *54°* Long. *2.10*
Time of Observation *9 A.M.*
Nearest Railway Station *6 miles from Settle*
Diameter of Funnel of Rain Gauge *5.8* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *1296* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	39 39	45 42		04 04	25 24			15 15	12 12		05 05	01 01	1
2	20 20	72 70	40 40	28 28		07 07	49 48	02 02				~~56~~	2
3	31 30	10 10	28 26	59 59			35 33	08 08				46 46	3
4	01 01	44 44	16 16		02 02	09 09	10 10					1.50 1.45	4
5	40 39	24 24	95 93		03 03	06 06		03 03				1.00 95	5
6	69 68	42 40	15 15	52 51			72 72	13 13				17 17	6
7	80 78	1.00 97	04 04	14 14			95 93	30 29			07 07	16 16	7
8	21 21	32 31	03 03	12 12			16 15	14 14			1.01 99		8
9		05 05					07 07	06 06			57 56	55 53	9
10	79 76		10 10	04 04			04 04	43 43		11 11	~~74~~	57 54	10
11	49 46	09 09			80 79		03 03	44 43		02 02	01 01	20 20	11
12	26 25		01 01	08 08	02 02		25 24	05 05		30 28	66 66	11 11	12
13	96 94	30 28		09 09			02 02	04 04	01 01	02 02		04 04	13
14	40 39	11 11		11 11	05 05		12 12	20 19	05 05	03 03		20 20	14
15	1.40 1.40			05 05			03 02	08 08	12 11		15 15	43 41	15
16		96 96		04 04	08 08		20 19	54 53	06 06			01 01	16
17		50 50	03 03										17
18		74 73	16 16	03 03			02 02			03 03			18
19	04 04	28 28	10 10	32 32	05 05		45 43	01 01		01 01			19
20	61 59		04 04	02 02	12 11		47 46					41 40	20
21	12 12	11 11		06 06			20 19	01 01				09 09	21
22	01 01		05 05	~~05~~			17 17					35 35	22
23		03 03	20 20	07 07		02 02	02 02		13 13	12 12		43 41	23
24			10 10	07 07			06 06		61 60	05 05		83 80	24
25									16 15			30 30	25
26	05 05	48 45				04 04	14 14					56 55	26
27		31 30					06 06			55 54		66 64	27
28		50 48	04 04		15 15	05 05	03 03	49 39		13 12		01 01	28
29			01 01		11 10	01 01		10 10			45 45	39 36	29
30	40 38	~~X~~		28 27		09 09					01 01	07 07	30
31	17 17	~~X~~		~~X~~		~~X~~	15 15	50 50	~~X~~	14 14	~~X~~	39 37	31
Total	8.71 8.52	8.15 7.95	2.85 2.81	2.89 2.87	1.68 1.64	.43 .46	5.33 5.18	3.71 3.66	1.26 1.23	1.51 1.47	2.98 2.95	9.90 9.59	YEAR'S TOTAL
Rain Days.	21	21	18	19	11	8	25	20	8	12	9	26	48.30

REGISTER OF RAINFALL IN 1916

Kept at Malham Tarn
in the County of West Riding of York
by John Winskill

Lat. 54° Long. 2° 10'
Time of Observation 9 A.M.
Nearest Railway Station 6 miles to Skelton
Diameter of Funnel of Rain Gauge 5.88 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 1296 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. 5	Jan. 8	Feb. 5	Feb. 8	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.		
1	63	61	02	02	03	03		26	26	52	50	03	03	18	18	1	
2	32	30	29	26	05	05		49	47	10	10	14	14	26	24	2	
3	02	02	08	08		03	03	20	19	16	15	1.30	1.26	20	19	3	
4	23	21	20	20	03	03		67	67	79	74	35	34	12	12	4	
5	19	19	84	82				14	13	23	21			1.92	1.89	5	
6	82	79	60	59	13	13	03	03	32	32	07	07	17	15	55	6	
7	14	14	20	20	14	14		51	50	20	19	1.05	1.03	70	67	7	
8	05	05	13	13	05	05	03	03	03	03	13	13	05	05	30	8	
9	12	12			08	08		45	45	18	18	02	02	02	02	9	
10	70	65	02	02		25	25	10	10	19	19		01	01	1.27	10	
11	16	16	40	39	08	08	98	98	06	06	05	05	27	26	32	11	
12	33	31	20	20	10	10	48	48	37	36	03	03	77	95	40	12	
13			08	08	15	15	05	05	10	10		11	10	53	52	13	
14	12	12	51	47	01	01	10	10	65	64		68	66	03	03	14	
15	70	66	53	52	44	42	16	15		05	05	1.28	1.25	17	16	15	
16	05	05	28	28	66	65	33	30		17	17	19	19	10	10	16	
17	35	34	27	27		1.24	1.20		10	10		92	90	25	25	17	
18	02	02	70	66		34	34		03	03	96	96	44	44	22	18	
19	42	40			16	15	24	23		20	20	04	04		42	19	
20	51	47			13	13	10	09		02	02	30	29		18	20	
21	47	43			08	08	02	02							02	21	
22			07	07				22	22		01	01	33	33	09	22	
23	15	15	06	06	30	30	15	15		07	07		23	22	32	23	
24	01	01	10	10	05	05	07	07	30	29	21	20		24	24	24	
25	06	06	03	03	22	20		05	05		96	95		15	14	25	
26	19	17	15	15	32	30		02	02	11	11		05	05	08	26	
27			05	05	04	04				26	25	03	03	65	63	27	
28	10	10	12	12	11	11						50	50	15	14	28	
29	08	08	36	34	02	02		03	03	05	05		76	75	14	29	
30	05	05	X	X				20	20	09	09	01	01		1.10	30	
31			X	X		X	11	11	X	01	01	13	12	X	66	31	
Total	6.99	6.68	6.27	6.11	3.30	3.22	4.66	4.56	3.76	3.71	3.55	3.43	4.54	4.42	6.17	6.07	63.72
Rain Days.	27	25	22	17	14	19	20	14	14	27	24	21	24	21	24	24	

REGISTER OF RAINFALL IN 1917

Kept at Mallem Farm
in the County of West Riding of York
by John Winskill

Lat. 54° Long. 2°10'
Time of Observation 9 A.M.
Nearest Railway Station Settle
Diameter of Funnel of Rain Gauge 5'8" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1296 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	34			10 09		18 17		11 11 45 45			26 26 29 28		1
2	10			05 05		30 29		05 05 30 30	12 12				2
3	24	32 30		05 05		47 44				37 35 10 10			3
4		10 10 02 02				01 01		01 01		17 17		01 01	4
5	40 40		04 04 38 36						01 01	08 08 45 40 20 20			5
6	25 25					05 05				53 50 70 69 26 26			6
7	60 60		02 02			07 07				20 20 06 06 19 19			7
8	40 40			27 25		06 06		17 17 50 5	05 63 63 37 36 14 14				8
9	01 01		02 02 18 18					86 85		32 31 70 70 10 10			9
10	43 46		99 1 00 36 34 27 25					25 22		05 05			10
11	04 04 05 05			03 03 05 05				21 21		42 41 02 02			11
12			06 06 02 02 20 20 11 11					20 20 02 02 12 12			07 07		12
13	40 40			24 21 05 05 06 06				21 20 77 74 08 08 18 17 76 75					13
14	70 70			10 10				90 90			28 28		14
15	30 30			24 23 02 02			12 12 76 75 10 10 15 15 02 02 10 10						15
16	12 12		07 07 18 17			06 06 03 03 50 50 30 28				02 02 42 42			16
17	06 06		06 06 20 20 09 09				05 05 14 14 21 20 25 25 05 05 08 08						17
18		16 16 04 04 05 05 08 08					1 06 1 02 10 10 45 44 01 01 17 17						18
19	14 14 36 34 20 19				20 20 10 10 25 25 14 13					11 11 08 08			19
20	30 20 45 44 03 03 01 01 19 19 28 27							32 22 26 25 08 08 58 58					20
21	04 04 03 03 06 06				17 17 01 01			05 05 03 03 10 10 07 07					21
22			01 01			06 06		05 05 40 37 29 29 19 18					22
23		12 12			81 80 80 78 01 01 59 58 10 10 07 07 13 13 05 05								23
24		8 8			01 01 10 10 03 03 11 11 09				1 13 1 13 70 70				24
25		16 16 08 08						25 25 05 05 49 49 05 05					25
26			01 01			22 22 01 01 90 89 37 37 22 22 12 11 10							26
27			03 03 01 01 04 04 22 21 77 75 45 44						26 26 46 45 08 08				27
28	02 02 05 05 44 41					01 01		17 17 01 01		30 30 02 02			28
29			08 08 02 02				13 13 11 11		35 33 17 16				29
30	05 05		16 14					03 03		26 26 30 10 02 02			30
31			16 16		13 13			15 15		01 01		05 05	59 58 25
Total	584 587	188	1 02 2 58 2 53 2 49 2 57	2 31 2 28	3 17 3 08	2 46 2 40	11 21 11 14	3 88 3 77	7 96 7 87	7 18 7 04	3 20 3 18	89 88	53 30
Rain Days.	20	11	20	18	14	19	10	27	17	26	25	19	226

REGISTER OF RAINFALL IN 1918

Kept at **MALHAM TARN**

in the County of **WEST RIDING YORKSHIRE**

by **John Winskill**

Lat. **54°** Long. **2° 10'**

Time of Observation **9 A.M.**

Nearest Railway Station **Selle 6 Miles**

Diameter of Funnel of Rain Gauge **5.8** in.

Height of top of Gauge above Ground **1** ft. in.

" " " " Sea Level **1296** ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	5 Jan. 8	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		11 11	02 02	02 02	04 04				50 50	13 13	27 27	1-03 1-01	1
2				03 03					45 44	12 12		50 46	2
3		35 35	02 02		32 32					62 61	04 04	23 22	3
4	03 03	10 10	02 02		10 10			14 14	37 36	43 43	50 47	28 27	4
5	05 05	05 05	05 05	20 20	15 15	03 03		86 86	01 01	52 52	10 10	02 02	5
6	12 12	1-76 1-74	01 01	40 40		27 27		09 09	05 05	50 50		09 09	6
7	02 02	20 20		30 30		01 01		03 03	50 50	34 34	15 15		7
8	11 11	19 19	18 18			05 05	50 50	03 03	62 62	13 13	16 16	09 09	8
9	79 78	90 88		04 04		15 15	01 01		1-05 1-05	86 87	29 29	11 10	9
10	19 18	1-06 1-04	04 04	05 05			32 31		1-00 1-00	22 22	40 38	03 03	10
11	40 40	21 20	03 03		13 13		16 16	02 02	57 55			22 21	11
12		53 51		06 06	30 30				29 29	01 01		41 40	12
13	02 02	01 01		05 05	16 18	09 09			52 51	34 33		08 08	13
14	90 91				04 04	22 22	30 29		81 80	18 18		26 26	14
15				01 01		20 19	71 70		93 91			1-01 1-00	15
16	20 20					08 08	28 29	42 42	83 83	02 02		25 25	16
17	35 34				07 07	12 12	60 60	30 30	13 13	30 29		45 44	17
18	99 99		17 19			04 04	25 25	10 10	36 35	01 01		30 29	18
19	40 40	16 15	13 13	08 08			37 38	96 96	41 41	03 03		68 67	19
20	38 38	64 64	01 01	15 15	01 01	18 18	40 40	29 29	30 28	10 10			20
21	53 52	51 50		04 04		10 10	09 09		40 40	25 25			21
22	08 08	10 10		03 03	52 52	30 30	40 40	08 08	60 58	01 01		1-01 1-00	22
23	13 13	10 10			20 19	65 65	44 42		17 17		10 10	03 03	23
24	11 11	09 09					20 20	19 19	15 15	03 03	15 15	05 05	24
25		03 03			05 05	09 09	21 21	90 90	38 38		01 01		25
26		28 27					02 02	01 01	76 76	10 10	17 17	21 20	26
27	01 01	30 30	57 55			15 15		76 75	52 52	15 15	22 21	68 67	27
28		10 10	35 34					07 07	60 58	01 01	05 05	50 50	28
29			10 10					03 03	10 10	01 01		1-23 1-23	29
30		X	(34) 33					22 22	01 01	07 07	20 20	10 10	30
31		X	31 29					19 19	X		X		31
Total	5-81 5-76	7-28 7-66	2-35 2-31	1-46 1-46	2-09 2-10	2-13 2-12	5-26 5-23	5-69 5-65	13-39 13-24	5-49 5-47	2-81 2-78	9-85 9-67	YEAR'S TOTAL
Rain Days	20	22	16	14	13	17	17	20	29	26	15	26	235

5 in. 64.11
8 in. 63.47

REGISTER OF RAINFALL IN 1919.

Kept at MALHAM TARN N. S. S. S.
in the County of WEST RIDING YORKSHIRE
by John Winstanley Esq. Esq.

Lat. 54° Long. 2° 10'
Time of Observation 9 AM
Nearest Railway Station SETTLE 6 Miles
Diameter of Funnel of Rain Gauge 5" 9 8/16 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 1296 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.50		10 10		37 36		39 39	23 22	62 61	46 44	04 04	28 28	1
2	14 14		35 35		13 13		27 27	16 16	40 40	03 03	06 06	21 21	2
3	47 47	03 03	0 04	04 04	10 10	12 12	45 44		03 03		12 12	75 75	3
4	18 18	16 16	35 35	01 01	22 22		44 41	15 15	03 03		10 10	37 37	4
5	02 02			02 02					01 01	04 04	04 04	27 26	5
6	05 05		44 43		67 67				10 10	01 01	03 03	33 33	6
7	06 06		26 26	12 12	22 21						07 07		7
8	15 15		08 08	07 07	04 04	05 05		06 06					8
9	1.18	16	08 08	01 01		06 06			01 01		06 06		9
10	04 04		1.38	1.35	17 17	07 07				06 06	04 04	80 76	10
11	04 04		37 37	05 05	06 06		09 09		06 06	14 14	01 01	13 13	11
12			31 30	11 11	01 01	08 08	04 04		03 03	12 12	39 37	01 01	12
13	32 31			50 48		03 03	02 02	04 04		18 18		12 11	13
14	41 40			64 63				10 10		05 05	02 02	09 09	14
15	41 40	10 10		33 33				13 13		04 04	16 16	1.02 99	15
16	18 18	21 21		(01) 01		05 05		05 03			20 20	03 03	16
17	03 03	06 06		30 30	03 03	03 03		30 28			67 66	03 03	17
18			12 12				06 06	34 33	22 22		03 03	49 48	18
19	09 09	27 25	49 49			21 20	07 07	16 16	03 03		53 52	09 09	19
20	1.15	13 27	26 03	03 03		42 41	30 30	39 38	02 02		18 18	1.10 1.10	20
21	09 09	29 29	02 02			09 08	03 03	03 03	19 18		(03) 01	61 61	21
22		23 23	03 03			09 09		44 44	42 42	05 05	26 26	46 46	22
23			01 01	12 12		28 27		03 03		91 91	60 59	20 20	23
24	05 05		02 02	11 11		01 01			40 39	14 13	40 39	16 16	24
25	30 30	01 01	55 76	74 08	08 18	17		72 69	15 14		24 24		25
26	29 29	07 07	65 65	10 10		03 03		49 49	46 45		07 07	72 70	26
27	28 27		06 06	28 25		01 01		02 02			18 18	28 28	27
28	03 03			10 10		04 04		93 91	05 05	35 35		58 58	28
29	10 10			01 01		02 02		03 03	01 01	93 91		25 25	29
30	01 01		09 09	11 11		10 10		20 20		13 13	58 49	53 53	30
31	02 02		05 05				11 11	13 13		09 09		02 02	31
TOTAL	7.56	1.685	5.955	3.993	2.001	1.901	3.277	4.985	3.243	3.705	4.993	9.857	52.98
Days with .01 in. or more	27	11	21	22	12	19	12	21	19	19	26	27	52.16

REGISTER OF RAINFALL IN 1920

Kept at Malham Tarn
in the County of West Riding of Yorkshire
by John Whistell

Lat. 54 Long. 2.10
Time of Observation 9 A.M.
Nearest Railway Station Settle
Diameter of Funnel of Rain Gauge 5.48 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1296 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05 05	10 10	11 11	20 20	120 148	05 05	85 83	08 08	02 02	09 09	02 02	25 24	1
2	03 03	04 04	01 01	16 16	07 07		119 117	42 42	32 32	10 10		83 78	2
3	03 03	17 17	42 40	13 13	22 22		20 20	59 58	39 36	20 20		54 52	3
4			04 04	10 10	04 04		25 25	200 200	12 12	77 75		08 08	4
5		00 01	14 14	02 02	50 47		07 07	16 16	08 08	52 50	01 01	06 06	5
6	02 02		40 40	19 19	30 30		10 10		01 01	01 01	14 14	11 11	6
7	21 20	10 10	23 23	16 16	20 19		70 70	02 02			10 10		7
8	24 22	7 7		24 24	20 19		24 24	05 05			13 13		8
9	23 23	149 145	05 05	40 40	10 10		34 34	07 07	08 08	01 01	09 09	02 02	9
10	156 153	65 63	05 05	26 25			35 35	21 21				03 03	10
11	40 40	22 21	02 02	26 20	36 35	10 10	05 05					10 10	11
12	19 19	67 65	45 45	41 41	14 14		26 25		01 01		25 25	19 19	12
13	27 27	17 17	10 00	58 57	23 23	30 30	29 29		01 01		35 35	08 08	13
14	08 08	20 20	28 26	74 70		46 46	08 08		32 32	12 12	131 128		14
15	10 10	35 34	05 05	95 90			02 02	05 05	02 02	55 55	11 11		15
16	28 28		16 16	11 11	05 05		91 89	02 02	69 67		50 50		16
17	30 30		15 15		25 24		07 07	40 39	32 31	06 06	01 01		17
18	39 38	04 04		12 12	110 103	06 06	02 02	04 07	09 09				18
19	06 06	36 35	01 01	21 20	17 17		08 08	10 10					19
20	25 25	01 01	01 01	15 15		13 13	31 30		09 09	01 01		12 12	20
21	04 04			02 02	01 01		44 44		01 01			40 40	21
22	22 22			46 42		13 13	75 75	16 16				06 06	22
23	01 01		06 06	10 10			42 42					24 24	23
24	07 07		138 135	45 43			40 39	01 01				33 33	24
25		10 10	11 11	21 20		10 10	30 30		03 03		01 01	06 06	25
26	22 22	35 34	16 13	79 77	17 17		16 16				06 06	08 08	26
27	07 07	09 09	35 35	25 25	26 26	81 79	02 02				14 14	05 05	27
28	35 35	20 20	30 30	25 25		10 10	08 08		01 01		13 13	41 40	28
29	22 20	57 55	14 14	05 05	110 108	06 06	76 73		01 01		43 41	83 81	29
30	35 35		06 06		37 37	07 07			16 16		23 23	41 39	30
31	40 39		03 03		20 20		04 04			35 35		63 61	31
TOTAL	664	596 582	527 517	570	724 706	237 235	975 963	441 439	279 273	279 275	402 397	591 576	YEAR'S TOTAL
Days with .01 in. or more	28	21	27	28	22	12	30	16	20	12	18	23	65 665
Days with .04 in. or more	24	18	22	26	21	12	27	13	11	9	14	24	257 219

R

MALTON

THE LEAT

Kept at *The Leat*

in the County of *Yor*

by *W R James*

1911 - 1919

FORM A2.
BRITISH RAINFALL.
2 JAN 1912
n.
d ft. 10
level 60 ft.
in
Malton
e. 12. Direction N.W.

IMPORTANT NOTE. If an observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10						.02	.22				.01	1
2	.31				.15		.24			.04	.04	.14	2
3	.02	.02		.06	.22			.05		.15	.06		3
4		.02	.17	.12				.06	.02	.12	.29	.33	4
5	.04			.03				.36		.22	.14	.02	5
6	.42		.06	.13				.18		.05	.11	.40	6
7											.06		7
8	.01		.11			.07			.01		.05	.21	8
9			.03									.07	9
10	.03	.01								.01	.23	.68	10
11	.17								.02		.22	.05	11
12	.49		.19		.09	.06			.51	.01	.23	.02	12
13			.24		.21	.17					.03	.49	13
14		.37	.19		.06		.02		.62		.06	.62	14
15		.04	.26	.01						.06	.26	.26	15
16		.02	.19			.03	.11				.14	.11	16
17			.05	.01	.02	.05	.04				.33	.18	17
18		.02	.06	.02		.11					.38	.12	18
19			.02		.02	.08	.06	.11	.07	.19	.52	.06	19
20		.05	.08	.09		.09	.11	.205	.02		.03	.47	20
21		.27						.35		.15	.33	.02	21
22	.05		.06					.50		.18	.12	.13	22
23	.01	.22	.01	.01		.71		.63	.51	.04			23
24	.05	.04	.00	.01		.94	.02		.02	.06		.09	24
25		.16		.11		.27	.09		.26	.05	.07	.13	25
26				.06	.14	.01	.30			.57	.42	.12	26
27		.05	.05	.06				.23	.26	.04	.02	.03	27
28		.06	.02	.14							.07	.10	28
29			.01			.04	.25		.50	.28		.04	29
30					.05	.02			.17	.08		.01	30
31					.25					.33		.04	31
Total	1.70	1.35	1.82	.90	1.26	2.65	1.76	4.14	2.39	2.65	4.23	4.95	TOTAL for year
No. of Rain Days	12	14	19	14	16	14	11	11	13	19	24	26	189

R

Kept at The Seat Malton
 in the County of York B.R. 2
 by W.R. Lewis Hopkins

Pattern Repetit + 3 and 1/2
 RAIN Diameter of top 5 in.
 GAUGE Height of top above Ground 10 ft.
 " " " Sea Level 6.0 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Malton
 Distance 1.2 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10						.02	.22				.01	1
2	.31				.15		.24			.04	.04	.14	2
3	.02	.02		.06	.22			.05		.15	.06		3
4		.02	.17	.12				.06	.03	.12	.29	.33	4
5	.04			.03				.36		.22	.14	.02	5
6	.42		.06	.13				.18		.05	.11	.40	6
7											.06		7
8	.01		.11			.07			.01		.05	.21	8
9			.03									.07	9
10	.03	.01								.01	.23	.66	10
11	.17								.02		.22	.05	11
12	.49		.19		.09	.06			.51	.01	.23	.02	12
13			.24		.21	.17					.03	.49	13
14		.37	.19		.06		.02		.62		.06	.62	14
15		.04	.26	.01						.06	.26	.26	15
16		.02	.19			.03	.11				.14	.11	16
17			.05	.01	.02	.05	.04				.33	.18	17
18		.02	.06	.02		.11					.38	.12	18
19			.02		.02	.08	.06	.11	.07	.19	.52	.06	19
20		.05	.08	.09		.09	.11	.2.05	.02		.03	.47	20
21		.27						.35		.15	.33	.02	21
22	.05		.06					.50		.18	.12	.13	22
23	.01	.22	.01	.01		.71		.63	.51	.04			23
24	.05	.04	.00	.01		.94	.02		.02	.08		.09	24
25		.16		.11		.27	.09		.26	.05	.07	.13	25
26				.06	.14	.01	.50			.57	.42	.12	26
27		.05	.05	.08				.23	.26	.04	.02	.03	27
28		.06	.02	.14							.07	.10	28
29			.01			.04	.25		.50	.28		.04	29
30					.05	.02			.17	.08		.01	30
31					.25					.33		.04	31
Total	1.70	1.35	1.82	.90	1.26	2.65	1.76	4.14	2.39	2.65	4.23	4.95	TOTAL for year
No. of Rain Days	12	14	19	14	16	14	11	11	13	19	24	26	189

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at *The Leat Norton Malton*

in the County of *York E.R 2*

by *W R Lums Hopkins*

Pattern *Micretti & Zanbra*
RAIN Gauge Diameter of top *5* in.
Height of top above Ground *10* ft.
" " " Sea Level *66* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Malton*
Distance *1 1/2* mi. Direction *N.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02	.04			.21	.05	.25	.11	.02		.08	1
2		.07	.06		.01	.12	.26			.17		.10	2
3	.18	.15	.02			.80		.23	.13				3
4	.31		.35		.03	.42		.26			.31		4
5	.02				.23	.27					.04		5
6	.63	.04				.05	.02	.34	.05				6
7	.04	.03			.05		.02	.13	.17				7
8	.28	.21	.14			.04	.02	.09	.25		.27	.03	8
9	.01	.04	.22	.07		.17			.12			.02	9
10					.02	1.00		.02	.03		.09		10
11	.38	.01						.60			.15	.44	11
12	.09	.05	.13			.07	.47			.01	.92	.02	12
13		.04				.08				.14	.32	.03	13
14	.15		.75			.19		.67			.7	.04	14
15	.02		.57		.63	.24		.62		.05		.01	15
16	.24		.08		.06	.03				.68		.01	16
17			.18			.30	.02	.15				.11	17
18		.04				.02	.05	.02		.06			18
19	.15	.13	.03	.06			.36	.25		.16	.04		19
20	.04	.11	.01		.21	.03	.09	.16		.37			20
21			.36		.15		.01			.16	.01		21
22		.12	.01		.86	.82		.16		.04		.01	22
23	.01		.15		.01		.04	.27			.11	.01	23
24	.29	.01				.07						.13	24
25	.07		.02			.72	.01	.11		.04	.13	.05	25
26	.08	.06	.04			.04	.34	.68		.67	.07	.33	26
27			.61		.01	.36	.36			.40		.38	27
28				.02	.04	.18	.11	.40		.10	.28		28
29			.04			.13	.03	.07	.74	.03	.09	.07	29
30	.07		.08			.03			.15	.08		.06	30
31	.24		.10		.11		.74	.25		.10			31
Total	3.01	1.13	3.41	.15	2.42	6.33	2.97	4.77	1.75	2.65	2.90	1.97	TOTAL for year
No. of Rain Days	19	16	22	3	14	25	18	21	9	18	15	19	199

REGISTER OF RAINFALL IN 19 13

BRITISH RAINFALL FORM A.
4 - JAN 1914

Kept at The Seat Mallon
in the County of Leith
by W R Deane Hopkins

Lat. _____ Long. _____
Time of Observation 9.20
Nearest Railway Station Mellon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " above " Sea Level 6.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.21	.01	.02						.05		1
2		.06	.05			.05					.12		2
3	.02				.14		.01		.02	.53		~~.05~~	3
4	.45	.02				.02	.02		.02	1.13	.23	5.58	4
5	.06	.05	.02			.14	.02	.04	.01	.06			5
6	.02	.12	.05		.32	.04	.10				.01		6
7		.29		.01	.03	.15				.55	.02		7
8		.04	.02	.01	.63	.05		.02	.05	.16	.05		8
9		.05		.04	.14			.17			.06		9
10		.07		.06	.06		.03		.02	.07	.26		10
11	5 1.18	.02		.29							.19		11
12	.11	.01				.06			.02		.01	.01	12
13	.05	.03		.02				.09	.09	.02	.14	.01	13
14	.07		.08	.06						.11	.01	.02	14
15	.17		.29	.46			.02		.25		.33	.01	15
16			.03								.07		16
17		.03	.07	.12	.02				.24		.06		17
18	.02		.30	.07	.04	.01					.11		18
19	.12			.02	.13					.04	.01		19
20	.06		.03	.01	.03				.01		.15		20
21	.03	.06	.05		.25		.01	.12	.02		.03		21
22	.05		.24		.02	.05		.26	.09				22
23	.17		.03			.02		.06	.05	.02	.01		23
24	.16		.02	.06		.75		.02				.08	24
25	.02			.07					.09		.02		25
26		.03	.05	.02					.05	.39	.10	5.30	26
27		.07	.02	.29		.10	5			.07	.06		27
28	.30		.22	.37						.04		.11	28
29	.04		.28	.21	.09			.11			.05	.14	29
30	.42				.11		.02					8.36	30
31	.05				.26		.02					5.12	31
Total	3.65	.97	2.09	2.24	2.71	1.53	0.25	0.91	1.03	3.19	2.17	1.79	YEAR'S TOTAL 22.13
Rain Days.	22	15	19	19	16	12	9	9	15	13	24	12	185

REGISTER OF RAINFALL IN 1914

Kept at The Seal Norton Malton
 in the County of York N.R.
 by W R Jones Hopkins

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Malton
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. 10 in.
 „ Above „ Sea Level 66 ft.

FORM A.
 BRITISH RAINFALL
 12 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.02			.63	.21		.02	.01	.15	1
2							1.25	.17		.01	.30	.10	2
3			.10		.17		.07				.09	.29	3
4	.05		.01	.14	.13						.13	.59	4
5	.02		.15	.11	.11		.02	.05			.23	.05	5
6		.14		.02	.08		.05				.05	.06	6
7		.02	.24		.08	.36						.09	7
8	.41		.07		.29	.30	.07	.05		.07	.01	.04	8
9	.36	.04		.14		.43		.02	.44		.02	.07	9
10	.26	.18		.03					.02		.02		10
11		.07	.10	.01	.26				.03		.31	.16	11
12	.02	.03							.21			.87	12
13		.14	.27								.11	.17	13
14		.16	.10				.05		.03	.10	.07	.16	14
15			.13		.01		.46			.02	.47	.07	15
16	.09		.04				1.40		.42		.12		16
17	.08	.15	.02						.68			.22	17
18	.06	.04	.18			.08			.03		.02	.42	18
19	.01		.07			.24	.04		.09		.08	.05	19
20		.9	.08			.20				.12			20
21		.52	.05			.13	.02	.07		.06	.05	.06	21
22		.03	.01	.04	.13	.16	.05	.06		.05	.02	.20	22
23			.02	.02	.59	.43					.01	.06	23
24					.03			.44			.12		24
25		.10					.01	.05		.52	.16	.43	25
26			.06				.07	.04		.31	.21	.22	26
27	.01										.07	.64	27
28	.02	.05								.03	.15	.21	28
29			.12		.03		.03	.16		.62	.02	.02	29
30			.12				.07			.02	.08	.16	30
31	.10						.43			.21		.02	31
Total	1.49	1.77	1.94	.53	1.91	2.35	4.65	1.39	1.96	2.16	2.93	5.55	YEAR'S TOTAL
Rain Days.	13	16	20	9	12	9	16	12	9	14	26	27	183

REGISTER OF RAINFALL IN 1915

Kept at The Leat, Norton Malton
in the County of York ER 2
by W R Jones Hopkins

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " " Sea Level 60 ft.

FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.* If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.32	.06		.14	.05	.61	.49	.40			.10	1
2		.12	.16	.11			.03	.19	.12	.03	.03	.02	2
3	.51		.10	.09		.02	.28		.02		.26	.44	3
4	.11						.54				.05	.66	4
5	.32	.06	.03		.04			.01		.05	.07	.52	5
6	.04	.31	.09	.12			.62	.11	.03			.12	6
7	.35	.50	.63	.13			.08	.22				.01	7
8	.11	.03	.01				.14	.93			.04		8
9	—	.01					.07	.02	.02		.03	.36	9
10	.29							.06				.08	10
11	.05	.21		.05	.49			.04			.04	.10	11
12	.14	.08		.22	.02		.05	.05		.12	.85	.08	12
13	.03	.53						.03				.04	13
14	.02	.25					.11	.05		.01		.14	14
15	.21	.16					.15	.06		.02	S .06	.11	15
16	.01	.67					.70				.06	.02	16
17	.38	.17	.04				.10			.01		.01	17
18		.13	S .34							.01	.03		18
19			S .06				.05			.04			19
20	.11									.02		.43	20
21	.12	.02		.14						.04		.05	21
22	.03		.09				.20	.03				.23	22
23	.25	.06	.05				.09		.06		.03	.04	23
24	.03		.14	.04					.48		.02	.18	24
25						.13	.02		.02	.05	.02	.02	25
26	.02	.33	.01			.07			.01	.05		.24	26
27	.07	.06	.07		.29		.23			.16		.27	27
28		.12	.04		.48		.43	.23		.22		.02	28
29							.03	.02	.15		.24	.19	29
30	.04	X		.18			.12	.06	.02		.02	.03	30
31	.17	X		X		X		.36	X		X	.17	31
Total	3.59	4.25	1.32	1.08	.90	.27	4.65	2.06	1.34	.79	1.85	4.68	YEAR'S TOTAL 26.70
Rain Days.	24	7.84	9.16	16.24	11.22	11.49	16.14	18.20	19.54	20.33	22.18	26.86	26.36
		20	16	9	5	4	21	18	10	13	16	28	184

REGISTER OF RAINFALL IN 1916

Kept at The Leat Norton Malton
in the County of York ER
by W R Lewis Hopkins

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level _____ ft. 60 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25		.06			.14	.20				.14	.01	1
2	.03	.12	.08				.06		.34	.06	.01		2
3	.04	.11	.08	.06		.04	.11		.28	.11	.11	.02	3
4		.12	.06	.02	.82	.44			.04	.46	.25	.07	4
5	.04	.03	.32	.02	.03	.31			.05	.36	.23	.01	5
6		.30	.24	.03	.18	.03				.05	.37	.01	6
7		.04	.07	.03	.13	.04					.01	.21	7
8		.02	.41		.09						.02	.02	8
9			.08		.43	.31					.04	.32	9
10	.02		.02	.03		.02				.11	.02	.07	10
11	.08	.52	.42	.30		.04			.04	.42		.12	11
12	.04	.02	.20	.02	.42		.74	.09		.15	.61	.20	12
13		.05	.09		.25	.19	.75	.77	.03	.50	.02	.13	13
14	.01	.06	.04		.13	.08		.31		.02		.16	14
15	.06	.16	.32					.17	.01	.02			15
16		.10	.07	.10			.18	.69		.11		.06	16
17	.03	.03	.03	.11			.11	.03	.13	.10	.01	.01	17
18	.01	.20		.25		.02	.01	.06	.16	.06	1.24	.04	18
19	.05		.04	.01				.02	.02	.04	.495	.16	19
20	.05		.26	.42			.26	.17			.08	.27	20
21		.18	.09	.06	.10		.03					.02	21
22	.02	.04	.04	.02						.04	.03	.38	22
23	.04	.12	.04	.09	.01			.01		.06	.11		23
24	.0	.05	.05	.14		.17		.11		.14	.03	.02	24
25		.06	.08					.26		.06	.07		25
26		.20	.03			.04				.02			26
27		.33	.03					.02		.21			27
28		.21	.02		.10	.03		.03		.16	.02	.23	28
29		.16			.15	.07				.12	.02	.06	29
30		X			.16	.02				.22		.02	30
31		X		X	.04	X		X		.03	X		31
Total	.77	3.23	3.17	1.71	3.04	1.99	2.47	2.74	1.10	3.26	3.33	2.74	YEAR'S TOTAL 29.65
Rain Days.	15	4.00	7.27	6.98	12.02	14.01	16.48	19.22	20.32	23.58	26.91	29.65	days 220
		24	27	17	15	17	10	14	10	25	22	24	

REGISTER OF RAINFALL IN 1918

Kept at The Leat House Norton Malton
in the County of York ER
by W R James Hopkins

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 60 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.03	.04	.10					.10		.23	.07	1
2	.06	.23		.17			.01	.03	.35	.01	.01	.17	2
3			.08		.07					.02	.42	.04	3
4	.01	.04	.08		.15			.09	.23		.30	.35	4
5		.02	.02	.05	.19		.01	.26	.02	.06	.01	.03	5
6	.02	.48		.39		.17		.22	.04	.09			6
7	.12	.19		.05		.03		.03		.04	.24		7
8	.02	.23	.06				.67			.05		.01	8
9	.05	.37		.03		.18	.16		.70	.29	.13	.07	9
10	.06	.04					.04		.11		.03		10
11	.20	.04			.37		.11	.02	.66			.07	11
12		.12	.04	.05	.07		.57	.11	.24	.03		.04	12
13		.01		.07	.17				.33	.04			13
14	.11			.04			.03		.27	.05			14
15						.08	.24		.84			.80	15
16						.06	.04	.07	.18			.27	16
17	.32				.36		.70	.15	.02	.07		.28	17
18	.38		.05	.32			.26		.63	.01		.07	18
19	.36		.04	.16			.20	.16	.02	.17		.02	19
20	.12	.41					.03		.15	.04	.01		20
21	.09	.03			.35	.02	.04		.13	.21			21
22	.03				.05	.07	.02		.08	.01		.24	22
23	.13				.30		.54				.05		23
24	.02	.05							.13	.04	.07		24
25			.05			.02	.06	.17	.02			.06	25
26								.15	.30	.02	.12	.11	26
27		.04	.02			.12	.02	.34	.11		.15	.13	27
28		.27	.47					.03	.12		.08	.32	28
29			.02								.04	.14	29
30	.01	X	.19					.02	.17	.01	.10	.35	30
31		X	.22	X		X		.07	X		X	.05	31
Total	2.16	2.60	1.38	1.43	2.08	.75	3.75	2.02	5.33	1.28	1.44	3.69	28.46
Rain Days.	19	17	14	11	10	9	19	16	25	19	16	22	197
		4.76	6.14	7.57	9.65	10.40	14.15	16.17	21.50	22.78	24.77	28.46	

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at The Leat House Norton, Malton
 in the County of York E.R.
 by W. R. James Hopkuis

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Malton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 10 ft.
 " " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.07	.02	.02	.42		.52		.22	.02	.13	.12	1
2	.21	.05	.08		.07		.42		.05		.17	.02	2
3	.61				.05	.03	.05		.10		.24	.16	3
4	.04	.08	.43		.09	.11		.07		.04	.13	.17	4
5	.01	.05	.03			.02			.25		.12	.12	5
6	.11		.18									.12	6
7	.02		.43		.15							.36	7
8	.13			.06				.02			.24	.09	8
9			.05	.07						.12			9
10			.09	.05	.02					.17		.27	10
11			.85		.27		.22					.04	11
12	.01		.55	.13		.10						.02	12
13	.16	.10	.02	.50		.04	.10	.03		.36	.04	.03	13
14	.20						.06	.03		.08	.24		14
15	.07	.22	.07	.05					.03	.03	.06	.04	15
16	.03									.06		.73	16
17		.07	.03		.06	.05		.10			.17		17
18		.05						.14	.02			.11	18
19	.01	.18	.68				1.10	.15	.01			.06	19
20	.30					.05	.20		.14		.01	.33	20
21	.14	.19	.03				.02				.03	.12	21
22		.23	.05				.11		.19			.20	22
23			.10	.02		.08				.70	.04		23
24			.02	.05	.05		.03			.48	.06		24
25	.05	.04		.06		.03		.42		.04		.04	25
26		.07	.26					.60		.30	.22	.36	26
27	.02		5.38			.05			.06	.68		.22	27
28	.09							.50		.18		.03	28
29	.14			.06		.07				.95		.12	29
30	.07	X	.07	1.45		.19		.13		.17	.18	.22	30
31	.14	X		X		X	.18		X	.12	X	.06	31
Total	2.80	1.36	4.04	5.44	.97	.82	3.01	2.19	1.07	4.46	2.08	4.15	26.40
Rain Days.	22	4 1/16	20	9 1/2	10 6/2	11 4/4	14 4/5	16 6/4	17 7/10	22 1/7	24 2/5	28 4/0	28.40

180

made

R

3453

MALTON

Broughton Rise

Kept at Broughton

in the County of York

by blyue C. L.

(m. D. S.)

1911 - 20

don

in.

round - ft. 12 in.

ea Level 164 ft.

m. (Ordinance map)

ame malton.

istance 1/2 m. Direction S. S. E.

the result entered to the

arsal rule, he is earnestly

IMPORTANT NOTE ~~247~~
previous day. If an Observer prefers not to conform to the above rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18						0.02	0.16	-	.	.	.	1
2	0.17				0.14		0.12	-	-	0.02	.	0.15	2
3	0.04			0.10			-	-	-	0.13	0.06	.	3
4		0.02	0.18	0.11			-	0.08	-	0.20	0.27	0.30	4
5	0.09						-	0.40	0.03	0.21	0.14	.	5
6	0.45		0.09	0.12			-	0.20	-	0.03	0.09	0.41	6
7	0.01		0.02				-	-	-	.	0.04	.	7
8			0.13			0.05	-	-	-	.	0.03	0.19	8
9			0.04				-	-	-	0.01	.	0.07	9
10	0.02					0.01	-	-	-	.	0.20	0.63	10
11	0.12				0.08		-	-	0.03	.	0.21	0.01	11
12	0.30		0.25			0.05	-	-	0.44	.	0.22	0.01	12
13	0.01		0.29		0.42		-	-	-	.	0.02	0.61	13
14		0.41	0.18		0.04		0.05	-	0.02	.	0.04	0.48	14
15		0.04	0.20				-	-	-	0.05	0.28	0.21	15
16						0.15	0.11	-	-	.	0.12	0.11	16
17		0.01	0.23			0.24	0.02	-	-	.	0.31	0.17	17
18						0.21	-	-	-	.	0.36	0.11	18
19			0.06			0.08	0.05	0.08	0.07	0.18	0.50	0.04	19
20		0.18		0.08		0.04	0.12	1.92	0.01	.	0.04	0.42	20
21		0.10					-	0.26	-	0.24	0.29	0.02	21
22							0.01	0.57	-	0.06	0.12	.	22
23						0.76	-	-	0.53	0.03	.	0.12	23
24	0.15	0.21	0.08	0.01		0.95	0.04	-	-	0.08	.	0.07	24
25		0.05		0.10		0.31	0.05	-	0.27	0.03	0.10	0.10	25
26		0.02		0.03			0.75	-	-	0.62	0.35	0.09	26
27		0.05		0.06			-	-	0.24	0.04	.	0.03	27
28		0.05		0.18		0.01	-	0.22	-	0.01	0.05	0.09	28
29			0.06	0.01		0.10	0.24	0.01	0.50	0.29	0.01	0.04	29
30					0.21		-	-	0.14	0.07	.	.	30
31					0.25		-	-	-	0.33	-	0.05	31
Total	1.54	1.14	1.81	0.85	1.14	2.96	1.58	3.90	2.28	2.63	3.85	4.53	TOTAL for year
No. of Rain Days	11	11	13	10	6	13	12	10	11	19	23	25	28.2

5 made

R

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Broughton Rise Malton
in the County of Yorkshire, N.R. 4
by Walter C. Laverack, R.C.
(M.D.S. to July 1st.)

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground - ft. 12 in.
" " " Sea Level 164 ft.
Time of Observation 9 a.m. (Ordinance map)
Nearest Railway Station { Name Malton
Distance 1/2 m. Direction S. S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18						0.02	0.16	-	.	.	.	1
2	0.17				0.14		0.12	-	-	0.02	.	0.15	2
3	0.04			0.10			-	-	-	0.13	0.06	.	3
4		0.02	0.18	0.11			-	0.08	-	0.20	0.27	0.30	4
5	0.09						-	0.40	0.03	0.21	0.14	.	5
6	0.45		0.09	0.12			-	0.20	-	0.03	0.09	0.41	6
7	0.01		0.02				-	-	-	.	0.04	.	7
8			0.13			0.05	-	-	-	.	0.03	0.19	8
9			0.04				-	-	-	0.01	.	0.07	9
10	0.02					0.01	-	-	-	.	0.20	0.63	10
11	0.12				0.08		-	-	0.03	.	0.21	0.01	11
12	0.30		0.25			0.05	-	-	0.44	.	0.22	0.01	12
13	0.01		0.29			0.45	-	-	-	.	0.02	0.61	13
14		0.41	0.18		0.04		0.05	-	0.02	.	0.04	0.48	14
15		0.04	0.20				-	-	-	0.05	0.28	0.21	15
16						0.15	0.11	-	-	.	0.12	0.11	16
17		0.01	0.23			0.24	0.02	-	-	.	0.31	0.17	17
18						0.21	-	-	-	.	0.36	0.11	18
19			0.06			0.08	0.05	0.08	0.07	0.18	0.50	0.04	19
20		0.18		0.08		0.04	0.12	1.92	0.01	.	0.04	0.42	20
21		0.10					-	0.26	-	0.24	0.29	0.02	21
22							0.01	0.57	-	0.06	0.12	.	22
23						0.76	-	-	0.53	0.03	.	0.12	23
24	0.15	0.21	0.08	0.01		0.95	0.04	-	-	0.08	.	0.07	24
25		0.05		0.10		0.31	0.05	-	0.27	0.03	0.10	0.10	25
26		0.02		0.08			0.75	-	-	0.62	0.35	0.09	26
27		0.05		0.06			-	-	0.24	0.04	.	0.03	27
28		0.05		0.13		0.01	-	0.22	-	0.01	0.05	0.09	28
29			0.06	0.01		0.10	0.24	0.01	0.50	0.29	0.01	0.04	29
30					0.21		-	-	0.14	0.07	.	.	30
31					0.25		-	-	-	0.33	-	0.05	31
Total	1.54	1.14	1.81	0.85	1.14	2.96	1.58	3.90	2.28	2.63	3.85	4.53	TOTAL for year
No. of Rain Days	11	11	13	10	6	13	12	10	11	19	23	25	28.21

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

made
Broughton Rise,
Kept at Malton.

in the County of Yorkshire, N.R. 4

by Elyse C. Laverack, E.C.

Pattern *Snowdon*.
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 164 ft. *(Taken from Ordnance map.)*
Time of Observation 9 a.m.
Nearest Railway Station { Name *Malton*
Distance $\frac{1}{2}$ m. Direction *S.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	0.04	0.09	.	.	0.18	0.06	0.29	0.10	} 0.19	.	0.11	1
2	.	0.06	0.05	.	0.02	0.11	0.24	.	.		.	.	2
3	0.15	0.16	0.02	.	.	0.83	.	0.24	0.14	0.06	0.01	0.10	3
4	0.35	.	0.29	.	0.01	0.46	.	0.25	0.07	.	0.30	.	4
5	0.02	.	.	.	0.22	0.19	.	0.02	.	.	0.01	.	5
6	0.55	0.05	.	.	.	0.02	0.02	0.36	0.01	.	.	.	6
7	.	0.04	0.01	.	0.05	.	0.01	0.07	0.15	.	.	.	7
8	0.22	0.17	0.16	.	.	0.04	0.01	0.06	0.26	.	0.27	0.01	8
9	0.01	0.05	0.20	0.06	.	0.16	.	.	0.12	.	0.01	.	9
10	0.01	.	.	.	0.02	0.94	.	0.01	0.01	.	0.08	0.02	10
11	0.20	0.02	.	.	.	.	.	0.81	0.01	.	0.10	0.41	11
12	0.07	0.06	0.13	.	.	0.10	0.52	.	.	.	0.97	.	12
13	.	0.04	0.01	.	.	0.02	.	0.02	.	0.14	0.25	0.02	13
14	0.16	.	0.68	.	.	0.18	.	0.06	.	.	0.02	0.04	14
15	0.01	0.01	0.59	.	0.65	0.34	.	.	.	0.10	.	0.02	15
16	0.17	.	} 0.24	.	0.03	0.02	.	0.01	.	0.08	.	0.03	16
17	.	0.02		.	.	0.30	.	0.15	.	.	.	0.09	17
18	0.07	.	.	.	.	0.03	0.03	.	.	0.04	.	.	18
19	0.19	0.14	0.02	0.09	.	.	0.36	0.26	.	0.16	0.02	.	19
20	0.04	0.09	0.01	.	0.21	0.03	0.07	0.01	.	0.27	.	.	20
21	.	.	0.25	.	0.16	.	0.01	.	.	0.24	.	.	21
22	.	0.12	0.17	.	0.84	0.97	.	0.21	.	0.04	.	.	22
23	0.02	.	0.01	.	0.01	.	0.03	0.36	.	.	0.09	.	23
24	0.29	0.01	0.02	.	.	0.03	0.10	.	.	.	.	0.14	24
25	0.04	.	.	.	.	0.80	0.01	0.10	.	.	0.11	} 0.32	25
26	.	0.05	0.02	.	.	0.01	0.34	0.64	.	0.61	0.10		26
27	.	.	0.01	.	.	0.32	0.29	.	.	0.39	.	0.07	27
28	.	.	0.02	0.03	0.03	0.30	0.06	0.42	.	0.10	0.33	.	28
29	.	.	0.03	0.05	.	0.15	0.03	.	0.62	0.02	.	0.05	29
30	0.06	-	0.10	.	0.01	0.04	} 0.94	0.02	0.14	0.08	.	0.05	30
31	.	-	0.08	-	0.14	-		0.26	-	0.11	-	.	31
Total	2.63	1.13	3.21	0.23	2.40	6.57	3.13	4.63	1.63	2.63	2.67	1.48	TOTAL for year 20.34
No. of Rain Days.	19	17	25	4	14	25	19	22	11	16	15	16	203

written
25.1.14
London

Sept. 6-14. Est. from the feat. 22.V.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Broughton Rise, Malton
in the County of York, N.R. 4
by Edw. C. Laverack, Ph.C.

Lat. _____ Long. _____
Nearest Railway Station Malton
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 12 in.
Sea Level 164 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06	.	0.22	0.25	0.01	.	.	.	.	.	0.04	.	1
2	.	0.09	0.07	.	.	0.09	.	.	.	.	0.05	.	2
3	0.03	.	0.02	.	0.13	.	.	.	0.01	0.51	.	0.03	3
4	0.47	.	0.07	.	.	.	0.02	.	0.02	1.11	0.29	0.65	4
5	0.06	0.05	0.10	.	.	0.12	0.01	0.02	.	0.03	.	.	5
6	0.02	0.13		.	0.31	0.06	0.01	0.01	.	.	0.01	.	6
7	.	0.31	.	.	0.03	0.19	0.04	.	.	0.62	.	.	7
8	.	0.03	.	0.01	0.59	0.06	.	0.04	x	0.10	0.06	.	8
9	.	0.06	0.04	0.07	0.15	.	.	0.18	.	.	0.02	.	9
10	.	0.08	0.04	0.02	0.14	.	0.01	.	(x.20)	0.06	0.35	.	10
11	0.95	.	.	0.30	.	.	.	.	.	.	0.17	.	11
12	0.06	.	.	.	.	0.05	.	.	x	.	.	.	12
13	.	.	.	0.02	.	.	.	0.10	x	.	0.14	.	13
14	0.08	0.03	0.07	0.05	.	.	.	.	.	0.12	.	.	14
15	0.17	.	0.29	0.52	.	.	0.02	.	0.25	.	0.34	.	15
16	.	.	0.03	0.01	.	.	.	.	0.04	.	0.06	.	16
17	.	0.01	0.07	0.11	.	0.02	.	.	0.20	.	0.08	.	17
18	.	.	0.29	0.09	0.03	.	.	.	.	.	0.14	0.06	18
19	0.11	.	0.14	0.03	0.10	.	.	.	.	0.02	.	.	19
20	0.08	.		.	.	.	.	.	.	.	0.18	.	20
21	0.01	0.08	0.05	.	0.29	.	.	0.25	.	.	0.03	.	21
22	0.05	.	0.22	.	0.03	0.01	.	0.26	0.10	.	.	.	22
23	0.13	.	0.02	.	.	0.02	.	0.08	0.04	.	.	.	23
24	0.16	.	.	0.10	.	0.85	.	0.03	.	.	0.01	0.06	24
25	.	.	.	0.05	.	.	.	.	0.06	.	.	0.04	25
26	.	0.03	0.03	0.02	.	0.11	.	.	0.03	0.41	0.10	0.29	26
27	.	0.03	.	0.32	.	.	.	.	.	0.09	0.06	0.09	27
28	0.29	.	0.20	0.38	.	.	.	.	.	0.02	.	0.02	28
29	0.01	-	0.26	0.20	0.09	.	.	0.15	.	.	0.05	0.18	29
30	0.48	-	.	.	0.02	.	.	.	.	0.29	.	0.31	30
31	0.07	-	.	-	0.26	-	0.01	.	-	.	-	.	31
Total	3.29	0.93	2.23	2.55	2.18	1.58	0.12	1.12	(.95) 1.03	3.38	2.18	1.73	TOTAL for year 22.24
No. of Rain Days	19	12	20	18	14	11	7	10	11	12	19	10	164

See over 166

I much regret the doubt about the
first fortnight in September. Owing
to my absence the records were not
entered on my proper form, & unfortunately
the sheet containing them has been lost
or mislaid. I have delayed sending
returns in the hope that the missing
paper would be found, but it has
not yet turned up. The figures
given for the month as a whole are
certainly very nearly if not quite
correct.

Chaveroach.

REGISTER OF RAINFALL IN 1914

Kept at Broughton Rise, Malton,
in the County of Yorkshire, N.R. N4
by Lelyne C. Laversack, R.C.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Malton.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 164 ft.

FORM A.
BRITISH RAINFALL
17 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	0.64	0.20	-	0.02	0.02	0.15	1
2	-	-	-	-	-	-	1.22	} 0.21	-	0.01	0.23	} 0.91	2
3	-	-	0.10	-	0.18	-	0.08		-	-	-		3
4	0.08	-	0.01	0.13	0.12	-	-	-	-	-	0.23	} 0.10	4
5	0.02	-	0.09	0.12	0.11	-	-	-	-	0.01	0.19		5
6	-	0.12	-	} 0.04	0.07	-	0.05	0.03	-	-	0.06	} 0.09	6
7	} 0.43	0.03	0.23		0.09	0.32	-	0.01	-	-	-		0.09
8		-	0.09	0.01	0.27	0.34	0.09	0.05	-	0.08	-	-	8
9	0.37	0.03	-	0.22	0.01	0.45	-	0.03	0.46	-	-	0.05	9
10	0.29	0.14	-	0.01	-	-	-	-	-	-	0.03	-	10
11	-	0.07	-	-	0.21	-	-	-	-	-	0.29	0.16	11
12	0.07	0.02	0.10	-	-	-	-	-	0.22	-	0.02	0.73	12
13	0.06	0.11	} 0.34	-	-	-	-	-	0.01	-	0.16	0.21	13
14	0.03	0.16		0.02	-	-	0.05	-	-	0.07	0.06	0.17	14
15	-	-	0.14	-	0.01	-	0.54	-	-	-	0.40	0.06	15
16	-	-	0.06	-	-	-	1.48	-	0.54	-	0.12	-	16
17	-	0.15	-	-	-	-	-	-	0.48	-	0.12	} 0.37	17
18	0.08	0.05	0.14	-	-	0.11	-	-	0.05	-	0.02		18
19	0.02	-	0.06	-	-	0.44	0.03	-	0.15	-	0.09	0.05	19
20	-	-	0.08	-	-	0.08	-	-	-	0.14	-	0.01	20
21	-	0.48	0.07	-	-	0.13	0.03	0.11	-	0.07	0.07	0.05	21
22	-	-	-	0.05	0.13	0.21	0.05	0.07	-	0.05	-	} 0.26	22
23	-	0.03	0.03	0.04	0.58	0.44	-	-	-	-	0.02		23
24	-	-	-	0.14	-	-	-	0.46	-	-	} 0.24	-	24
25	-	0.09	-	-	-	-	0.03	} 0.10	-	} 0.78		0.41	25
26	-	-	0.08	-	-	-	0.07		-		-	0.17	0.24
27	-	-	-	-	-	-	-	-	-	-	0.23	0.68	27
28	-	0.05	-	-	0.01	-	-	-	-	0.08	0.06	0.18	28
29	-	X	0.14	-	0.02	-	-	} 0.20	-	0.54	0.03	-	29
30	-	X	0.11	-	0.01	-	-		-	-	0.03	0.16	0.17
31	0.11	X	0.01	X	-	X	0.43	-	X	0.21	X	-	31
YEAR'S TOTAL													
Total	1.56	1.53	1.88	0.78	1.82	2.52	4.79	1.47	1.91	2.09	3.02	5.05	28.42
Rain Days.	12	14	19	11	14	9	14	14	7	14	24	25	17.71

Kindly note that the height of my gauge
above sea level is taken from the ordnance
survey map. ^{map is marked at a point} The ~~road~~, quite near my
house, & the height given is very nearly
correct. My record in Dr. R. should therefore
be marked T.



REGISTER OF RAINFALL IN 1915.

Kept at Broughton Rise, Malton
in the County of Yorkshire, N.R.
by Walter Laverack

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.23	0.06	-	-	-	0.62	0.51	} 0.54	-	0.10	0.11	1
2	0.17	0.15	-	-	0.16	0.04	} 0.29	0.19		-	} 0.30	-	2
3	0.51	0.07	0.10	0.15	-	-		-	0.06	-		0.48	3
4	0.10	-	-	0.09	-	-	0.58	0.01	-	-	0.04	0.69	4
5	} 0.25	0.02	0.03	-	0.04	-	-	-	-	-	0.06	0.54	5
6		0.21	0.08	-	-	-	0.63	-	-	0.06	-	0.08	6
7	0.37	0.41	0.04	0.14	-	-	0.05	0.23	-	-	-	0.02	7
8	} 0.12	0.04	0.02	-	-	-	0.16	0.03	-	-	0.05	-	8
9		-	-	-	-	-	0.10	0.02	-	-	-	0.35	9
10	0.31	0.01	-	-	-	-	-	0.08	-	-	0.06	} 0.15	10
11	0.05	0.22	-	0.06	0.49	-	-	0.10	-	-	0.07		11
12	0.14	0.03	-	0.23	0.06	-	0.08	0.01	-	0.12	0.82	} 0.12	12
13	-	0.51	-	-	-	-	-	} 0.24	-	-	0.02		13
14	} 0.24	0.18	-	-	-	-	0.09		-	-	-	0.04	14
15		0.30	-	-	-	-	0.22	0.17	-	-	-	} 0.14	15
16	-	0.49	-	-	0.03	-	0.75	-	-	-	0.09		16
17	0.35	0.19	0.04	-	-	-	0.13	-	-	-	0.02	0.03	17
18	-	0.15	0.25	-	-	-	-	-	-	0.04	0.02	0.14	18
19	-	0.01	0.08	-	0.01	-	0.09	-	-	-	0.01	-	19
20	0.14	-	-	-	-	-	-	-	-	-	-	0.49	20
21	0.11	0.03	-	0.13	-	-	-	-	-	-	-	0.09	21
22	0.02	-	0.10	-	-	-	0.31	-	-	-	-	} 0.22	22
23	0.23	0.08	-	-	-	-	0.13	0.04	0.07	0.02	0.03		23
24	-	-	-	0.05	-	-	-	-	0.51	-	-	} 0.20	24
25	-	-	0.01	-	-	0.13	-	-	0.02	} 0.28	0.18		25
26	0.01	0.32	0.03	-	-	0.07	0.13	-	-		-	0.32	26
27	0.06	0.08	0.02	-	-	-	0.31	-	-	-	-	0.21	27
28	-	0.12	0.03	0.01	0.07	-	0.07	0.26	-	0.18	-	0.01	28
29	-	~~X~~	0.01	-	0.35	-	-	0.01	0.19	-	0.21	0.15	29
30	0.08	~~X~~	-	0.18	-	-	0.22	-	0.02	0.02	-	0.01	30
31	0.12	~~X~~	-	~~X~~	-	~~X~~	-	0.35	~~X~~	-	~~X~~	0.15	31
Total	3.38	3.85	0.90	1.04	1.21	0.24	4.96	2.25	1.41	0.72	2.08	4.84	26.88
Rain Days.	22	22	15	9	8	3	20	16	8	9	17	28	177

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Malton
in the County of Yorkshire, N.R.
by Oliver C. Laverack J.R.C.

LONG. 0°48'6" W. LAT. 54°8'19" N.
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.26	.	0.06	.	.	0.19	0.22	.	.	.	0.18	.	1
2	.	0.12	0.07	.	.	0.06	.	.	0.33	0.12	.	.	2
3	0.04	0.11	} 0.09	0.08	.	0.04	.	.	0.39	} 0.59	0.10	0.01	3
4	.	0.08		0.03	0.79	0.59	.	.	0.02		0.24	0.07	4
5	0.06	0.07	} 0.45	.	0.05	0.26	.	.	.	0.44	0.19	.	5
6	.	} 0.33		0.03	0.21	.	0.06	.	.	0.06	0.31	.	6
7	.		0.10	.	0.16	0.04	.	.	.	0.04	.	} 0.24	7
8	.	.	0.44	.	} 0.54	0.03	0.03	.	.	.	0.01		8
9	.	.	0.09	.		0.04	.	.	0.03	.	0.06	0.29	9
10	0.08	0.02	0.04	0.03	.	0.24	0.06	.	.	} 0.12	.	0.07	10
11	} 0.07	0.48	0.43	0.27	.	0.06	0.12	.	.		.	.	11
12		.	0.17	.	0.38	0.12	0.69	0.11	0.05	0.14	.	0.31	12
13	.	0.10	0.09	.	0.27	.	1.21	0.81	0.03	0.48	0.01	0.07	13
14	.	0.02	0.07	0.03	0.13	.	.	0.30	.	} Lat. + Wind. 0.08	.	0.14	14
15	0.06	0.18	0.25	.	0.01	.	0.02	0.22	.		.	.	15
16	.	0.11	0.07	0.08	.	.	0.24	0.62	.	.	.	0.06	16
17	.	.	.	0.17	.	.	0.03	0.01	0.13	} 0.18	} 1.47	.	17
18	0.01	0.19	0.01	0.22	.	0.03	.	0.04	} 0.13			} 0.27	18
19	0.08	.	.	0.03	.	.	.	.					19
20	0.06	.	0.25	} 0.40	.	.	0.26	0.13	.	.	0.09	} 0.33	20
21	.	} 0.34	} 0.07		0.25	.	0.06	.	.	.	.		.
22	.			.	.	.	0.05	.	.	.	0.06	.	.
23	0.06	0.03	0.03	0.11	0.03	0.02	.	0.02	.	0.05	0.12	0.33	23
24	.	0.05	0.03	0.13	.	0.08	.	0.12	.	0.05	.	0.05	24
25	.	} 0.42	0.13	.	0.01	.	.	0.20	.	0.10	0.09	0.04	25
26	.		0.03	.	.	0.03	.	.	.	.	0.02	.	26
27	.	0.33	.	.	.	.	.	0.03	.	} 0.37	.	.	27
28	.	0.22	.	.	0.04	0.01	.	0.03	.		.	.	} 0.31
29	.	0.10	.	.	.	0.08	.	.	.	0.10	.	29	
30	0.01	X	.	.	0.20	.	.	.	.	0.28	.	0.01	30
31	.	X	.	X	0.05	X	.	.	X	.	X	.	31
Total	0.79	3.30	2.97	1.61	3.12	1.97	3.00	2.64	1.11	3.24	2.89	2.60	29.24
Rain Days.	12	22	24	14	16	18	12	13	9	24	15	21	200

REGISTER OF RAINFALL IN 1917

Kept at Malton
in the County of Yorkshire N.R.
by Elvye C. Laverack, Ph.C.

Lat. 54° 8' 19" N Long. 0° 48' 6" W
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 164 ft.

FORM A
BRITISH RAINFALL
- 8. MAY 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	0.12	-	0.01	-	-	0.26	-	0.15	0.15	1
2	0.10	-	-	0.21	-	0.07	-	0.02	-	0.03	-	-	2
3	-	0.05	0.04	0.04	-	0.03	0.02	-	-	0.02	0.04	-	3
4	-	0.04	0.06	0.04	-	-	-	-	-	0.20	0.05	-	4
5	0.11	-	0.10	0.39	-	-	-	-	-	0.08	0.09	-	5
6	-	-	-	-	-	-	-	-	-	0.04	0.11	-	6
7	0.43	-	0.01	-	-	0.08	-	-	-	0.32	-	0.18	7
8	0.58	-	-	0.11	-	-	-	1.46	-	0.43	0.09	-	8
9	0.08	-	0.01	0.04	-	-	-	0.21	-	0.08	0.20	0.03	9
10	0.38	-	0.51	0.21	0.07	-	-	0.51	-	0.08	0.01	-	10
11	0.03	-	-	0.06	-	-	-	0.20	-	0.34	-	-	11
12	0.64	0.03	-	0.12	0.22	-	-	0.31	0.01	0.41	-	-	12
13	0.05	-	-	0.06	0.32	-	-	0.16	0.16	0.03	-	-	13
14	0.61	-	-	0.18	0.06	-	0.04	0.27	-	0.02	-	0.17	14
15	-	-	-	0.01	-	-	0.14	0.01	-	-	-	0.76	15
16	0.03	0.01	-	0.23	-	-	-	0.27	-	-	-	-	16
17	0.10	0.04	-	0.15	0.26	0.51	0.04	0.26	0.02	0.02	-	-	17
18	0.12	-	-	0.03	0.02	-	0.15	0.29	0.12	-	-	-	18
19	0.13	0.01	0.21	-	0.07	0.29	0.04	-	-	-	-	-	19
20	0.04	0.46	0.03	-	0.26	-	-	0.15	-	0.31	-	-	20
21	-	0.39	-	0.01	-	-	0.19	0.02	-	-	-	-	21
22	-	-	-	-	-	0.07	0.11	0.09	-	-	-	-	22
23	0.02	0.01	0.01	-	-	0.02	0.07	0.03	-	-	-	-	23
24	-	0.04	-	-	0.14	0.01	0.07	-	0.34	0.16	0.03	-	24
25	-	0.02	0.07	-	-	0.17	0.06	-	0.20	-	0.26	-	25
26	-	-	-	-	-	0.01	1.21	-	0.39	0.45	0.17	-	26
27	0.01	-	0.03	-	-	0.16	0.26	-	-	-	0.04	-	27
28	0.01	-	0.14	-	-	-	0.42	0.05	0.03	-	0.02	-	28
29	0.11	X	0.06	-	-	0.02	-	0.02	-	0.34	-	0.01	29
30	0.03	X	-	0.10	-	-	0.05	-	-	0.02	0.10	0.13	30
31	0.06	X	0.32	X	-	X	-	0.03	X	-	X	-	31
Total	3.67	0.71	1.96	2.13	1.17	1.71	1.41	6.41	0.89	3.44	1.76	1.95	27.21
Rain Days.	22	11	16	18	9	14	(10)	22	10	21	12	14	(179)

REGISTER OF RAINFALL IN 1918

Kept at Broughton Rise, Malton
in the County of Yorkshire, N.R.
by Clive E. Laverack Ph.C.

Lat. 54° 8' 19" N Long. 0° 48' 6" W.
Time of Observation 9 a.m.
Nearest Railway Station Malton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 164 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	-	0.02	0.10	-	-	-	-	0.35	0.04	0.04	0.06	1
2	0.07	0.25	0.03	0.17	-	-	-	-	0.02	0.24	0.21	0.21	2
3	-	0.04	0.05	-	0.11	-	-	0.34	-	0.02	0.04	0.04	3
4	-	0.01	0.11	-	0.29	-	-	0.68	0.23	-	0.38	0.38	4
5	-	0.05	0.01	0.05	-	0.01	-	0.02	0.07	-	0.02	0.02	5
6	-	0.53	0.01	0.36	-	0.24	-	0.13	0.01	0.11	-	0.01	6
7	0.17	0.18	-	0.01	-	0.01	-	-	-	0.03	0.15	-	7
8	-	0.28	0.07	-	-	-	0.73	-	0.08	0.04	-	0.01	8
9	-	0.41	-	-	-	0.11	0.23	-	0.78	0.31	0.32	0.09	9
10	0.09	-	-	-	-	-	-	-	0.08	-	-	0.04	10
11	0.23	0.04	-	0.04	-	-	0.65	0.01	0.06	-	-	0.06	11
12	-	0.12	-	0.01	0.36	-	-	-	0.59	0.08	-	0.02	12
13	-	0.04	-	0.12	0.07	-	-	0.01	0.03	0.01	-	-	13
14	-	-	-	-	0.18	-	0.26	-	0.27	-	-	0.10	14
15	0.14	-	-	-	-	0.27	-	0.93	0.01	-	-	0.92	15
16	-	-	-	-	-	0.67	-	0.21	0.03	-	-	0.92	16
17	0.38	-	-	-	0.33	0.03	0.12	-	0.03	-	-	0.32	17
18	0.39	-	0.05	0.35	-	0.38	-	0.58	0.10	-	-	0.32	18
19	0.34	-	0.06	0.19	-	0.21	0.27	-	0.12	-	-	0.03	19
20	0.20	0.35	-	0.10	-	0.06	-	0.15	0.01	0.02	-	-	20
21	0.05	-	-	0.03	0.38	0.01	-	0.34	0.17	-	0.03	0.03	21
22	-	-	-	-	0.10	0.02	0.02	-	0.08	0.01	-	0.21	22
23	0.14	-	-	-	0.23	-	0.04	-	0.01	-	0.01	0.05	23
24	-	-	-	-	-	-	0.08	0.01	0.14	-	-	0.06	24
25	-	-	-	-	-	-	0.35	0.02	-	-	0.04	0.04	25
26	-	-	0.04	-	-	0.03	0.63	0.34	-	-	-	-	26
27	-	0.31	0.07	-	-	0.03	0.01	0.01	-	-	0.24	0.24	27
28	-	0.46	-	-	-	-	-	-	-	-	0.33	0.33	28
29	-	X	0.12	-	-	-	-	0.10	-	0.01	0.16	0.16	29
30	-	X	0.08	-	-	-	-	0.01	0.15	-	0.12	0.33	30
31	-	X	0.16	X	-	X	-	0.09	X	-	X	0.33	31
Total	2.24	2.61	1.34	1.53	2.05	0.73	4.01	2.30	5.53	1.25	2.03	3.76	29.38
Rain Days	12	15	16	12	10	8	18	14	25	18	15	27	(190)

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Broughton Rise, Malton
in the County of Yorkshire N.R.
by Walter C. Laverack D.L.C.

Lat 54° 8' 19" N Long 0° 48' 6" W.
Time of Observation 9 a.m.
Nearest Railway Station Malton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.24	0.24		0.04	0.41		0.51			0.04	0.04	0.05	1
2	0.70				0.03		0.39		0.30		0.11		2
3		0.28			0.05	0.07	0.05				0.38	0.32	3
4	0.03		0.47		0.13	0.05		0.08	0.06				4
5	0.06	0.06							0.17		0.19	0.21	5
6			0.51		0.05				0.11				6
7	0.14				0.20							0.29	7
8	0.07							0.01			0.26	0.04	8
9			0.07	0.02	0.01					0.21			9
10	0.01		0.06	0.07	0.03						0.06	0.20	10
11			0.82		0.04		0.23			0.05	0.04	0.01	11
12			0.47	0.13		0.10	0.01			0.22		0.03	12
13	0.35			0.14		0.04		0.02		0.09	0.13		13
14	0.21		0.01	0.33				0.07			0.10		14
15	0.06	0.29		0.04				0.02		0.11	0.03	0.69	15
16			0.04	0.01			0.11				0.07		16
17	0.01	0.07			0.04			0.10		0.10		0.08	17
18			0.02			0.07		0.21	0.02				18
19	0.02	0.24	0.46				1.07	0.16	0.08				19
20	0.26	0.09	0.12				0.18		0.08			0.42	20
21	0.11	0.17				0.02			0.14		0.02	0.10	21
22			0.09			0.01	0.11				0.02	0.12	22
23						0.09		0.01		0.66	0.05		23
24		0.06		0.01	0.05	0.02		0.01		0.51	0.14		24
25	0.07		0.28	0.02		0.05		0.44				0.04	25
26		0.15		0.60				0.48		0.39	0.21	0.42	26
27		0.06		0.44		0.04	0.01			0.52			27
28			0.03	0.05				0.57		0.52			28
29		X	0.07	0.20		0.08		0.23		0.78			29
30		X	0.01	0.03		0.15				0.11	0.04		30
31		X	0.02	X		X	0.15		X	0.20	X		31
TOTAL	2.14	1.71	3.55	2.13	1.04	0.79	2.82	2.41	0.96	4.51	2.23	3.12	YEAR'S TOTAL
Days with 0.1 in. or more	15	14	22	15	11	13	12	15	9	17	26	17	186

REGISTER OF RAINFALL IN 1920.

Kept at Broughton Rise Maltonin the County of Yorkshire N.R.by Alfred C. Laverack, P.E.Lat. 54° 8' 19" N Long. 0° 48' 6" W.Time of Observation 9 a.m.Nearest Railway Station MaltonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	0.08	0.34	0.19	0.02	0.11		0.18	0.42	.	0.01	1
2	.	.	0.06	0.19	0.02	.	0.32		0.15	0.17	.	0.44	2
3	.	.	.	0.02		0.03	0.31		0.02		.	0.26	3
4	.	.	.	.	0.24	.	0.49		0.05		.	0.10	4
5	.	.	0.04	.		.	0.17		.	.	.	0.02	5
6	.	.	0.19	0.23	0.10	.	0.12	.	.	.	.	0.16	6
7		.	0.01	0.03		.	0.28	.	.	.	.	.	7
8	0.32				0.13	.	0.07	0.24	.	.	.	.	8
9	0.05	0.06	.	.	.	.	0.07	0.04	.	.	.	.	9
10	0.71	0.04	.	0.74	.	.	0.20	.	.	.	.	.	10
11	.		0.09	0.11	0.04	.	0.20	.	.	.	.	0.41	11
12	.	0.16	.	0.16	.	0.02	0.05	.	.	.	0.02	.	12
13	0.02		0.16	0.18	.	.	.	.	0.08	.	0.13	0.29	13
14	.	.	0.36	0.08	.	.	.	.	0.21	.	0.15	.	14
15	0.04	0.20	0.13	0.22	.	.	0.09	.	0.03	0.05	0.06	.	15
16	0.01	.	.	.	.	.	1.12	.	0.36	0.04	0.20	.	16
17	.	.	.	.	0.26	.	.	0.18		0.02	.	0.01	17
18	.	.	.	0.12		0.01	.	0.01	0.25	.	.	.	18
19	.	0.28	.	0.42	.	0.02	.	0.04	0.23	.	.	0.18	19
20	0.01	0.02	.		.	0.10	0.01	.	0.01	.	.	.	20
21	0.02	0.04	.	0.20	.	.	0.38	0.15	.	.	.	.	21
22	.	.	.		.	.	0.62	.	0.05	.	.	.	22
23	0.10	.	.	0.08	.	.		.	.	.	.	.	23
24		.	0.42	0.21	.	.	0.05	.	.	.	.	.	24
25	.	.	0.11		.	.	0.49	.	.	.	.	.	25
26	0.08	0.08	0.12		.	.	0.06	.	.	.	.	.	26
27		.	0.02	0.21	0.34	0.69	.	.	.	.	0.28	0.84	27
28	0.12	.	0.13		0.01	0.07	.	.	.	.	0.08	.	28
29		.	0.10		0.41	0.07	0.01	.	.	.	.	.	29
30	0.16	X	.	0.03	0.05	0.31	.	.	0.15	0.04	0.19	.	30
31	0.16	X	.	X	.	X	0.02	.	X	.	X	0.11	31
TOTAL	2.80	0.91	2.02	3.59	1.78	1.28	5.31	1.52	1.77	1.61	1.11	2.83	YEAR'S TOTAL
Days with 0.1 in. or more	17	11	15	25	15	10	24	11	14	8	9	19	2653
Days with 0.4 in. or more	2	2	13	2	2	4	21	2	11	7	2	2	(178)

✓ WD cont. 2.V.12

R

MARKET WEIGHTON
DAWTON HALL
YORKS

Kept at Dawton

in the County of E.

by W. J. G.

IMPORTANT NOTE
previous day. If an Officer
requested to add the reason
for it at the end of the
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920.

5 in.
ve Ground 1 ft. 6 in.
Sea Level 150 ft. 3400

Name Hipling Cotes

Distance 7 miles Direction West

and the result entered to the
iversal rule, he is earnestly
year in the space provided
ement of rain,
British Rainfall
application to

Jan. 1, following.

(.03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	07	..	..	35	07	..	..	15	05	02	1
2	..	..	..	..	..	..	..	15	..	02	..	..	2
3	37	..	..	..	10	..	23	08	..	03	..	14	3
4	06	..	..	10	10	..	..	11	..	27	02	..	4
5	08	..	13	18	..	..	..	08	11	10	15	25	5
6	04	..	..	08	08	..	..	08	..	22	04	..	6
7	35	..	03	..	..	..	..	18	..	02	11	30	7
8	..	..	..	..	..	..	..	..	..	..	03	..	8
9	07	..	17	..	..	07	..	..	02	..	..	25	9
10	..	..	15	..	..	..	..	..	..	..	02	05	10
11	05	06	08	05	..	..	..	..	..	..	03	60	11
12	22	..	..	..	05	..	..	..	..	..	41	..	12
13	..	..	15	..	09	19	..	..	62	..	21	..	13
14	..	..	25	..	..	13	..	..	..	..	05	45	14
15	11	24	38	..	10	03	..	..	..	..	6	43	15
16	..	11	26	..	..	..	..	..	03	03	12	16	16
17	..	..	08	..	..	05	06	..	..	13	18	12	17
18	..	..	06	..	..	09	06	..	..	..	18	22	18
19	..	04	05	02	..	09	..	..	..	02	33	10	19
20	..	..	..	21	02	10	05	30	10	43	47	04	20
21	..	..	..	..	..	..	07	35	50	00	03	45	21
22	..	38	..	..	..	..	..	12	59	10	13	05	22
23	18	07	..	03	..	..	..	30	..	49	12	..	23
24	..	17	..	05	..	80	..	..	49	05	02	15	24
25	..	06	12	11	..	116	..	..	..	10	..	04	25
26	..	04	03	23	..	32	..	..	27	..	07	11	26
27	..	..	..	05	..	..	38	..	..	45	65	15	27
28	..	09	10	10	..	..	03	48	31	..	..	02	28
29	..	..	03	20	..	03	..	04	..	..	05	12	29
30	..	..	..	05	..	03	33	..	51	38	..	05	30
31	..	..	..	..	15	..	..	..	..	15	..	..	31
Total	153	125	214	146	69	354	128	247	355	276	353	427	2833
No. of Rain Days.	10	10	17	14	8	14	9	12	12	17	24	23	170

✓ WD cont. 2. V. 12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at Dalton Hall
in the County of E. Yorks 3
by W. Jackson

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 150 ft. 3400
Time of Observation 9 a.m.
Nearest Railway Station { Name Hilling Gores
Distance 2 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(.03)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	07	..	..	35	07	..	..	15	05	02	1
2	..	..	..	..	..	..	..	15	..	02	..	..	2
3	37	..	..	..	10	..	23	08	..	03	..	14	3
4	06	..	..	10	10	..	..	11	..	27	02	..	4
5	08	..	13	18	..	..	..	08	11	10	15	25	5
6	04	..	..	08	08	..	..	08	..	22	04	..	6
7	35	..	03	..	..	..	..	18	..	02	11	30	7
8	..	..	..	..	..	..	..	..	..	..	03	..	8
9	07	..	17	..	..	07	..	..	02	..	..	25	9
10	..	..	15	..	..	..	..	..	..	..	02	05	10
11	05	06	08	05	..	..	..	..	..	..	03	60	11
12	22	..	..	..	05	..	..	..	..	..	41	..	12
13	..	..	15	..	09	19	..	..	62	..	21	..	13
14	..	..	25	..	..	13	..	..	..	..	05	45	14
15	11	24	38	..	10	03	..	..	..	..	6	43	15
16	..	11	26	..	..	..	..	..	03	03	12	16	16
17	..	..	08	..	..	03	06	..	..	13	18	12	17
18	..	..	06	..	..	09	06	..	..	..	18	22	18
19	..	04	05	02	..	09	..	..	..	02	33	10	19
20	..	..	..	21	02	10	05	30	10	43	47	04	20
21	..	..	..	..	..	..	07	35	50	00	03	45	21
22	..	38	..	..	..	..	..	12	59	10	13	05	22
23	18	07	..	03	..	..	..	50	..	49	12	..	23
24	..	17	..	05	..	80	..	..	49	05	02	15	24
25	..	05	12	11	..	116	..	..	..	10	..	04	25
26	..	04	03	23	..	32	..	..	27	..	07	11	26
27	..	..	..	05	..	..	38	..	..	45	65	15	27
28	..	09	10	10	..	..	03	48	31	..	..	02	28
29	..	..	03	20	..	03	..	04	..	..	05	12	29
30	..	..	..	05	..	03	33	..	51	38	..	05	30
31	..	..	..	..	15	..	..	..	..	15	..	..	31
Total	153	125	214	146	69	354	128	247	355	274	353	427	TOTAL 2836
No. of Rain Days.	10	10	17	14	8	14	9	12	12	17	24	23	170

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1961

3400

Kept at DALTON HALL MARKET WEIGHTON

COPY

in the County of YORKS.

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft..... in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								15		02				1
2	37				10		23	08		03		14		2
3	06			10	16			11		27	02			3
4	08		13	18				08	11	10	15	25		4
5	04			08	08			08		22	04			5
6	35		03					18		02	11	30		6
7											03			7
8	07		17			07			02			25		8
9			15								02	05		9
10	05	06	08	05							03	60		10
11	22				05						41			11
12			15		09	19			62		21			12
13			25			13					05	45		13
14	11	24	38		10	03					06	43		14
15		11	26						03	03	12	16		15
16			08			05	06				18	12		16
17			06			09	06				18	22		17
18		04	05	02		09				02	33	10		18
19				21	02	10	05	30	10	13	47	04		19
20							07	35	50		03	45		20
21		38						12	59	11	13	05		21
22	18	07		03				50		49	12			22
23		17		05		80			49	05	02	15		23
24		05	12	11		116				10		04		24
25		04	03	23		32			27		07	11		25
26				05			38			45	65	15		26
27		09	10	10			03	48	31			02		27
28		07	03	20		03		04			05	12		28
29		X		05		03	33		51	38		05		29
30		X			15	07			15	15	02			30
31		X		X	35	X			X	05	X	03		31
TOTAL	1.53	1.32	2.07	1.46	1.04	3.16	1.21	2.47	3.70	2.62	3.50	4.28	28.36	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A2.
15 JAN 1913

Kept at Dalton Hall

in the County of E. York's

by W. Jackson

RAIN GAUGE
Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 150 ft. 3400
Time of Observation 9 am
Nearest Railway Station { Name Thruping Boxes
Distance 2 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	03	11	..	30	..	45	25	15	04	..	1
2	..	13	05	02	02	35	40	08	27	06	..	13	2
3	..	03	17	02	..	29	50	..	..	10	..	..	3
4	17	26	02	..	..	62	..	43	15	..	..	10	4
5	26	..	34	..	06	46	..	37	..	..	43	..	5
6	04	04	..	..	34	45	..	04	..	..	..	..	6
7	125	07	03	..	04	..	06	38	11	02	..	..	7
8	04	03	03	03	08	03	04	12	15	..	..	..	8
9	32	22	22	..	..	..	..	..	30	..	10	..	9
10	02	07	14	13	..	12	..	..	06	..	..	06	10
11	..	..	02	..	..	78	..	20	15	..	12	..	11
12	16	13	..	..	..	..	106	19	..	..	16	60	12
13	07	12	08	..	..	76	..	..	..	..	68	..	13
14	03	04	..	..	..	17	..	15	..	20	30	..	14
15	17	..	40	..	..	20	..	07	..	..	33	06	15
16	03	03	37	..	53	9	..	..	..	05	..	..	16
17	18	..	20	..	08	05	04	10	..	09	..	..	17
18	..	05	17	..	..	41	06	30	..	..	..	21	18
19	32	..	03	..	..	06	70	..	..	10	..	..	19
20	25	20	..	03	..	..	..	21	..	16	04	..	20
21	09	06	04	..	20	06	120	08	..	40	..	..	21
22	..	..	38	..	30	..	10	..	..	10	..	..	22
23	08	14	02	..	143	05	..	18	..	..	..	12	23
24	03	05	14	..	..	..	14	45	..	..	11	..	24
25	29	..	..	..	..	22	30	06	..	..	..	14	25
26	06	..	..	..	..	..	25	21	..	..	21	11	26
27	15	16	05	..	..	16	28	94	..	80	14	30	27
28	..	..	06	..	..	12	40	..	..	48	..	14	28
29	..	..	..	05	19	02	8	42	..	30	60	16	29
30	..	..	14	..	..	..	16	03	80	10	..	14	30
31	07	..	09	..	..	..	02	..	..	10	..	..	31
Total	405	170	322	144	337	583	579	536	224	521	326	244	TOTAL for year
No. of Rain Days.	22	18	24	7	11	22	18	22	9	16	13	13	4068
W. 8,000, X. 11.	407	176	330	28	357	547	624	526	214	310	322	227	4068

Section

A

for the entry of Daily Observations

Station No.

3400

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19612

Kept at MARKET WEIGHTON, DALTON HOLME

COPY

in the County of YORKS.

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		13	05	02	02	35	40	08	27	06		13		1
2		03	17	02		29	50			10		3		2
3	17	26	02			62		43	15			10		3
4	25		34		06	46		37			43			4
5	04	04			34	45		04						5
6	125	07	03		04		06	38	11	02				6
7	04	03	03	03	08	03	04	12	15					7
8	32	22	22						30		10			8
9	02	07	14	13		12			06			06		9
10			02			78		20	15		12			10
11	16	13					106	19			16	60		11
12	07	12	08			76					68			12
13	03	04				17		15		20	30			13
14	17		40			20		07			33	06		14
15	03	03	37		53	09				05				15
16	18		20		08	05	04	10		09				16
17		05	17		41	06	30					21		17
18	32		03			06	70			10				18
19	25	20		03				21		16	04			19
20	09	06	04		20	06	120	08		40				20
21			38		30		10			10				21
22	08	14	02		143	05		18				12		22
23	03	05	14				14	45			11			23
24	29					22	30	06				14		24
25	06						25	21			21	11		25
26	15	16	05			16	28	94		80	14	30		26
27			06			12	40			48		14		27
28				05	19	02	08	42		30	60	16		28
29		03	14				16	03	80	10		14		29
30	07	X	09				02		15	10				30
31		X	11	X	30	X	45	25	X	04	X			31
TOTAL	4.07	1.76	3.30	.28	3.57	5.47	6.24	5.26	2.14	3.10	3.22	2.27	Year's Total	40.68
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Jan 11 est.
REGISTER OF RAINFALL IN 1913

Kept at Dalton Hall Gdn
in the County of E Yorks E3
by W. Jackson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Threlking bores
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 150 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	34	13	..	..	..	..	..	..	..	02	1
2	04	08	12	02	..	02	..	..	..	..	08	..	2
3	..	04	05	..	21	..	..	..	..	..	07	04	3
4	..	..	04	..	03	01	04	..	08	31	..	05	4
5	50	02	16	..	..	07	10	..	04	32	20	36	5
6	07	10	07	01	50	08	07	12	..	03	..	..	6
7	04	18	..	..	15	16	04	..	..	50	..	..	7
8	..	01	..	..	50	..	..	..	04	20	..	01	8
9	..	18	05	..	30	..	..	16	..	..	06	..	9
10	..	08	04	08	02	..	02	..	..	87	19	01	10
11	(1.00) 01	..	..	49	..	19	..	..	..	..	33	..	11
12	11	..	01	..	..	08	..	..	..	01	15	02	12
13	03	..	02	..	..	..	..	03	03	..	08	..	13
14	05	01	24	03	..	..	..	..	..	12	15	..	14
15	25	..	21	36	..	..	..	02	02	..	01	..	15
16	02	..	05	01	..	..	..	..	..	..	31	02	16
17	03	04	26	10	..	01	..	..	50	..	10	..	17
18	04	..	23	15	06	08	..	..	..	01	07	03	18
19	11	..	07	05	04	..	..	..	..	..	11	03	19
20	16	..	11	05	..	..	..	..	..	..	..	..	20
21	10	03	..	..	16	..	..	..	11	10	06	..	21
22	08	..	34	..	02	..	..	30	09	..	12	..	22
23	23	..	04	..	..	..	..	18	06	03	01	01	23
24	18	..	..	..	..	27	..	06	..	..	..	03	24
25	..	..	..	10	..	02	..	..	..	01	02	..	25
26	..	06	..	07	..	..	..	..	10	39	01	06	26
27	..	04	05	25	..	08	..	..	..	01	08	31	27
28	43	05	30	26	..	..	..	..	..	03	05	07	28
29	22	..	31	31	19	..	..	..	..	17	..	14	29
30	33	..	01	..	..	..	..	..	..	..	02	43	30
31	..	..	..	..	13	..	..	02	..	04	..	05	31
Total	303 (402) 21	92 14	311 23	247 17	231 13	107 12	27 5	87 7	107 10	245 17	228 22	169 18	YEAR'S TOTAL 2154 (2753) 157

from a friend who
takes a register
of rain, about
 $\frac{3}{4}$ of a mile from
here, & he informs
me that he register-
ed .85 for that
day, as a rule
our gauges differ
very little. I
am sorry but I
have no note of
any snow on that
date.

Yours faithfully
W. Jackson

✓
Dear Sir

In reply to
yours of the 15th and
the entry of rain on
the 11th Jan 1913. I
am sorry there
should have been
a mistake on the
part of my Foreman
who takes the
register. I have
made inquiries

REGISTER OF RAINFALL IN 1913

Kept at Dalton Holm
in the County of Wiltshire East
by John P. Jobling

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Exeter
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft. - in.
" " " " Sea Level 150 ft.

FORM A.
BRITISH RAINFALL.
11 MAY 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'03	—	30	13	—	—	—	—	—	—	07	—	1
2	—	07	11	—	—	02	—	—	—	—	08	03	2
3	—	03	06	—	31	—	—	—	02	1-27	—	04	3
4	47	—	04	—	02	01	03	—	05	52	18	29	4
5	03	01	14	—	01	04	07	02	03	16	—	—	5
6	02	12	07	01	45	03	09	—	—	02	—	—	6
7	—	16	—	—	12	06	01	—	—	57	—	—	7
8	—	01	—	01	63	07	—	01	04	21	06	—	8
9	—	15	04	04	18	—	—	05	—	—	10	—	9
10	—	08	03	03	—	—	04	—	—	12	41	—	10
11	85	—	—	42	—	15	—	—	—	—	14	—	11
12	06	—	—	—	—	07	—	—	—	—	06	—	12
13	02	—	—	01	—	—	—	01	02	01	14	—	13
14	05	02	22	—	—	—	—	—	—	10	—	—	14
15	22	—	19	32	—	—	—	—	01	—	28	—	15
16	01	—	13	05	—	—	—	—	16	—	11	—	16
17	03	02	16	08	—	—	—	—	46	—	07	01	17
18	—	—	23	11	01	07	—	—	01	—	09	03	18
19	11	—	04	05	03	—	—	—	—	—	—	—	19
20	15	—	09	04	—	—	—	—	10	09	09	—	20
21	08	02	—	—	12	—	03	07	—	—	07	—	21
22	06	—	29	—	—	—	—	27	18	—	01	—	22
23	20	—	03	—	01	—	—	08	05	—	—	—	23
24	20	—	—	—	—	26	—	05	—	—	—	—	24
25	—	—	—	08	—	01	—	—	09	—	—	03	25
26	—	04	03	05	—	01	—	—	—	41	08	34	26
27	—	02	01	14	—	06	—	—	—	01	03	05	27
28	41	05	24	31	01	—	—	—	—	02	—	14	28
29	17	X	26	26	20	—	—	04	—	—	—	32	29
30	35	X	—	—	—	—	01	—	—	16	02	02	30
31	—	X	—	X	11	X	—	—	X	—	X	—	31
Total	3.52	0.80	2.71	2.14	2.21	0.86	0.28	0.60	1.22	3.67	2.09	1.30	YEARS TOTAL 21.40
Rain Days.	4.3	2	7.03	9.17	11.38	12.24	12.52	13.12	14.34	17.91	20.00	21.30	21.40

REGISTER OF RAINFALL IN 1914

Kept at Dalton Holmes
 in the County of West Yorks 3
 by J. J. Holmes

Lat. _____ Long. _____
 Time of Observation 9 AM
 Nearest Railway Station Keighley Colliery
 Diameter of Rain Gauge 8 in. 3400
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft. _____ in.

FORM A
 BRITISH RAINFALL
 1-2 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	..	..	..	..	1-15	22	..	..	09	15	1
2	..	..	..	..	..	..	1-21	18	..	..	18	09	2
3	..	..	11	..	18	..	11	..	..	..	25	36	3
4	10	..	03	18	21	..	..	..	..	..	30	34	4
5	..	..	18	15	01	..	04	03	..	..	21	02	5
6	..	07	..	..	11	..	07	..	..	..	03	03	6
7	..	02	19	..	02	15	..	..	..	..	01	14	7
8	29	..	05	..	14	32	01	07	05	01	01	..	8
9	34	03	01	..	..	69	..	28	53	..	01	06	9
10	40	10	..	02	..	..	..	..	06	..	03	..	10
11	..	02	19	..	15	..	..	..	04	..	28	15	11
12	08	04	03	..	02	..	02	..	43	..	..	52	12
13	03	11	17	..	..	..	..	..	01	01	09	26	13
14	02	02	02	..	..	..	05	..	..	11	10	20	14
15	07	..	20	..	..	..	19	..	..	..	46	06	15
16	03	..	07	..	..	..	48	..	31	..	05	..	16
17	08	16	02	..	..	..	..	..	41	..	01	14	17
18	01	01	08	..	..	07	..	..	..	..	02	50	18
19	01	..	07	..	..	26	05	..	05	..	07	11	19
20	04	02	12	..	01	16	2	..	..	15	..	..	20
21	01	34	04	..	..	..	..	..	..	06	08	20	21
22	01	01	05	07	56	..	02	06	..	08	02	07	22
23	..	02	02	01	65	13	..	..	..	01	..	05	23
24	..	..	02	08	..	..	02	14	4	..	20	..	24
25	..	06	..	..	03	..	27	05	..	54	07	27	25
26	..	..	02	..	..	..	09	20	..	18	18	37	26
27	01	..	..	..	..	..	..	..	..	02	06	62	27
28	..	03	..	..	..	..	..	..	..	01	16	36	28
29	01	X	12	..	04	..	..	01	..	51	02	..	29
30	..	X	..	..	01	..	..	13	..	23	20	15	30
31	05	X	02	X	..	X	29	01	X	27	X	05	31
Total	1-59	95	183	51	214	324	407	268	189	199	319	527	2938
Rain Days.	18	15	23	6	14	7	16	12	9	14	27	25	186

REGISTER OF RAINFALL IN 1915

Kept at Dalton Holme
in the County of Yorkshire E3
by J. W. Jobling

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station 3 1/2 miles
Diameter of Funnel of Rain Gauge in. 3.400
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20	43	01	..	32	..	..	1-02	30	..	19	12	1
2	..	02	20	16	..	02	05	12	13	..	01	01	2
3	70	..	06	07	..	..	75	01	03	..	05	46	3
4	17	..	02	..	..	..	1-22	16	..	..	04	95	4
5	17	02	02	..	29	..	..	..	..	03	07	53	5
6	03	29	07	22	..	..	81	14	01	..	..	15	6
7	23	44	02	..	..	..	42	01	..	..	03	08	7
8	04	06	03	..	..	..	04	..	..	08	02	..	8
9	..	04	..	..	..	..	..	04	..	04	04	41	9
10	29	..	..	..	..	..	..	05	..	..	..	02	10
11	02	21	..	..	36	..	..	03	..	..	14	02	11
12	12	01	..	17	07	..	17	07	..	07	93	04	12
13	..	46	..	..	..	..	..	..	..	..	..	01	13
14	02	12	..	..	02	..	02	12	..	..	01	22	14
15	22	09	..	..	..	..	17	13	..	10	18	12	15
16	04	52	..	..	03	..	1-00	..	..	08	01	01	16
17	23	13	02	..	..	..	19	..	..	01	..	01	17
18	..	11	24	..	..	..	..	..	03	01	01	02	18
19	..	..	04	..	..	..	08	..	..	02	..	..	19
20	21	..	01	..	..	..	..	..	..	19	..	45	20
21	10	..	..	03	04	..	01	..	..	..	..	03	21
22	03	..	03	..	..	..	30	01	..	01	..	23	22
23	03	06	05	..	..	..	37	..	06	..	03	02	23
24	01	01	14	03	..	..	..	..	55	03	..	22	24
25	01	..	..	..	..	08	..	..	..	07	10	01	25
26	03	22	01	01	..	11	33	..	04	03	..	42	26
27	04	..	01	..	..	..	16	..	..	30	..	09	27
28	01	06	04	..	20	13	..	20	..	32	..	02	28
29	01	X	..	..	20	01	..	..	02	..	26	34	29
30	06	X	..	06	..	..	08	03	..	03	..	01	30
31	15	X	..	X	..	X	..	33	X	..	X	24	31
Total	3-17	3-30	1-02	75	1-53	35	6-17	247	1-17	1-42	2-12	5-26	25-73
Rain Days.	26	19	18	8	9	5	18	16	9	17	17	29	79

REGISTER OF RAINFALL IN 1916

Kept at Daldon Holme

in the County of Yorkshire East Riding

by John V. Jobling

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Thrupy Cotes 2 1/2 miles
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-10	-	-14	-	-	25	07	-	-	03	-25	~~2~~	1
2	-05	-13	24	-	23	-	-	-	10	10	-	-	2
3	-	-31	04	03	-	-	-	-	18	10	12	-	3
4	~~01~~	-15	02	-	71	41	-	-	~~07~~	57	38	03	4
5	-04	01	20	02	02	25	-	-	-	28	21	09	5
6	-	25	12	05	23	09	07	-	-	04	31	01	6
7	-	-	09	-	21	02	06	-	-	12	05	~~24~~	7
8	-	-	25	-	02	-	-	-	-	-	06	05	8
9	-	-	11	-	48	22	-	-	10	-	04	30	9
10	01	-10	02	10	-	07	04	-	04	34	-	10	10
11	-10	41	40	21	-	08	16	-	04	21	-	22	11
12	-13	01	31	07	25	23	83	-	-	01	-	09	12
13	-	04	21	-	23	-	33	14	-	86	-	05	13
14	-	10	01	02	12	-	-	61	-	02	-	-	14
15	07	13	48	01	-	-	-	70	03	02	-	-	15
16	-	11	06	13	-	-	16	27	-	01	-	08	16
17	02	-	01	30	-	-	06	08	15	09	-	-	17
18	-	23	-	43	21	01	-	32	22	13	98	-	18
19	08	-	01	06	-	-	-	-	04	01	26	20	19
20	-06	-	23	13	-	02	28	20	-	-	04	04	20
21	02	35	06	-	-	-	04	-	-	-	-	33	21
22	-	10	01	-	-	02	-	-	-	08	-	08	22
23	02	03	-	05	-	15	-	01	-	-	14	50	23
24	-	25	01	13	-	35	-	09	-	08	-	05	24
25	-	06	12	-	-	-	-	21	-	14	20	04	25
26	-	10	04	-	-	05	-	01	-	01	02	-	26
27	-	33	02	-	-	-	-	05	-	13	-	-	27
28	-	28	03	-	-	-	-	03	-	10	-	20	28
29	-	05	-	-	-	31	-	04	-	16	-	15	29
30	01	X	-	-	-	-	-	-	-	08	-	01	30
31	01	X	-	X	-	X	-	-	X	07	X	02	31
Total	0.73	3.53	3.24	1.68	2.71	2.54	2.78	0.97	3.79	3.06	2.88	30.06	
Rain Days.	15	22	26	15	11	16	11	14	10	26	14	22	202

REGISTER OF RAINFALL IN 1917

Kept at Dalton Holme
in the County of Yorks
by J P Jobling

Lat. 53-8 Long. 1-5
Time of Observation 9 am
Nearest Railway Station 3 miles Kipling coals
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			28	28				41	31		11	20	1
2	07		11			02		25	05		01		2
3		16	02	02		06		25	09				3
4		02	02	01					23				4
5	16		06	22				01		04	05		5
6									04	02	06		6
7	57		01			12				52		01	7
8	71		12					1-05		36	06		8
9	16		02	16				04	01	01	20	02	9
10	36		67	21	19			30		11	13		10
11	02		15	15				03		45	01		11
12	23		02	04	34			94		17	01	02	12
13	01		07	01				19	13	08		08	13
14	34		05	05				04		02		07	14
15	122		01	03		19		04	01		01	14	15
16	06		27			01		13				40	16
17	05	07	13	42	03	02	17	11	04			07	17
18	07		02	04	01	47	01	20					18
19	12	09	20		11	05		04	01				19
20	04	30	09	02		22		01	03		35		20
21		09	12					02	02	02			21
22			04			04		12	03	06			22
23	01		01	42				17		10			23
24						41	05	16		40	23	02	24
25		03	12							16	07	14	25
26			07			03		1-41	05	22	35	11	26
27			01			12	18	34				04	27
28			06			20	01	30		13		10	28
29	05	X					13	05		20	01	12	29
30	04	X	11	10			11	02		02	04		30
31	03	X	02	X		X	01	02	X	X	X		31
Total	3-22	76	175	200	156	1-31	1-18	6-52	100	345	170	1-54	25-99
Rain Days.	20	7	17	19	8	12	10	27	13	22	16	15	156

REGISTER OF RAINFALL IN 1918

Kept at Dalton Holme
in the County of Wiltshire North Wilts
by W. J. J. J.

Lat. 51° 00' N Long. 2° 00' W
Time of Observation 9 AM
Nearest Railway Station Salisbury 3 1/2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 2 ft.

Jan. 1, following.
0-00

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	03	03	06					14	01	23	14	1
2	06	30	--	14				02	19	03	00	35	2
3	-	04	04		20			01			36		3
4	-	04	07		15			12	44	01	26	30	4
5	-	-	01		29			1.05		06			5
6	-	44	--	65		09		01		03		02	6
7	12	06	--	07		11			01	08	17		7
8	01	-	05				54		12	05			8
9	05	25	--	01		08			48	46	02	12	9
10	-	07	--	01			07		05			08	10
11	15	04	--	01	53		06	01	04			12	11
12	-	09	05	01	10		24	04	15	10		04	12
13	-	01	--	02	07				12	03			13
14	16	-	--	03		01	16		35	02		20	14
15	02	-	--		01	14	24		1.07			27	15
16	07	-	01			03	02	03	57			12	16
17	24	-	--		26	05	1.40	04	03	10		30	17
18	19	-	03	22			23		58	01		06	18
19	24	01	03	21			04	11	14	15		08	19
20	06	32		07		01	03		09	02			20
21	06	01			13	03			21	24			21
22	03	-		01	04	01	03		03	02		34	22
23	14	-			43		30		03				23
24	-	04					15		13	02	18		24
25	-	-				03	40	27	03	01		03	25
26	-	-			01		24	16	36		11	07	26
27	-	08	06				01	35	30		13	07	27
28	-	13	29								08	34	28
29	-	X							15		04	18	29
30	-	X	40					01	10		07	38	30
31	-	X	18	X		X		08	X		X	03	31
Total	1.61	1.96	1.25	1.46	2.22	0.59	4.16	3.00	5.81	1.45	1.65	28.80	YEAR'S TOTAL
Rain Days.	16	17	13	14	12	11	17	15	26	19	11	22	193.

REGISTER OF RAINFALL IN 1919.

Kept at Estate yard Dalton Holme
 in the County of Yorks
 by John Prest-Jobling

Lat. _____ Long. _____
 Time of Observation 9 am
 Nearest Railway Station Thrupy Cotes
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 6 ft. _____ in.
 " " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	46	01		06	34		16		09	04	12	15	1
2	11	02	05		01		24		12		18	01	2
3	60	05			04	02	52		02		36	20	3
4	15	03	44		02	10		07	08		35	04	4
5	06		02						20		08	07	5
6	01		19							01	07	11	6
7			37	01	25							16	7
8			01	06	01		01	02			10	10	8
9	14		01	07						02	12		9
10	"		16	01						02	13	16	10
11	"		75	01	09		18			03	12		11
12	"		45	03		12			07	31	02		12
13	21		01	06		02	17	02	76	30	01	01	13
14	28			33				09	06		15		14
15	18	01	03	15							03	48	15
16	06	70		02	02					01	05	01	16
17		13			08	10		07			12		17
18								12				09	18
19		19	45				75	40			08	01	19
20	38	18				01	20	17	12			23	20
21	22	25	02			08	04	01	07		02	21	21
22		10				03	07		18		01	28	22
23			03			04				72	23	05	23
24				02	06	05			02	26	02	10	24
25	03	04		21				54					25
26			26					51	02	40	12	53	26
27	05	04		46		01				43	24	02	27
28	08			04				75		42		35	28
29	12	X	08			08				95		12	29
30	02	X	02	15		06		03		16	24	18	30
31	09	X	05	X		X	05	X		21	X	04	31
TOTAL	3.25	1.76	3.40	1.69	0.90	0.72	2.39	2.80	1.81	4.29	2.97	3.71	YEAR'S TOTAL 29.68
Days with 01 in. or more	19	13	10	16	9	13	11	13	13	16	24	26	191

REGISTER OF RAINFALL IN 1921

Kept at Dalton Holme
in the County of Yorkshire (East)
by J. P. Jobling

Lat. _____ Long _____
Time of Observation 9: AM
Nearest Railway Station Leaving 3 miles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft. 6 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

43

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	..	32	37	02	48	..	02	43	..	01	1
2	..	..	02	10	..	..	07	..	10	17	..	32	2
3	..	01	03	11	..	05	05	05	05	12	..	33	3
4	02	..	..	02	14	..	58	63	01	75	..	11	4
5	..	..	..	07	26	..	12	01	01	..	..	07	5
6	..	..	06	13	04	..	11	01	..	..	02	12	6
7	..	..	10	13	01	..	25	..	..	..	..	08	7
8	..	12	05	30	04	..	05	03	..	02	03	..	8
9	22	05	01	42	..	..	04	42	02	..	..	..	9
10	55	06	06	25	..	..	04	..	..	..	..	02	10
11	50	01	05	34	01	02	..	04	..	..	..	20	11
12	08	02	02	23	01	..	01	01	..	..	..	16	12
13	04	..	09	05	..	..	..	..	09	..	05	12	13
14	02	..	58	16	..	..	09	..	19	06	01	04	14
15	..	07	37	25	..	..	03	..	12	..	18	03	15
16	..	..	..	04	..	01	74	..	42	..	04	01	16
17	..	..	..	..	20	..	16	..	02	11	02	05	17
18	16	..	..	..	20	45	02	07	..	..	..	..	18
19	04	74	..	36	01	..	..	15	..	..	..	..	19
20	16	03	..	60	..	..	..	..	..	..	..	05	20
21	..	01	..	05	..	..	36	18	..	..	..	06	21
22	08	..	..	13	..	..	02	..	..	02	..	..	22
23	..	..	..	02	..	01	26	..	01	02	..	21	23
24	..	..	35	12	..	01	04	..	..	..	..	03	24
25	..	10	05	03	..	52	36	..	..	..	..	..	25
26	07	06	10	15	14	05	18	..	..	..	..	02	26
27	10	06	..	21	37	02	..	..	..	..	23	16	27
28	77	..	11	04	03	01	06	..	01	..	22	09	28
29	06	..	12	02	70	..	02	..	01	..	08	39	29
30	07	..	..	05	01	..	..	..	23	..	17	20	30
31	22	..	02	..	01	..	08	..	..	..	..	25	31
TOTAL	3.16	1.34	2.14	4.75	2.55	1.17	5.18	16.0	13.5	1.70	1.05	3.13	YEAR'S TOTAL
Days with 0.1 in. or more	17	13	18	28	17	11	26	11	15	9	7	25	29.12
Days with 0.4 in. or more	13	8	13	24	10	4	20	7	7	6	7	19	200

✓ and pwp. (Jan) 13. IV. 14
REG
Kept in the County of York
by Geo. Cobb

~~MARK~~
MARKET WEIGHTON
GLEAVING GRANGE
1913

W
orough
in.
nd 1 ft. 6 in.
level 150 ft.
result entered to the
rule, he is earnestly
the space provided
Jan. 1, following.

IMPORTANT NOTE
previous day. If an observer is requested to add the result for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02		.13	.15							.08		1
2		.03	.06			.04					.05	.02	2
3					.13				.01	.23	.01	.04	3
4	.02	.01			.02	.02	.01			.77	.29	.31	4
5	.49					.16	.14	.01	.06	.25	.01		5
6		.4	.17		.38	.02	.04			.07	.01		6
7	.02	.13		.01	.04		.01			.55	.01		7
8		.01			.45	.19			.04	.15	.06		8
9		.12	.05		.22			.06			.01	.01	9
10		.05	.01	.09			.01			.06	.50		10
11				.38 snow		.10					.07		11
12	.57 snow					.05					.05		12
13				.04			.03	.05	.10		.10		13
14		.03	.18							.12	.01	.01	14
15	.13		.11	.24							.25		15
16	.22		.05		.17	.03					.07		16
17		.02	.14	.11		.02			.38			.01	17
18	.02		.16	.07	.05		.01				.10	.03	18
19	.02		.03	.02									19
20	.03		.06	.04					.03	.13	.06		20
21	.06	.03					.03	.08	.01		.08		21
22	.05		.17		.14	.01		.31	.08		.02	.02	22
23	.06					.01		.11	.06	.03			23
24	.24					.22		.05			.02		24
25	.12			.17		.02			.11	.01	.01	.05	25
26				.03					.01	.40	.09	.25	26
27		.05		.35		.11					.08	.05	27
28			.08	.24							.01	.17	28
29	.12		.19	.25	.05					.03	.01	.45	29
30	.21									.24		.12	30
31	.19 (.02)				.22					.01			31
Total	2.59	.59	1.59	2.19	1.87	1.00	.28	.67	.89	3.05	2.06	1.54	18.32
Rain Days.	18	11	15	15	11	14	8	7	11	15	26	14	165

✓ and for W.P. (Jan) 13-14-15

REGISTER

BRITISH RAINFALL FORM A.
12 JAN 1914

Kept at blea my farm
in the County of York
by Geo Cobb

Lat. 55.54 Long. 0.42W
Time of Observation 9 AM
Nearest Railway Station Londesborough
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.13	.15							.08		1
2		.03	.06			.04					.05	.02	2
3					.13				.01	.23	.01	.04	3
4	.02	.01			.02	.02	.01			.77	.29	.31	4
5	.49					.16	.14	.01	.06	.25	.01		5
6		.04	.17		.38	.02	.04			.07	.01		6
7	.02	.13		.01	.04		.01			.55	.01		7
8		.01			.45	.19			.04	.15	.06		8
9		.12	.05		.22			.06			.01	.01	9
10		.05	.01	.09			.01			.06	.50		10
11				.38 snow		.10					.07		11
12	.57 snow					.05					.05		12
13				.04			.03	.05	.10		.10		13
14		.03	.18							.12	.01	.01	14
15	.13		.11	.24							.25		15
16	.22		.05		.17	.03					.07		16
17		.02	.14	.11		.02			.38			.01	17
18	.02		.16	.07	.05		.01				.10	.03	18
19	.02		.03	.02									19
20	.03		.06	.04					.03	.13	.06		20
21	.06	.03					.03	.08	.01		.08		21
22	.05		.17		.14	.01		.31	.08		.02	.02	22
23	.06					.01		.11	.06	.03			23
24	.24					.22		.05			.02		24
25	.12			.17		.02			.11	.01	.01	.05	25
26				.03					.01	.40	.09	.25	26
27		.05		.35		.11					.08	.05	27
28			.08	.24							.01	.17	28
29	.12		.19	.25	.05					.03	.01	.45	29
30	.21									.24		.12	30
31	.19				.22					.01			31
Total	2.59	.59	1.59	2.19	1.87	1.00	.28	.67	.89	3.05	2.06	1.54	18.32
Rain Days.	18	11	15	15	11	14	8	7	11	15	26	14	165

S.F.

WATERWORKS ENGINEER'S OFFICE,

CHAS. G. HENZELL, M. INST. C.E.

TELEPHONE (PERSONAL 1535.
Nos OFFICE 2424.

ALL COMMUNICATIONS TO BE ADDRESSED TO THE
WATERWORKS ENGINEER.



ENCLOSURE.

17 APR 1914

GREAT GEORGE STREET,

LEEDS.

16th. April 1914.

Dr. Hugh Robert Mill,
62, Camden Square,
LONDON. N.W.

Dear Sir,

I thank you for your letter of the
14th. inst., and have made the necessary alterations
and return you the forms herewith.

Yours faithfully,

Waterworks Engineer.

Kept at Leighton
in the County of York
by Cler. G. W.

MASHAM MOOR
LEIGHTON RESERVOIR
YORKSHIRE

FORM A.
BRITISH RAINFALL.
18 FEB 1914
in.
nd / ft. 0 in.
level 634.40 ft.
ctions for the measurement
ent post-free on application

NOTE.—Rain should be me
of rain and particulars as to the
to Dr. H. R. MILL, 62, Camden

1913

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.01	0.25	0.13	-	-	-	-	-	-	0.13	0.01	1
2	-	0.00	0.66	0.03	-	0.14	-	-	-	0.02	0.16	0.02	2
3	0.18	0.12	0.15	-	0.54	-	0.07	-	0.03	0.05	0.01	0.02	3
4	0.33	0.03	0.08	-	0.02	0.07	0.09	-	0.02	0.23	0.05	0.39	4
5	0.46	0.08	0.21	0.01	-	0.52	0.25	-	0.02	0.12	-	-	5
6	0.02	0.42	0.45	0.02	0.47	0.07	0.97	0.03	-	0.12	0.01	-	6
7	-	0.84	0.03	0.02	0.27	0.10	-	-	-	1.07	-	-	7
8	0.03	0.07	0.01	-	0.74	0.02	-	0.13	-	0.33	0.17	0.01	8
9	-	0.05	0.12	-	0.23	0.52	0.01	0.12	-	-	0.09	-	9
10	0.04	0.02	0.24	0.06	0.02	-	-	-	-	-	0.15	0.01	10
11	1.26	-	-	0.41	0.02	-	-	-	-	0.02	0.13	0.03	11
12	0.08	-	-	0.01	0.01	-	-	0.02	0.17	-	0.22	-	12
13	0.05	-	0.09	0.04	-	-	-	0.02	0.26	0.02	0.06	-	13
14	0.22	0.06	0.40	0.22	-	0.01	0.01	-	-	0.13	0.03	-	14
15	0.14	0.02	0.66	0.49	-	-	-	0.07	-	-	0.39	0.02	15
16	0.02	-	0.07	0.01	-	-	0.03	0.02	-	-	0.05	-	16
17	0.02	0.01	0.09	0.10	-	0.01	0.03	0.01	0.10	-	0.15	-	17
18	0.04	-	0.66	0.42	0.09	0.04	0.02	-	-	0.01	0.35	0.01	18
19	0.38	-	0.32	0.14	0.02	-	-	-	0.08	0.06	0.15	-	19
20	0.47	-	0.11	0.06	-	-	-	0.01	0.17	0.12	0.62	-	20
21	0.08	-	0.08	-	0.11	-	0.16	0.33	-	-	-	-	21
22	0.09	-	0.88	-	0.02	-	-	0.24	-	-	-	-	22
23	0.17	-	0.06	-	-	0.09	-	0.20	0.14	0.01	0.07	-	23
24	0.35	-	-	0.05	0.01	0.17	0.01	0.02	-	-	0.02	-	24
25	-	-	-	0.06	-	-	-	-	0.51	0.02	0.05	0.16	25
26	-	-	0.11	0.61	-	-	-	-	0.23	0.13	-	0.65	26
27	-	0.04	0.02	0.45	-	0.04	-	-	0.01	0.08	-	0.39	27
28	0.61	-	0.42	0.40	-	-	-	-	-	0.05	-	0.20	28
29	0.04	-	0.68	0.36	0.04	-	-	0.20	-	0.12	0.03	0.16	29
30	0.81	-	-	-	0.07	0.01	-	0.01	-	0.13	-	-	30
31	0.15	-	0.03	-	0.03	-	-	-	-	-	-	0.01	31
Total	6.06	1.87	6.88	4.10	2.71	1.81	1.65	1.43	1.74	2.84	3.09	2.09	TOTAL for year 36.27
No. of Rain Days	25	14	26	22	17	14	11	15	12	20	22	15	213

copy 2/10
2/10
1/11/14

F

RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
18 FEB 1914

Kept at Leighton Reservoir
in the County of Yorkshire N.R.
by Chas. E. Kempster

Lat. 54°-12'-24" Long. 10°-45'-9"
Nearest Railway Station Thadham
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 634.40 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.01	0.25	0.13	-	-	-	-	-	-	0.13	0.01	1
2	-	0.01	0.66	0.03	-	0.14	-	-	-	0.02	0.16	0.02	2
3	0.18	0.12	0.15	-	0.54	-	0.07	-	0.03	0.05	0.01	0.02	3
4	0.33	0.03	0.08	-	0.02	0.07	0.09	-	0.02	0.23	0.05	0.39	4
5	0.46	0.08	0.21	0.01	-	0.52	0.25	-	0.02	0.12	-	-	5
6	0.02	0.42	0.45	0.02	0.47	0.07	0.97	0.03	-	0.12	0.01	-	6
7	-	0.84	0.03	0.02	0.27	0.10	-	-	-	1.07	-	-	7
8	0.03	0.07	0.01	-	0.74	0.02	-	0.13	-	0.33	0.17	0.01	8
9	-	0.05	0.12	-	0.23	0.52	0.01	0.12	-	-	0.09	-	9
10	0.04	0.02	0.24	0.06	0.02	-	-	-	-	-	0.15	0.01	10
11	1.26	-	-	0.41	0.02	-	-	-	-	0.02	0.13	0.03	11
12	0.08	-	-	0.01	0.01	-	-	0.02	0.17	-	0.22	-	12
13	0.05	-	0.09	0.04	-	-	-	0.02	0.26	0.02	0.06	-	13
14	0.22	0.06	0.40	0.22	-	0.01	0.01	-	-	0.13	0.03	-	14
15	0.14	0.02	0.66	0.49	-	-	-	0.07	-	-	0.39	0.02	15
16	0.02	-	0.07	0.01	-	-	0.03	0.02	-	-	0.05	-	16
17	0.02	0.01	0.09	0.10	-	0.01	0.03	0.01	0.10	-	0.15	-	17
18	0.04	-	0.66	0.42	0.09	0.04	0.02	-	-	0.01	0.35	0.01	18
19	0.38	-	0.32	0.14	0.02	-	-	-	0.08	0.06	0.15	-	19
20	0.47	-	0.11	0.06	-	-	-	0.01	0.17	0.12	0.62	-	20
21	0.08	-	0.08	-	0.11	-	0.16	0.33	-	-	-	-	21
22	0.09	-	0.88	-	0.02	-	-	0.24	-	-	-	-	22
23	0.17	-	0.06	-	-	0.09	-	0.20	0.14	0.01	0.07	-	23
24	0.35	-	-	0.05	0.01	0.17	0.01	0.02	-	-	0.02	-	24
25	-	-	-	0.06	-	-	-	-	0.51	0.02	0.05	0.16	25
26	-	-	0.11	0.61	-	-	-	-	0.23	0.13	-	0.65	26
27	-	0.04	0.02	0.45	-	0.04	-	-	0.01	0.08	-	0.39	27
28	0.61	-	0.42	0.40	-	-	-	-	-	0.05	-	0.20	28
29	0.04	-	0.68	0.36	0.04	-	-	0.20	-	0.12	0.03	0.16	29
30	0.81	-	-	-	0.07	0.01	-	0.01	-	0.13	-	-	30
31	0.15	-	0.03	-	0.03	-	-	-	-	-	-	0.01	31
Total	6.06	1.87	6.88	4.10	2.71	1.81	1.65	1.43	1.74	2.84	3.09	2.09	TOTAL for year 36.27
No. of Rain Days	25	14	26	22	17	14	11	15	12	20	22	15	213

MASHAM MOOR.
BREARY BANK

BREARY REG
BANK

Kept at Buary Bank
in the County of Yorkshire
by Ces. G. Kenyon

NOTE.—Rain should be measured
of rain and particulars as to the British
to Dr. H. R. MILL, 62, Camden Square

1913

FORM A.
BRITISH RAINFALL.
18 FEB 1914
n. 1 ft. 0 in.
600 ft.
is for the measurement
post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	-	0.25	0.11	-	-	-	-	0.01	-	0.14	-	1
2	0.01	0.10	0.78	0.04	-	0.12	-	-	-	0.01	0.15	0.02	2
3	0.17	0.12	0.21	-	0.48	-	0.07	-	0.02	0.04	-	0.03	3
4	0.29	0.06	0.12	-	0.01	0.07	0.10	-	0.02	0.21	0.04	0.37	4
5	0.48	0.10	0.17	-	-	0.54	0.01	0.05	0.02	0.13	-	-	5
6	0.02	0.49	0.54	0.01	0.48	0.08	1.10	-	-	0.12	0.01	-	6
7	-	0.98	0.04	0.02	0.27	0.06	-	-	-	1.08	0.01	-	7
8	0.02	0.06	-	-	0.78	0.04	-	0.08	-	0.27	0.15	0.01	8
9	-	0.04	0.10	0.01	0.22	0.55	-	0.14	-	-	0.12	-	9
10	0.03	0.01	0.23	0.06	0.02	-	-	-	-	-	0.14	-	10
11	1.54	-	-	0.41	0.02	-	-	-	-	0.02	0.13	0.03	11
12	0.06	-	-	-	-	-	-	0.02	0.22	-	0.24	-	12
13	0.05	-	0.10	0.08	-	-	-	0.02	0.25	0.02	0.07	-	13
14	0.20	0.06	0.44	0.18	-	-	0.04	-	-	0.14	0.02	-	14
15	0.13	0.01	0.62	0.54	-	-	-	0.07	-	-	0.36	0.03	15
16	0.01	-	0.05	0.01	-	-	0.01	-	-	-	0.05	-	16
17	0.01	0.01	0.06	0.08	-	-	0.02	0.01	0.08	-	0.16	-	17
18	0.03	-	0.67	0.40	0.07	0.04	0.02	-	-	-	0.37	0.01	18
19	0.38	-	0.30	0.11	0.03	-	-	-	0.17	0.08	0.15	-	19
20	0.47	-	0.13	0.07	-	-	-	0.01	0.17	0.13	0.65	-	20
21	0.08	-	0.08	0.01	0.12	-	0.12	0.34	-	-	-	-	21
22	0.11	-	0.92	-	0.01	-	-	0.23	0.05	-	-	-	22
23	0.17	-	0.04	-	-	0.09	-	0.12	0.13	-	0.06	-	23
24	0.40	-	-	0.06	-	0.26	-	0.03	-	-	0.01	-	24
25	-	-	-	0.06	-	-	-	-	0.54	0.01	0.04	0.12	25
26	-	-	0.11	0.65	-	0.01	-	-	0.28	0.12	-	0.82	26
27	-	0.03	0.02	0.45	-	0.04	-	-	-	0.09	-	0.23	27
28	0.56	-	0.45	0.42	-	-	-	-	-	0.03	-	0.14	28
29	0.04	-	0.64	0.36	0.04	-	-	0.26	-	0.13	0.02	0.15	29
30	0.89	-	-	-	0.08	0.01	-	-	-	0.14	-	0.03	30
31	0.12	-	0.04	-	0.02	-	-	-	-	-	-	-	31
Total	6.31	2.07	7.11	4.14	2.65	1.91	1.49	1.38	1.96	2.77	3.12	1.99	TOTAL for year 26.90
No. of Rain Days	26	13	25	22	15	13	9	13	13	18	22	13	202

Kept at Buary Bank.
in the County of Yorkshire N.R.
by Ces. G. Kenyon

Lat. 54° 13' 34" Long. 1° 45' 20.5"
Nearest Railway Station Grasham
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 600 ft.

FORM A.
BRITISH RAINFALL.
18 FEB 1914

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	-	0.25	0.11	-	-	-	-	0.01	-	0.14	-	1
2	0.01	0.10	0.78	0.04	-	0.12	-	-	-	0.01	0.15	0.02	2
3	0.17	0.12	0.21	-	0.48	-	0.07	-	0.02	0.04	-	0.03	3
4	0.29	0.06	0.12	-	0.01	0.07	0.10	-	0.02	0.21	0.04	0.37	4
5	0.48	0.10	0.17	-	-	0.54	0.01	0.05	0.02	0.13	-	-	5
6	0.02	0.49	0.54	0.01	0.48	0.08	1.10	-	-	0.12	0.01	-	6
7	-	0.98	0.04	0.02	0.27	0.06	-	-	-	1.08	0.01	-	7
8	0.02	0.06	-	-	0.78	0.04	-	0.08	-	0.27	0.15	0.01	8
9	-	0.04	0.10	0.01	0.22	0.55	-	0.14	-	-	0.12	-	9
10	0.03	0.01	0.23	0.06	0.02	-	-	-	-	-	0.14	-	10
11	1.54	-	-	0.41	0.02	-	-	-	-	0.02	0.13	0.03	11
12	0.06	-	-	-	-	-	-	0.02	0.22	-	0.24	-	12
13	0.05	-	0.10	0.08	-	-	-	0.02	0.25	0.02	0.07	-	13
14	0.20	0.06	0.44	0.18	-	-	0.04	-	-	0.14	0.02	-	14
15	0.13	0.01	0.62	0.54	-	-	-	0.07	-	-	0.36	0.03	15
16	0.01	-	0.05	0.01	-	-	0.01	-	-	-	0.05	-	16
17	0.01	0.01	0.06	0.08	-	-	0.02	0.01	0.08	-	0.16	-	17
18	0.03	-	0.67	0.40	0.07	0.04	0.02	-	-	-	0.37	0.01	18
19	0.38	-	0.30	0.11	0.03	-	-	-	0.17	0.08	0.15	-	19
20	0.47	-	0.13	0.07	-	-	-	0.01	0.17	0.13	0.65	-	20
21	0.08	-	0.08	0.01	0.12	-	0.12	0.34	-	-	-	-	21
22	0.11	-	0.92	-	0.01	-	-	0.23	0.05	-	-	-	22
23	0.17	-	0.04	-	-	0.09	-	0.12	0.13	-	0.06	-	23
24	0.40	-	-	0.06	-	0.26	-	0.03	-	-	0.01	-	24
25	-	-	-	0.06	-	-	-	-	0.54	0.01	0.04	0.12	25
26	-	-	0.11	0.65	-	0.01	-	-	0.28	0.12	-	0.82	26
27	-	0.03	0.02	0.45	-	0.04	-	-	-	0.09	-	0.23	27
28	0.56	-	0.45	0.42	-	-	-	-	-	0.03	-	0.14	28
29	0.04	-	0.64	0.36	0.04	-	-	0.26	-	0.13	0.02	0.15	29
30	0.89	-	-	-	0.08	0.01	-	-	-	0.14	-	0.03	30
31	0.12	-	0.04	-	0.02	-	-	-	-	-	-	-	31
Total	6.31	2.07	7.11	4.14	2.65	1.91	1.49	1.38	1.96	2.77	3.12	1.99	TOTAL for year 26.90
No. of Rain Days	26.	13.	25.	22.	15.	13.	9.	13.	13.	18.	22.	13.	202.

RE

Kept at

in the County of

MAUNBY HALL
YORKSHIRE

by Alan Hill-M

IMPORTANT NO

previous day. If an O
requested to add the rea
for it at the end of thi
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

-20

ong.

on

e

above Ground 20.00 ft. in.

Sea Level 90 ft.

and the result entered to the
universal rule, he is earnestly
year in the space provided

Jan. 1, following.

0.00

Gruch taken

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1							.93	.13		.5		.22	1
2							.89	.30			.21	.4	2
3					.18						.5	.48	3
4			.5	.13	.11							.44	4
5			.4		.4						.21	.5	5
6	.10				.5						.3	.10	6
7			.25			.32					.9	.11	7
8					.15	.30	.14						8
9	.28			.13		.62			.9		.4		9
10	.21	.16										.3	10
11		.18	.13								.17		11
12		.5						.8				.30	12
13		.7	.15									.21	13
14		.17					~~.10~~ now					.18	14
15			.8								.68		15
16			.12				1.71	.12					16
17	.8							.73				.7	17
18			.11			.28						.15	18
19											.10	.7	19
20		.12	.12			.13							20
21		.34								.5			21
22						.33				.6		.5	22
23					.45	.23					.4	.10	23
24			.7		.12			.14			~~.8~~		24
25							.5			.54	~~.8~~	.35	25
26											.28	.37	26
27											.4	.36	27
28											.12		28
29			.10					.17		.20	.4		29
30		X	.14							.4	.3		30
31	.18	X	.8	X		X	.28		X	.18	X	.38	31
Total	.85	1.09	1.44	.26	1.10	2.21	4.05	.79	1.02	1.12	1.93	4.06	19.92
Rain Days	5	7	13	2	7	7	6	5	4	7	15	20	98

RE

FORM A.
BRITISH RAINFALL

9 JAN 1915

Kept at

NEWBY WISKE

in the County of

MAUNBY HALL

York

by Alan Hill-Walker

THIRSK

NR 2

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Newby Wiske

Diameter of Rain Gauge 4 1/4 in.

Height of top of Gauge above Ground 96 ft.

" " " " Sea Level 96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

8.00

much taken

Results, also, entered for 1st Jan. 1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Data
1							.93	.13		.5		.22	1
2							.89	.30			.21	.4	2
3					.18						.5	.48	3
4			.5	.13	.11							.44	4
5			.4		.4						.21	.5	5
6	.10				.5						.3	.10	6
7			.25			.32					.9	.11	7
8					.15	.30	.14						8
9	.28			.13		.62			.9		.4		9
10	.21	.16										.3	10
11		.18	.13								.17		11
12		.5							.8			.30	12
13		.7	.15									.21	13
14		.17					~~.10~~					.18	14
15			.8				~~.10~~				.68		15
16			.12				1.71		.12				16
17	.8								.73			.7	17
18			.11			.28						.15	18
19											.10	.7	19
20		.12	.12			.13							20
21		.34								.5			21
22						.33				.6		.5	22
23					.45	.23					.4	.10	23
24			.7		.12			.14			~~.14~~		24
25								.5		.54	~~.14~~	.35	25
26										~~.14~~	~~.14~~	.37	26
27										.4		.36	27
28										.12			28
29			.10					.17		.20	.4		29
30		~~X~~	.14							.4	.3		30
31	.18	~~X~~	.8	~~X~~		~~X~~	.28		~~X~~	.18	~~X~~	.38	31
Total	.85	1.09	1.44	.26	1.10	2.21	4.05	.79	1.02	1.12	1.93	4.06	19.92
Rain Days	5	7	13	2	7	7	6	5	4	7	15	20	98

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Mansby Park
in the County of York
by Alan Hill-Walker

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Stirlington, N.E. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.20	.26		.18		.15	.16			.3		1
2	.5	.12		.7			.10	.70			.10		2
3	.47	—		.14			.25				.5	.48	3
4	.11	—						.34			.3	.32	4
5	.20	.13			.8							.70	5
6	.12	.34	.14	.11			.82	.19		.6		.15	6
7	.26		.3				.45						7
8	.14	.42					.6	.4					8
9	.4						.12	.4				.12	9
10	.13	.3	.10					.30				.50	10
11	—	.8			.60								11
12	.13			.21	.5					.14	.4		12
13		.15					.10						13
14		.6						.5				.11	14
15	.24						.4	.4			.57		15
16		.30					.60	.25		.6			16
17		.40					.14	.5				.11	17
18		.6	.25								.15	.5	18
19			.10										19
20							.7			.3		.43	20
21	.37			.7								.15	21
22			.5										22
23	.16	.16	.6				.19						23
24			.6	.5					.42			.14	24
25		.22				.15				.3			25
26						.25	.14	.25				.24	26
27		.17				.5	.11			.27		.36	27
28		.4			.10			.32		.10			28
29					.28						.5	.34	29
30		X		.11		.60					.20		30
31	.23	X		X		X	.23		X		X	.14	31
Total	3.06	2.88	1.95	1.76	1.19	1.95	3.58	2.38	.42	.69	1.22	4.34	22.58
Rain Days.	16	17	10	7	6	4	16	12	1	7	9	16	121

REGISTER OF RAINFALL IN 1916

4569
Form A.
BRITISH RAINFALL
21 JAN 1917

Kepi at

in the County of

by

PARCELS
NEWBY WISKE

MAUNBY HABLE
THIRSK W-R

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

8

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	2.4	.6					1.31						1
2			2.3										2
3		.6	.10	.13						.15			3
4	.4	.36	.5		.58		.82		1.90		1.40		4
5					.48	.42				.23	.30		5
6		2.4	.7	.8	.38	.29					.18		6
7		.9	.10		.18		.19			.35	.24	.25	7
8		.13	.12		.8					.8			8
9			.18		.15								9
10						.18	.11					.13	10
11	.8	.38	.17	.10									11
12			.21		.64		.18						12
13			.23		.4	.20	.62						13
14		.22	.14				.25			.70		.30	14
15		.19	.149										15
16		.19	.16										16
17				.11			.12						17
18	.4	.29		.12					.25		.95		18
19	.6		.20	.12					.35	.23			19
20			.7	.17									20
21			.15	.8			.12						21
22		.23											22
23		.5				.11							23
24			.10	.9					.6		.21		24
25					.10	.30							25
26	.8	.10			.11			.25	.17				26
27		.15											27
28			.10		.3			.23	.88	.88	.10		28
29		.18										.38	29
30		X											30
31		X		X		X			X	.41	X		31
Total	.52	2.75	2.66	1.06	2.77	1.50	2.22	1.46	2.50	2.76	2.17	1.27	23.64
Rain Days.	6	16	18	9	11	6	9	?	3	10	6	5	109

REGISTER OF RAINFALL IN 1917

Kept at Mansley, Thorsik,
in the County of York
by A. Hill-Walker

Lat. as before Long. as before
Time of Observation as before
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge as before
Height of top of Gauge above Ground as before in.
" " " " Sea Level as before ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.108					.60							1
2								1.20			.13		2
3				.30				.19					3
4								.13		.18			4
5													5
6											.05		6
7						.30							7
8								.45		.40			8
9				.60				2.00		.14			9
10								.48					10
11			1.00					.20		.19			11
12					.45						.39	.1	12
13	2.70		.20		.24	.50		.21		.84		.6	13
14				.45	.03			.30				.9	14
15					.22			.28		.6			15
16							.6	.56					16
17	.58												17
18	.09				.11								18
19		.18			.09		.27						19
20				.54	.12	.12							20
21	.08	.51				.30		.0		.20			21
22						.10		.0					22
23								.0					23
24													24
25							.13						25
26											.16		26
27				.03		.21	.29						27
28			.70							.62			28
29						.26	.15				.05		29
30		X					.07			.28			30
31		X		X		X			X		X		31
Total	3.78	.69	1.90	1.99	1.86	2.39	2.97	9.03	1.80	2.71	1.88	1.35	27.20
Rain Days.	3.45	.69	1.90	1.92	1.56	1.79	.97	9.00	.80	2.81	.98	1.41	27.18

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
6.1.18

Kept at

in the County of

by Alan Hill-Walker

STATION,
OTTERINGTON,
MAUNBY HALL,
THIRSK,

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

British Rainfall Organization.

HUGH ROBERT MILL, D.Sc.
Chairman of Trustees and Director.
CARLE SALTER, Assistant Director.
BRITISH RAINFALL.
SYMONS'S METEOROLOGICAL MAGAZINE.
Telephone: North 142.

62, Camden Square,

London, N.W.1

6yth May, 1919.

Major Alan Hill-Walker, V. C. ,

Maunby Hall.,

Thirsk.

Dear Sir,

In preparing for publication the rainfall returns for last year which you have been so kind as to send us, a trifling discrepancy has been observed between the total for the year and the sum of the monthly totals. A careful comparison with other records leads us to believe that no error occurs in the monthly totals, ^{except that January should be 2.46, not 2.44,} and we propose therefore to adopt the correct total making it 25.96 instead of 22.44 inches.

If by any chance you do not concur in this modification we should be much obliged if you would kindly let us know.

Yours sincerely.

Carle Salter

Dear Sir, Certainly make the alteration
soon for my mistake.

The Director
Brit. Rainfall Organi.

Alan Hill-Walker

31	1	X	.19	X		X			X		X	.46	31
Total	2.46	1.55	1.04	.68	2.08	.86	3.50	2.14	5.51	1.81	1.28	3.05	22.44
Rain Days.	4	3	4	2	4	2	12	5	16	5	6	6	69

The following table shows the results of the comparison of the monthly totals of the year with the totals of the months of the year. The results are given in the following table. The results are given in the following table. The results are given in the following table.

The following table shows the results of the comparison of the monthly totals of the year with the totals of the months of the year. The results are given in the following table. The results are given in the following table.

The following table shows the results of the comparison of the monthly totals of the year with the totals of the months of the year. The results are given in the following table. The results are given in the following table.

1													1
2													2
3													3
4				1.05									4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	2.46	1.55	1.04	.68	2.08	.86	3.50	2.14	5.51	1.81	1.28	3.05	22.44
Rain Days	4	3	4	2	4	2	12	5	16	5	6	6	69

REGISTER OF RAINFALL IN 1919

Kept at Mansby Hall Thurst.
in the County of York. N. Riding
by Rever. H. B. Walker

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

(-10)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—				.31		.30	.8			.12		1
2	—				.29		.35		.21	.10	.18	.26	2
3	.40				.25		.46				.4		3
4	.58						.11				.6	.10	4
5				2				.4	.15		.9	.8	5
6	.38		.44								.5		6
7			.22		.5						.4	.6	7
8					.6								8
9			.9		.14						.26		9
10						.23					.10		10
11			.175		.16						.16	.28	11
12					.13		.16						12
13			.19				.23			.32			13
14							.5	.12		.17			14
15	.49									.5			15
16				1.08								1.04	16
17		.58											17
18				.12							.54		18
19			.82										19
20							.45	.47			.31	.10	20
21	.65	.36				.09		.14				.14	21
22									.10		.6	.7	22
23	.6											.15	23
24		.33								.65	.4	.11	24
25				.11		.48				.43	.79		25
26								.50					26
27	.10		.15	.5			.38				.30	.48	27
28				.29						.43	.16		28
29				.15			.96			.38		.36	29
30							.4			1.09		.14	30
31										.26		.27	31

TOTAL 2.56 1.2 2.3 1.82 1.39 .80 .21 2.83 .46 .49 2.73 3.65 26.31

Days with .01 in. or more 7 3 7 7 8 3 8 9 3 11 17 16 97

REGISTER OF RAINFALL IN 1920.

Kept at Maulby Hall
in the County of Yorkshire
by Major Hill Walpole

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Clatterington
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12		.4		.9				.13	.9	.16	1
2				.26	.59	.7	.40			.14			2
3			.20	.14	.5		.26		.16	.7		.28	3
4				.19			.36	.11	.13	.41		.15	4
5				.9			.69	.58	.12	.79		.54	5
6					.14		.13			.5			6
7			.33				(.4)						7
8	.20		.9	.5			.28				.10		8
9				.23	.9		.24	.10					9
10		.6		.34			.7						10
11	.77	.8		.52			.19	.9					11
12	.24			.11	.13								12
13	.12		.16	.20			.5					.53	13
14	.8		.6	.14							.31	.19	14
15		.14	.48	.15					.22	.15			15
16		.11	.15	.17						1.18			16
17							.46		.12		.6		17
18					.16			.16	.6				18
19	.23				.10		.11		.10				19
20		.37		.23				.17					20
21	.4			.14		.14							21
22				.16			.35	.34	.8				22
23	.5			.13									23
24			.8				.21					.24	24
25	.5		.32	.8			.9					.7	25
26		.12	.10				.51						26
27			(.22)				.12						27
28	.33			.8	.21	.41					.32		28
29	.24	.5	.29	.14			.6				.7	.12	29
30	.19		.13		.81		.5				.5	.54	30
31	.3											.20	31
TOTAL	2.56	1.05	2.61	3.59	2.28	7.7	4.67	1.55	.13	.09	.16	.17	YEARS TOTAL
Days with ".01 in. or more	2.68	.93	2.65	3.55	2.37	.62	20	7	.11	.28	1.07	3.03	26.95
Days with ".04 in. or more	14.13	7.8	14.13	20	10.9	34	20	7	9.8	8	7	11	130.9
	13.77	7.8	13.77	20	10.9	34	20	7	9.8	8	7	11	129

REGI

MELTHAM

1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1911

Kept at Harewood Lodge
in the County of WR
by C. L. Brook

HAREWOOD LODGE
YORKS

1911 - 1920

now don
top 8 in.
above Ground 1 ft. ft. in.
,, Sea Level 514 ft.
9 a.m.
Name Meltham
Distance $\frac{1}{2}$ m Direction W

IMPORTANT NOTE.—

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	0.87	"	0.08	"	0.10	0.07	"	"	0.24	0.02	1
2	0.07	"	0.03	"	0.43	"	0.04	"	"	0.03	0.17	0.08	2
3	"	"	0.05	"	0.65	"	"	0.06	0.01	0.02	0.63	0.02	3
4	0.05	"	0.12	0.22	0.04	"	"	0.07	0.08	0.30	0.78	0.11	4
5	0.58	"	"	0.01	"	"	"	0.18	"	0.15	0.11	0.05	5
6	1.02	"	0.01	0.07	"	"	"	0.31	"	0.30	0.97	0.30	6
7	0.03	"	"	"	"	"	"	"	"	0.01	0.16	"	7
8	0.17	"	0.28	"	"	"	"	"	0.02	0.06	0.08	0.40	8
9	0.06	"	"	"	"	"	"	"	"	"	"	0.30	9
10	0.01	"	0.13	0.02	"	"	"	"	0.01	"	"	0.67	10
11	0.31	"	"	"	0.07	"	"	"	0.03	"	0.65	0.34	11
12	0.04	"	0.29	"	0.01	"	"	"	1.10	"	0.59	"	12
13	"	"	0.02	"	0.33	0.05	"	"	"	0.01	0.19	0.35	13
14	0.02	0.50	0.12	"	0.27	"	0.01	"	"	"	0.03	0.28	14
15	"	0.33	0.16	0.03	"	"	"	"	"	0.13	0.22	0.36	15
16	"	0.98	0.05	0.01	"	0.08	0.03	"	"	0.10	0.23	0.18	16
17	0.02	0.05	0.07	0.02	"	0.71	0.02	"	"	"	0.19	0.18	17
18	"	0.80	0.12	0.01	"	0.12	"	"	"	0.04	0.14	0.27	18
19	"	0.24	0.04	0.21	"	0.03	0.04	"	0.14	0.18	0.11	0.07	19
20	"	0.21	0.01	0.33	"	0.03	0.04	1.13	0.17	"	"	0.29	20
21	0.01	0.76	0.04	"	"	"	0.06	0.65	0.01	0.16	"	0.43	21
22	0.03	0.10	"	0.02	"	0.07	"	0.03	"	0.32	0.05	0.07	22
23	"	0.58	0.01	"	0.03	0.34	"	"	0.10	0.06	0.01	0.60	23
24	0.31	0.13	0.03	0.11	"	1.53	"	0.02	"	0.25	"	0.51	24
25	0.08	0.65	"	0.21	"	0.01	0.10	"	0.80	"	"	0.36	25
26	0.01	0.06	"	0.25	0.06	0.01	"	0.06	"	0.62	0.38	0.30	26
27	0.03	0.19	0.11	0.58	"	"	"	0.42	0.34	"	0.01	0.02	27
28	"	0.53	0.03	0.20	"	0.25	"	0.12	0.12	"	0.01	0.26	28
29	"	"	0.04	0.56	"	0.35	0.01	0.04	0.40	0.51	0.01	0.14	29
30	"	"	"	"	0.14	0.22	"	"	"	0.64	"	"	30
31	"	"	0.20	"	0.01	"	"	"	"	0.14	"	"	31
Total	2.85	6.11	2.83	2.86	2.12	3.80	0.45	3.16	3.33	4.03	5.96	6.96	TOTAL for year
No. of Rain Days.	18	15	23	17	12	14	10	13	14	20	23	27	44.46

REGI

1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1911

Kept at Harewood Lodge, Meltham

in the County of

WR York

by

C. L. Brook

RAIN GAUGE { Diameter of top 8 in.
Height of top above Ground 1 ft. 11 in.
" " " Sea Level 514 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Meltham
Distance $\frac{1}{3}$ m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	0.87	"	0.08	"	0.10	0.07	"	"	0.24	0.02	1
2	0.07	"	0.03	"	0.43	"	0.04	"	"	0.03	0.17	0.08	2
3	"	"	0.05	"	0.65	"	"	0.06	0.01	0.02	0.63	0.02	3
4	0.05	"	0.12	0.22	0.04	"	"	0.07	0.08	0.30	0.78	0.11	4
5	0.58	"	"	0.01	"	"	"	0.18	"	0.15	0.11	0.05	5
6	1.02	"	0.01	0.07	"	"	"	0.31	"	0.30	0.97	0.30	6
7	0.03	"	"	"	"	"	"	"	"	0.01	0.16	"	7
8	0.17	"	0.28	"	"	"	"	"	0.02	0.06	0.08	0.40	8
9	0.06	"	"	"	"	"	"	"	"	"	"	0.30	9
10	0.01	"	0.13	0.02	"	"	"	"	0.01	"	"	0.67	10
11	0.31	"	"	"	0.07	"	"	"	0.03	"	0.65	0.34	11
12	0.04	"	0.29	"	0.01	"	"	"	1.10	"	0.59	"	12
13	"	"	0.02	"	0.33	0.05	"	"	"	0.01	0.19	0.35	13
14	0.02	0.50	0.12	"	0.27	"	0.01	"	"	"	0.03	0.28	14
15	"	0.33	0.16	0.03	"	"	"	"	"	0.13	0.22	0.36	15
16	"	0.98	0.05	0.01	"	0.08	0.03	"	"	0.10	0.23	0.18	16
17	0.02	0.05	0.07	0.02	"	0.71	0.02	"	"	"	0.19	0.18	17
18	"	0.80	0.12	0.01	"	0.12	"	"	"	0.04	0.14	0.27	18
19	"	0.24	0.04	0.21	"	0.03	0.04	"	0.14	0.18	0.11	0.07	19
20	"	0.21	0.01	0.33	"	0.03	0.04	1.13	0.17	"	"	0.29	20
21	0.01	0.76	0.04	"	"	"	0.06	0.65	0.01	0.16	"	0.43	21
22	0.03	0.10	"	0.02	"	0.07	"	0.03	"	0.32	0.05	0.07	22
23	"	0.58	0.01	"	0.03	0.34	"	"	0.10	0.06	0.01	0.60	23
24	0.31	0.13	0.03	0.11	"	1.53	"	0.02	"	0.25	"	0.51	24
25	0.08	0.65	"	0.21	"	0.01	0.10	"	0.80	"	"	0.36	25
26	0.01	0.06	"	0.25	0.06	0.01	"	0.06	"	0.62	0.38	0.30	26
27	0.03	0.19	0.11	0.58	"	"	"	0.42	0.34	"	0.01	0.02	27
28	"	0.53	0.03	0.20	"	0.25	"	0.12	0.12	"	0.01	0.26	28
29	"	"	0.04	0.56	"	0.35	0.01	0.04	0.40	0.51	0.01	0.14	29
30	"	"	"	"	0.14	0.22	"	"	"	0.64	"	"	30
31	"	"	0.20	"	0.01	"	"	"	"	0.14	"	"	31
Total	2.85	6.11	2.83	2.86	2.12	3.80	0.45	3.16	3.33	4.03	5.96	6.96	TOTAL for year
No. of Rain Days.	18	15	23	17	12	14	10	13	14	20	23	27	44.46
													206

Remarks

1911

Jan 18 Bar at Noon 30.740 con: +24:
 Feb 1 " at 10. am 30.823 " "
 May 11 TS 1.30 to 2.15 pm
 13 Rather severe TS 1.30 to 4.30 pm Horse killed & man injured at Ford Tnn.
 June 17 Severe TS. (Self Mst. Mag. No 547 Page 138).
 " 19 Fine rainbow at 7.45 pm. The last trace of this disappeared at 8.33 pm! In 10 minutes after the calculated time of sunset. Three super-numerary bows inside the primary were regularly visible; at times four & once I suspected five.
 " 24 15 hours continuous rain from 9. am at the rate of 0.10 per hour.
 Aug 9 Max T 91.0 Highest since at least 1868 perhaps longer.
 Sept 20 TS 6.25 pm.
 Nov. 19/ First snow on the hills.

absolute Drought.

1911.

Jan 28 to Feb. 13 inclusive 17 days

Partial Drought.

May 15 to June 16 inclusive 32 days

R.

0.29

Rain - Spells

Feb. 14 to March 4 inclusive 19 days

7.18

Dec. 13 " Dec 29 " 17 days

4.67

REGISTER OF RAINFALL IN 1912

Kept at Harewood Lodge Meltham
 in the County of York.
 by C. L. Brook

Lat. 53.36 N Long. 1.50' W
 Time of Observation 9 a.m.
 Nearest Railway Station Meltham
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 4 ft. 0 in.
 " " " " Sea Level 514 ft.

BRITISH RAINFALL FORM A. JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	0.05	0.42	"	"	0.43	0.16	0.01	0.16	0.01	"	0.65	1
2	"	0.08	0.21	0.04	0.08	0.21	0.41	"	0.09	"	"	0.08	2
3	0.23	0.01	0.03	"	0.11	0.47	"	0.64	0.53	"	"	0.04	3
4	0.39	"	0.54	0.47	0.07	0.57	"	0.92	0.09	"	0.25	"	4
5	0.36	0.03	0.08	0.02	0.20	0.22	"	0.04	0.16	"	0.02	0.03	5
6	1.01	0.12	"	0.01	0.04	"	"	0.18	"	"	"	"	6
7	"	0.03	0.09	0.04	0.03	0.02	0.01	0.26	0.18	"	0.01	0.01	7
8	0.44	0.25	0.12	0.38	0.03	"	0.10	0.13	0.17	"	0.10	"	8
9	0.23	0.04	0.26	0.46	"	0.03	"	0.05	"	"	0.09	0.20	9
10	0.17	0.02	"	0.04	"	0.19	0.04	0.01	"	"	1.00	"	10
11	0.11	0.06	"	0.02	"	0.01	0.01	0.04	"	"	0.04	0.98	11
12	0.10	0.49	0.22	"	"	0.09	0.35	"	"	"	"	0.20	12
13	"	0.03	"	"	"	"	"	0.28	"	0.23	0.07	0.94	13
14	0.11	"	0.68	"	"	0.04	"	0.15	"	"	"	0.62	14
15	0.14	0.04	0.12	"	0.55	0.08	"	0.04	"	"	"	0.45	15
16	0.74	"	0.15	"	0.06	0.20	"	0.03	"	0.14	"	0.37	16
17	0.14	0.05	0.06	"	0.01	0.59	0.05	0.10	"	"	0.03	0.73	17
18	0.19	0.01	0.01	"	"	0.05	0.02	0.01	"	0.33	0.02	0.14	18
19	0.22	0.05	0.43	"	"	0.02	0.33	0.46	"	0.31	0.03	"	19
20	0.26	"	0.14	"	0.27	0.02	0.08	0.60	"	0.59	0.01	0.01	20
21	"	"	0.16	"	0.52	"	0.27	0.01	"	0.09	"	0.06	21
22	0.04	0.27	0.01	"	1.33	0.38	0.05	0.36	"	"	"	0.13	22
23	"	0.01	0.18	"	0.01	"	0.48	0.57	"	"	0.39	0.07	23
24	0.30	"	0.03	"	0.02	0.09	0.04	0.35	"	"	0.19	0.31	24
25	"	"	0.62	"	"	0.14	"	0.04	"	"	0.88	0.27	25
26	0.01	0.22	0.19	"	"	"	0.53	0.94	"	1.63	0.56	0.26	26
27	"	0.05	0.37	"	"	0.33	0.35	"	"	0.51	0.03	0.25	27
28	"	0.08	0.02	"	"	0.13	0.37	0.47	0.16	0.28	0.56	"	28
29	"	0.08	0.05	"	"	0.01	0.31	0.02	0.71	0.05	"	0.44	29
30	0.07	"	0.25	"	0.07	0.03	0.05	"	"	0.10	"	"	30
31	"	"	0.16	"	0.55	"	0.98	0.21	"	"	"	0.01	31
Total	5.36	2.07	5.00	1.48	3.95	4.35	4.99	6.92	2.25	4.27	4.30	7.25	52.19
Rain Days.	20	22	27	9	17	24	21	27	9	12	18	24	230

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Harewood Lodge Meltham
in the County of York W. 8
by C. L. Brook

Lat. 53° 36' N Long. 1° 50' W
Time of Observation 9 am
Nearest Railway Station Meltham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 514 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.03	0.57	0.11	"	"	"	"	0.02	"	0.12	0.01	1
2	"	0.30	0.55	0.04	"	0.18	"	"	"	0.02	0.18	0.11	2
3	0.07	0.13	0.45	"	0.24	0.01	0.01	"	0.06	0.29	0.01	0.77	3
4	0.49	0.15	0.08	"	0.04	"	0.10	"	0.03	0.02	0.14	0.63	4
5	0.05	0.20	0.61	"	0.02	0.31	0.16	"	0.16	0.52	0.01	0.01	5
6	0.02	0.21	0.37	0.01	0.59	0.09	0.56	"	"	0.59	"	0.01	6
7	"	0.34	0.18	0.01	0.18	0.16	0.01	"	"	0.68	0.02	"	7
8	"	0.12	0.01	0.02	0.28	0.02	"	0.12	"	0.03	0.07	0.04	8
9	"	0.22	0.45	"	0.08	1.02	0.07	0.02	"	"	0.13	0.18	9
10	0.02	0.01	0.21	0.09	"	"	0.07	"	"	"	0.13	"	10
11	0.72	"	"	0.20	"	0.14	"	0.01	"	"	0.09	0.10	11
12	0.04	"	"	"	"	0.01	"	"	0.09	"	0.28	0.01	12
13	0.03	"	0.52	0.05	"	"	"	"	0.19	0.01	0.29	"	13
14	0.10	"	0.22	0.24	"	"	"	"	"	0.25	0.46	0.01	14
15	0.10	0.02	0.58	1.54	"	"	"	"	0.01	"	0.59	0.07	15
16	0.01	0.01	0.09	0.20	"	"	0.01	"	0.02	"	0.41	"	16
17	0.02	0.03	0.01	0.23	0.19	"	0.10	"	0.92	"	0.16	"	17
18	0.03	"	0.56	0.56	0.13	0.07	0.04	"	"	"	0.51	0.01	18
19	0.12	"	0.08	0.13	0.02	0.01	"	"	0.15	0.06	0.22	"	19
20	0.27	"	0.20	0.08	0.03	0.02	"	"	0.03	"	0.55	"	20
21	0.01	"	0.29	0.01	0.31	"	0.23	0.08	"	"	0.13	"	21
22	0.21	"	0.97	"	0.06	"	"	0.48	0.14	"	"	"	22
23	0.31	"	0.05	"	0.22	0.39	0.01	0.29	0.15	0.02	0.05	0.07	23
24	0.73	0.01	0.01	0.05	"	0.09	"	0.10	"	"	0.07	0.02	24
25	0.02	"	"	0.11	"	0.01	"	"	0.13	"	0.06	0.64	25
26	"	0.01	0.17	0.24	"	"	"	"	0.03	0.09	"	1.21	26
27	"	"	0.61	0.21	"	"	"	"	"	0.05	"	0.37	27
28	0.40	"	0.21	0.51	"	"	"	"	0.01	0.03	0.01	0.10	28
29	"	"	0.35	0.45	0.03	"	"	0.31	"	0.11	0.04	0.09	29
30	0.99	"	0.01	"	0.42	"	"	"	"	0.51	0.24	0.01	30
31	0.06	"	0.18	"	0.10	"	"	"	"	"	"	"	31
Total	4.85	1.79	7.99	5.09	3.04	2.53	1.32	1.41	2.14	3.28	4.97	4.47	YEAR'S TOTAL 42.88
Rain Days.	24	15	28	22	17	15	12	8	16	16	26	21	220

REGISTER OF RAINFALL IN 1914

Kept at Harewood Lodge, Meltham
in the County of York
by C. L. Brook

Lat. 53° 26' N Long. 1° 50' W
Time of Observation 9 a.m.
Nearest Railway Station Meltham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 574 ft. in.
" " " " Sea Level 1 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	0.01	0.04	"	"	"	0.93	0.36	"	"	0.01	0.63	1
2	"	"	0.03	0.03	"	"	0.30	0.44	"	0.02	0.37	0.21	2
3	0.24	"	0.32	"	0.29	"	0.02	0.16	"	0.03	0.03	0.79	3
4	1.13	"	0.73	0.37	0.14	"	"	"	"	"	0.33	0.71	4
5	0.30	"	0.65	0.32	0.46	0.09	0.04	"	"	0.03	0.33	0.35	5
6	"	0.03	0.09	0.33	0.10	"	"	0.01	"	"	"	0.04	6
7	0.04	0.04	0.15	0.05	0.20	0.01	"	0.01	0.02	"	0.01	0.37	7
8	0.50	"	0.05	0.04	0.28	0.54	0.03	0.35	0.32	"	0.02	0.09	8
9	0.36	0.06	"	0.15	"	1.42	"	0.30	"	"	0.12	"	9
10	0.11	0.10	0.01	0.09	0.01	0.01	0.01	"	0.04	"	0.35	0.01	10
11	"	0.35	0.46	0.04	0.06	0.13	0.02	"	0.25	"	1.59	0.36	11
12	"	0.28	0.05	"	0.08	0.05	0.07	"	0.61	"	0.65	0.59	12
13	0.02	0.33	0.35	0.07	"	"	0.02	"	0.15	"	0.58	0.33	13
14	0.06	0.35	0.26	"	"	"	0.05	"	0.25	0.12	0.31	0.28	14
15	0.01	0.06	0.47	"	"	"	"	"	0.08	0.05	0.04	"	15
16	0.01	0.03	0.09	"	"	"	0.55	"	0.47	"	"	"	16
17	0.09	0.84	0.15	"	"	0.12	0.04	"	0.45	"	"	1.17	17
18	"	0.05	0.05	"	"	0.11	"	"	0.01	"	0.01	0.16	18
19	"	0.04	"	"	"	"	0.14	"	0.05	"	0.03	0.29	19
20	0.01	0.17	0.05	"	"	0.02	"	"	0.01	0.03	"	0.01	20
21	"	0.56	0.03	"	"	0.34	0.01	0.01	"	0.04	0.01	0.07	21
22	"	0.31	0.07	0.03	0.26	0.22	"	0.03	"	0.09	"	0.02	22
23	"	"	0.07	0.10	0.19	"	0.08	"	"	"	"	0.05	23
24	0.06	"	0.35	0.05	0.11	0.01	0.35	0.26	"	0.01	0.13	"	24
25	0.08	"	"	"	"	"	0.27	0.14	"	0.82	0.06	0.71	25
26	0.14	"	0.16	"	"	"	0.02	0.08	"	0.26	0.38	0.24	26
27	0.04	0.01	"	"	"	"	"	"	"	0.15	0.49	1.26	27
28	0.14	0.27	0.06	"	"	"	0.28	"	"	0.03	0.30	0.12	28
29	0.22		0.14	0.01	0.02	"	"	0.01	"	0.55	0.31	0.02	29
30	0.01		0.36	0.03	"	"	"	0.04	"	0.10	0.35	0.30	30
31	0.47		0.40		"		0.31	"		0.24		"	31
Total	4.04	3.89	5.64	1.71	2.20	3.07	3.54	2.20	2.71	2.56	6.81	9.28	47.65
Rain Days.	21	19	27	15	13	13	20	14	13	16	24	26	221

REGISTER OF RAINFALL IN 1915

3382

FORM A.
BRITISH RAINFALL

Kept at Harewood Lodge Meltham
in the County of Yorks W8
by C. L. Brook

Lat. 53° 36' N Long. 1° 50' W
Time of Observation 9 a.m.
Nearest Railway Station Meltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.47	0.46	0.05	"	0.38	"	0.07	0.41	0.18	"	"	0.15	1
2	0.02	0.62	0.08	0.49	"	0.63	0.12	0.24	"	0.02	"	"	2
3	1.00	"	0.05	0.12	"	"	0.13	0.31	"	"	0.04	0.81	3
4	0.02	0.02	"	"	0.17	"	0.60	"	"	"	"	1.00	4
5	0.13	0.23	0.20	"	"	"	"	0.01	"	0.07	0.02	0.49	5
6	0.48	"	0.06	0.45	"	"	0.61	0.19	"	"	0.01	0.88	6
7	0.41	0.56	"	0.34	0.06	"	0.21	0.95	"	"	"	0.34	7
8	0.56	0.17	"	0.23	"	"	"	0.10	"	"	0.40	"	8
9	0.01	0.06	"	0.10	"	"	"	0.07	"	0.09	0.37	0.68	9
10	0.91	"	0.01	0.01	"	"	0.02	0.28	"	0.02	0.01	0.47	10
11	0.14	"	0.07	"	0.84	"	0.13	0.23	"	"	0.52	0.65	11
12	0.07	"	"	0.07	0.20	"	0.08	0.01	"	0.26	1.17	"	12
13	0.30	0.96	"	"	"	"	"	0.19	"	"	"	0.17	13
14	0.29	"	"	"	"	"	0.03	0.05	0.03	"	"	0.35	14
15	2.11	"	"	"	"	"	0.11	0.38	0.05	"	0.31	0.15	15
16	"	0.50	"	0.04	0.30	"	1.11	0.31	"	0.02	"	"	16
17	"	0.73	0.07	"	"	"	0.01	"	"	"	"	0.03	17
18	"	0.50	0.25	"	"	"	"	"	0.03	"	0.02	"	18
19	"	0.13	0.06	0.08	0.02	"	0.12	"	"	"	0.01	0.01	19
20	0.37	0.02	0.01	"	"	"	0.13	0.02	"	"	"	0.16	20
21	0.15	0.02	"	0.01	"	"	0.17	"	"	"	"	0.03	21
22	"	"	0.01	0.03	"	"	0.03	"	"	0.03	"	0.11	22
23	0.01	0.01	0.08	"	"	"	0.06	"	"	0.16	"	0.11	23
24	"	"	0.25	0.05	"	"	"	"	0.28	0.04	"	0.36	24
25	"	"	0.01	0.02	"	0.25	"	"	0.03	"	"	0.24	25
26	0.04	1.09	"	"	"	0.19	0.23	"	0.01	"	"	0.51	26
27	"	0.58	"	"	"	0.06	0.05	"	"	0.45	"	0.76	27
28	"	0.63	"	"	"	0.23	"	0.60	"	0.12	"	0.08	28
29	0.02		"	"	0.14	0.22	"	0.01	"	"	0.14	0.50	29
30	0.16	X	"	0.04	"	0.17	"	"	"	"	0.01	0.01	30
31	0.26	X	"	X	"	X	0.03	0.43	X	0.57	X	0.58	31
Total	7.93	7.29	1.26	2.08	2.11	1.15	4.05	4.79	0.61	1.85	3.03	9.63	YEAR'S TOTAL 45.78
Rain Days.	22	18	15	15	8	7	21	19	7	12	13	26	183

REGISTER OF RAINFALL IN 1916

Kept at Harewood Lodge, Meltham
in the County of York
by C. L. Brook

Lat. 53-36 N Long. 1-50 W
Time of Observation 9 a.m.
Nearest Railway Station Meltham 2.4.1917
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 12 in.
Sea Level 511 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.03	0.09	0.41	"	"	0.43	0.37	0.01	"	0.01	0.25	"	1
2	0.32	0.32	0.31	"	"	0.04	0.02	"	0.46	0.15	0.01	0.02	2
3	"	0.25	"	0.01	"	"	0.02	"	0.39	0.15	0.12	0.01	3
4	0.44	0.40	"	0.01	0.77	0.70	"	"	0.03	0.41	0.30	"	4
5	0.11	0.23	0.01	"	0.14	0.16	"	"	"	0.77	0.72	"	5
6	0.86	1.08	0.15	"	0.47	0.11	0.52	"	"	0.28	0.39	0.04	6
7	0.16	0.10	0.10	"	0.01	0.05	0.28	"	"	0.43	0.05	0.27	7
8	"	0.16	0.46	"	"	"	"	"	"	0.12	0.50	0.14	8
9	0.09	"	0.11	"	0.41	0.22	0.01	"	0.11	"	0.45	0.18	9
10	0.08	0.14	0.06	0.19	"	0.35	0.05	"	0.05	0.33	0.01	0.06	10
11	0.05	0.52	0.25	0.73	"	0.16	0.04	"	0.12	0.01	"	0.18	11
12	0.27	0.17	0.58	0.17	0.12	"	0.42	0.02	"	0.17	"	0.02	12
13	"	0.30	0.27	0.23	"	"	"	0.29	0.03	1.08	"	0.14	13
14	0.05	0.24	0.06	0.26	0.39	"	"	0.10	0.01	0.20	0.01	0.07	14
15	0.04	0.80	0.79	0.01	"	"	0.02	0.34	0.05	0.05	"	"	15
16	"	0.53	0.55	0.14	"	"	0.14	0.52	"	0.02	"	"	16
17	0.12	0.22	"	0.73	"	"	0.09	"	0.54	0.15	0.01	0.01	17
18	"	0.50	0.03	0.13	"	"	0.01	1.48	0.33	0.16	0.93	0.26	18
19	0.38	0.03	0.33	0.22	"	"	"	0.11	0.06	"	0.55	0.03	19
20	0.39	0.01	0.29	0.07	"	"	0.03	0.04	"	"	0.01	0.04	20
21	0.34	"	0.06	0.03	"	"	0.08	"	"	"	0.01	"	21
22	"	0.06	0.01	0.01	"	0.10	"	"	"	0.08	"	0.11	22
23	0.08	0.06	"	0.20	"	0.10	"	0.06	"	0.01	0.40	0.34	23
24	"	0.60	"	0.06	"	0.47	"	0.02	"	0.05	0.02	0.09	24
25	0.10	0.07	0.48	"	0.08	0.01	"	0.09	0.01	0.12	0.61	0.07	25
26	0.07	0.19	0.29	"	"	"	"	0.04	"	0.13	0.03	"	26
27	"	0.33	0.05	"	0.06	"	"	0.28	0.03	0.39	"	"	27
28	"	0.35	0.10	"	"	0.12	"	"	0.01	0.39	0.02	0.41	28
29	"	0.44	0.01	"	"	0.23	"	"	"	0.41	"	0.71	29
30	"	X	"	"	0.01	0.03	"	"	"	1.05	0.02	0.12	30
31	"	X	"	X	0.05	X	"	0.04	X	0.71	X	0.39	31
Total	4.98	8.19	5.76	3.20	2.51	3.28	2.10	3.44	2.23	7.83	5.42	3.71	YEAR'S TOTAL 52.65
Rain Days.	19	27	24	17	11	16	15	15	15	27	22	23	231

See over

REGISTER OF RAINFALL IN 1917

Kept at Harewood Lodge Meltham
 in the County of York
 by C. L. Brook

Lat. 53-36 N Long. 1-50 W.
 Time of Observation 9 a.m.
 Nearest Railway Station Meltham
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 514 ft.

FORM A.
 BRITISH RAINFALL
 8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gages, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.15	"	"	0.40	"	0.05	"	0.18	0.38	"	0.17	0.31	1
2	0.61	"	"	0.19	"	0.01	"	0.05	0.02	0.03	0.06	"	2
3	0.14	0.08	"	0.11	"	0.13	"	0.02	"	0.47	0.11	0.05	3
4	0.04	0.03	0.13	"	"	"	"	0.02	"	0.27	"	"	4
5	0.16	"	0.17	0.45	"	"	"	0.06	0.01	0.22	0.26	"	5
6	0.02	"	0.01	"	"	0.30	"	"	"	0.44	0.38	0.12	6
7	0.50	"	"	"	"	0.10	"	"	"	0.76	0.03	0.09	7
8	0.61	"	"	0.45	"	0.01	"	0.84	0.04	1.14	0.34	0.06	8
9	"	"	0.04	0.15	"	"	"	0.04	"	0.26	0.79	"	9
10	0.14	"	0.71	0.15	0.19	"	"	0.09	"	0.05	"	"	10
11	0.09	"	"	0.47	"	"	"	0.20	"	0.50	"	"	11
12	0.03	"	0.01	0.04	0.32	"	"	0.64	"	0.31	"	0.03	12
13	0.09	"	"	0.47	0.80	0.08	"	0.13	0.53	0.05	"	0.30	13
14	0.20	"	"	0.21	"	"	"	0.16	"	0.01	"	0.28	14
15	0.05	"	"	0.05	0.02	"	0.20	0.03	0.09	0.13	"	0.20	15
16	0.01	0.08	"	0.33	"	"	0.06	0.37	"	0.03	0.01	0.78	16
17	"	0.03	0.14	0.09	0.50	0.12	0.17	0.44	0.05	0.11	"	0.14	17
18	0.05	"	0.24	0.03	0.15	"	0.80	0.28	0.27	0.10	"	"	18
19	0.07	0.11	0.55	"	0.20	0.32	"	0.02	"	"	0.09	"	19
20	0.08	0.16	0.03	"	0.26	0.15	"	"	0.10	"	0.21	"	20
21	"	0.08	0.21	"	0.06	"	"	0.06	"	0.07	"	"	21
22	0.01	"	0.14	"	"	"	"	0.02	0.33	0.23	0.06	"	22
23	"	0.02	"	"	0.09	0.16	"	0.28	0.01	0.08	0.07	"	23
24	"	"	"	"	"	0.11	"	0.64	"	1.05	0.50	0.01	24
25	"	0.03	0.14	"	"	"	"	0.07	"	0.42	0.10	"	25
26	"	"	"	"	"	0.11	"	0.26	0.14	0.47	0.76	"	26
27	"	"	"	"	"	0.34	0.16	0.80	"	0.03	0.34	0.03	27
28	"	0.01	0.52	"	"	0.02	0.03	0.49	"	0.08	0.27	0.08	28
29	"	"	0.15	"	0.06	"	0.04	0.05	"	0.46	0.44	0.40	29
30	0.02	X	0.29	"	"	"	"	0.02	"	0.20	0.11	0.02	30
31	0.02	X	0.26	X	"	X	"	0.26	X	"	X	0.10	31
Total	3.09	0.63	3.74	3.59	2.65	2.01	1.46	6.52	1.97	7.97	5.10	3.00	YEAR'S TOTAL 41.73
Rain Days	21	10	17	15	11	15	7	28	12	27	20	17	200

REGISTER OF RAINFALL IN 1918

Kept at Harewood Lodge Meltham
in the County of York WR
by Charles L. Brook

Lat. 53.36 N Long. 1-50 W
Time of Observation 9 a.m.
Nearest Railway Station Meltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 12 in.
" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	0.19	0.01	0.04	0.11	"	"	"	0.66	0.08	0.28	0.08	1
2	0.03	0.10	0.01	0.05	"	"	"	0.06	0.21	0.02	"	0.49	2
3	"	0.04	0.05	"	0.47	"	"	0.17	0.05	0.20	0.05	0.03	3
4	"	0.02	0.06	"	"	"	"	0.09	0.33	0.30	0.55	0.41	4
5	"	0.01	0.06	0.24	0.39	"	"	0.25	0.12	0.44	0.02	0.01	5
6	0.07	2.09	0.05	0.27	"	0.31	"	0.09	0.03	0.32	0.01	0.01	6
7	0.02	0.20	"	0.09	0.01	"	"	"	0.30	0.57	0.47	"	7
8	0.05	0.33	0.12	"	"	"	0.15	"	0.82	0.20	0.15	0.02	8
9	0.39	1.39	"	0.20	"	0.32	"	"	1.09	0.31	0.04	0.10	9
10	0.05	0.63	0.01	0.04	"	"	0.09	"	0.69	0.08	0.42	0.02	10
11	0.51	0.16	0.01	0.03	0.06	"	0.03	"	0.32	"	"	0.10	11
12	0.04	0.15	0.01	0.10	0.01	0.01	0.38	"	0.21	"	"	0.26	12
13	0.03	"	"	0.09	0.07	0.04	"	"	0.60	0.04	"	"	13
14	1.04	"	"	"	"	0.12	0.22	"	1.16	0.01	"	0.24	14
15	0.26	"	"	"	"	0.02	0.54	"	2.02	"	"	0.67	15
16	0.03	"	"	"	"	0.07	0.07	0.03	0.10	0.07	"	0.64	16
17	0.31	"	"	0.01	0.44	0.02	0.15	0.20	0.05	0.14	"	0.55	17
18	0.66	"	0.10	"	"	0.05	0.28	0.02	0.79	"	"	0.79	18
19	0.34	0.03	0.09	0.08	"	0.03	0.32	0.16	0.89	0.16	"	0.63	19
20	0.18	0.58	"	0.08	"	0.16	0.14	"	0.65	0.11	"	"	20
21	0.13	1.07	"	0.03	0.58	0.20	"	"	0.68	0.06	"	0.02	21
22	0.03	0.04	"	"	0.35	0.07	0.04	0.01	0.09	"	0.01	1.01	22
23	0.05	0.02	"	"	0.76	"	0.50	"	0.08	0.01	0.01	0.07	23
24	"	0.13	"	"	"	"	0.05	0.11	0.14	0.01	0.04	0.10	24
25	"	"	"	"	0.02	0.34	0.25	0.17	0.19	"	0.01	"	25
26	"	0.18	"	"	"	"	0.09	0.05	0.48	"	0.06	0.29	26
27	"	0.35	0.26	"	"	"	"	0.15	0.84	"	0.22	0.76	27
28	"	0.20	0.53	"	"	0.01	"	0.09	0.07	"	0.11	0.56	28
29	"	~~X~~	"	"	"	"	"	"	0.17	"	"	0.44	29
30	"	~~X~~	0.20	"	"	"	"	0.12	"	0.02	0.02	0.32	30
31	"	~~X~~	0.22	~~X~~	"	~~X~~	"	0.27	~~X~~	"	~~X~~	"	31
Total	4.25	7.91	1.79	1.35	3.27	1.77	3.30	2.04	13.83	3.15	2.47	8.62	YEAR'S TOTAL 53.75
Rain Days	20	21	16	14	12	15	16	17	29	20	17	26	223

See ori.

REGISTER OF RAINFALL IN 1919.

Kept at Harewood Lodge Meltham
in the County of York
by C. L. Brook

Lat. 53° 36' N Long. 1° 50' W
Time of Observation 9 am
Nearest Railway Station Meltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 5.14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.08	0.01	0.04	0.01	0.78	"	0.21	0.06	0.16	0.21	0.07	0.26	1
2	0.28	"	0.62	"	0.03	"	0.21	0.02	0.02	0.07	0.07	0.14	2
3	1.00	"	"	"	0.03	0.18	0.45	"	0.01	"	0.30	0.29	3
4	0.33	0.01	0.37	"	"	0.01	0.07	0.16	0.26	"	0.02	0.24	4
5	0.03	"	"	"	0.11	"	"	"	"	"	0.08	0.50	5
6	0.05	"	0.67	"	0.68	"	"	"	"	0.03	"	0.18	6
7	0.09	"	0.61	0.01	0.01	"	"	"	"	"	0.05	"	7
8	0.08	"	"	"	0.04	0.08	"	"	"	"	0.01	"	8
9	0.90	"	0.09	"	"	"	"	"	"	"	0.06	"	9
10	"	"	0.90	0.05	0.03	"	"	"	"	"	0.05	0.47	10
11	0.01	"	1.47	0.16	0.12	"	0.05	"	"	0.01	"	0.01	11
12	"	"	0.54	0.20	"	0.13	0.06	"	0.28	0.05	0.01	0.01	12
13	0.42	"	"	0.18	"	"	0.02	0.05	0.07	0.10	0.01	0.10	13
14	0.27	"	"	0.35	"	"	"	0.02	"	"	0.03	0.03	14
15	0.46	0.05	0.02	0.01	"	"	"	"	"	0.05	0.11	0.19	15
16	0.50	0.90	"	0.02	"	0.02	"	"	"	"	0.07	0.03	16
17	0.05	0.18	"	0.02	"	0.05	"	0.24	"	"	1.04	0.01	17
18	"	"	0.11	0.01	0.03	"	0.01	0.53	0.19	"	0.01	0.58	18
19	0.01	0.24	0.69	0.01	"	0.10	1.19	0.12	0.06	"	0.39	0.01	19
20	0.26	0.13	0.09	"	"	0.21	0.44	0.06	"	"	0.24	0.76	20
21	0.10	0.40	0.04	"	"	0.05	0.21	"	0.05	"	0.01	0.28	21
22	"	0.05	0.02	"	"	0.07	"	0.07	0.34	"	0.07	0.74	22
23	"	"	0.01	0.05	"	0.11	"	0.01	"	1.27	0.33	0.46	23
24	"	"	"	0.19	0.06	0.09	"	0.03	0.36	0.58	0.33	0.41	24
25	0.14	0.03	"	0.33	0.05	0.08	"	0.48	0.08	"	0.23	0.02	25
26	0.05	"	0.97	0.08	"	0.02	0.62	0.69	0.11	"	0.05	0.83	26
27	0.15	0.01	0.03	0.34	"	"	"	0.05	0.01	"	0.01	0.18	27
28	"	"	"	0.08	"	"	"	0.96	"	0.03	"	0.34	28
29	0.13	"	"	0.07	"	"	"	0.03	"	0.71	"	0.19	29
30	0.01	~~X~~	0.09	0.06	"	0.14	"	"	"	0.16	0.41	0.20	30
31	0.02	~~X~~	0.03	~~X~~	"	~~X~~	0.24	0.01	~~X~~	0.03	~~X~~	0.01	31
TOTAL	6.42	2.01	7.41	2.23	1.97	1.34	3.18	3.59	2.00	3.30	4.06	7.47	YEAR'S TOTAL 44.98
Days with 0.1 in. or more	24	11	20	20	12	15	13	18	14	13	26	28	214

REGISTER OF RAINFALL IN 1919.

Kept at Meltham (M.O.)in the County of Yorkshireby E. L. BrookeLat. 53° 36' N Long. 1° 50' WTime of Observation 9 h. G.M.T.

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge..... in.

Height of top of Gauge above Ground..... ft. in.

" " " " Sea Level 515 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.08</u>	0.01	0.04	0.01	<u>0.78</u>	-	0.21	0.06	0.16	0.21	0.07	0.26	1
2	0.28	-	0.62	-	0.03	-	0.21	0.02	0.02	0.07	0.07	0.14	2
3	1.00	-	-	-	0.03	0.18	0.45	-	0.01	-	0.30	0.29	3
4	0.33	0.01	0.37	-	-	0.01	0.07	0.16	0.26	-	0.02	0.24	4
5	0.03	-	-	-	0.11	-	-	-	-	-	0.08	0.50	5
6	0.05	-	0.67	-	0.68	-	-	-	-	0.03	-	0.18	6
7	0.09	-	0.61	0.01	0.01	-	-	-	-	-	0.05	-	7
8	0.08	-	-	-	0.04	0.08	-	-	-	-	0.01	-	8
9	0.90	-	0.09	-	-	-	-	-	-	-	0.06	-	9
10	-	-	0.90	0.05	0.03	-	-	-	-	-	0.05	0.47	10
11	0.01	-	<u>1.47</u>	0.16	0.12	-	0.05	-	-	0.01	-	0.01	11
12	-	-	0.54	0.20	-	0.13	0.06	-	0.28	0.05	0.01	0.01	12
13	0.42	-	-	0.18	-	-	0.02	0.05	0.07	0.10	0.01	0.10	13
14	0.27	-	-	<u>0.35</u>	-	-	-	0.02	-	-	0.03	0.03	14
15	0.46	0.05	0.02	0.01	-	-	-	-	-	0.05	0.11	0.19	15
16	0.50	<u>0.90</u>	-	0.02	-	0.02	-	-	-	-	0.07	0.03	16
17	0.05	0.18	-	0.02	-	0.05	-	0.24	-	-	<u>1.04</u>	0.01	17
18	-	-	0.11	0.01	0.03	-	0.01	0.53	0.19	-	0.01	0.58	18
19	0.01	0.24	0.69	0.01	-	0.10	<u>1.19</u>	0.12	0.06	-	0.39	0.01	19
20	0.26	0.13	0.09	-	-	<u>0.21</u>	0.44	0.06	-	-	0.24	0.76	20
21	0.10	0.40	0.04	-	-	0.05	0.21	-	0.05	-	0.01	0.28	21
22	-	0.05	0.02	-	-	0.07	-	0.07	0.34	-	0.07	0.74	22
23	-	-	0.01	0.05	-	0.11	-	0.01	-	<u>1.27</u>	0.33	0.46	23
24	-	-	-	0.19	0.06	0.09	-	0.03	<u>0.36</u>	0.58	0.33	0.41	24
25	0.14	0.03	-	0.33	0.05	0.08	-	0.48	0.08	-	0.23	0.02	25
26	0.05	-	0.97	0.08	-	0.02	0.02	0.69	0.11	-	0.05	<u>0.83</u>	26
27	0.15	0.01	0.03	0.34	-	-	-	0.05	0.01	-	0.01	0.18	27
28	-	-	-	0.08	-	-	-	<u>0.96</u>	-	0.03	-	0.34	28
29	0.13	-	-	0.07	-	-	-	0.03	-	0.71	-	0.19	29
30	0.01	~~X~~	0.09	0.06	-	0.14	-	-	-	0.16	<u>0.41</u>	0.20	30
31	0.02	~~X~~	0.03	~~X~~	-	~~X~~	0.24	0.01	~~X~~	0.03	~~X~~	0.01	31
TOTAL	6.42	2.01	7.41	2.23	1.97	1.34	3.18	3.59	2.00	3.30	4.06	7.47	YEAR'S TOTAL
Days with 0.1 in. or more	24	11	20	20	12	15	13	18	14	13	26	28	44.98 214

REGISTER OF RAINFALL IN 1920.

Kept at Harewood Lodge, Meltham
in the County of York
by C. L. Brook

Lat. 53° 36' N Long. 1-50 W
Time of Observation 9 a.m. 9.11
Nearest Railway Station Meltham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5.5 ft. 0 in.
" " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.01	0.02	0.27	0.45	0.09	0.62	0.11	0.09	0.07	0.25	0.04	1
2	"	"	0.05	0.39	0.08	"	0.53	0.03	0.22	0.28	"	0.30	2
3	0.01	0.13	"	0.34	0.23	0.08	1.11	0.20	0.05	0.20	"	0.41	3
4	0.03	"	"	0.06	0.01	"	0.23	0.81	0.04	0.30	"	0.06	4
5	"	0.01	0.11	"	0.38	"	0.06	0.12	0.07	0.12	"	0.01	5
6	"	"	0.70	0.53	0.13	"	0.05	"	"	0.01	0.01	0.15	6
7	0.22	0.01	0.06	0.08	0.06	"	0.55	"	"	"	"	"	7
8	0.21	0.07	"	0.48	0.16	"	0.34	0.14	"	0.03	"	"	8
9	0.28	1.09	"	0.62	"	"	0.21	0.04	"	0.03	0.02	"	9
10	0.88	1.36	0.07	0.28	"	"	0.44	"	"	"	"	0.01	10
11	0.75	0.09	0.02	0.25	0.31	0.44	"	"	"	"	"	0.13	11
12	0.24	0.27	0.33	0.24	0.06	0.25	0.02	0.14	"	"	0.16	0.08	12
13	0.31	0.17	0.22	0.20	0.01	1.10	0.05	"	"	"	0.09	0.07	13
14	0.04	0.05	0.31	0.11	"	0.88	0.03	"	0.48	0.09	0.88	0.01	14
15	"	0.28	0.13	0.88	"	"	0.01	"	0.01	0.11	0.29	"	15
16	"	"	0.19	0.25	0.08	"	0.55	"	0.11	0.02	0.32	"	16
17	0.14	"	0.07	"	0.19	0.03	"	0.22	0.32	0.11	"	"	17
18	0.19	"	"	0.12	0.65	"	0.02	0.04	0.08	"	"	"	18
19	0.15	1.70	"	0.06	0.64	0.05	"	0.16	0.01	"	0.01	"	19
20	0.10	0.01	"	0.24	"	0.03	0.24	"	"	"	"	0.13	20
21	0.06	"	"	"	"	"	0.61	0.06	"	"	"	0.37	21
22	0.14	"	"	0.48	"	0.04	0.62	0.04	"	"	"	0.13	22
23	"	"	"	0.02	"	"	0.28	"	"	"	"	0.34	23
24	0.04	0.01	0.64	0.08	"	"	0.03	"	"	"	"	0.26	24
25	"	0.02	0.10	0.11	"	0.01	0.95	"	"	"	0.01	0.01	25
26	0.16	0.28	0.42	0.51	0.11	"	0.18	"	"	"	"	0.01	26
27	0.11	0.01	0.01	0.08	0.46	0.39	"	"	"	"	0.26	0.13	27
28	1.12	"	0.13	0.15	0.26	0.09	0.01	"	"	"	0.01	0.21	28
29	0.10	"	0.18	0.13	0.77	0.04	0.29	"	0.03	"	0.17	1.18	29
30	0.34	~~X~~	"	0.10	0.04	0.07	"	"	0.15	"	0.15	0.60	30
31	0.53	~~X~~	0.12	~~X~~	0.03	~~X~~	0.01	"	~~X~~	0.74	~~X~~	0.29	31
TOTAL	6.20	5.57	3.88	7.10	5.11	3.59	8.04	2.11	1.66	2.11	2.63	4.93	YEAR'S TOTAL
Days with 0.1 in. or more	24	18	20	27	21	15	26	13	13	13	14	23	227
Days with 0.4 in. or more	21	11	17	26	18	12	19	12	10	9	9	18	182

REGISTER OF RAINFALL IN 1920.

Kept at Meltham (M O)
 in the County of Yorkshire
 by G. L. Brook

Lat. 53° 36' N Long. 1° 50' W
 Time of Observation 9h G.M.T.
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 514 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.3	0.3	0.5	6.9	11.4	2.3	15.8	2.8	2.3	1.8	6.4	1.0	1
2	-	-	1.3	9.9	2.0	-	13.5	0.8	5.6	7.1	-	7.6	2
3	0.3	3.3	-	9.7	5.8	2.0	28.2	5.1	1.3	5.1	-	10.4	3
4	0.8	-	-	1.5	0.3	-	5.8	20.6	1.0	7.6	-	1.5	4
5	-	0.3	2.8	-	9.7	-	1.5	5.1	1.8	3.1	-	0.3	5
6	-	-	17.8	13.5	3.3	-	1.3	-	-	0.3	0.3	3.8	6
7	5.6	0.3	1.5	2.0	1.5	-	14.0	-	-	-	-	-	7
8	5.3	1.8	-	12.2	4.1	-	8.6	3.6	-	0.8	-	-	8
9	7.1	27.7	-	15.8	-	-	5.3	1.0	-	0.8	0.5	-	9
10	22.4	34.5	1.8	7.1	-	-	11.2	-	-	-	-	0.3	10
11	19.1	2.3	0.5	6.4	7.9	11.2	-	-	-	-	-	3.3	11
12	6.1	6.9	8.4	6.1	1.5	6.4	0.5	3.6	-	-	4.1	2.0	12
13	7.9	4.3	5.6	5.1	0.3	27.9	1.3	-	-	-	2.3	1.8	13
14	1.0	1.3	7.9	2.8	-	22.4	0.8	-	12.2	2.3	22.4	0.3	14
15	-	7.1	3.3	22.4	-	-	0.3	-	0.3	2.8	7.4	-	15
16	-	-	4.8	6.4	2.0	-	14.0	-	2.8	0.5	8.1	-	16
17	3.6	-	1.8	-	4.8	0.8	-	5.6	8.1	2.8	-	-	17
18	4.8	-	-	3.1	16.5	-	0.5	1.0	2.0	-	-	-	18
19	3.8	43.2	-	1.5	16.3	1.3	-	4.1	0.3	-	0.3	-	19
20	2.5	0.3	-	6.1	-	0.8	6.1	-	-	-	-	3.3	20
21	1.5	-	-	-	-	-	15.5	1.5	-	-	-	9.4	21
22	3.6	-	-	12.2	-	1.0	15.8	1.0	-	-	-	3.3	22
23	-	-	-	0.5	-	-	7.1	-	-	-	-	8.6	23
24	1.0	0.3	16.3	2.0	-	-	0.8	-	-	-	-	6.6	24
25	-	0.5	2.5	2.8	-	0.3	24.1	-	-	-	0.3	0.3	25
26	4.1	7.1	10.7	13.0	2.8	-	4.6	-	-	-	-	0.3	26
27	2.8	0.3	0.3	2.0	11.7	9.9	-	-	-	-	6.6	3.3	27
28	28.5	-	3.3	3.8	6.6	2.3	0.3	-	-	-	0.3	5.3	28
29	2.5	-	4.6	3.3	19.6	1.0	7.4	-	0.8	-	4.3	30.0	29
30	9.7	~~X~~	-	2.5	1.0	1.8	-	-	3.8	-	3.8	15.2	30
31	13.5	~~X~~	3.1	~~X~~	0.8	~~X~~	0.3	-	~~X~~	18.8	~~X~~	7.4	31
TOTAL	157.8	141.8	98.8	180.6	129.9	91.4	204.6	53.8	42.3	53.8	67.1	125.3	YEAR'S TOTAL 1347.2
Days with 0.2 mm. or more	24	18	20	27	21	15	26	13	13	13	14	23	227

land RE
Kept at Menston
in the County of Y.
by Wm Dan

MENSTON - ~~IN~~ ~~CO~~ ~~TH~~ ~~EDALE~~
YORKSHIRE

FORM A.
BRITISH RAINFALL
- 2 JAN 1918

Height 5 in.
Ground 1 ft. 6 in.
Level 550 ft.

IMPORTANT NOTE.
previous day. If an
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

result entered to the
rule, he is earnestly

Jan. 1, following.

.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.26	.06		.70	.01	.01			.31		.01		1
2	.05			.30		.50		.10	.15		.29	.20	2
3	.22					.23		.01	.02	.02	.01		3
4	.07	.07				.11				.11	.06		4
5			.12							.17			5
6			.09	.27				.01		.08	.11		6
7	.39					.03				.29	.29		7
8	.46					.21		.03		.30	.03	.14	8
9	.22			.19				2.32		.43	.20	.13	9
10			.08	.26				.19		.08	.48		10
11	.22		.76	.50	.10			.20					11
12	.04			.10				.11		.40			12
13				.31	.29			.15		.50		.05	13
14	.12			.14	.15	.09		.29	.22	.04		.19	14
15	.14			.19	.02			.36				.04	15
16				.04			.30	.01	.09			.22	16
17	.08	.07	.08	.14				.05				.44	17
18		.03	.09	.12	.56		.08	.95	.01	.13			18
19	.05		.03	.09	.16		.48	.18	.13				19
20	.12	.14	.29		.62	.10		.02					20
21	.10	.23	.02			.12		.04	.23		.04		21
22		.05	.11		.04			.02		.05			22
23			.04			.05		.13	.07	.03	.03		23
24		.12			.28	.29	.03	.16		.07	.06		24
25		.04				.04		.16		.38	.37	.02	25
26			.08					.10		.43	.05		26
27								.62	.08	.49	.10		27
28			.03			.28	.31	.69		.07	.19	.07	28
29			.32				.03	.18		.02	.28		29
30		X	.03		.26		.21			.28	.44	.10	30
31		X	.21	X		X		.02	X	.07	X		31
Total	2.54	.81	2.38	3.35	2.49	2.06	1.44	7.10	1.31	4.44	3.04	1.60	YEAR'S TOTAL 32.56
Rain Days	15	8	16	14	17	12	7	26	10	22	18	11	32

RE

Kept at Menston-in-Wharfedale
in the County of York
by Wm Daniel

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Menston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 550 ft.

FORM A.
BRITISH RAINFALL
-2 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.26	.06		.70	.01	.01			.31		.01		1
2	.05			.30		.50		.10	.15		.29	.20	2
3	.22					.23		.01	.02	.02	.01		3
4	.07	.07				.11				.11	.06		4
5			.12							.17			5
6			.09	.27				.01		.08	.11		6
7	.39					.03				.29	.29		7
8	.46					.21		.03		.30	.03	.14	8
9	.22			.19				2.32		.43	.20	.13	9
10			.08	.26				.19		.08	.48		10
11	.22		.76	.50	.10			.20					11
12	.04			.10				.11		.40			12
13				.31	.29			.15		.50		.05	13
14	.12			.14	.15	.09		.29	.22	.04		.19	14
15	.14			.19	.02			.36				.04	15
16				.04			.30	.01	.09			.22	16
17	.08	.07	.08	.14				.05				.44	17
18		.03	.09	.12	.56		.08	.95	.01	.13			18
19	.05		.03	.09	.16		.48	.18	.13				19
20	.12	.14	.29		.62	.10		.02					20
21	.10	.23	.02			.12		.04	.23		.04		21
22		.05	.11		.04			.02		.05			22
23			.04			.05		.13	.07	.03	.03		23
24		.12			.28	.29	.03	.16		.07	.06		24
25		.04				.04		.16		.38	.37	.02	25
26			.08					.10		.43	.05		26
27								.62	.08	.49	.10		27
28			.03			.28	.31	.69		.07	.19	.07	28
29			.32				.03	.18		.02	.28		29
30		X	.03		.26		.21			.28	.44	.10	30
31		X	.21	X		X		.02	X	.07	X		31
Total	2.54	.81	2.38	3.35	2.49	2.06	1.44	7.10	1.31	4.44	3.04	1.66	32.56
Rain Days.	15	8	16	14	17	12	7	26	10	23	18	14	17

The rainfall is measured
at 8 a m each day and
entered to the day on which
it is measured.

W.D.
—

REGISTER OF RAINFALL IN 1918

Kept at Menston-in-Wharfedale
in the County of Yorkshire W.R.
by Wm Daniel

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Menston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 550 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(-)

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.06	.16					.04				1
2	.04			.02	.07				.20	.06	.12	.18	2
3		.19							.34	.03		.19	3
4					.27			.07		.03	.05	.02	4
5		.05			.27			.03	.74	.08	.31	.21	5
6			.05	.04	.20			.73	.04	.20	.06		6
7		.55	.03	.27	.01	.17		.13		.11		.03	7
8	.30	.10		.11					.07	.20	.17		8
9		.25	.17				.12	.04	.29	.06	.06		9
10	.18	.66		.07		.03			1.01	.46	.14	.09	10
11	.03	.45		.02			.29		.18	.03	.07	.02	11
12	.25	.08	.02				.08	.01	.03	.05		.08	12
13		.20	.03	.06	.13		.50		.10				13
14				.02	.11				.29	.18			14
15	.26					.11	.15		.76	.07		.18	15
16	.09					.01	.75		1.04			.59	16
17	.21					.19	.19	.06	.21	.02		.28	17
18	.18				.38		.13	.05	.04	.31		.22	18
19	.29		.07			.04	.29		.48	.01		.30	19
20	.28	.03	.10	.10		.08	.37	.10	.25	.17		.95	20
21	.20	.57		.17		.04	.91		.07	.01			21
22	.27	.24		.01	1.07	.07			.15	.22			22
23	.08	.01			.35	.04	.80		.06	.01		.46	23
24	.04				1.25		.28		.06		.03	.09	24
25		.07					.36	.06	.08		.01	.02	25
26						.11	.12	.26	.11		.01		26
27		.05					.08	.13	.43		.06	.09	27
28		.14	.05					.34	.78	.02	.19	.21	28
29			.36					.57	.15		.05	.80	29
30		X							.04			.37	30
31		X	.21	X		X		.09	X		X	.11	31
Total	2.73	3.58	1.15	1.05	4.11	.89	5.42	2.61	8.04	2.33	1.33	5.49	38.73
Rain Days	16	17	11	11	11	11	16	16	27	21	14	22	192

REGIST

Kept at MEXBOROUGH

in the County of YORK

by S. Fenwick Carter

MEXBOROUGH
YORKSHIRE

1911 - 1920

IMPORTANT NOTE.—Rainfall is recorded for the previous day. If an Observer is requested to add the reading at the end of this paragraph. Full instructions for the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL.
5 JAN 1922

Order in.
round 1 ft. 6 in.
Sea Level 77 ft.
am.
Name Mexborough GCR.
Distance 2033 Direction SW.
the result entered to the
ersal rule, he is earnestly
ear in the space provided
ment of rain,
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	.31				.03					.02			2
3	.01				.09				.01	.02	.04		3
4	.02		.04	.04		.01		.03	.13	.09	.18	.11	4
5	.01									.23			5
6	.11		.01					.03		.11	.15	.36	6
7	.01										.07		7
8	.09		.07						.03		.04	.26	8
9						.04						.01	9
10											.01	.34	10
11	.19							.01			.52		11
12	.04		.04						.68		.06		12
13			.08									.43	13
14	.01				.05		.03				.01	.55	14
15		.04	.03		.05					.05		.06	15
16			.09			.05	.02			.02	.11	.02	16
17			.09			.25					.09	.11	17
18		.04	.01			.31				.01	.28	.03	18
19	.01	.05				.01		.43	.13	.08	.50	.02	19
20		.05		.04				.08	.12		.02	.21	20
21		.11	.02					.01	.01	.16	.09		21
22		.04						.02		.20	.03	.13	22
23		.12	.06			.56			.21			.08	23
24		.10	.03			1.59				.04		.05	24
25		.07		.06		.02			.10		.05	.07	25
26				.02	.15					.21	.39	.28	26
27		.02	.09	.12				.85	.52		.01	.01	27
28		.03	.01	.13		.01			.02		.02	.08	28
29			.01	.01		.01		.07	.10	.07	.01	.01	29
30					.10	.11			.01	.19			30
31			.06		.01					.13			31
Total	.81	.67	.74	.42	.48	2.97	.05	1.53	2.07	1.63	2.68	3.22	TOTAL for year 17.27
No. of Rain Days.	11	11	16	7	7	12	2	9	13	15	21	21	145

REGIST

FORM A2.
BRITISH RAINFALL
5 JAN 1912

Kept at MEXBOROUGH

in the County of WYK

by S. Fenwick Carter. C.E.

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 77 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Mexborough GCR.
Distance 2033 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	.31				.03					.02			2
3	.01				.09				.01	.02	.04		3
4	.02		.04	.04		.01		.03	.13	.09	.18	.11	4
5	.01									.23			5
6	.11		.01					.03		.11	.15	.36	6
7	.01										.07		7
8	.09		.07						.03		.04	.26	8
9						.04						.01	9
10											.01	.34	10
11	.19							.01			.82		11
12	.04		.04						.68		.06		12
13			.08									.43	13
14	.01				.05		.03				.01	.55	14
15		.04	.03		.05					.05		.06	15
16			.09			.05	.02			.02	.11	.02	16
17			.09			.25					.09	.11	17
18		.04	.01			.31				.01	.28	.03	18
19	.01	.05				.01		.43	.13	.08	.50	.02	19
20		.05		.04				.08	.12		.02	.21	20
21		.11	.02					.01	.01	.16	.09		21
22		.04						.02		.20	.03	.13	22
23		.12	.06			.56			.21			.08	23
24		.10	.03			1.59				.04		.05	24
25		.07		.06		.02			.10		.05	.07	25
26				.02	.15					.21	.39	.28	26
27		.02	.09	.12				.85	.52		.01	.01	27
28		.03	.01	.13		.01			.02		.01	.08	28
29			.01	.01		.01		.07	.10	.07	.01	.01	29
30					.10	.11			.01	.19			30
31			.06		.01					.13			31
Total	.81	.67	.74	.42	.48	2.97	.05	1.53	2.07	1.63	2.68	3.22	TOTAL for year 17.27
No. of Rain Days.	11	11	16	7	7	12	2	9	13	15	21	21	145

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

Kept at

W. 7
Meadborough

in the County of

York

by

S. Fenwick Carter. C.E.

Lat. 53.30 N. Long. 1.20 W.

Time of Observation 9 am.

Nearest Railway Station Meadborough. G.C.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Ordnance Datum } 44.10 ft.
" " " Sea Level }

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.02 ^s	.04			.44	.02	.02	.10			.21 ^s	1
2			.01			.11	.59		.06			.10	2
3	.07	.15 ^s			.05	.38		.63	.18			.03	3
4	.06		.34		.05	.56		.44	.03		.27		4
5	.10	.04 ^s	.02		.05	.23		.02			.01		5
6	.98	.04	.06		.02	.04	.01	.34					6
7		.03				.04		.12	.03			.01	7
8	.23	.29	.07				.01	.01	.11				8
9	.04	.20	.09	.11		.13		.04			.04	.01	9
10	.01	.03				.73		.16			.34		10
11	.11									.01	.08	.52	11
12	.04	.23	.01			.02	.41				.05		12
13	.01	.03						.03		.03	.13		13
14	.05		.24			.04		.03		.01			14
15	.04	.03	.10		.44	.05		.01				.02	15
16	.84		.09		.25	.21		.04		.02		.08	16
17	.13		.06			.24	.01	.21				.16	17
18	.13	.01	.11				.03	.02		.01		.01	18
19	.36	.12	.04				.71	.12		.01	.02		19
20	.16	.61	.03		.19	.02	.05	.07	.01	.18			20
21			.40		.57		.67		.01	.01			21
22	.02	.03	.02		1.25	.63	.07	.44		.02		.05	22
23	.03	.02	.19		.01		.26	.27		.01	.03	.01	23
24	.32		.01			.02	.29	.07				.13	24
25	.					.15		.05		.01	.12	.05	25
26		.10	.02				.35	.86		.82	.12	.25	26
27						.19	.18	.02		.66	.02	.04	27
28	.01 ^s		.06			.09	.04	.23		.13	.53 ^s	.03	28
29			.01			.03	.04		.50	.04	.07 ^s	.01	29
30	.07 ^s		.02		.76	.02			.03	.08			30
31					.36		.35	.30					31
Total	3.81	1.38	2.04	.11	4.03	4.37	4.09	4.55	1.06	2.05	1.83	1.72	31.04
Rain Days.	22	17	23	1	12	22	18	25	10	16	14	18	198
	1.44	1.68	1.26	1.34	1.79	1.82	2.02	2.28	.99	2.67	1.80	1.93	Av. 10 years.

REGISTER OF RAINFALL IN 1913

Kept at MEXBOROUGH
in the County of YORK
by G. Fenwick Carter. C.E.

Lat. 53° 30' N. Long. 1° 20' W.
Time of Observation 9 AM
Nearest Railway Station MEXBORO. G.C.R.
Diameter of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 77.10 ft.

FORM A.
BRITISH RAINFALL
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.10					.10	.01	.08		1
2		.05	.04	.01						.02			2
3	.02		.06		.30		.05			.73		.21	3
4	.46				.06	.01	.08		.06	.22	.11	.16	4
5	.02			.02		.04	.16		.02	1.08			5
6		.02	.07	.02	.48	.02	.84			.75			6
7		.09			.07	.13	.01			.42			7
8		.01	.04		.26	.11		.08	.01	.03	.07		8
9		.12				.02					.09		9
10		.01		.04 ^s			.15			.03	.19		10
11	.96 ^{sw.}	.01		.40 ^s						.02	.14		11
12		.01				.02	.01				.28		12
13	.06 ^s	.01	.02	.05				.03	.18		.06		13
14	.06 ^s	.08	.27							.04	.10		14
15	.05 ^s	.03	.14	.16					.02		.19		15
16	.01 ^s	.01	.13 ^s	.01				.23	.26		.02		16
17	.01 ^s	.03	.13 ^s	.04				.01	2.70		.01		17
18			.12	.02			.04				.02	.01	18
19	.11		.05	.03		.01			.14				19
20	.19		.06	.04					.01	.02	.03		20
21			.03	.	.14		.18		.02		.19		21
22	.07 ^s		.27					.56	.15				22
23	.09		.01			.04		.11	.07	.05	.01		23
24	.09			.03				.01					24
25	.01			.01					.09				25
26			.13	.01					.01	.19		.13	26
27		.02	.01	.41		.05				.02		.12 ^s	27
28	.20		.19	.52						.03		.06 ^s	28
29	.01		.23	.40	.03						.01	.22 ^s	29
30	.16		.01	.01	.07					.35	.02	.05 ^{sw}	30
31					.50								31
Total	2.58	.50	2.06	2.31	1.91	.45	1.52	1.03	3.84	4.01	1.62	.96	YEAR'S TOTAL 22.79
Rain Days.	18	14	21	19	9	10	9	7	15	17	18	8	165

REGISTER OF RAINFALL IN 1914

Kept at Musborough
in the County of York.
by G. Fenwick Carter. C.E.

Lat. 53.30 N Long. 1.20 W.
Time of Observation 9 am.
Nearest Railway Station Musborough G.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 77.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.88	.40		.02	.01	.26	1
2							.69	.07			.31	.05	2
3					.04		.07	.01			.05	.48	3
4	.07		.02	.04	.04						.33	.16	4
5	.08		.08	.13	.01	.01	.04				.12	.09	5
6		.02		.08	.10		.37				.02	.03	6
7			.16	.03	.07	.01		.02			.04	.06	7
8	.03		.01		.04	.38	.07	.01	.12			.02	8
9	.24		.02		.01	.71		.15	.01				9
10	.27	.08	.03 ^s	.07					.04			.02	10
11		.05	.18	.03		.59			.02		.29	.33	11
12		.03	.07			.01	.02		.25 ~~.12~~			.32	12
13	.01	.02	.17						.03	.03	.10	.19	13
14	.03	.04					.03		.04	.28	.08 ^s	.21	14
15		.07	.04						.02	.01	.49 ^s	.05	15
16	.02		.03				.20		.16 ~~.25~~				16
17	.05	.11	.04				.02		.01			.14	17
18						.01						.25	18
19			.05								.05	.18	19
20		.05	.06					.11	.02	.06			20
21		.44	.02			.69		.40		.07	.05	.07	21
22					.08	.04	.01	.05		.07		.02	22
23		.01	.01		.33	.09	.05			.01		.02	23
24		.01	.08		.37		.02	.16			.26		24
25							.02	.12		.52	.07	.22	25
26			.04					.18		.13	.03	.15	26
27	.03									.01	.04	.58	27
28	.03	.04								.10	.02	.32	28
29	.01		.08							.46	.01		29
30		X						.05		.05	.14	.09	30
31	.01	X		X		X	.22		X	.11	X	.06	31
Total	.88	.97	1.19	.38	1.09	2.54	2.71	1.73	.68	1.93	2.57	4.37	20.98
Rain Days.	13	13	19	6	10	10	15	13	10	15	20	26	170

REGISTER OF RAINFALL IN 1915

Kept at MEXBOROUGH
in the County of YORK
by G. Fenwick Carter. C.E.

Lat. 53° 30' N Long. 1° 20' W
Time of Observation 9 a.m.
Nearest Railway Station Mexborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 77.10 ft.

FORM A.
BRITISH RAINFALL.
5 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.07			.33		.03	.02	.09		.05	.03	1
2	.02	.04	.10	.08		.05	.03	.42		.06			2
3	.75		.04	.07			.28	.40			.06	.43	3
4	.23				.02		.97	.05			.01	1.08	4
5	.02	.39			.30			.03			.04	.38	5
6	.02	.26	.12	.03			.58	.02				.05	6
7	.25	.17	.02	.07			.11	.37			.02	.04	7
8	.12	.13	.01 ^s	.05			.13	.07			.06		8
9	.03			.01				.17	.01	.01	.03	.56 ^s	9
10	.23		.05					.01				.02	10
11	.09		.01	.01	.43		.15				.41	.30 ^s	11
12	.02			.17	.13		.01			.07	1.53		12
13		.62											13
14		.01			.05		.02	.10		.01		.21	14
15	.25							.08		.02	.19 ^s	.07	15
16		.11			.12		1.50	.02		.01		.01	16
17		.08					.15						17
18		.10	.06 ^s					.02			.03		18
19		.01			.01		.04			.01			19
20										.07		.31	20
21	.06 ^s			.04			.10	.02				.10	21
22			.13	.01			.15		.02	.12		.03	22
23	.01	.03	.07				.07		.65			.03	23
24	.01		.17	.02						.01		.21	24
25			.01			.14						.09	25
26	.02	.19				.05	.05			.38		.36	26
27		.14 ^s					.03			.03		.25	27
28		.14 ^s	.04 ^s			.12		.29		.01		.03	28
29		~~X~~			.11	.65		.01			.09	.58	29
30	.03	~~X~~		.04		.02						.01	30
31	.02	~~X~~		~~X~~		~~X~~		.14	~~X~~	.31	~~X~~	.17	31
Total	2.29	2.49	.83	.60	1.50	1.03	4.40	2.24	.77	1.12	2.52	5.35	25.14
Rain Days.	19	16	13	12	9	6	18	18	4	14	12	24	165

REGISTER OF RAINFALL IN 1916

Kept at MEXBOROUGH
in the County of YORK
by C. Fenwick Carter. C.E.

Lat. 53.90 N. Long. 1.20 W.
Time of Observation 9 a.m.
Nearest Railway Station Mexborough G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 77.1 ft. 6 in.
Sea Level 77.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.11			.08	.10				.10		1
2	.10	.02	.26	.06					.08	.08			2
3		.24		.01			.23		.43	.14	.04		3
4	.01	.15			.71	.12			.30	.08	.29		4
5	.02			.03	.07	.09				.17	.18		5
6		.38	.21 ^s		.26		.13			.02	.28	.02	6
7	.04		.17 ^s		.07		.08			.03	.03	.29	7
8			.22 ^s								.01	.16	8
9			.05 ^s	.01	.55	.01			.23		.02	.15	9
10		.05	.07 ^s	.13		.10	.03		.01			.13	10
11	.02	.38 ^s	.27 ^s		.01	.09			.06			.02	11
12		.01	.55 ^s		.74	.03	.12	.01		.02		.03	12
13		.03	.13		.03		.18	.15		.05	.01	.02	13
14		.06 ^s	.02	.09	.06		.01	.11		.03	.02	.02	14
15		.10	.72				.12	.16		.02			15
16		.17	.26	.06			.03	.48		.02			16
17	.03	.10		.08			.02	.02	.11	.12			17
18	.05	.26	.01	.04		.03		.13	.17	.07	SHR. 1.27 ^s	.04	18
19		.02	.17	.09				.06	.04		.43	.22 ^s	19
20			.21	.02	.04		.03	.02 ²³				.01	20
21			.10	.01			.37	.20 ²⁴				.26	21
22		.04 ^s	.01 ^s	.05		.03		.10 ²⁵		.06	.01	.23 ^s	22
23		.02 ^s	.02 ^s	.07		.01		.04 ²⁶		.02	.10	.23 ^s	23
24		.09		.05		.33		.02 ²⁷		.04		.16	24
25		.03	.19 ^s		.03					.03	.09	.02	25
26			.03 ^s		.01			.05 ²⁹		.06			26
27		.25								.10			27
28		.27	.17 ^s		.23	.07			.01	.01		.02	28
29		.25				.43				.25		.19	29
30		X				.02				.09			30
31		X		X		X			X	.05	X	.07	31
Total	.37	2.92	3.95	.80	2.81	1.44	1.45	1.55	1.44	1.56	2.88	2.29	YEAR'S TOTAL 23.46
Rain Days.	8	21	22	15	13	14	13	14	10	23	15	20	188

REGISTER OF RAINFALL IN 1917

Kept at MEXBOROUGH
in the County of YORK
by G. J. J. Carter - C.E.

Lat. 53° 40' Long. 1° 20' W.
Time of Observation 9 A.M.
Nearest Railway Station MEXBORO G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 77.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.01 ^s		.18 ^s		.02	.37	.37	.09		.10	.03	1
2	.01			.17 ^s		.12	.12	.12			.01		2
3		.01 ^s		.01		.01	.33	.19		.08	.02		3
4		.01 ^s	.07 ^s				.06	.06		.25	.01		4
5	.23		.05 ^s	.20 ^s			.01	.02		.12	.08		5
6						.02				.20	.04		6
7	.27 ^s		.02 ^s			.10				.33		.02	7
8	.75 ^s			.18 ^s						.47	.07	.05	8
9	.16 ^s		.04 ^s	.13 ^s	.01			1.70		.07	.26		9
10	.15 ^s		.60	.17 ^s	.18			.09		.01	.05		10
11	.02			.61 ^s				.15		.25			11
12	.07 ^s				.21			.20		.14		.02	12
13	.05			.04				.18	.01	.03	.02		13
14	.10 ^s			.04				.02				.16	14
15	.06 ^s				.01		.21			.01	.01	.02	15
16	.08 ^s	.06		.05 ^s		.04	.09	.09				.41 ^s	16
17	.01 ^s	.10	.02	.11	.59	.02	.20	.18	.03	.05		.29 ^s	17
18	.02 ^s			.03	.03		.40	.09	.30				18
19	.05 ^s	.09	.07	.01	.21	.32		.04	.01				19
20	.04 ^s	.16	.03		.28	.16		.02	.03		.05		20
21	.02 ^s	.05	.03 ^s			.01		.05		.02			21
22	.03 ^s	.02	.07 ^s			.02		.08	.01	.05			22
23					.11			.05	.04	.02		.01	23
24		.02			.02	.09		.06		.26	.23	.02	24
25			.04					.02		.11 ^s	.03		25
26			.01 ^s			.05	.01	.23	.11	.08	.01		26
27			.08 ^{SR}			.22	.14	.47				.07	27
28			.11 ^{SR}			.04	.01	.17	.01	.02		.12	28
29	.01 ^s		.02		.43		.04			.17		.15	29
30	.01 ^s	X	.05			X	.07	.07		.02			30
31	.01 ^s	X	.23 ^s	X		X	.01	.03	X	.01	X	.01	31
Total	2.17	.53	1.54	1.93	2.08	1.24	1.18	4.74	.66	2.77	.99	1.39	21.22
Rain Days.	22	10	17	14	11	15	10	26	11	23	15	14	188
SNOW	17	3	10	8						1		2	41

REGISTER OF RAINFALL IN 1918

Kept at

Merborough

in the County of

Yorks W

by

G. Fennick Carter CE

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.02 ^s		.01				.09	.04	.15		1
2		.12	.01 ^s	.03				.08	.08	.02		.14	2
3		.01	.04					.22	.02		.22		3
4			.02		.56			.07	.28	.13	.12	.29	4
5			.01		.05			.25	.12	.13			5
6	.02	.23	.01		.17	.14		.01	.01	.10			6
7	.15 ^s	.03		.39		.01	.01		.07	.12	.09		7
8		.04	.17 ^s	.22			.04		.39	.03	.04	.01	8
9	.03	.43		.01		.05	.10		.38	.14		.01	9
10	.05	.02		.39			.04		.03		.01	.02	10
11	.08 ^s	.01		.01	.15		.09		.04			.02	11
12		.16	.01	.01	.03		.39		.02			.04	12
13	.12 ^s	.01		.09	.14				.22	.11			13
14	.26 ^s			.16		.01	.08		.36	.05		.19	14
15	.19 ^s			.05		.04	.15		.66		.01	.11	15
16			.02	.01			.16	.01	.23		.01	.09	16
17	.17 ^s			.01		.12	.86	.04	.28	.02		.14	17
18	.29		.02			.01	.08	.01	1.07	.11		.05	18
19	.08	.01	.09	.04		.01	.06	.03	.08	.08		.54	19
20	.04	.14		.01		.11	.12		.03	.02			20
21	.10	.04		.01	.98	.07	.03		.09	.10	.01		21
22	.09			.01	.16		.06		.12	.01		.20	22
23	.02			.01	.43		.13			.01	.08		23
24		.06					.09		.17	.01			24
25						.81	.05	.50			.01		25
26							.08	.03	.07	.03	.04	.04	26
27		.02						.32	.20		.04	.03	27
28		.13 ^s	.22					.02	.01		.09	.26	28
29									.03			.03	29
30		X	.25						(.08)		.13	.36	30
31		X	.02	X		X		.01	X		X		31
Total	1.69	1.52	.91	1.46	2.68	1.38	2.62	1.60	5.18	1.26	1.05	2.57	23.93
Rain Days	15	17	14	17	10	11	19	14	28	19	15	19	198

REGISTER OF RAINFALL IN 1919.

Kept at MEXBORO
in the County of YORK
by S. Fenwick Carter. C.E.

Lat. 53.90^N Long. 1.20^W
Time of Observation 9 am
Nearest Railway Station Mexb. f.c.r.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
Sea Level 77.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.02	.01	.01	.12		.22		.54	.10	.09	.11	1
2	.12	.01	.01				.31		.28		.09	.01	2
3	1.00	.01			.01	.08	.30		.08		.34	.05	3
4	.20		.30		.01	.07	.01	.24	.07		.05	.10	4
5	.03	.01			.02				.09		.02	.08	5
6	.01		.01		.22					.01		.09	6
7	.02		.14	.01	.10					.03			7
8	.09			.02	.01	.01					.06		8
9	.01		.03								.08		9
10			.12	.02	.04						.03	.06	10
11			.80	.02	.09		.23			.04	.02	.01	11
12			.86	.02		.03	.12		.10	.02	.02		12
13	.12			.06					1.08	.16	.01	.06	13
14	.19			.20			.02		.05	.01	.12	.01	14
15	.18	.15	.05	.10				.10			.13	.63	15
16	.08	1.08	.02	.05		.02					.14	.01	16
17	.01	.46		.03		.08	.01				.08		17
18			.08				.02	.20				.08	18
19	.02	.25	.95			.04	1.35	.56	.06		.16	.03	19
20	.23	.11	.03			.02	.33	.08	.06		.07	.07	20
21	.13	.26	.02			.23	.27		.03		.02	.14	21
22		.25				.02		.02	.14	.67	.01	.31	22
23			.01	.25		.02				.30	.01	.04	23
24				.13		.05	.01	.02		.02	.05	.17	24
25	.04	.01		.13	.05	.01		.47	.05	.04	.02	.01	25
26		.02	.15	.04	.05			.25		.09	.04	.30	26
27	.12		.01	.30						.10	.04	.09	27
28	.06			.24				.83				.82	28
29	.10			.03		.18		.03		1.13		.32	29
30	.04	~~X~~	.02	.09		.12	.16			.06	.08	.15	30
31	.03	~~X~~		~~X~~		~~X~~			~~X~~	.10	~~X~~	.08	31
TOTAL	3.18	2.64	3.62	1.75	.72	.98	3.36	2.80	2.63	2.88	1.78	3.83	YEAR'S TOTAL
Days with 0.1 in. or more	23	13	19	19	11	15	13	11	13	16	25	26	204

REGISTER OF RAINFALL IN 1920.

Kept at MEXBOROUGH
in the County of YORK
by S. Fenwick Carter C.E.

Lat. 53° 90' N Long. 1° 20' W.
Time of Observation 9 am.
Nearest Railway Station Mexborough G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 77.10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.26	.18	.02	.17	.01	.02	.14	.22	.04	1
2			.02	.31	.01		.07		.27	.22		.17	2
3		.02		.31	.06	.05	1.11		.15	.12		.13	3
4	.02			.07	.01		.18	.25	.02	.62		.16	4
5		.01	.03		.01		.07	.25	.02	.01		.01	5
6			.12 ^s	.06	.07		.10					.02	6
7	.01	.01	.10 ^s	.03	.01		.45						7
8	.06 ^s	.03		.40	.01		.09	.03		.02			8
9	.17	.01		.43			.07	.08	.01	.01			9
10	.22	.14	~~.02~~	.25	~~.02~~		.04	.12					10
11	.46	.03	.04	.16	.13	.15						.11 ^s	11
12	.03		.02	.26	.01	.02	.01	.10			.03	.09 ^s	12
13	.03	.04	.02	.18		.71						.11 ^s	13
14	.02		.42 ^s	.07		.31	.03		.31	.06	.14	.02	14
15	.01	.04	.42 ^s	.08					.10	.02	.02	.02 ^s	15
16					.01		.59		.02		.01		16
17					.08		.05		.20	.03		.01	17
18	.04			.04	.08			.02	.01				18
19	.02	1.37 ^s		.20	.03	.15		.14	.02				19
20	.02	.06 ^s	.01	.18		.25	.07						20
21				.23			.43	.09				.01	21
22	.03			.16			.07			.01	.01	.01	22
23		.01					.17		.02	.01	.01	.25	23
24	.04	.01	.10	.05			.01	.01	.01			.04	24
25	.01	.08	.03	.04		.01	.40		.01				25
26	.10	.02	.09	.03	.18		.06		.01				26
27	.13	.01		.09	.66	.21	.01		.01	.01	.22	.18	27
28	1.11 ^s		.09	.07	.31	.02	.05		.01		.14	.08	28
29	.06		.09		.66		.06		.01		.06	.40	29
30	.11	~~X~~	.01	.07					.14		.14	.21	30
31	.06	~~X~~	.13	~~X~~	.09	~~X~~	.04		~~X~~	.30	~~X~~	.07	31
TOTAL	2.76	1.89	1.75	4.03	2.60	1.90	4.40	1.10	1.37	1.58	1.00	2.14	YEAR'S TOTAL
Days with ".01 in. or more	22	16	18	25	19	11	25	11	20	14	11	21	265
Days with ".04 in. or more	12	14	10	23	11	7	21	7	8	6	6	13	129

R

Kept at

Mexb

MEXBOROUGH

in the County of

by

John
Manager

IMPORTANT N

previous day. If an

requested to add the

for it at the end of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

20 W

M

MEXBOROUGH.

5 in.

round 1 ft. 6 in.

sea Level 76 ft.

The result entered to the
rule, he is earnestly

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.05	-	-	-	.87	.18	-	.02	.01	.34	1
2	-	-	-	-	-	-	.65	.09	-	-	.30	.05	2
3	-	-	-	-	-	-	.08	-	-	-	.03	.57	3
4	-	-	-	-	.05	-	-	-	-	-	.38	.18	4
5	.09	-	.03	.11	.05	-	.05	-	-	-	.06	.11	5
6	.08	-	.08	.10	-	-	.36	-	-	-	.01	.03	6
7	-	-	-	.09	.13	.02	-	.03	-	-	.04	.07	7
8	.04	.01	.16	.04	.07	.42	.05	.01	.16	-	-	.02	8
9	-	-	-	-	.05	.74	-	.15	.01	-	-	-	9
10	.27	-	-	.03	.01	-	-	-	.05	-	-	-	10
11	.22	.10	-	.09	-	.60	-	-	.01	-	.34	.35	11
12	-	.05	.20	-	-	-	-	-	.25	-	-	.39	12
13	-	.01	.03	-	-	-	-	-	.03	.02	.08	.13	13
14	.01	.03	.21	-	-	-	-	-	-	.30	.49	.20	14
15	.02	.05	-	-	-	-	-	-	-	-	-	.03	15
16	-	.08	.04	-	-	-	.23	-	.19	-	-	-	16
17	.06	-	.02	-	-	-	.01	-	.11	-	-	.18	17
18	.06	.13	.05	-	-	-	-	-	-	-	-	.25	18
19	-	-	-	-	-	-	-	-	-	-	.05	.17	19
20	-	-	.06	-	-	-	-	.07	.05	.07	-	-	20
21	-	.06	.05	-	-	.70	-	.42	-	.07	.05	.06	21
22	-	.45	-	-	.13	.04	-	.05	-	.06	-	.02	22
23	-	-	-	-	-	.06	.05	-	-	-	-	.02	23
24	-	-	.02	-	.40	-	-	.16	-	-	.26	-	24
25	-	-	.09	-	-	-	.04	.13	-	.52	.07	.25	25
26	-	-	-	-	-	-	-	.17	-	.14	.03	.18	26
27	-	-	.04	-	-	-	.02	-	-	.01	.06	.59	27
28	.03	-	-	-	-	-	-	-	-	.10	-	.32	28
29	.03	-	-	-	-	-	-	-	-	.44	.01	-	29
30	.005	X	-	-	-	-	-	.05	-	.05	.16	.08	30
31	-	X	-	X	-	X	.23	-	X	.10	X	.06	31
Total	.85	.98	1.13	.46	.89	2.58	2.64	1.51	.86	1.90	2.43	4.65	YEAR'S TOTAL 20.88
Rain Days.	10	11	15	6	8	7	12	12	9	13	18	25	146

RE

Kept at

Hexham

in the County of

York

WR 7

by

John Thompson
Manager of Waterworks

Nearest Railway Station

20 W

M

20 BOROUGH.

Diameter of Rain Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

6

in.

" " " " Sea Level

76

ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.05	-	-	-	.87	.18	-	.02	.01	.34	1
2	-	-	-	-	-	-	.65	.09	-	-	.30	.05	2
3	-	-	-	-	-	-	.08	-	-	-	.03	.57	3
4	-	-	-	-	.05	-	-	-	-	-	.38	.18	4
5	.09	-	.03	.11	.05	-	.05	-	-	-	.06	.11	5
6	.08	-	.08	.10	-	-	.36	-	-	-	.01	.03	6
7	-	-	-	.09	.13	.02	-	.03	-	-	.04	.07	7
8	.04	.01	.16	.04	.07	.42	.05	.01	.16	-	-	.02	8
9	-	-	-	-	.05	.74	-	.15	.01	-	-	-	9
10	.27	-	-	.03	.01	-	-	-	.05	-	-	-	10
11	.22	.10	-	.09	-	.60	-	-	.01	-	.34	.35	11
12	-	.05	.20	-	-	-	-	-	.25	-	-	.39	12
13	-	.01	.03	-	-	-	-	-	.03	.02	.08	.13	13
14	.01	.03	.21	-	-	-	-	-	-	.30	.49	.20	14
15	.02	.05	-	-	-	-	-	-	-	-	-	.03	15
16	-	.08	.04	-	-	-	.23	-	.19	-	-	-	16
17	.06	-	.02	-	-	-	.01	-	.11	-	-	.18	17
18	.06	.13	.05	-	-	-	-	-	-	-	-	.25	18
19	-	-	-	-	-	-	-	-	-	-	.05	.17	19
20	-	-	.06	-	-	-	-	.07	.05	.07	-	-	20
21	-	.06	.05	-	-	.70	-	.42	-	.07	.05	.06	21
22	-	.45	-	-	.13	.04	-	.05	-	.06	-	.02	22
23	-	-	-	-	-	.06	.05	-	-	-	-	.02	23
24	-	-	.02	-	.40	-	-	.16	-	-	.26	-	24
25	-	-	.09	-	-	-	.04	.13	-	.52	.07	.25	25
26	-	-	-	-	-	-	-	.17	-	.14	.03	.18	26
27	-	-	.04	-	-	-	.02	-	-	.01	.06	.59	27
28	.03	-	-	-	-	-	-	-	-	.10	-	.32	28
29	.03	-	-	-	-	-	-	-	-	.44	.01	-	29
30	.005	X	-	-	-	-	-	.05	-	.05	.16	.08	30
31	-	X	-	X	-	X	.23	-	X	.10	X	.06	31
Total	.85	.98	1.13	.46	.89	2.58	2.64	1.51	.86	1.90	2.43	4.65	20.88
Rain Days.	10	11	15	6	8	7	12	12	9	13	18	25	146

REGISTER OF RAINEALL IN 1915

3143/?

3318

FORM A.
BRITISH RAINFALL.

Kept at Mexborough
in the County of York
by John Thompson

Lat. 53.30 Long. 1.20 W.
Time of Observation 9 A.M.
Nearest Railway Station Mexborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

11 in.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.07	—	—	.31	—	.02	.01	.10	—	.05	.02	1
2	.01	.04	—	.08	—	.05	.02	.23	—	.07	—	—	2
3	.71	—	.04	.08	—	—	.26	.41	—	—	.05	.43	3
4	.16	—	—	—	.01	—	.87	.05	—	—	.01	1.06	4
5	.01	.38	—	—	.25	—	.12	.03	—	—	.05	.40	5
6	.01	.28	.13	.03	—	—	.56	—	—	—	—	.05	6
7	.26	.17	.01	.07	—	—	.12	.37	—	—	—	.04	7
8	.14	.14	.01	.05	—	—	.12	.08	—	—	.07	—	8
9	.02	—	—	—	—	—	—	.21	—	—	.03	.59	9
10	.26	—	.05	—	—	—	—	—	—	—	—	.02	10
11	.09	—	.01	.10	.45	—	.15	—	—	—	.44	.27	11
12	.01	.01	—	.17	.13	—	—	—	—	.07	—	—	12
13	—	.63	—	—	—	—	—	—	—	—	1.67	—	13
14	—	.01	—	—	.05	—	.02	.14	—	—	—	.22	14
15	.29	—	—	—	—	—	—	.05	—	.02	.21	.06	15
16	—	.17	—	—	.13	—	1.55	.04	—	.01	—	—	16
17	—	.11	—	—	—	—	.16	—	—	—	—	—	17
18	—	.11	.18	—	—	—	—	—	—	—	.02	—	18
19	—	.01	—	—	.01	—	.03	—	—	.01	—	—	19
20	—	—	—	—	—	—	—	—	—	.05	—	.29	20
21	.06	—	—	—	—	—	.10	.02	—	—	—	.10	21
22	—	—	.14	—	—	—	.15	—	—	—	—	.01	22
23	.02	.04	.06	—	—	—	.11	—	.02	.11	—	.03	23
24	—	—	.17	.03	—	—	—	—	.60	—	—	.16	24
25	—	—	—	—	—	.13	—	—	—	—	—	.08	25
26	.01	.24	—	—	—	.06	.04	—	—	—	—	.37	26
27	—	.16	.05	—	—	—	.03	—	—	.39	—	.26	27
28	—	.16	.05	—	—	.12	—	.30	—	.02	—	.02	28
29	—	—	—	—	.12	.70	—	—	—	—	.09	.59	29
30	.04	X	—	.04	—	.02	—	—	—	—	—	—	30
31	.02	X	—	X	—	X	—	.14	X	.33	X	.20	31
Total	2.24	2.73	.90	.65	1.46	1.08	4.43	2.08	.72	1.08	2.69	5.27	25.33
Rain Days.	18	17	12	9	9	6	18	14	3	10	11	22	149

REGISTER OF RAINFALL IN 1916 3143/?

Kept at Gruxborough
in the County of York W.R.
by John Thompson

Lat. 53.30 Long. 1.20 W
Time of Observation 9 am
Nearest Railway Station Gruxborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 46 ft.

3245
FORM A-
BRITISH RAINFALL
8 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

none

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11	.005	.10	—	—	.06	.07	—	—	—	.09	—	1
2	.11	.01	.28	—	—	—	—	—	.06	.08	—	—	2
3	—	.26	—	.06	—	—	.20	—	.46	.14	.04	—	3
4	—	.15	—	.01	.68	.12	—	—	.18	.07	.29	—	4
5	.01	—	—	—	.07	.09	—	—	—	.18	.19	—	5
6	.01	.39	.15	.03	.25	—	.10	—	—	.01	.30	.02	6
7	.04	—	.05	—	.07	—	.07	—	—	.01	.03	.28	7
8	—	—	.29	—	—	—	—	—	—	—	—	.14	8
9	—	—	.03	—	.51	—	—	—	.21	—	.01	.17	9
10	—	.05	.02	.01	—	.07	.02	—	—	—	—	.12	10
11	.01	.38	.29	.13	—	.06	—	—	.04	—	—	.01	11
12	.01	.005	.50	—	.72	.01	.11	—	—	—	—	—	12
13	—	.02	.14	—	.02	—	.23	.13	—	.05	—	.02	13
14	—	.09	—	.09	.03	—	—	.10	—	.02	.02	—	14
15	—	.13	.70	—	—	—	.11	.13	—	.01	—	.01	15
16	—	.17	.23	.06	—	—	.02	.30	—	.01	—	—	16
17	.01	.12	—	.07	—	—	.01	.02	.09	.10	—	—	17
18	—	.27	—	.02	—	.03	—	.13	.14	.05	1.34	—	18
19	.02	—	.20	.08	—	—	—	.06	.03	—	.50	.13	19
20	.06	.01	.23	.02	—	—	.03	—	—	—	—	—	20
21	—	—	.10	—	—	—	.34	—	—	—	—	.23	21
22	—	.04	—	.13	—	.01	—	—	—	.05	.01	.23	22
23	—	.02	.02	.06	—	—	—	.01	—	—	.11	.23	23
24	—	.42	—	.05	—	.33	—	.19	—	.04	—	.14	24
25	—	.02	.21	—	—	—	—	.09	—	.03	.07	.01	25
26	—	.05	.03	—	.01	—	—	.03	—	.06	—	—	26
27	—	.25	—	—	—	—	—	—	—	.09	—	—	27
28	—	.34	.06	—	.11	.06	—	—	.01	—	—	.02	28
29	—	.27	—	—	—	.45	—	.04	—	.24	—	.19	29
30	—	X	—	—	—	.01	—	—	—	.06	—	—	30
31	—	X	—	X	—	X	—	—	X	.04	X	.06	31
Total	.39	3.47	3.63	.82	2.47	1.30	1.31	1.23	1.22	1.34	3.00	2.01	22.19
Rain Days.	10	22	19	14	10	12	12	12	9	20	13	17	170

Kept at Mickleton
in the County of Yorkshire
by J. H. P.

MICKLETON
YORKSHIRE

1911-12

FORM A2.
BRITISH RAINFALL.
20 JAN 1912
in. und ft. in.
Level ft.
Direction
e result entered to the

Jan. 1, following.

IMPORTANT
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	24		39		04			06		08	08	06	2
3			15	02	20					09	17	04	3
4			09	13				50		01	20	03	4
5	13		05	02				30		13	18		5
6	06		05	06				13			14	40	6
7	10									04	13		7
8	10		16							01	17	17	8
9												26	9
10	09		03	02								48	10
11	09								41		14	19	11
12	07		03		20				71		12	02	12
13			05		15						08	43	13
14	01	21	05		36						01	32	14
15		14	12							03	40	05	15
16		21	27	11		11					24	05	16
17		10	20			51					26	10	17
18		67	37			06					08	16	18
19		01	05	10		22	02		09	32	62	29	19
20		10		12			20	39	06		08	09	20
21		34		09	16		14	62		13	01	03	21
22	29	11		06	03	04				01	15		22
23	03	40				31			04	26		05	23
24		03	03	09		1.14		04		10		29	24
25	12	26		19		03			18	17	03	10	25
26	05			03				12	01	70	51	16	26
27		40	06	08				11	15		15	02	27
28		13		34		08		10	10			16	28
29				20		04	03	13	40	66		18	29
30			02					02	09	34			30
31					09					05			31
Total	1.38	3.11	2.17	1.66	1.23	2.54	39	2.54	2.24	3.13	4.02	4.14	TOTAL for year 2853
No. of Rain Days	13	14	18	16	8	10	4	13	11	17	23	26	193

DL

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Wickleton
in the County of N. Riding
by J. H. R. Mill H. Burney

Pattern
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			39					06			07	01	1
2	24		15		04			02		08	08	06	2
3				02	20					09	17	04	3
4			09	13				50		01	20	03	4
5	13		05	02				30		13	18		5
6	06		05	06				13			14	40	6
7	10									04	13		7
8	10		16							01	17	17	8
9												26	9
10	09		03	02								48	10
11	09								41		14	19	11
12	07		03		20				71		12	02	12
13			05		15						08	43	13
14	01	21	05		36						01	32	14
15		14	12							03	40	05	15
16		21	27	11		11					24	05	16
17		10	20			51					26	10	17
18		67	37			06					08	16	18
19		01	05	10		22	02		09	32	62	29	19
20		10		12			20	39	06		08	09	20
21		34		09	16		14	62		13	01	03	21
22	29	11		06	03	04				01	15		22
23	03	40				31			04	26		05	23
24		03	03	09		1.14		04		10		29	24
25	12	26		19		03			18	17	03	10	25
26	05			03				12	01	70	51	16	26
27		40	06	08				11	15		15	02	27
28		13		34		08		10	10			16	28
29				20		04	03	13	40	66		18	29
30			02					02	09	34			30
31					09					05			31
Total	1.38	3.11	2.17	1.66	1.23	2.54	39	2.54	2.24	3.13	4.02	4.14	TOTAL for year 2853
No. of Rain Days	13	14	18	16	8	10	4	13	11	17	23	26	193

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at

Mickleton

in the County of

North Riding N.B.

by

H. Burney

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2													2
3	09	04	19										3
4	09		25										4
5													5
6	45	19	06										6
7		08	02										7
8	54	07	09										8
9	04	06	07										9
10	01												10
11	04	18	06										11
12	03	12											12
13	03												13
14	08		09										14
15	14		15										15
16	36		27										16
17	01	23	10										17
18	02	11											18
19	11		11										19
20	09	40											20
21	02		13										21
22	02	16											22
23			04										23
24	14		23										24
25	02		04										25
26	02	24	15										26
27		07	25										27
28		04	11										28
29		02	10										29
30	03		20										30
31			03										31
Total	2.38	2.11	2.77										TOTAL for year
No. of Rain Days													

MIDDLEHAM RECTORY

Kept at *Middleham*
in the County of *NRY*
by *Perce 117*

1911 - 1920

FORM A2.
BRITISH RAINFALL.
1-JAN 1912

in.
nd 1 ft. in.
Level 450 ft.
10 am daylight
e *Middleham*
ance 2 m. Direction N.W.

IMPORTANT NOTE.
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.18					.09			.06		1
2	.29				.12		.07				.09	.22	2
3	.02		.07		.33			.06		.09	.19	.02	3
4	.02		.08	.15				.21	.01	.08	.39	.37	4
5	.36			.02				.37		.05	.26	.03	5
6	.12		.05	.08				.19		.03	.14	1.10	6
7											.19	.02	7
8			.10						.01		.22	.40	8
9	.01											.57	9
10	.20	.05	.01	.02								.75	10
11						.02					.48	.06	11
12	.14		.02		.12	.35			.91		.33	.03	12
13			.11		.18	.01						.45	13
14		.02	.05		.06						.04	.61	14
15	.01	.05	.21							.08	.41	.11	15
16		.30	.16	.02		.10	.02			.06	.35	.14	16
17			.04			.38	.01				.03	.25	17
18		.55	.25			.01					.20	.45	18
19		.04	.05	.20						.18	.55	.25	19
20		.03		.04			.01	.37	.10	.03		.03	20
21		.42						.35	.01	.20	.02	.03	21
22		.32						.01			.18		22
23	.25	.53				.71		.01	.10	.10		.19	23
24	.05					.70				.16		.34	24
25		.18	.02		.05	.06			.41	.05	.06	.15	25
26				.05				.03	.03	.80	.35	.18	26
27		.28	.03	.09				.18	.08			.01	27
28		.11	.03	.43		.03	.07					.17	28
29			.01	.13		.01	.09	.02	.52	.65		.08	29
30			.03	.01	.10				.05	.20		.01	30
31										.04			31
Total	1.47	2.88	1.50	.94	.96	2.38	.27	1.89	2.23	2.80	4.54	7.92	TOTAL for year 28.88
No. of Rain Days.	11	13	19	12	7	11	6	12	11	16	20	28	28.98
													166

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
1 - JAN 1912

Kept at Middleham
in the County of NYork
by Rev C H G Topham

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 450 ft.
Time of Observation 9 5 10 am daytime
Nearest Railway Station { Name Middleham
Distance 2 m Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.18					.09			.06		1
2	.29				.12		.07				.09	.22	2
3	.02		.07		.33			.06		.09	.19	.02	3
4	.02		.03	.15				.21	.01	.08	.39	.37	4
5	.36			.02				.37		.05	.26	.03	5
6	.12		.05	.08				.19		.03	.14	1.10	6
7											.19	.02	7
8			.10						.01		.22	.40	8
9	.01											.57	9
10	.20	.05	.01	.02								.75	10
11						.02					.48	.06	11
12	.14		.02		.12	.35			.91		.33	.03	12
13			.11		.18	.01						.45	13
14		.02	.05		.06						.04	.61	14
15	.01	.05	.21							.08	.41	.11	15
16		.30	.16	.02		.10	.02			.06	.35	.14	16
17			.04			.38	.01				.03	.25	17
18		.55	.25			.01					.20	.45	18
19		.04	.05	.20						.12	.55	.25	19
20		.03		.04			.01	.37	.10	.03		.03	20
21		.42						.35	.01	.20	.02	.03	21
22		.32						.01			.18		22
23	.25	.53				.71		.01	.10	.10		.19	23
24	.05					.70				.16		.34	24
25		.18	.02		.05	.06			.41	.05	.06	.15	25
26				.05				.03	.03	.80	.35	.18	26
27		.28	.03	.09				.18	.08			.01	27
28		.11	.03	.43		.03	.07					.17	28
29			.01	.13		.01	.09	.02	.52	.65		.08	29
30			.03	.01	.10				.05	.20		.01	30
31										.04			31
Total	1.47	2.88	1.50	.94	.96	2.38	.27	1.89	2.23	2.80	4.54	7.92	TOTAL for year 28.88
No. of Rain Days.	11	13	19	12	7	11	6	12	11	16	20	28	28.98
													166

REGISTER OF RAINFALL IN 1912

Kept at Middleham

in the County of York N 1

by H. G. Topham

Lat. _____

Long. _____

Time of Observation Between 9 & 10 AM

Nearest Railway Station Leighton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

Sea Level about 430 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.09	.25	—	—	.45	.84	.16	.12	.19	—	.16	1
2	—	—	.32	—	*	.40	.45	—	.02	.05	—	—	2
3	.14	—	.01	—	—	1.05	—	.81	.21	—	—	.07	3
4	.25	—	.80	.04	.05	.79	—	.64	.09	—	.02	—	4
5	.08	—	—	—	.18	.11	—	.04	—	—	—	—	5
6	.61	.14	.01	—	—	.04	—	.25	—	—	—	—	6
7	—	.16	—	.02	.04	—	—	.07	.08	—	.06	—	7
8	.47	.26	.19	.04	—	—	—	.03	.29	—	.15	—	8
9	—	.08	.15	.10	—	.64	—	—	—	—	.01	—	9
10	.11	.03	.01	.01	—	.08	—	.29	.02	—	.18	.04	10
11	.05	.10	—	—	.03	—	—	.03	—	—	.07	.12	11
12	.10	.19	—	—	—	.08	.05	—	—	—	.09	.47	12
13	.02	.11	—	—	—	.04	—	—	—	.09	.10	.38	13
14	.15	.02	.10	—	—	.10	—	.01	—	—	—	.24	14
15	.21	—	.10	—	.39	.08	—	—	—	—	—	.18	15
16	.48	—	.10	—	—	.03	—	—	—	.01	—	.01	16
17	—	.08	.20	—	—	.26	.03	.18	—	—	.01	.18	17
18	.16	.04	—	—	—	—	—	.02	—	.09	—	—	18
19	.15	.34	.07	—	—	.08	.08	.12	—	.06	.04	—	19
20	—	—	.02	—	.61	.05	.11	—	—	.45	—	—	20
21	—	.10	.35	—	.10	—	—	—	—	—	—	—	21
22	.05	.08	—	—	.71	.34	—	.28	—	—	—	—	22
23	—	—	.16	—	.02	—	.20	.26	—	—	—	—	23
24	.20	—	—	—	—	.14	.07	.25	—	—	.40	.44	24
25	.03	—	.03	—	—	.28	.32	.26	—	~~1.24~~	.35	.04	25
26	.03	.26	—	—	—	—	.31	.26	—	~~1.24~~	.52	.41	26
27	—	—	.02	—	.03	.31	.95	.03	—	.18	—	.34	27
28	—	.09	.02	—	—	.10	.25	.46	—	~~.21~~	.06	—	28
29	—	.10	.37	—	—	.18	.13	.12	.09	.03	—	.33	29
30	.06	—	.09	—	.10	.10	.04	—	.84	.05	—	.02	30
31	—	—	.03	—	.08	—	.90	.18	—	.02	—	.04	31
Total	3.35	2.27	3.40	.21	2.34	5.73	4.73	4.75	1.76	2.68	2.06	3.47	36.75
Rain Days.	19	18	22	5	12	23	15	22	9	13	14	17	189

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at *The Draining, Middleham*
in the County of *York*
by *the Rev. H. Topham*

Lat. _____ Long. _____
Time of Observation *9 to 10 A.M.*
Nearest Railway Station *Kilburn*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Sea Level *450* ft.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.18	.15	.10							.08		1
2		.16	1.10	.02			.02			.02	.08		2
3	.16	.05	.10		.39		.07			.04	.10		3
4	.29		.15		.02	.12	.02			.54	.04	.47	4
5	.46		.18			.12	.32			.11			5
6		.33	.73		.59	.02	.63	.08		.08	.03		6
7	.01	.90	.08	.01	.25	.06	.05			1.03			7
8		.05	.04		.80	.03		.03		.24	.14	.05	8
9		.04	.03	.01	.05	.20		.15			.16		9
10		.06	.20	.03							.10		10
11				.33							.15		11
12	1.10							.08	.34		.05		12
13			.07						.26	.09	.07		13
14		.04	.44	.11						.02	.09		14
15	.21		.54	.60				.02			.32		15
16			.04								.02		16
17			.08	.02			.06				.15		17
18	.04		.80	.33			.03				.12	.03	18
19	.31		.46	.04	.03					.05	.08		19
20	.47		.18	.07					.08	.11	.64		20
21			.13				.10	.15	.05				21
22	.07		.90					.25					22
23	.20		.06			.07		.10	.05		.04		23
24	.27					.18			.16		.02		24
25			~~1.11~~	.04								.10	25
26			~~1.11~~	.93					.68	.12		.67	26
27		.02	.03	.29					.24	.11		.23	27
28	.47		~~1.11~~	.42							.01	.10	28
29			.57	.34				.22				.12	29
30	.71				.03					.26		.01	30
31	.18		.06		.12								31
Total	50.0	1.83	7.66	3.69	2.30	.80	1.30	1.08	1.86	2.82	2.49	1.78	32.61
Rain Days.	16	10	26	17	9	8	9	9	8	14	21	9	156

REGISTER OF RAINFALL IN 1914

Kept at The Deanery, Kildaleham
in the County of Yorkshire
(No) NR
by Harry G Topham

Lat. _____ Long. _____
Time of Observation between 9.30 & 10 AM
Nearest Railway Station Leysburn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 430 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.78

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.48	.32				.69	1
2	~~.01~~		.02				.18	.51			.65	.26	2
3	.01		.07		.20			.06			.05	1.07	3
4	.22		.04	.17	.24						.12	1.13	4
5	.04		.08	.32		.02				.03	.50	.24	5
6		.01		.34	.04							.15	6
7		~~.11~~	.23		.06	.10		.02				.47	7
8	.10	.07	.03		.06	.40	.25	.03	.03		.02	.08	8
9	.35	.03		.19		1.24		.12	.03			.05	9
10	.03	.53						.01	.09		.25		10
11		~~.11~~	.19		.19				.01		.25	.37	11
12	~~.03~~	.23	.08				.35		.05		.11	.70	12
13	.03	.23	.17				.01				.27	.58	13
14	.09	.73	.01				.07		.03		.72	.29	14
15	~~.03~~	.07	.17						.12				15
16	.08	~~.03~~	.01				.75		.80		.02	.03	16
17	.06	.37	.13				.03		.33			.40	17
18	.01	.17	.01			1.07			.02	.05		.03	18
19	.02	~~.03~~					.10				.02	.09	19
20		.21	.01						.02				20
21		.62				.04				.11	.08	.02	21
22		.18			.50	.07				.06		.08	22
23		.03			.13	.01				.07		.05	23
24	.04		.10		.13								24
25	.05						.02	.22		.55		.73	25
26	.01		.24					.06		.12	.42	.30	26
27	.01						.05			.05	.32	.63	27
28	.01		.14		.01					.01	.12	.03	28
29	.03	.04	.17	.04	.01			.25		.29	.26		29
30	.21	X	.25					.12		.13	.52	.51	30
31	.40	X		X		X			X	.44	X		31
Total	1.79	3.75	2.15	1.06	1.57	2.95	2.29	1.72	1.53	1.91	4.70	8.98	34.40
Rain Days.	20	17	20	5	11	8	11	11	11	12	19	25	170

REGISTER OF RAINFALL IN 1915

Kept at *The Deanery, Middlesbrough*
in the County of *York.*
by *Rev^d H. G. Topham*

Lat. _____ Long. _____
Time of Observation *between 9 & 10 a.m.*
Nearest Railway Station *Leopold*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *430* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.78	.33			.02		.02	.32	.05		.09	.21	1
2		.21	.12	.16			.08	.60				.04	2
3	.88	.03		.07			.28	.50			.05	.61	3
4	.05	.06				.05		.02				.84	4
5	.14	.47	.01		.05			.01				1.21	5
6	.32	.34	.06	.28	.05		1.20	.30		.03		.10	6
7	.16	.68	.04	.07			.37	.27		.		.20	7
8	.22	.41	.04	.07			.04	.08			.21		8
9	.01	.04					.03	.04		.06	.02	.70	9
10	.28		.05					.29		.07		.15	10
11	.08	.03			.70			.11			.10	.12	11
12	.08	.04		.07	.04		.25			.06	.91		12
13	.04	.15					.01	.01				.03	13
14	.18	.04			.08		.01	.05				.13	14
15	.76							.35		.11	.29	.20	15
16		.80			.03		.73	.06		.08		.01	16
17		.56										.05	17
18		.43	.25					.25	.08	.09			18
19				.03			.20			.05			19
20					.12		.04					.30	20
21		.04					.03					.15	21
22	.15		.10				.03					.20	22
23			.06				.15			.07		.10	23
24			.16	.12			.01		.29	.06		.42	24
25						.03			.10				25
26		.74	.01			.17	.07				.02	.51	26
27		.34				.03	.20					.39	27
28		.11	.03		.25	.02		.31		.44		.02	28
29			.01		.10	.05		.07			.21	.80	29
30	.08	X		.08		.05	.03			.02		.04	30
31		X		X		X		.32	X		X	.47	31
Total	4.21	5.85	.94	.95	1.44	.40	3.78	3.96	.52	1.14	1.90	8.00	32.79
Rain Days.	16	20	13	9	10	7	20	19	4	12	9	26	165

REGISTER OF RAINFALL IN 1916

Kept at *The Observatory, Middleham*
in the County of *York* *NR*
by *Rev. J. G. Topham, MA.*

Lat. _____ Long. _____
Time of Observation *between 9:10 and 10:10*
Nearest Railway Station *Leigham*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *430* ft.

FORM A.
BRITISH RAINFALL.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.14		.17			.08	.32	.05					1
2	.08	.13	.08			.11			.32	.07	.03	.02	2
3	.08	.62	.04			.04	.23		1.30	.15	.45		3
4	.22	.10			.69	.22	.06	.01	.20	.21	.42		4
5	.01	.35	.02	.03	.28	.13				.65	.56		5
6	.12	.28	.08	.03	.53	.01	.11			.12	.57		6
7		.24	.14	.04	.13	.16	.66			.16	.03	.20	7
8		.03	.15			.09				.01	.05	.02	8
9	.02		.13		.12	.15					.01	.48	9
10	.12	.02	.01			.13				.24	.02	.02	10
11	.01	.27	.25	.12	.02	.07			.02	.13		.13	11
12	.02	.08	.40		.23	.03	.55					.11	12
13		.30	.20	.04	.08		.16	.37		.63	.03	.03	13
14	.05	.18	.03	.03	.06			.26		.23			14
15		.33	.81				.08	.72		.01			15
16		.22	.31	.10			.11	.21					16
17	.05	.03		.13			.01		.05	.14			17
18		.24	.01	.07			.05	.04	.09	.04	.78	~~.20~~	18
19	.46	.08	.15	.30				.03	.05		.82	.20	19
20	.20		.24	.08			.11	.08			.09	.12	20
21	.30		.06	.13			.02		.02				21
22	.01	.08		.06		.05				.20	.02		22
23		.02	.10	.04						.08	.20	.19	23
24	.06		.19			.81		.41		.08	.09	.05	24
25		.04	.34		.19			.19		.13	.06		25
26		.03	.10					.02		.05			26
27	.04	.24	.07				.08	.07		.92			27
28		.23	.05		.03			.02		.14	.02	.70	28
29		.40						.02		.31		.09	29
30		~~X~~			.01	.05	.04			.87		.02	30
31		~~X~~		~~X~~	.03	~~X~~			~~X~~	.79	~~X~~		31
Total	2.99	4.54	4.13	1.20	2.40	2.13	2.59	2.50	2.05	6.36	4.25	2.48	37.62
Rain Days.	18	24	25	14	13	15	15	15	8	24	18	16	205

REGISTER OF RAINFALL IN 1917

Kept at Middleham
 in the County of Yorkshire
 by Rev. H. G. Topham

Lat. _____ Long. _____
 Time of Observation 9.45 a.m.
 Nearest Railway Station Doncaster
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 450 ft.

FORM A.
 BRITISH RAINFALL
 9 - JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.10		.08	.08		.15	.07	1
2	.04			.18		.14		.10	.32	.12			2
3	.01			.10		.04		.02		.04	.07		3
4			.12							.02			4
5	.10		.18	.20						.45	.13		5
6										.20	.30	.02	6
7	.50		.05	.05		.29				.12		.20	7
8	.40			.11				1.90		.10	.10	.15	8
9				.10				.89			.02	.02	9
10	.18		.03	.30	.14			.13		.12			10
11	.03		.90		.02					.12			11
12	.02	.03			.19			.06		.72			12
13	.24	.02		.29	.02	.08		.45	.21	.05		.10	13
14	.54			.09	.10							.07	14
15	.03			.05				.32		.03	.01	.12	15
16	.02	.02		.10		.14	.14	.12	.06			.50	16
17	.04			.13	.52		.06	.45		.02		.20	17
18	.01			.05	.19		.19	.13					18
19	.04	.23	.14		.38	.05					~~.15~~		19
20	.18	.25	.04			.17					.03	.14	20
21	.04	.11	.01					.05	.40				21
22			.02			.13		.14	.03	.02			22
23		(.02)			.25	.12		.17	.01	.02	.18		23
24		.01	.01			.01	.03	.02		.81	.38		24
25			.03					.05		.29			25
26						.04		.80		.08			26
27			.02			.22	.73	.71	.10	.18	.25	.10	27
28			.28			.01	.02	.05	.01		.04	.05	28
29			.07		.10		.16			.73	.02	.01	29
30		X	.05							.15	.05		30
31		X	.35	X	.03	X			X		X	.15	31
Total	2.42	.69	2.80	1.75	1.94	1.54	1.33	6.64	1.22	4.33	1.73	1.90	YEAR'S TOTAL 27.79
Rain Days.	17	8	16	13	11	14	7	20	9	21	14	15	165

REGISTER OF RAINFALL IN 1918

Kept at Middleham Ocaury.
in the County of York
by Rev. H. Q. Topham

Lat. _____ Long. _____
Time of Observation Between 9 a.m. & 10 p.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	.11	.02	.05	—	—	—	.36	.07	.48	.01	1
2	—	.04	—	—	—	—	—	—	.32	.03	—	.05	2
3	—	.03	—	—	.25	—	—	—	—	.07	.02	—	3
4	—	.02	—	—	.90	—	—	.25	.26	.17	.59	.05	4
5	—	.02	—	.08	—	—	—	1.25	.01	.35	.06	—	5
6	—	.47	.14	.24	—	—	—	.28	—	.23	—	.05	6
7	—	.02	—	.06	—	.03	—	.01	.24	.45	.76	—	7
8	.07	.16	.23	~~.24~~	—	—	—	.04	.16	.06	.15	—	8
9	—	.74	—	.06	—	.02	.27	—	.60	~~.17~~	.17	.06	9
10	—	.79	.02	.02	—	—	.08	—	.16	.04	.10	—	10
11	.18	.01	—	—	.12	—	.04	—	.03	~~.18~~	—	.03	11
12	—	.10	—	—	.04	—	1.02	—	.05	.08	—	.01	12
13	—	—	—	.14	.18	—	—	—	.28	~~.08~~	—	.03	13
14	.40	—	—	.04	—	.02	.15	—	.67	.21	—	.09	14
15	.06	.01	—	.02	—	—	.85	—	1.10	~~.21~~	—	.96	15
16	—	—	—	—	—	.14	.15	.02	.35	.04	—	.13	16
17	.29	—	—	—	.38	.08	.89	.04	.19	~~.18~~	—	.44	17
18	1.01	—	.20	—	—	.01	.25	.01	.31	.04	—	.18	18
19	.38	—	.10	.04	—	—	.52	.12	.26	.36	—	.28	19
20	.36	.56	—	.06	—	.02	1.57	—	.06	.03	—	—	20
21	.49	.20	—	—	—	.03	.02	—	.42	.22	—	—	21
22	.06	—	—	.04	.43	.08	.02	—	.06	—	—	.59	22
23	.06	—	—	—	.65	—	.12	—	.04	—	—	.02	23
24	—	—	—	—	—	—	.06	—	.05	—	—	.01	24
25	—	—	—	—	.02	—	.02	.29	.07	—	.07	—	25
26	—	.01	—	—	—	—	.03	.05	.35	—	—	.04	26
27	—	—	.10	—	—	—	.01	.62	.24	—	.06	.12	27
28	—	.09	.48	—	—	—	—	.02	.03	—	—	.54	28
29	—	—	.01	—	—	—	—	—	.13	—	—	.26	29
30	—	X	.06	—	—	—	—	—	.03	—	.07	.21	30
31	—	X	.21	X	—	X	—	.03	X	—	X	.02	31
Total	3.38	3.32	1.66	.82	3.02	.43	6.07	3.03	6.83	2.98	2.53	4.18	38.25
Rain Days.	12	17	11	12	10	9	18	14	28	19	11	23	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919..

Kept at the Deanery, Middlesbrough
in the County of York
by Revd J. G. Topham

Lat. Long.
Time of Observation between 9 & 10 a.m.
Nearest Railway Station Leyburn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	—	.02	—	.20	—	.62	—	.11	.08	.05	.19	1
2	.33	—	.05	—	.08	—	.40	—	.04	—	.15	.01	2
3	.35	—	—	—	.25	.11	.25	—	—	—	.07	.15	3
4	.45	—	.47	—	.03	—	.03	.02	.08	—	.12	.16	4
5	.05	.04	—	—	.08	—	—	—	—	—	.09	.08	5
6	.08	.02	.17	—	.36	—	—	—	—	.04	.05	.12	6
7	.07	—	.10	—	.16	—	—	—	—	—	.02	—	7
8	.24	—	.01	.02	.12	.07	—	—	—	—	.09	—	8
9	.88	—	.03	—	—	—	—	—	—	—	.08	—	9
10	.01	—	.43	.02	.03	—	—	—	—	—	.07	.31	10
11	—	—	.80	.02	.09	—	.06	—	.09	—	.06	.04	11
12	—	—	.28	.05	—	.03	.04	—	.17	—	.41	.01	12
13	.15	—	—	.27	—	—	.07	.15	—	.25	.01	.08	13
14	.15	—	—	.40	—	—	—	.02	—	—	.09	.02	14
15	.18	.04	.02	.19	—	—	—	.05	—	.01	.04	.59	15
16	.07	.79	—	.05	—	—	—	—	—	—	.18	—	16
17	—	.08	—	—	.03	—	—	.08	—	—	.15	—	17
18	—	—	.20	—	—	—	.02	.42	.01	—	—	.16	18
19	.07	.32	.10	—	—	(.03)	.09	.12	.03	—	.40	.06	19
20	.36	.13	—	—	—	.08	.35	.03	—	—	.01	.09	20
21	.05	.25	.06	—	—	(.03)	—	.13	—	—	—	.20	21
22	—	.21	.02	—	—	.02	—	.06	.05	—	—	.19	22
23	.02	—	.03	.07	—	—	—	—	—	.91	.14	.05	23
24	—	—	(.03)	.06	—	.17	—	~~.17~~	.02	.35	.27	—	24
25	.05	.06	.42	.05	.02	.04	—	.52	.10	—	—	—	25
26	—	.12	—	.04	—	—	—	.06	.03	—	.29	.75	26
27	.24	.05	—	.05	—	—	—	—	—	—	.38	.10	27
28	.06	—	—	.09	—	—	—	.77	.06	.49	—	.55	28
29	.11	—	—	~~.05~~	—	.13	—	—	—	1.48	—	.15	29
30	—	—	—	.05	—	.10	—	—	—	.15	.49	.45	30
31	1.02	—	—	—	—	—	.05	—	—	.20	—	—	31
TOTAL	4.44	2.41	4.24	1.53	1.45	.81	1.98	2.43	.79	3.96	3.71	4.51	YEAR'S TOTAL 32.26
Days with ".01 in. or more	23	12	18	15	12	9	11	13	12	10	24	23	184

REGISTER OF RAINFALL IN 1920.

Kept at Middleham
in the County of York
by Rev. H. G. Topham.

Lat. _____ Long. _____
Time of Observation between 9 a.m. & 10 a.m.
Nearest Railway Station Leigham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	—	.36	.91	—	.22	.09	—	.10	—	.04	1
2	—	.02	.13	.13	.11	—	.63	.07	—	.06	—	.38	2
3	.04	.02	—	.28	.06	—	.60	.10	.15	.72	—	.43	3
4	.04	—	—	.02	—	—	.43	.42	.09	.87	—	.14	4
5	—	—	.04	—	.08	—	.09	—	—	.11	—	.02	5
6	—	—	.15	.07	.08	—	.06	—	—	—	—	.06	6
7	.32	.01	.03	.02	—	—	.66	—	—	—	—	—	7
8	.15	.02	—	.29	.07	—	.38	—	—	—	.02	—	8
9	.11	.64	.01	.45	—	—	.03	—	.05	.04	—	.01	9
10	1.00	.34	—	.47	—	—	.10	.25	—	—	—	.02	10
11	.60	.07	.10	.17	.30	—	.01	.26	—	—	—	.25	11
12	.23	.06	.42	.35	.02	.09	.11	—	—	—	.10	.20	12
13	.07	.01	.11	.18	.02	.19	—	—	—	.23	.30	.18	13
14	—	.10	.30	.40	—	—	.02	—	.04	.87	1.22	.02	14
15	—	.13	.08	.28	—	—	.01	—	—	—	.12	—	15
16	.03	—	—	—	.05	—	.57	—	.34	.04	.27	—	16
17	.14	.02	.03	—	.11	—	—	—	.15	—	—	—	17
18	.18	—	—	.04	.54	.13	—	.04	.06	—	—	—	18
19	.03	.30	—	.27	.04	.02	—	—	—	—	—	—	19
20	.04	.04	—	.31	—	—	—	.07	.10	—	.04	.04	20
21	.07	—	—	.03	—	—	.42	.10	.14	—	.15	.15	21
22	—	—	—	.15	—	—	.10	—	—	—	—	—	22
23	.10	—	—	—	—	—	.12	—	—	—	—	.19	23
24	.12	—	.63	.02	—	—	.04	—	—	—	—	.09	24
25	—	—	.25	.03	—	.03	.48	—	—	—	.04	—	25
26	.08	.10	.70	.07	—	—	.19	—	—	—	.01	.04	26
27	.36	—	.14	.03	.23	.35	.01	—	—	—	.13	.04	27
28	.34	—	.46	.26	—	—	—	—	.03	—	.03	.14	28
29	.30	—	.14	.02	.76	.03	.04	—	.03	—	.08	.68	29
30	.20	—	.06	—	—	.05	—	—	.08	—	.15	.30	30
31	—	—	.07	—	—	—	—	—	—	.51	—	.04	31
TOTAL	4.55	1.89	3.85	4.70	3.33	.89	5.33	1.40	1.23	3.55	2.47	3.46	36.44
Days with ".01 in. or more	22	16	19	25	15	8	23	9	11	10	12	22	192
Days with ".04 in. or more	20	9	16	18	11	5	18	9	10	10	9	18	153
YEAR'S TOTAL													36.44

April 8th
1921.

THE DEANERY
MIDDLEHAM, SLO.
YORKSHIRE.

Dear Sir

I am sorry for my incorrect addition. Summing up the entries of the precipitation in July 1920. I find the Total is 5.32 in, which is the total you suggest as right.

Yrs faithfully

Harry G Topham

REG

Kept at Castle Hill.

in the County of York

by Col P.H. Ham
by Mr. William

IMPORTANT N
previous day. If an
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. MILL, 62,

MIDDLEHAM
CASTLE HILL
YORKS

1914 - 1920

FORM A.
BRITISH RAINFALL
7 JAN 1915

7 a.m
Leyburn N.E.R
5 in.

above Ground 1 ft. in.
Sea Level 4.87 ft.
and the result entered to the
universal rule, he is earnestly
year in the space provided
surement of rain,
British Rainfall
on application to

Jan. 1, following.
81

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.49	.06		.03		.62	1
2			.01				.19	.57			.65	.24	2
3	.01	.01	.06		.20						.05	1.07	3
4	.22		.03	.17	.22						.12	1.13	4
5	.10		.08	.32	.01	.02	.01			.01	.50	.24	5
6		.01		.28	.04			.01	.01		~~.01~~	.15	6
7		.17	.22	.01	.07	.13		.01			.01	.46	7
8	.10	.10	.03		.04	.41	.27	.16	.03			.08	8
9	.33	.03	.01	.20		1.49			.02		.13	.05	9
10	.04	.47			.01				.09		.20		10
11		.12	.17		.17				.01		.30	.37	11
12		.24	.08			.01	.37		.06		.80	.69	12
13	.02	.22	.18	.01			.01				.26	.53	13
14	.09	.69	.01				.08		.03		.80	.31	14
15		.07	.16				.01		.12		.75		15
16	.09		.02				.74		.57		.01	.03	16
17	.05	.37	.13				.02		.61			.40	17
18	.02	.17	.01			.89			.02	.06		.03	18
19	.01				.03		.10				.20	.08	19
20		.21	.03						.01	.01			20
21		.71				.04				.16	.70	.02	21
22		.16			.41	.06		.06		.41	.20	.08	22
23		.04		.01	.21	.01						.05	23
24	.10		.11	.01	.15		.02	.16			.60		24
25	.04		.02				.01	.06		.56		.72	25
26			.28				.06			.11	.33	.30	26
27	.01									.03	.34	.63	27
28	.01	.04	.12		.02			.03		.01	.24	.03	28
29	.01	~~X~~	.21		.01			.21		.35	.29		29
30	.21	~~X~~	.25	.05	.01			.09		.13	.49	.50	30
31	.37	~~X~~	~~X~~	~~X~~	.03	~~X~~	.34		~~X~~	.48	~~X~~		31
Total	1.83	3.83	2.22	1.06	1.63	3.06	2.72	1.42	1.58	2.05	5.00	8.81	YEAR'S TOTAL 35.21
Rain Days.	19	18	22	9	16	9	15	11	12	13	5.00 4 22	25	35.21 191

RECORD OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
7 JAN 1915

Kept at Castle Hill, Middleham
in the County of Yorkshire N.R.

by Col. P.H. Hammond (after August by Mr. William Leng Gardiner)

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Leyburn N.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.81

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.49	.06		.03		.62	1
2			.01				.19	.57			.65	.24	2
3	.01	.01	.06		.20						.05	1.07	3
4	.22		.03	.17	.22						.12	1.13	4
5	.10		.08	.32	.01	.02	.01			.01	.50	.24	5
6		.01		.28	.04			.01	.01		~~.01~~	.15	6
7		.17	.22	.01	.07	.13		.01			.01	.46	7
8	.10	.10	.03		.04	.41	.27	.16	.03			.08	8
9	.33	.03	.01	.20		1.49			.02		.13	.05	9
10	.04	.47			.01				.09		.20		10
11		.12	.17		.17				.01		.30	.37	11
12		.24	.08			.01	.37		.06		~~.80~~	.69	12
13	.02	.22	.18	.01			.01				.26	.53	13
14	.09	.69	.01				.08		.03		~~.80~~	.31	14
15		.07	.16				.01		.12		.75		15
16	.09		.02				.74		.57		.01	.03	16
17	.05	.37	.13				.02		.61			.40	17
18	.02	.17	.01			.89			.02	.06		.03	18
19	.01				.03		.10				~~.20~~	.08	19
20		.21	.03						.01	.01			20
21		.71				.04				.16	~~.80~~	.02	21
22		.16			.41	.06		.06		.41	~~.20~~	.08	22
23		.04		.01	.21	.01						.05	23
24	.10		.11	.01	.15		.02	.16			~~.60~~		24
25	.04		.02				.01	.06		.56		.72	25
26			.28				.06			.11	.33	.30	26
27	.01									.03	.34	.63	27
28	.01	.04	.12		.02			.03		.01	.24	.03	28
29	.01	~~X~~	.21		.01			.21		.35	.29		29
30	.21	~~X~~	.25	.05	.01			.09		.13	.49	.50	30
31	.37	~~X~~		~~X~~	.03	~~X~~	.34		~~X~~	.42	~~X~~		31
Total	1.83	3.83	2.22	1.06	1.63	3.06	2.72	1.42	1.52	2.05	5.00	8.81	35.51
Rain Days.	19	18	22	9	16	9	15	11	12	13	22	25	191
YEAR'S TOTAL													35.51

REGISTER OF RAINFALL IN 1915

Kept at Castle Hill, Middleham
in the County of Yorkshire North Riding
by Col. R. H. Hammond (with assistance)

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Leyburn NER
Diameter of Funnel of Rain Gauge 5 1/2 in.
Height of top of Gauge above Ground one ft. _____ in.
" " " " Sea Level about 447 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.81	.28			.08		.01	.26	.04		.09	.20	1
2		.21	.12	.16		.03	.08	.62				.01	2
3	.93	.02		.08			.28	.47			.04	.59	3
4	.06	.06			.01	.02		.02				.84	4
5	.16	.38	.01							.01		1.22	5
6	.32	.44	.07	.31	.09		1.15			.02		.10	6
7	.13	.70	.01	.06			.44	.28				.20	7
8	.25	.47	.06	.07			.05	.08			.22		8
9		.04					.02	.02		.04	.02	.76	9
10	.31	~~.21~~	.04	.02				.30		.09		.15	10
11	.10	.03	.02		.72			.12			.08	.12	11
12	.10	.01		.07	.08		.25			.05	.08		12
13	.03	.14					.01					.03	13
14	.16	.06		.02	.09		.01	.05				.11	14
15	.77							.07		.11	.32	.23	15
16		.77			.03		.80	.35	.01	.07			16
17		.62	.06									.70	17
18		.50	.35					.29	.09	.07	.02		18
19			.02	.04			.22			.06			19
20	.04				.12		.04			.06		.30	20
21	.11	.08		.02			.01					.15	21
22	.02		.06				.03					.21	22
23	.02	.03	.06				.05			.08		.11	23
24			.16	.12					.31	.07		.48	24
25		.01				.02			.10	.02			25
26	.02	.70	.01			.17	.08				.02	.51	26
27	.01	.40				.02	.14			.40	~~.21~~	.39	27
28		.14	.03		.18	.03		.35		.04	~~.01~~	.01	28
29					.19	.02		.06			.21	.79	29
30	.03					.02	.03				.01	.04	30
31	.05							.31		.02		.48	31
Total	4.43	6.09	1.08	.97	1.59	.33	3.70	3.65	.55	1.21	1.11	2.73	YEAR'S TOTAL 33.44
Rain Days.	21	22	15	11	10	8	19	16	5	16	11	25	179

REGISTER OF RAINFALL IN 1916

Kept at Castle Hill, Middleham
in the County of Yorkshire N.R.
by Col. P. H. Hammond

Lat. 54° 17' N Long. 1° 48' W
Time of Observation 9 a.m. (Summer time)
Nearest Railway Station Leyburn N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 470 ft.

BRITISH FORM A.
RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.22	—	.16	—	—	.08	.30	.04	—	—	.01	—	1
2	.06	.16	.15	—	—	.11	—	—	.34	.06	.03	.02	2
3	.09	.56	.03	.02	—	.04	.23	.01	1.33	.13	.45	—	3
4	.20	.13	—	.02	.73	.23	.07	—	.21	.23	.41	—	4
5	.01	.27	.03	—	.32	.15	—	—	—	.63	.56	—	5
6	.12	.30	.14	.05	.58	—	.10	—	—	.12	.57	—	6
7	—	.24	.20	.02	.14	.16	.68	—	—	.16	.03	.18	7
8	—	.02	.20	—	—	.08	—	—	—	.02	.05	.02	8
9	—	—	.18	—	.12	.15	—	—	.01	—	.01	.50	9
10	.12	—	—	.01	—	.14	.01	—	—	.25	.03	.02	10
11	.01	.29	.34	.09	.01	.08	.01	—	.01	.08	—	.09	11
12	.02	.07	.49	.01	.25	.01	.51	—	—	—	—	.13	12
13	—	.20	.17	.03	.06	—	.14	.37	—	.64	.02	.09	13
14	.05	.29	.05	.02	.07	.01	—	.24	—	.25	.01	.04	14
15	—	.37	.75	—	—	—	.07	.68	—	.01	—	—	15
16	—	.23	.36	.10	—	—	.10	.18	—	—	—	.02	16
17	.05	.02	—	.14	—	—	.01	—	.06	.13	.01	.01	17
18	—	.25	.01	.06	—	—	.03	.05	.11	.03	.77	.16	18
19	.40	.01	.16	.30	—	—	—	.01	.04	—	.82	.02	19
20	.25	—	.28	.05	—	—	.13	.08	—	—	.09	.13	20
21	.27	.01	.06	.11	.01	—	—	—	.01	—	—	—	21
22	.02	.10	—	.03	—	.06	—	—	—	.20	.02	—	22
23	.05	.02	.26	.02	—	—	—	—	—	.08	.21	.18	23
24	—	—	.03	.02	.20	.87	—	.19	—	.03	.03	.05	24
25	—	.04	.35	—	—	—	—	.40	—	.17	.06	.01	25
26	.04	.04	.09	—	—	—	.01	.01	—	.05	.02	—	26
27	—	.26	.04	—	.04	—	.09	.08	—	.92	—	—	27
28	—	.13	.09	—	—	—	—	.02	—	.10	—	.59	28
29	—	.57	—	—	.04	.08	—	.02	—	.25	—	.11	29
30	—	X	—	—	.01	.01	.03	—	—	.93	—	.01	30
31	—	X	—	X	.02	X	—	—	X	.78	X	—	31
Total	2.98	4.58	4.62	1.10	2.65	2.26	2.52	2.38	~~6.65~~ 2.12	6.25	4.31	2.38	YEAR'S TOTAL 38.16
Rain Days.	17	24	24	18	15	16	17	15	9	24	21	20	220

REGISTER OF RAINFALL IN 1917

Kept at Castle Hill. Middleham
in the County of Yorkshire N.R.
by Col P.H. Hammond

Lat. 54.17 N Long. 1.48 W
Time of Observation 9 a.m. (10am during Spring Time)
Nearest Railway Station Leyburn N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				.03 _{ms}		.11		.09	.30		.15	.07	1
2	.06			.27 _{ms}		.13		.15	.01		.02		2
3	.02	.01 _{ms}		.11 _{ms}		.03	Trace	.02	.01	.14	.04		3
4			.19 _{ms}					Trace		.02			4
5	.15 _{ms}		.22 _{ms}	.26				.03	Trace	.02	.14		5
6						.01				.48	.33	.02	6
7	.61 _{ms}		Trace _{ms}	Trace		.29		Trace		.18	Trace	.21	7
8	.49 _{ms}		Trace _{ms}	.12 _{ms}				1.98	Trace	.17	.08	.16	8
9	.01 _{ms}		.02 _{ms}	.12 _{ms}				.85		.05	.03	.03	9
10	.17 _{ms}		.95 _{ms}	.32 _{ms}	.15			.13		.06			10
11	.03 _{ms}	.04 _{ms}		.06 _{ms}	.03			Trace		.13	Trace		11
12	.02 _{ms}	.02 _{ms}			.19			.07		.72		.06	12
13	.15 _{ms}			.27 _{ms}	.04	.10		.45	.21	.04		.03	13
14	.63 _{ms}			.10 _{ms}	.13			.26				.07	14
15	.03 _{ms}			.04 _{ms}			.12	.03		.03		.14	15
16	.05 _{ms}	.01 _{ms}		.18 _{ms}		.12		.13	.07			.47 _{ms}	16
17	.02 _{ms}	.04 _{ms}		.13 _{ms}	.58		.07	.45	.03	.02		.23 _{ms}	17
18	.01 _{ms}		Trace	.03 _{ms}	.19		.17	.17	.01				18
19	.04 _{ms}	.19 _{ms}	.09 _{ms}		.38	.05	.04	Trace			.01		19
20	.19 _{ms}	.25 _{ms}	.04 _{ms}		.01	.18	.01	.01	.40		.02	.12	20
21	.02 _{ms}	.11 _{ms}	.02 _{ms}					.03		.02			21
22			.04 _{ms}			.17		.04 ⁽¹⁴⁾	.02	.01			22
23		.03 _{ms}			.23	.13	.01	.16	Trace	.08	.05	Trace	23
24		.01				.01	.04	.05		.79	.44		24
25			.05 _{ms}				Trace	.03		.25			25
26						.03		.83	.09	.23	.20		26
27			.04			.23	.74	.82		.03	.01	.10	27
28			.27			Trace	.02	.04		Trace	.02	.05	28
29			.06 _{ms}		.11		.14			.71	.02	Trace	29
30	.04 _{ms}		.07 _{ms}	Trace				.03		.14	.06	.02	30
31	.01 _{ms}		.32 _{ms}		.04			.07				.14	31
Total	2.75	.71	2.38	2.04	2.08	1.59	1.36	7.02	1.15	4.32	1.62	1.92	YEAR'S TOTAL 28.94
Rain Days.	20	10	14	14	12	14	10	25	10	22	16	16	183

REGISTER OF RAINFALL IN 1918

Kept at Castle Hill, Middleham
in the County of Yorkshire N.R.
by Col P H Hammond

Lat. 54° 17' N Long. 1° 48' W
Time of Observation 9 a.m.
Nearest Railway Station Leyburn N.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 470 ft.

Jan. 1, following.

41

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.05	.03	.02	.06				.41	.07	.47	.01	1
2	.02	.04						Trace	.29	.02		.05	2
3		.01	.02		.25					.06	.03		3
4		.04	.06		.15		.04	.24	.29	.19	.52	.05	4
5		.01	.03	.08	.76		Trace	1.27	.01	.32	.07	Trace	5
6	.04	.52	.04	.25	Trace	.01		.32	Trace	.24		.05	6
7	.09 _{ms}	Trace		.06		Trace			.26	.48	.61		7
8	Trace _{ms}	.17	.23 _{ms}				.24	.04	.19	.04	.14		8
9	.07	.77		.04		.02	.02		.01	.21	.17	.04	9
10	.03	.74	.01	.02			.07		.19	.03	.10		10
11	.09	Trace		.01	.12		.05	.01	.03	.16		.04	11
12		.09		Trace	.02		1.07		.05	.01		.01	12
13		Trace		.15	.18	.01			.29	.17		.03	13
14	.44 _{ms}	Trace		.02		.01	.15	Trace	.70	.01		.09	14
15	.04 _{ms}		Trace	.02		.03	.86		1.12			1.07	15
16	.06 _{ms}		.02			.10	.14	.01	.38	.03		.14	16
17	.29				.46	.06	.86	.04	.22	.20		.43	17
18	1.09		.08			.03	.25	.02	.30	.04		.20	18
19	.40		.09	.04		.01	.51	.12	.23	.36		.29	19
20	.37	.52		.05	Trace	.02	1.59		.10	.04			20
21	.49	.19				.03	.02		.48	.21			21
22	.09	Trace		.03	.39	.08	.02	Trace	.04	Trace		.59	22
23	.05			.01	.62		.11		.03			.02	23
24	Trace			.01			.06	Trace	.07		.02	.01	24
25					.02	.01	.02	.30	.05		.02		25
26		.01					.02	.02	.38		.02	.04	26
27		.04	.11				.01	.55	.24		.05	.10	27
28		.14 _{ms}	.49			Trace		.02	.32		.04	.56	28
29		X							.14			.27	29
30	Trace	X	.08					.01	.01	.01	.03	.22	30
31		X	.21	X		X		.02	X		X	.01	31
Total	3.68	3.34	1.50	.81	3.03	.42	6.11	2.99	7.43	2.90	2.29	4.32	YEAR'S TOTAL 38.82
Rain Days.	17	15	14	15	11	13	20	15	28	21	14	23	206

REGISTER OF RAINFALL IN 1919.

Kept at Castle Hill, Middleham
in the County of Yorkshire N.R.
by Col. R. H. Hammond

Lat. 54° 17' N Long. 1° 48' W
Time of Observation 9 a.m.
Nearest Railway Station Leeds N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following
NIL

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	Trace	.02		.18		.63		.10	.07	.07	.19	1
2	.35		.06		.08		.39		.06		.14	.01	2
3	.51				.24	.11	.26		.04		.07	.15	3
4	.15	^{ms} .06	^{ms} .45		.02		.03	.03	.08		.11	.15	4
5	.04	^{ms} .02			.07				Trace		.10	.08	5
6	.06		.15		.46					.02	.04	.12	6
7	.06		.12	.01	.14			.04			.01		7
8	.23		Trace	.01	.14						.07		8
9	.93		.02			.08					.05		9
10			.40	.03	.01					.02	.11	.31	10
11			.76 ^{ms}	.02	.08		.03		.08	Trace	.02 ^{ms}	.03	11
12			.33	.04		.03	.04		.20	.06	.35 ^{ms}		12
13	.13		Trace	.29			.04	(.14)	Trace	.17		.06	13
14	.15			.39			.07	.02			.06 ^{ms}	.02	14
15	.16	.32	.02	.20				(.05)		Trace	.03	.58	15
16	.06	.80		.04							.16 ^{ms}		16
17		.10		Trace	.02			.09			.15		17
18			.16 ^{ms}				.02	.42	Trace			.16	18
19	.04	.25	1.15 ^{ms}	.02		.02	.09	.02	.02		.42	.05	19
20	.35	.21				.08	.34	.06			Trace	.09	20
21	.09	.24	.06			.02		.12		Trace		.21	21
22		.23	.01			Trace		.06	.03		Trace	.13	22
23	.01		.02	.07		Trace	Trace			.90	.13	.18	23
24			.03	.05	Trace	.17		Trace	.02	.47	.27	.05	24
25	.05	.06		.06	.02	.03		.72	.11	Trace	.31		25
26	.01	.10	.40	.05 ^{ms}		.01		.05	.02	Trace	.29	.78	26
27	.24 ^{ms}	.04		.25 ^{ms}						Trace	.37	.07	27
28	.06 ^{ms}			.09 ^{ms}				.83	.05	.49		.57	28
29	.12	X				.13				1.60		.15	29
30		X	.01	.09		.11				.15	.50	.45	30
31	.02	X		X		X	.05		X	.15	X		31
TOTAL	4.23	2.43	4.17	1.71	1.46	.79	1.99	2.65	.81	4.10	3.83	4.53	YEAR'S TOTAL 32.70
Days with ≥ .01 in. or more	23	12	18	17	12	11	12	14	12	11	23	23	188

REGISTER OF RAINFALL IN 1920.

Kept at Castle Hill, Middlehamin the County of Yorkshire N.R.by Col. P. H. HammondLat. 54° 17' N Long. 1° 48' WTime of Observation 9 a.m. (10 a.m. during winter time)Nearest Railway Station Leigham N.E.R.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

57

Records taken in Millimetres should not be entered on this form.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1			.11	.35	.94		.24	.08	.01	.10	.01	.03	1
2		.03	.02	.15	.12		.64	.06	.15	.06		.46	2
3	.04	.02		.29	.06	Trace	.67	.12	.08	.77		.36	3
4	.03			.01	Trace		.42	.46	Trace	.88		.18	4
5	.01		.04	Trace	.01	Trace	.12	Trace	Trace	.11		.02	5
6			.15	.07	.06		.03					.07	6
7	.27	Trace	.03	.01	Trace		.75					.01	7
8	.13	.02		.30	.07		.44	.02		Trace	.01		8
9	.13	.50	.01	.49			.04	.31	.04	.03			9
10	.92	.33	Trace	.55			.12	.29				.01	10
11	.62	.06	.70	.18	.31	.09	.01		Trace			.12	11
12	.22	.05	.41	.37	.02	Trace	.12				.06	.24	12
13	.07	Trace	.12	.18	.01	.19	Trace				.24	.10	13
14		.10	.32	.42			.02		.04	.22	1.10	.03	14
15	Trace	.12	.09	.30			.01		Trace	.94	.12	Trace	15
16	.02	Trace	Trace	Trace	.04		.59		.32		.27	Trace	16
17	.10	Trace	.02		.11			.04	.15	.04			17
18	.18			.09	.51	.13		.02	.07				18
19	.01	.30		.23	Trace	.03		.06			Trace		19
20	.03	.02		.32			Trace		.11			.03	20
21	.06			.02			.43		.16	.02		.15	21
22	.09			.16		.01	.09			Trace		.02	22
23				Trace			.15				Trace	.20	23
24	.70		.69	.01		.01	.03	Trace			.01	.07	24
25		.04	.27	.03	Trace	.02	.51		Trace		.01	Trace	25
26	.08	.05	.66	.06	Trace		.19				.01	Trace	26
27	.37		.17	.06	.23	.37	.01				.13	.05	27
28	.35		.47	.24	Trace	Trace			Trace		.01	.13	28
29	.29		.14	.01	(.72)	.02	.03		.03		.09	.69	29
30	.06	X	.06	Trace		.04			.09		.15	.21	30
31	.21	X	.07	X	.02	X			X	.52	X	.14	31
TOTAL	4.39	1.64	3.95	4.90	3.23	.91	5.66	1.46	1.25	3.69	2.22	3.32	YEARS TOTAL 36.62 35.82
Days with ".01 in. or more	24	13	20	25	15	10	23	10	12	11	14	22	199
Days with ".04 in. or more	19	9	16	19	11	5	16	8	10	9	8	15	145

MIDDLESBROUGH

ORMESBY SO

YORKSHIRE

1911 - 1920

Kep's at *Ormesby*
in the County of *York*
by *William*

Synuous
in.
ound *1* ft.
a Level *100* ft.
M
me *Ormesby*
tance *7/8* Direction *West*
he result entered to the
sal rule, he is earnestly

Jan. 1, following.

IMPORTANT
previous day. If at
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>in.</i> <i>.19</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>.02</i>	<i>in.</i> <i>.08</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	<i>in.</i> <i>—</i>	1
2	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.18</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>.02</i>	<i>.02</i>	2
3	<i>.04</i>	<i>—</i>	<i>.12</i>	<i>.10</i> ^{SH}	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	3
4	<i>.06</i>	<i>—</i>	<i>.13</i>	<i>.27</i> ^{SH}	<i>—</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>—</i>	<i>.16</i>	<i>—</i>	<i>.11</i>	4
5	<i>.05</i>	<i>—</i>	<i>.02</i>	<i>.04</i> ^{SH}	<i>—</i>	<i>—</i>	<i>—</i>	<i>.34</i>	<i>—</i>	<i>.02</i>	<i>.07</i>	<i>—</i>	5
6	<i>—</i>	<i>—</i>	<i>.08</i>	<i>.06</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.26</i>	6
7	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	7
8	<i>—</i>	<i>—</i>	<i>.24</i>	<i>.01</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.18</i>	<i>.09</i>	8
9	<i>—</i>	<i>—</i>	<i>.04</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.09</i>	9
10	<i>.04</i> ^{MSR}	<i>.04</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.42</i>	10
11	<i>.37</i> ^{MSR}	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.04</i>	<i>—</i>	<i>.23</i>	<i>.02</i>	11
12	<i>.22</i> ^{MSR}	<i>—</i>	<i>.12</i> ^{MSR}	<i>—</i>	<i>.05</i>	<i>.05</i>	<i>—</i>	<i>.03</i>	<i>.77</i>	<i>—</i>	<i>.25</i>	<i>—</i>	12
13	<i>—</i>	<i>.07</i>	<i>.26</i> ^{MSR}	<i>—</i>	<i>.23</i>	<i>.07</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.40</i>	13
14	<i>—</i>	<i>.14</i>	<i>.24</i>	<i>—</i>	<i>.09</i>	<i>.02</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.37</i>	14
15	<i>—</i>	<i>.02</i>	<i>.22</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.18</i>	<i>.14</i>	15
16	<i>—</i>	<i>—</i>	<i>.45</i>	<i>.06</i>	<i>—</i>	<i>.08</i>	<i>.09</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.04</i>	<i>.02</i>	16
17	<i>—</i>	<i>—</i>	<i>.16</i>	<i>.01</i>	<i>—</i>	<i>.30</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.22</i>	<i>.04</i>	17
18	<i>—</i>	<i>.06</i>	<i>.06</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.61</i>	<i>.08</i>	18
19	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.17</i>	<i>—</i>	<i>.15</i>	<i>.10</i>	<i>.33</i>	<i>.86</i>	<i>.02</i>	19
20	<i>—</i>	<i>.17</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.19</i>	<i>.42</i>	<i>.03</i>	<i>—</i>	<i>.08</i>	<i>.17</i>	20
21	<i>—</i>	<i>.16</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>1.33</i>	<i>—</i>	<i>.10</i>	<i>.17</i>	<i>.05</i>	21
22	<i>.14</i>	<i>.01</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.22</i>	<i>—</i>	<i>.02</i>	<i>.30</i>	<i>—</i>	22
23	<i>.02</i>	<i>.11</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.28</i>	<i>—</i>	<i>—</i>	<i>.18</i>	<i>.02</i>	<i>—</i>	<i>.06</i>	23
24	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>1.30</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>.05</i>	24
25	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.15</i> ^{HR}	<i>—</i>	<i>.63</i>	<i>—</i>	<i>—</i>	<i>.22</i>	<i>.17</i>	<i>.06</i>	<i>.20</i>	25
26	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.15</i> ^{TR}	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.64</i>	<i>.62</i>	<i>.08</i>	26
27	<i>—</i>	<i>.05</i>	<i>.05</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.24</i>	<i>.13</i>	<i>.02</i>	<i>.04</i>	<i>.04</i>	27
28	<i>—</i>	<i>.05</i>	<i>.04</i>	<i>.16</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.03</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.07</i>	28
29	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.09</i>	<i>—</i> ^{TR}	<i>.10</i>	<i>.35</i>	<i>.01</i>	<i>.48</i>	<i>.17</i>	<i>—</i>	<i>.04</i>	29
30	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.14</i> ^{TR}	<i>.04</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>.04</i>	<i>—</i>	<i>—</i>	30
31	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>.05</i>	31
Total	<i>1.18</i>	<i>1.03</i>	<i>2.30</i>	<i>1.18</i>	<i>.85</i>	<i>4.24</i>	<i>.90</i>	<i>3.10</i>	<i>2.03</i>	<i>2.14</i>	<i>3.99</i>	<i>2.89</i>	TOTAL for year <i>25.83</i>
No. of Rain Days	<i>10</i>	<i>12</i>	<i>20</i>	<i>17</i>	<i>8</i>	<i>15</i>	<i>8</i>	<i>14</i>	<i>9</i>	<i>19</i>	<i>18</i>	<i>24</i>	<i>174</i>

Kept at Ormesby S.O.
in the County of Yorkshire RK 6
by William Sanderson

RAIN GAUGE Pattern James's Square
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 100 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Ormesby
Distance 7/8 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>.19</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	1
2	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.18</u>	<u>—</u>	<u>—</u>	<u>.13</u>	<u>.02</u>	<u>.02</u>	2
3	<u>.04</u>	<u>—</u>	<u>.12</u>	<u>.10</u> ^{SH}	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	3
4	<u>.06</u>	<u>—</u>	<u>.13</u>	<u>.27</u> ^{SH}	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>.16</u>	<u>—</u>	<u>.11</u>	4
5	<u>.05</u>	<u>—</u>	<u>.02</u>	<u>.04</u> ^{SH}	<u>—</u>	<u>—</u>	<u>—</u>	<u>.34</u>	<u>—</u>	<u>.02</u>	<u>.07</u>	<u>—</u>	5
6	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.26</u>	6
7	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	7
8	<u>—</u>	<u>—</u>	<u>.24</u>	<u>.01</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.18</u>	<u>.09</u>	8
9	<u>—</u>	<u>—</u>	<u>.04</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.09</u>	9
10	<u>.04</u> ^{HSR}	<u>.04</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.42</u>	10
11	<u>.37</u> ^{HSR}	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.04</u>	<u>—</u>	<u>.23</u>	<u>.02</u>	11
12	<u>.22</u> ^{HSR}	<u>—</u>	<u>.12</u> ^{HSR}	<u>—</u>	<u>.05</u>	<u>.05</u>	<u>—</u>	<u>.03</u>	<u>.77</u>	<u>—</u>	<u>.25</u>	<u>—</u>	12
13	<u>—</u>	<u>.07</u>	<u>.26</u> ^{HSR}	<u>—</u>	<u>.23</u>	<u>.07</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.40</u>	13
14	<u>—</u>	<u>.14</u>	<u>.24</u>	<u>—</u>	<u>.09</u>	<u>.02</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.37</u>	14
15	<u>—</u>	<u>.02</u>	<u>.22</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.18</u>	<u>.14</u>	15
16	<u>—</u>	<u>—</u>	<u>.45</u>	<u>.06</u>	<u>—</u>	<u>.08</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.04</u>	<u>.02</u>	16
17	<u>—</u>	<u>—</u>	<u>.16</u>	<u>.01</u>	<u>—</u>	<u>.30</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>.04</u>	17
18	<u>—</u>	<u>.06</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.61</u>	<u>.08</u>	18
19	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.17</u>	<u>—</u>	<u>.15</u>	<u>.10</u>	<u>.33</u>	<u>.86</u>	<u>.02</u>	19
20	<u>—</u>	<u>.17</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.19</u>	<u>.42</u>	<u>.03</u>	<u>—</u>	<u>.08</u>	<u>.17</u>	20
21	<u>—</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>1.33</u>	<u>—</u>	<u>.10</u>	<u>.17</u>	<u>.05</u>	21
22	<u>.14</u>	<u>.01</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>—</u>	<u>.02</u>	<u>.30</u>	<u>—</u>	22
23	<u>.02</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.28</u>	<u>—</u>	<u>—</u>	<u>.18</u>	<u>.02</u>	<u>—</u>	<u>.06</u>	23
24	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.30</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>.05</u>	24
25	<u>—</u>	<u>.15</u>	<u>—</u>	<u>.15</u> ^{HR}	<u>—</u>	<u>.63</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>.17</u>	<u>.06</u>	<u>.20</u>	25
26	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.15</u> ^{TR}	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.64</u>	<u>.62</u>	<u>.08</u>	26
27	<u>—</u>	<u>.05</u>	<u>.05</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.24</u>	<u>.13</u>	<u>.02</u>	<u>.04</u>	<u>.04</u>	27
28	<u>—</u>	<u>.05</u>	<u>.04</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.03</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.07</u>	28
29	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.09</u>	<u>—</u>	<u>.10</u>	<u>.35</u> ^{TR}	<u>.01</u>	<u>.48</u>	<u>.17</u>	<u>—</u>	<u>.04</u>	29
30	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>.14</u> ^{TR}	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>.04</u>	<u>—</u>	<u>—</u>	30
31	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.05</u>	31
Total	<u>1.18</u>	<u>1.03</u>	<u>2.30</u>	<u>1.18</u>	<u>.85</u>	<u>4.24</u>	<u>.90</u>	<u>3.10</u>	<u>2.03</u>	<u>2.14</u>	<u>3.99</u>	<u>2.89</u>	TOTAL for year <u>25.83</u>
No. of Rain Days	<u>10</u>	<u>12</u>	<u>20</u>	<u>17</u>	<u>8</u>	<u>15</u>	<u>8</u>	<u>14</u>	<u>9</u>	<u>19</u>	<u>18</u>	<u>24</u>	<u>174</u>

REGISTER OF RAINFALL IN 1912

Kept at Ormesby SO

in the County of Yorkshire

by William Sanderson

Pattern Sutton Simon
RAIN GAUGE Diameter of top 5 ins
Height of top above Ground 12 ft.
" " " Sea Level 100 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Ormesby
Distance 1/2 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.35 ^S	.10	—	.04	.14	.29	.85	.12	.04	—	.08 ^S	1
2	—	.05 ^S	.03	.02	—	.06	.45	.15	—	.20	.01	—	2
3	.10	.04	—	—	—	.65	.04	.18	.27	.07	—	.19	3
4	.16	—	.24	—	—	.55	—	.10	—	—	.29	—	4
5	—	—	—	—	.20	.10	—	.01	—	—	.01	—	5
6	.58	.22	.01	—	—	.05	—	.04	—	—	—	—	6
7	.01 ^{SR}	.04	—	—	.11	—	—	.05	.27	—	.03	—	7
8	.12 ^{SR}	.05	.01	— ^{SR}	—	—	—	—	.18	—	.16	—	8
9	—	—	.03	.02	—	—	—	—	.04	—	—	—	9
10	.04	—	—	.01 ^S	—	.07 ^{TR}	—	—	.07	—	.05	—	10
11	.03	.02	—	—	—	.12	— ^T	.02	.03	—	.50	.03	11
12	.06	.11	.03	—	—	—	<u>1.07</u>	—	—	—	.67	.02	12
13	—	—	—	—	—	.01	.01	.06	—	.03	.29	—	13
14	.10	—	.37	—	—	.24 ^{TR}	—	.07	.01	—	.03	.06	14
15	.01	.02	.34	—	.65	.07	—	—	—	—	—	.13	15
16	.05	—	.05	—	.08	.15 ^{NR}	.04	—	—	.06	—	—	16
17	— ^{SR}	.08	.12	—	—	—	.04	.09	—	—	—	.05	17
18	.03	.01	—	—	—	.37 ^{TR}	.15	.24	—	.03	.02	—	18
19	.07	.27	—	—	—	—	.20	.22	—	.04	.02	—	19
20	.08	.07	.01	—	.42	.33 ^{TR}	.20	.01	—	.24	—	.01	20
21	.07	—	.14	—	.07	.09	.25	—	—	—	.02	—	21
22	.03	.04	.03	—	.57	.01	—	.11	—	.01	—	—	22
23	.06 ^{SR}	—	.01	—	.07	.34 ^{TR}	.07	.48	—	.27	.10	—	23
24	.29 ^{SR}	—	—	—	—	.01	.13 ^T	.04	—	.01	—	.07	24
25	.37 ^{SR}	—	—	—	—	.01	.01	.41	—	—	.04	.01	25
26	.04 ^{SR}	—	.01	—	—	.35 ^{TR}	—	.18	—	.21	.06 ^{SR}	.21	26
27	—	—	.10	.01	—	.02 ^{TR}	.36	.01	—	.29	.08 ^S	.11	27
28	— ^S	—	—	.04	.18	.24 ^{TR}	.09 ^T	.35	—	.25	.12	—	28
29	.10	—	.12	.04	.01	.25	.09 ^T	.01	.28	.01	—	.01	29
30	.06	—	.04 ^{NR}	—	.01	.03	—	.02	.05	.23	—	.01	30
31	—	—	.25 ^{NR}	—	.12	—	.39	.30	—	.04	—	.01	31
Total	2.46	1.37	2.04	.14	2.53	4.26	3.88	4.00	1.32	2.06	2.50	1.00	TOTAL for year 27.56
No. of Rain Days.	22	14	20	6	13	24	18	24	10	17	18	15	201

1931 2063

REGISTER OF RAINFALL IN 1913

Kept at *Comesby* *50*
in the County of *N. Riding* *Yorkshire* *NB*
by *William Sanderson*

Lat. *54° 33'* Long. *1° 11'*
Time of Observation *9 AM*
Nearest Railway Station *Comesby 2 1/2*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *12* ft.
" " " " Sea Level *100* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	—	.40	—	—	—	—	.31	.12	.01	—	1
2	—	—	.03	—	—	.08	—	—	—	.18	—	—	2
3	—	—	.03	—	.08	—	.13	—	—	—	—	.01	3
4	.20	—	.02	—	—	.01	—	—	.03	.45	.02	.10 ^s	4
5	.58	.03	.02	—	.21	.09	.16	.04	—	.13	—	—	5
6	.01	.18	.12	.01	—	.37	.24	—	—	—	—	—	6
7	—	.16	—	.03	—	.13	—	—	—	.96	.15	—	7
8	—	—	.01	—	.41	.02	—	—	.11	.20	—	—	8
9	—	.07	.04	.07	.06	.02	—	—	—	—	—	—	9
10	—	.02	.06	.02	.03	—	.13	—	.02	—	.26	—	10
11	.34 ^s	.01	—	.24 ^s	.36	.09	—	—	—	—	.02	—	11
12	.13 ^s	—	—	—	—	—	—	—	.22	—	.10	—	12
13	.02	—	—	—	—	—	—	—	.07	—	.97	—	13
14	.01	.17	.20 ^s	.02	—	—	.18	—	—	.13	—	.02	14
15	.05	.01	.10 ^{SR}	.22	—	—	—	.05	—	—	.01	.05	15
16	.01	—	.50 ^S	—	—	.05	—	.01	—	—	.02	—	16
17	—	—	.11	.05	—	.20	.01	—	—	—	.02	.01	17
18	.02	—	.19	.15	.03	.01	—	—	.09	—	.04	.02	18
19	.04	—	.03	—	.05	—	—	—	.05	.01	.33	—	19
20	.72 ^{AM}	—	.03	—	—	—	—	—	.15	.22	—	—	20
21	.05 ^s	—	—	—	.05	.01	.04	.23	.02	—	—	—	21
22	.01	—	.21	—	.05	—	.01	.36	.10	.34	—	—	22
23	.07	—	—	—	—	.13	.20	.03	.02	.08	.03	—	23
24	.27	—	—	—	—	.30	—	.30	—	—	—	.03	24
25	—	—	—	.02	—	—	—	—	.27	.01	—	.02	25
26	—	—	.01	.14	—	—	—	—	.20	.24	.17	.23 ^{SHR}	26
27	—	.08	.03	.26 ^T	.48 ^{TR}	.15	—	—	—	.01	.03	—	27
28	.01	.02	.12	.55 ^T	.02	—	—	—	—	.01	—	.37 ^{SHR}	28
29	—	—	.22	.13	.06	—	—	.30	—	—	.06	.96	29
30	.16 ^s	—	.01	—	.15 ^{TA}	—	—	—	—	.56	—	—	30
31	.04	—	—	—	.08	—	—	.04	—	—	—	—	31
Total	2.74	.75	1.59	2.31	2.12	1.66	1.10	1.36	1.64	3.65	1.34	1.82	YEAR'S TOTAL 22.13
Rain Days.	20	10	20	15	15	15	9	9	14	16	16	14	170

REGISTER OF RAINFALL IN 1914

Kept at Ormesby N.R. Yorkshire
in the County of
by William Sanderson

Lat. 51.1° Long. 1.11°
Time of Observation 9 AM
Nearest Railway Station Ormesby N.E. Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
Sea Level 100 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07 ^S	.01	—	—	—	.01	.60	.16	—	.02	.03	.12	1
2	—	—	—	—	—	—	1.88	.30	—	.02	.32	.07	2
3	—	—	.05	—	.21	—	.03	—	.01	—	.11	.32	3
4	—	—	—	.04	.13	—	—	—	—	—	.12	.26	4
5	.04 ^S	—	.03	.04	.01	.03	—	—	—	.01	.10	—	5
6	—	.01	—	.09 ^{AM}	.02	—	—	.14	—	—	.01	.01	6
7	—	.02	.06	—	.14 ^{AM}	.17	—	.02	—	—	.01	.18	7
8	.42	—	.08	.04	.35	.77	—	.03	—	.15	—	.04	8
9	.28	.02	—	.07	.01 ^H	1.83	—	.01	.45	—	.09	.05	9
10	.12	.05	—	—	—	—	—	—	.08	—	.01	.01	10
11	—	.08	.03	—	.46	.15	—	—	.04	—	.14	.47	11
12	.04 ^S	.03	—	—	—	.04	—	—	.11	—	.01	.63	12
13	.07 ^{AS}	.05	.11	—	—	—	—	—	—	—	.03	.22	13
14	.09	.15	—	—	—	—	—	—	.02	.12	.02	.09	14
15	.06	—	.24	—	—	.01	.38	—	.01	—	.38 ^{SHR}	.04	15
16	.06	—	.07	—	—	—	2.00	—	.35	—	.25	—	16
17	.09	—	.05 ^{RSL}	—	—	—	—	—	1.13	.01	.01	.01	17
18	.01	.03	.05	—	—	.16	—	—	.14	—	.01	.15	18
19	—	—	—	—	—	—	.25 ^{TR}	—	.10	—	.07	.04 ^{SR}	19
20	.02	.27	.28	—	—	.70 ^{TR}	—	—	.01	.04	—	—	20
21	—	.44	.04	—	—	.01 ^{TR}	—	—	—	.02	.11	.10	21
22	.01	—	—	.03	.22	.14	—	.09	—	.02	.08	.15 ^{HSR}	22
23	—	—	.02	.04	.43	.08	—	—	—	.01	.04	.20 ^{HR}	23
24	—	—	.01 ^H	.18	—	—	—	.04	—	—	.20	.01	24
25	—	.04	.01	—	—	—	.01	—	—	.32	.03	.13	25
26	—	—	.04	—	—	—	.24	—	—	.32	.06	.10 ^{SR}	26
27	.02	—	—	—	—	—	.04	—	—	.01	.18	.35	27
28	.01	.01	—	—	—	—	—	.04	—	—	.02	.19	28
29	—	—	—	—	.10	—	—	.13	—	.71	.06	—	29
30	—	—	.06	.07	.03	—	—	.04	—	.10	.15	.07	30
31	.10	—	—	—	.03	—	.16	—	—	.16	—	—	31
Total	1.51	1.21	1.18	.57	2.14	4.10	5.99	1.00	2.45	2.04	2.65	4.01	YEAR'S TOTAL 28.85
Rain Days.	17	14	16	9	13	13	10	11	12	16	28	26	785

REGISTER OF RAINFALL IN 1915

Kept at *Ormesby SO*

in the County of *N.R. Yorkshire*

by *William Sanderson*

Lat. *51.1°* Long. *1.11°*

Time of Observation *9 AM*

Nearest Railway Station *Ormesby N.E. Ry*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *12* ft.

" " " " Sea Level *100* ft.

BRITISH RAINFALL
FORM A
4 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.05	.01	—	.15	—	.04	.34 ^{TR}	.19	—	.07 ^{HR}	.25	1
2	—	.26	.21	.03	.02	.04	.01	.59 ^{TR}	.14	—	.31 ^{HR}	.04	2
3	.48	—	.06	.09	—	—	.30	—	—	—	.28	.57	3
4	.11	—	.01	—	—	.01	.03	.03	—	—	.12	.79	4
5	.09	.03	.05	—	—	—	—	—	—	.03	—	.26	5
6	.03	.12	.08	.06	.29	—	1.00	.18	.03	.01	.01	.04	6
7	.20	.15	.07 ^{HR}	—	.01	—	.02	.22	—	—	—	.01	7
8	.05	.08 ^{SR}	.05 ^{HR}	—	—	—	.13	.09	—	—	.07	— ^{SR}	8
9	.01	.01	—	—	—	—	—	.01	—	.02	.01	.32	9
10	.08	—	.06	—	.53	—	—	.44	—	—	—	.11	10
11	.04	.35	.01	—	.07	—	.09	.01	—	—	.03	.13	11
12	.16	.04	—	.38	—	—	.36	.12	—	.09	.68 ^{SR}	.13 ^S	12
13	.01	.34 ^{SHR}	—	—	.14	—	—	.01	.01	—	—	.05	13
14	—	.12	—	—	—	—	.02	.14	—	—	—	.01	14
15	.11	.02	—	—	—	—	.22	.24	—	.39	.10 ^S	.05	15
16	.01 ^{ASH}	.13	—	—	—	—	.94	.01	—	.86	.03 ^{SR}	— ^H	16
17	.20	.17	.02 ^S	—	—	—	.10	—	.04	—	.18	.07	17
18	—	.03	.35 ^S	—	—	—	—	—	.03	.10	.03	.04	18
19	—	.03	.04	—	—	—	.05	—	—	.23	—	—	19
20	.04 ^{ASH}	—	—	—	—	—	—	—	—	.01	—	.48	20
21	.30	.02	—	.16	—	—	—	—	—	—	—	.07	21
22	.04	— ^{SR}	—	.05	—	—	—	.02 ^{BR}	—	—	— ^{SR}	.12	22
23	.15	.19	.01 ^{BS}	.03	—	.02	.95	—	—	—	.02	.06	23
24	—	—	.33	.05	—	—	.02	—	.36	.08	— ^{SR}	.09	24
25	—	—	— ^{SR}	—	—	.22	.04	—	—	.07	.15 ^{SR}	.01	25
26	—	.02 ^{SR}	.02 ^S	.05	.01	.15	.18	.01	.03	.02	.06	.39	26
27	.04 ^S	.20 ^{SR}	.40 ^{SH}	—	—	—	.04	.60	—	.05	—	.11	27
28	.01	.05	.04 ^S	—	.21	—	.07	.01	—	.09	—	.01	28
29	— ^S	—	.05 ^S	—	.43	.04	.09	—	.35	.01	.09	.07	29
30	.08	—	—	.15	—	—	.02	—	.05	—	—	.01	30
31	.06	—	—	—	—	—	—	.40	—	.05	—	.08	31
Total	2.52	2.41	1.87	1.05	1.86	.48	4.72	3.47	1.23	2.11	2.24	4.37	YEAR'S TOTAL 28.33
Rain Days.	23	21	19	10	10	6	22	19	10	16	17	28	201

REGISTER OF RAINFALL IN 1916

Kept at Armsby SO
in the County of N. Riding Yorkshire
by William Sanderson

Lat. 51° 10' Long. 1° 11'
Time of Observation 9 AM
Nearest Railway Station Armsby N.E. Ry
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 100 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.02	.20 _{SS}	—	—	.06	.10	—	—	—	.01	—	1
2	.01	—	.25 _{SS}	—	—	—	.13	—	.09	.01	—	.01	2
3	—	.06	.17 _{SS}	.11	—	—	—	—	.14	.03	.03	—	3
4	—	.28	.05 _{SS}	.02	.79	.21	—	—	.38	.55	.10	.01	4
5	.05	.18	.68 _{SS}	—	.25	.07	—	—	—	.25	.18	.01	5
6	—	.24	.15 _{SS}	.02	.37	.01	.17	—	—	.04	.04	—	6
7	—	—	.15 _{SS}	.01	.11	.27	.05	—	—	.10	.01	.21	7
8	—	.01	.22 _{SS}	—	.04	.07	—	—	—	—	—	.01	8
9	—	—	.07 _{SS}	—	.12	.01	—	—	.02	—	—	.23	9
10	.08	—	.02 _{SS}	.02	.01	.13	.17	.03 _{Deu}	—	—	.01	.28	10
11	—	.42	.58 _{SS}	.23	—	.09	.18	—	.07	.04	—	.17 _{SS}	11
12	.01	—	.28	.07	.41	.04	.48	.01	—	—	—	.43	12
13	—	—	.21 _{SR}	.06	.20	—	.06	.27	.03	.28	.02	.08	13
14	—	.18	.03 _{SS}	.01	.07	.06	—	.17	—	.21	—	.07	14
15	—	.18	.11	—	—	—	.04	.50	—	—	—	—	15
16	—	.03	.18	.08	.01	—	.13	.04	—	.07	—	.14	16
17	.02	—	—	.10	.04 _{Deu}	—	.04	.12	.13	.16	.07 _{HS}	.01	17
18	—	.30	.02	.60	.01	.04	.02	.24	.40	.05	1.15	—	18
19	.01	.04	.02	.43	—	—	—	.04	.05	.01	.54	.01	19
20	.08	.01 _{SS}	.35	.19	—	—	.20	.34	—	—	.07	.04	20
21	.02	.09 _{SS}	.08	.02	.04	—	.04	—	—	—	—	—	21
22	—	.08 _{SS}	—	.06	—	.02	—	.02	—	.03	—	.03	22
23	—	.03 _{SS}	.07 _{SS}	—	—	.01	—	.14	—	—	—	.27	23
24	—	.05 _{SS}	.05 _{SS}	.01	—	.31	—	.28	—	.06	—	.03	24
25	—	.15 _{SS}	.13 _{SS}	—	—	—	—	.05	—	.04	.12	.02	25
26	.16	.15 _{SS}	.02 _{SS}	—	.05	.01	—	.34	—	.01	.04	—	26
27	—	.41	.03 _{SS}	—	—	—	.04	.04	—	.11	—	.01	27
28	—	.25	.01	—	—	—	—	—	.02	.04	.01	.17	28
29	—	.19	—	.01	—	.04	—	—	—	.01	—	.01	29
30	.01	X	—	—	—	.08	.05	—	.04	.23	—	—	30
31	—	X	—	X	.01	X	—	—	X	.05	X	—	31
Total	.54	3.35	4.13	2.05	2.53	1.53	1.90	2.63	2.37	2.38	2.40	2.25	YEAR'S TOTAL 28.06
Rain Days.	11	22	26	18	16	18	16	10	11	22	15	22	213

REGISTER OF RAINFALL IN 1917

Kept at Ormesby 50
in the County of N R Yorkshire
by William Sanderson

Lat. 51° 1' Long. 1° 11'
Time of Observation 9 AM
Nearest Railway Station Ormesby Station N & Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 ft.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02 ^S	—	.15 ^S	—	.45	—	.35	.28 ^{TA}	—	.12	.04	1
2	.05	—	—	.17 ^S	—	.05	—	.22	.06	—	—	—	2
3	—	—	—	.21 ^S	—	.01	—	.10	.01	.05	—	—	3
4	—	—	.01 ^S	.04 ^S	—	—	—	.03	—	.02	.02	—	4
5	.01	—	.01 ^S	.35 ^S	—	—	—	.03	—	.02	.01	.01	5
6	—	—	—	—	—	.01	—	—	—	.13 ^{SR}	.06	—	6
7	.58 ^{HR}	—	.05 ^{SR}	—	—	.03	—	.01 ^{TR}	—	.04	—	—	7
8	.49 ^{SR}	—	.06 ^S	.10 ^{SR}	—	—	—	.76 ^{TR}	.07	.43 ^{HR}	.03	— ^{HAS}	8
9	.16 ^{SR}	—	.01 ^S	.03 ^S	—	—	—	.44 ^{TR}	.05	.14 ^{HR}	.50	.11	9
10	.09	—	.20	.06 ^S	.09	—	—	.09	—	.08	.20	—	10
11	.15 ^{SR}	.03	—	.05 ^{SR}	.02	—	—	.10 ^{TR}	—	.09	—	—	11
12	.66 ^{SR}	—	.02	.13 ^{SR}	.11	—	—	.28 ^{TR}	—	.41	—	.06	12
13	.08 ^{SR}	—	—	.05 ^R	—	.30	—	.30 ^{TR}	.17	.05	—	.05	13
14	.14 ^{SR}	—	—	.14 ^R	.38	—	—	.13 ^{TR}	—	.05	—	.06	14
15	.15 ^S	—	—	.05 ^{SR}	.02 ^S	—	.03	1.25 ^{HTA}	.04	—	.01	.17 ^{SR}	15
16	.16 ^{SR}	—	—	.18 ^{SR}	.01	.02	—	.02	.02	—	—	.29 ^{SR}	16
17	.09 ^{SR}	.01	—	.09	.01	.09	—	.25	.01	—	—	.39 ^{SR}	17
18	.06 ^{SR}	—	—	.08	.14	—	.14	.14	.01	—	—	—	18
19	.15 ^{SR}	.24	.18 ^{SR}	—	.07	.06	—	—	—	—	—	.01	19
20	.11	.73	.03 ^S	.03	—	.50	—	.17 ^{TR}	.11	—	.32	.13	20
21	—	.14	.24 ^S	—	.01 ^{TR}	—	—	.05	—	—	—	—	21
22	— ^S	—	.16	—	.16 ^{TR}	.04	—	.03	—	.05	—	—	22
23	.03	.05	—	—	.17	.01	—	.08	—	—	.02	.01	23
24	—	—	— ^{SR}	—	—	—	—	.03	—	.19	.15	.01 ^{SR}	24
25	—	.04	.12 ^{SR}	—	—	.05	.19	.01	—	.05	— ^{SR}	.23 ^S	25
26	—	—	.19 ^{HR}	—	—	.16	—	.63	.11	.02	.21	.05	26
27	—	—	.14 ^{HR}	—	—	.26	.40	.33	—	.05	.01	.14	27
28	—	—	.09 ^{HR}	—	—	—	.07	.94 ^{TR}	—	.02	—	—	28
29	— ^S	X	.02 ^{HR}	—	—	—	.08	.04 ^{TR}	—	.25	—	.01	29
30	.08 ^S	X	.07 ^{HR}	.22	—	—	—	—	—	.06	.03	.10	30
31	.17	X	.35	X	—	X	.04	.05	X	—	X	.06	31
Total	3.41	1.26	1.95	2.13	1.19	2.04	.95	6.86	.91	2.20	1.69	2.13	YEAR'S TOTAL 26.72
Rain Days.	19	8	18	18	12	15	7	28	12	20	14	19	190

REGISTER OF RAINFALL IN 1917

Kept at Bonorthley
in the County of Yorkshire
by Thomas Gorman

Lat. _____ Long. _____
Time of Observation 8/9 am
Nearest Railway Station Northallerton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07		.21		.80		1.73	.26		.07	.05	1
2	.06	.05		.09				.69	.02				2
3			.13	.05		.03		.06	.01		.03		3
4		.02		.04							.03		4
5	.05	.03		.31							.02		5
6											.17		6
7	.45	.07	.32			.04		.13		.55	.03	.10	7
8	.63		.19	.02				.94	.01	.25			8
9			.45	.01				.80		.10	.38		9
10	.22			.23	.07			.08		.22	.13		10
11	.30							.15		.20	.02		11
12	.38			.09	.20			.15		.55		.12	12
13	.25		.04	.07	.03			.36	.15	.05		.10	13
14	.32			.28	.11	.36		.19		.04		.02	14
15	.15			.24	.09		.19	.58		.01	.05		15
16	.07		.04	.29				.03	.01			.28	16
17	.21	.02		.18				.47				.57	17
18	.18		.10	.06	.12		.22	.13	.03			.23	18
19	.22	.08	.11		.20	.10		.03					19
20	.19	.17	.15	.03		.48		.02	.02		.30		20
21	.14	.18	.09	.02				.02					21
22	.25		.39			.05		.07					22
23	.17				.05	.02	.08	.07	.01				23
24	.02							.10		.30			24
25	.01	.06	.04			.25		.05				.22	25
26	.03		.25			.73		.58	.09	.10	.28		26
27	.01		.09			.28	.36	.40			.02	.43	27
28			.07			.02	.11	.23		.22			28
29	.02						.17	.22		.02			29
30		X		.02			.11						30
31	.12	X	.22	X		X	.14	.03	X		X	.14	31
Total	4.45	.45	2.68	2.24	.87	3.16	1.38	8.22	.61	2.61	1.53	2.26	30.76
Rain Days.	24	10	16	18	8	12	8	27	10	13	13	11	170

REGISTER OF RAINFALL IN 1918

Kept at Doncaster
in the County of Yorkshire NR
by J. Gorman

Lat. _____ Long. _____
Time of Observation 8/9 am.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 660 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							.01						
1	.10	.04	.11	.02	.02				.35	.08	.31	.08	1
2		.09		.04					.29			.22	2
3		.03	.05					.16		.06	.26		3
4		.02	.05		.21			.07	.11	.09	.31	.12	4
5			.03	.03	.25			.72		.04			5
6		.12		.40		.22		.32				.03	6
7	.13	.10		.11		.03		.02		.21	.24		7
8		.03	.07	.02			.46		.28				8
9		.31		.06		.05		.02	.66		.03	.03	9
10		.02		.05			.31			.16	.03		10
11	.07	.04	.03	.02	.20		.16	.03	.05		.01	.06	11
12		.16	.10	.02	.02	.01	.21		.15	.17			12
13		.02		.12	.03				.19	.09			13
14	.06			.21			.04		.45	.04		.02	14
15						.14	.31		.74		.02	.76	15
16	.09				.13	.07	.52	.10	.42	.02		.12	16
17	.20				.33		.03	.06	.02	.65		.35	17
18	.68		.15	.06		.02	.53		.58	.05		.13	18
19	.26		.10	.07			.04	.13	.02	.27			19
20	.12	.45		.18		.08	1.10		.05	.19			20
21	.15	.01		.06	.10	.07			.17	.16			21
22				.02	.02	.02	.04		.02			.36	22
23	.10			.06	.31		.49		.02		.05		23
24		.05				.02	.07		.25		.04		24
25					.02	.02	.10	.19	.04				25
26							.40	.15	.29		.07	.12	26
27		.06	.09			.04	.03	.29	.18		.14	.06	27
28		.07	.39			.01					.04	.53	28
29			.05						.30			.06	29
30		X	.10						.09		.12	.83	30
31		X	.13					.03	X		X	.20	31
Total	1.96	1.62	1.45	1.55	1.64	.80	4.84	2.29	5.72	2.27	1.67	4.07	29.88
Rain Days.	11	17	14	18	12	14	18	14	24	15	14	18	189

REGISTER OF RAINFALL IN 1919.

Kept at Donnerley
in the County of Yorkshire
by Thomas Yeoman

Lat. _____ Long. _____
Time of Observation 8/9 a.m.
Nearest Railway Station Road allerton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 8 in.
" " " " Sea Level 660 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.02			.21		.49		.19	.07	.24	.03	1
2	.09		.04		.03		.71		.02		.12		2
3	.78					.18	.26				.23	.10	3
4	.33		.42		.12	.04	.02	.05	.10		.08	.11	4
5	.18					.01	.01				.08	.06	5
6	.05		.16							.08	.14	.05	6
7			.15								.02	.03	7
8	.04			.07	.15	.02		.03		.04	.05	.10	8
9	.11	.03											9
10	.03						.02			.04	.23		10
11			.15	.02							.04	.21	11
12			.79		.13	.06	.29		.10		.42	.02	12
13			.64	.12		.02	.09			.25	.01	.02	13
14	.09		.14	.10			.13	.02		.26	.04	.02	14
15	.24			.43				.15		.05	.23	.03	15
16	.04		.09	.14				.02			.03	.77	16
17	.02	.15	.02	.15	.05	.01					.04	.02	17
18		.08		.03		.03	.02	.06			.12		18
19							.58	.18				.05	19
20	.09	.23	.76	.05			.13	.25			.21	.04	20
21	.59	.20	.04	.03		x		.04	.20		.04	.13	21
22	.09	.12	.04	.02		x	.14	.02	.02		.04	.02	22
23		.13	.03		.03	x	.04	.02				.11	23
24			.05	.08	.05	x	.02		.03	.96	.04		24
25						x				.71	.07		25
26	.08	.14		.02	.03	x		.48	.03	.05	.15	.03	26
27		.20	.14			x		.49		.18	.80	.54	27
28	.20	.10	.05	.58		x	.02	.03	.02	.80	.20		28
29			.01	.22		x		.99	.02	.98	.06	.26	29
30	.24		.03			x		.02		1.51		.14	30
31	.08			.27		1.31		.22		.16	.09	.25	31
TOTAL	3.48	1.40	3.76	2.33	.80	1.68	3.09	3.07	.73	6.41	3.82	3.28	YEAR'S TOTAL
Days with 0.1 in. or more	20	11	19	16	9	9(18)	17	17	10	16	27	25	33.85

REGISTER OF RAINFALL IN 1920.

Kept at Doncaster W. Raintalton
in the County of Yorkshire
by Thomas Gorman

Lat. _____ Long. _____
Time of Observation 8 1/2 a.m.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. in.
" " " " Sea Level 660 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.50	.33		.39		.02	.26		.02	1
2			.20	.35	.03		.19		.19	.11		.15	2
3				.32		.08	1.32	.08	.18	.45		.09	3
4	.08			.08			.49	.62	.02	.93		.48	4
5			.06		.15		.40	.12	.03	.02		.05	5
6		.05	.27	.10	.05		.05					.04	6
7				.02			.24					.01	7
8				.22	.06		.23	.13			.02		8
9	.07	.02		.34	.01		.16	.03	.02				9
10	.43	.10	.05	.26	.12								10
11	.09	.05		.04	.02								11
12	.14		.07	.16		.05				.02	.02		12
13	.10	.02		.08							.15		13
14		.07	.47	.14					.20		.19	.69	14
15		.12	.03	.27			.48		.04	.04	.02		15
16			.16	.04			.48		.14		.03		16
17				.01	.14		.17	.17	.09		.01		17
18	.33	.07		.04	.19	.67		.05	.06				18
19		.51		.17				.18					19
20	.11	.04		.24		.07	.36					.05	20
21				.16				.52	.11				21
22	.08			.16			.16						22
23			.03	.12			.37						23
24	.05		.35	.03			.10					.01	24
25		.15	.06				.45				.02		25
26	.04	.04	.44		.28	.34	.04						26
27	.31		.03	.04						.02	.40		27
28	.52		.13	.11	.91		.06				.06	.14	28
29	.20		.10		.04	.07	.08				.07	.38	29
30	.14	X		.09	.06				.10		.10	.14	30
31	.07	X		X		X	.04		X	.03	X	.04	31
TOTAL	3.66	1.24	2.45	4.09	2.39	1.28	6.08	1.90	1.20	1.88	1.09	2.59	YEAR'S TOTAL 19.25
Days with 01 in. or more	16	12	15	26	14	6	20	9	13	9	12	14	166
Days with 04 in. or more	16	10	12	23	11	6	20	8	9	5	6	14	137

RE

Kept at *Albert Park*

in the County of *NR*

by *J.M.*

MIDDLESBROUGH

ALBERT PARK

1911-20

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London.

8 in.

Ground 1 ft. - in.

Sea Level 30 ft.

A.M.

Name *Middlesbrough*

Distance *1 mile* Direction *South*

the result entered to the
versal rule, he is earnestly
ar in the space provided
ent of rain,
tish Rainfall
pplication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.01						0.05	0.05					1
2	0.27						0.15			0.19	0.01		2
3			0.08	0.05	0.05					0.10	0.02		3
4	0.10		0.17	0.29				0.02		0.08	0.06	0.21	4
5	0.03			0.02				0.15		0.01			5
6	0.10		0.06	0.07				0.08		0.02		0.45	6
7			0.02	0.03							0.04		7
8			0.30	0.02							0.28	0.12	8
9				0.02		0.02						0.10	9
10	0.03	0.03									0.03	0.42	10
11	0.25				0.02				0.08		0.21	0.03	11
12	0.15		0.08			0.02		0.03	0.70		0.30	0.02	12
13		0.04	0.20		0.03	0.04		0.01			0.07	0.43	13
14		0.15	0.25		0.16				0.01		0.03	0.43	14
15		0.01	0.16							0.03	0.26	0.19	15
16			0.47	0.06		0.08					0.03	0.03	16
17			0.07			0.20	0.02				0.34	0.05	17
18		0.06	0.11			0.04					0.69	0.12	18
19						0.25	0.01	0.14	0.05	0.34	0.68	0.04	19
20		0.17					0.10	0.49			0.13	0.21	20
21		0.17						1.22		0.07	0.24	0.07	21
22	0.10	0.03						0.42		0.02	0.25	0.01	22
23		0.09				1.15		0.01	0.19	0.03		0.10	23
24						1.78			0.01	0.10		0.06	24
25		0.11		0.06		0.45			0.25	0.16	0.07	0.23	25
26					0.17	0.01			0.02	0.96	0.71	0.08	26
27		0.04	0.01	0.08				0.28	0.17	0.03	0.05	0.07	27
28		0.03	0.02	0.15		0.02	0.01	0.02		0.15		0.10	28
29				0.05		0.03	0.23	0.01	0.60	0.30		0.04	29
30					0.17	0.03			0.08	0.03		0.02	30
31					0.02					0.03		0.10	31
Total	1.04	0.93	2.02	0.90	0.62	4.12	0.57	2.93	2.16	2.65	4.50	3.73	TOTAL for year 26.13
No. of Rain Days	9	12	14	12	7	14	7	14	11	18	21	26	165

RE

Kept at Albert Park, Middlesbroughin the County of Yorkby J. M. S. S. S. S. S.

Borough Accountant

RAIN
GAUGE

Pattern

Diameter of top 8 in.Height of top above Ground 1 ft. - in." " " Sea Level 30 ft.Time of Observation 9 A.M.

Nearest Railway Station

Name

Distance 1 mile Direction SouthFORM A2.
BRITISH RAINFALL.
6-JAN-1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 0.01	in.	in.	in.	in.	in.	in. 0.05	in. 0.05	in.	in.	in.	in.	1
2	0.27						0.15			0.19	0.01		2
3			0.08	0.05	0.05					0.10	0.02		3
4	0.10		0.17	0.29				0.02		0.08	0.06	0.21	4
5	0.03			0.02				0.15		0.01			5
6	0.10		0.06	0.07				0.08		0.02		0.45	6
7			0.02	0.03							0.04		7
8			0.30	0.02							0.28	0.12	8
9				0.02		0.02						0.10	9
10	0.03	0.03									0.03	0.42	10
11	0.25				0.02				0.08		0.21	0.03	11
12	0.15		0.08			0.02		0.03	0.70		0.30	0.02	12
13		0.04	0.20		0.03	0.04		0.01			0.07	0.43	13
14		0.15	0.25		0.16				0.01		0.03	0.43	14
15		0.01	0.16							0.03	0.26	0.19	15
16			0.47	0.06		0.08					0.03	0.03	16
17			0.07			0.20	0.02				0.34	0.05	17
18		0.06	0.11			0.04					0.69	0.12	18
19						0.25	0.01	0.14	0.05	0.34	0.68	0.04	19
20		0.17					0.10	0.49			0.13	0.21	20
21		0.17						1.22		0.07	0.24	0.07	21
22	0.10	0.03						0.42		0.02	0.25	0.01	22
23		0.09				1.15		0.01	0.19	0.03		0.10	23
24						1.78			0.01	0.10		0.06	24
25		0.11		0.06		0.45			0.25	0.16	0.07	0.23	25
26					0.17	0.01			0.02	0.06	0.71	0.08	26
27		0.04	0.01	0.08				0.28	0.17	0.03	0.05	0.07	27
28		0.03	0.02	0.15		0.02	0.01	0.02		0.15		0.10	28
29				0.05		0.03	0.23	0.01	0.60	0.30		0.04	29
30					0.17	0.03			0.08	0.03		0.02	30
31					0.02					0.03		0.10	31
Total	1.04	0.93	2.02	0.90	0.62	4.12	0.57	2.93	2.16	2.65	4.50	3.73	TOTAL for year 26.15
No. of Rain Days	9	12	14	12	7	14	7	14	11	18	21	26	165

REGISTER OF RAINFALL IN 1912

Kept at *Albert Park Middlesbrough*
in the County of *York*
by *J. M. [Signature]*
Borough Accountant.

Lat. _____ Long. _____
Time of Observation *9. A.M.*
Nearest Railway Station *Middlesbrough*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Sea Level *30* ft.

BRITISH RAINFALL FORM A.
17-JAN-1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	0.27	0.05	0.01	0.05	0.19	0.44	0.67	0.08	0.06	.	0.13	1
2	.	0.05	0.05	0.02	.	0.25	0.55	0.14	.	0.15	0.02	.	2
3	0.15	0.04	.	.	.	0.67	0.02	0.40	0.35	0.07	.	0.29	3
4	0.19	.	0.29	.	0.02	0.52	.	0.07	.	.	0.32	.	4
5	.	.	0.01	.	0.21	0.09	.	0.02	.	.	0.11	.	5
6	0.54	0.38	.	.	.	0.05	.	0.02	.	.	.	.	6
7	0.02	0.04	.	.	0.15	.	.	0.05	0.32	.	0.03	.	7
8	0.18	0.07	0.02	.	0.01	0.01	.	.	0.44	.	.	.	8
9	0.02	0.01	0.03	0.01	.	0.45	.	.	0.03	0.02	0.28	.	9
10	0.02	0.02	0.01	0.35	.	0.40	.	0.04	0.09	.	0.04	0.03	10
11	0.06	0.02	0.02	.	.	.	.	0.06	0.02	.	0.41	0.02	11
12	0.05	0.15	0.06	.	.	0.03	0.33	.	.	.	0.78	.	12
13	.	0.01	0.02	.	.	0.16	.	0.06	.	0.06	0.38	0.02	13
14	0.14	.	0.46	0.02	.	0.06	.	0.08	.	.	0.03	0.06	14
15	.	0.02	0.50	.	0.73	0.08	.	.	.	.	.	0.16	15
16	0.05	.	0.06	.	0.07	.	0.03	.	.	0.11	.	.	16
17	.	0.09	0.13	.	.	0.49	0.02	0.15	.	0.04	.	0.07	17
18	.	0.05	.	.	.	0.03	0.09	0.19	.	.	.	.	18
19	0.07	0.39	0.02	.	.	0.11	0.20	0.30	.	0.05	0.07	.	19
20	0.16	0.10	.	.	0.78	0.07	0.11	.	.	0.35	.	0.01	20
21	0.07	.	0.11	.	0.10	.	0.44	.	.	.	0.05	.	21
22	0.04	0.06	0.02	.	0.62	0.36	.	0.09	.	0.07	.	0.02	22
23	0.07	0.01	0.02	.	0.06	0.05	0.10	0.75	.	0.33	0.11	0.01	23
24	0.38	.	.	.	.	0.01	0.46	0.05	.	.	0.01	0.09	24
25	0.37	.	.	.	.	0.40	0.02	0.50	.	0.01	0.06	0.02	25
26	0.11	0.10	0.02	.	.	0.02	.	0.26	.	0.48	0.17	0.21	26
27	.	.	0.12	.	.	0.27	0.50	.	.	0.34	0.13	0.19	27
28	.	.	0.02	0.06	0.09	0.49	0.19	0.47	.	0.38	0.08	.	28
29	0.03	0.01	0.20	.	0.03	.	0.14	0.02	0.20	0.02	.	0.01	29
30	0.07	.	0.05	0.01	0.10	0.05	.	0.02	0.13	0.20	.	0.02	30
31	.	.	0.23	.	0.14	.	0.45	0.40	.	0.05	.	.	31
Total	2.73	1.89	2.52	0.16	3.16	4.91	3.49	4.61	1.46	2.79	3.08	1.36	YEARS TOTAL 32.16?
Rain Days.	21	20	24	7	15	25	17	23	9	18	18	17	214

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1- JAN 1914

Kept at *Albert Park, Middlesbrough*

in the County of *York*

by *J. M. Parnaby*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Middlesbrough*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *-* in.
" " " " Sea Level *20* ft.
" " " " entered to the

NATIONAL TELEPHONE 305A.



John M. Parnaby, FSAA.
Borough Accountant
and Registrar of Stock

BOROUGH ACCOUNTANT'S OFFICE.

MIDDLESBROUGH.

15th. April 1914.

Dear Sir,

I am in receipt of your letter of the 14th. inst.
and in reply beg to state that the Rain Gauge at the Albert
Park was repaired some short time ago, and I am assured by
the Park Curator that its records are now accurate.

Yours faithfully,

J. M. Parnaby
Borough Accountant

Carle Salter Esq.,
62, Camden Square,
London, N.W.

31	09				09			03					31
Total	3.96	.82	2.06	2.99	2.20	2.29	1.08	1.16	2.25	4.08	2.08	1.90	26.87
Rain Days.	21	11	22	16	13	14	9	7	15	16	17	8	169

Organization are given in "Rules for Rainfall Observers," sent post-free on application to
 Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.02	.34					.33	.09	.02		1
2	.01		.04			.10				.12			2
3	.02		.03		.14		.18		.02			.03	3
4	.31		.01			.07	.05		.01	.72	.05	.10	4
5	.68	.05	.04			.14	.05	.04		.18			5
6	.01	.22	.19		.29	.48	.27				.18		6
7		.15	.02	.04		.16	.06			1.26			7
8			.01		.40	.02			.13	.17	.07		8
9		.11	.05	.07	.18	.01					.03		9
10		.02	.08	.03					.05		.59		10
11	.58	.02		.47	.14	.09					.06		11
12	.22								.38		.12		12
13	.04			.02					.15	.04	.13		13
14	.03	.15	.21	.03			.17	.12					14
15	.11		.14	.24				.02			.02		15
16	.02												16
17				.01		.10	.01				.04		17
18		.01	.28	.16		.14			.01		.02		18
19	.11		.08		.07				.06	.03		.02	19
20	.79	.01	.05	.02					.25	.32	.41		20
21	.07				.09		.04		.05				21
22	.02		.29		.08	.01		.21	.09	.17			22
23	.10		.01			.29	.25		.03	.04	.06		23
24	.33					.55		.25				.04	24
25				.02					.42	.03			25
26			.02	.23					.27	.29	.21	.22	26
27		.06	.05	.36	.37	.19				.02	.03		27
28	.10	.02	.13	.77	.04					.02		.34	28
29			.29	.18	.07			.49			.04	1.04	29
30	.25		.02		.24					.58		.11	30
31	.09				.09			.03					31
Total	3.96	.82	2.06	2.99	2.20	2.29	1.08	1.16	2.35	4.08	2.08	1.90	26.87
Rain Days.	21	11	22	16	13	14	9	7	15	16	17	8	269

REGISTER OF RAINFALL IN 1914.

Kept at Albert Park, Middlesbrough
in the County of York
by J. J. Hambley

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Middlesbrough
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 30 ft.

FORM A.
BRITISH RAINFALL
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.60	0.12		0.01	0.02	0.10	1
2							0.96	0.23		0.03	0.27	0.09	2
3			0.04		0.21		0.05		0.02		0.13	0.39	3
4				0.05	0.09						0.08	0.32	4
5				0.01	0.02	0.03					0.15		5
6		0.01		0.07	0.02			0.13				0.02	6
7		0.03			0.12	0.26		0.02			0.04	0.24	7
8	0.40		0.10	0.02	0.31	0.57		0.05		0.15		0.05	8
9	0.27	0.03		0.03	0.02	1.71		0.04	0.44		0.10	0.06	9
10	0.17	0.08							0.10		0.01	0.05	10
11		0.05	0.08		0.31	0.18			0.03		0.15	0.41	11
12	0.05					0.02			0.12			0.45	12
13	0.03	0.05	0.11									0.19	13
14	0.09	0.13								0.13	0.06	0.10	14
15	0.06	0.03	0.23				0.31		0.04		0.35	0.01	15
16	0.15		0.08				2.13		0.26		0.19		16
17	0.14	0.01					0.01		1.04		0.01	0.02	17
18	0.03	0.06	0.05			0.21			0.10		0.02	0.09	18
19		0.01					0.38		0.12		0.04		19
20		0.16	0.26			0.64	0.01			0.02			20
21		0.33	0.03			0.06					0.12	0.08	21
22		0.01	0.02	0.02	0.21	0.10		0.07		0.03	0.07	0.11	22
23			0.02	0.01	0.36	0.28				0.13	0.02		23
24	0.06			0.14					0.03		0.23		24
25		0.05	0.03							0.43		0.20	25
26			0.05				0.20			0.35	0.05	0.09	26
27	0.02						0.04			0.01	0.15	0.36	27
28										0.01	0.03	0.11	28
29	0.02	X			0.21			0.19		0.63	0.08		29
30		X	0.06	0.08	0.05			0.03		0.11	0.14	0.12	30
31	0.13	X		X	0.02	X	0.16		X	0.16	X		31
Total	1.62	1.04	1.16	0.43	1.95	4.06	4.85	0.91	2.27	2.20	2.51	3.66	26.66
Rain Days.	14	15	14	9	13	11	11	10	10	14	24	23	168

3708

Lat. _____ Long. _____

Time of Observation 9 a. m.

Nearest Railway Station Middlesbrough

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 30 ft.

13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

Kept at St Albert Park, Middlesbrough
 in the County of Yorks
 by J. M. Lawrence

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Middlesbrough
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 30 in.
 " " " Sea Level 30 ft.

FORM A.
 BRITISH RAINFALL.
 5 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.02	.17			.21	.15			.02	.02		1
2		.01	.29						.20			.02	2
3		.06	.17	.11		.01	.09		<u>1.10</u>	.08	.06		3
4		.21	.05	.01	.70	.12			.15	.46	.10	.01	4
5	.04	.16	.34		.21	.05				.23	.22		5
6		.27	.21	.01	.41		.15			.01	.10		6
7			.19		.09	.28	.11			.09		.21	7
8			.16		.08	.06						.01	8
9			.09		.10	.02	.04					.21	9
10	.07		.03			.18	.13				.02	.23	10
11		.35	.45	.20		.08	.20		.09	.04		.17	11
12			.36	.05	.36	.02	.44					.52	12
13		.01	.27	.04	.17		.05	.32	.03	.26	.02	.06	13
14		.21	.02	.01	.05	.05		.30		1.7		.07	14
15		.09	.16				.06	.16					15
16		.03	.14	.09			.09	.01		.07		.23	16
17	.03			.09	.04		.02	.26	.13	.14	.05		17
18		.23		.59		.02	.01	.28	.20	.05	.83		18
19	.01		.02	.20				.02	.08		.45	.09	19
20	.07		.32	.02			.25	.35			.07	.06	20
21	.02	.04	.08	.09	.07		.03						21
22		.07	.01	.06		.02				.06	.01		22
23		.03	.12			.01					.02	.24	23
24		.02	.07			.32		.16		.03		.02	24
25		.07	.14					.22		.04	.07		25
26	.15	.10	.02		.02	.01		.03		.01			26
27		.33	.01				.09	.35		.11		.01	27
28		.18	.02						.01	.07	.03	.19	28
29		.21				.02				.02		.01	29
30		X				.06	.03			.24			30
31	.04	X		X		X			X	.04	X		31
Total	.59	2.70	3.91	1.57	2.30	1.54	1.94	2.36	1.99	2.24	2.07	2.36	25.57
Rain Days.	9	21	26	14	12	18	17	12	9	21	15	18	192

REGISTER OF RAINFALL IN 1917.

Kept at Albert Park, Middlesbrough
in the County of Yorks
by J. M. Mearns

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Middlesbrough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 30 ft.

3490
BRITISH RAINFALL
FORM A.
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.22		.20		.36		.38	.33		.11	.01	1
2	.04			.19		.02		.18	.05				2
3			.04	.14				.01		.04	.02		3
4			.02	.03				.07		.01	.01		4
5			.02	.20				.02		.04	.01		5
6								.01		.16			6
7			.02			.06		.01		.10		.04	7
8	.68		.11	.11				.72	.02	.37	.08		8
9	.49		.01					.36	.02	.02	.40	.03	9
10	.02		.22	.14	.08			.06		.22	.15		10
11	.10	.02		.08				.12		.06			11
12	.16		.03	.12	.11			.31		.33		.07	12
13	.54			.02		.28		.40	.16	.04		.05	13
14	.14		.02	.08	.23			.11		.10		.08	14
15	.34			.06	.04		.06	.49				.13	15
16	.13			.18		.05		.03	.04			.14	16
17	.04	.04		.12		.63		.48				53.54	17
18	.06			.06	.11		.10	.31					18
19	.12	.09			.07	.07						.01	19
20	.12	.42	.15	.02		.43		.03			.29	.13	20
21		.16	.02					.05	.14	.01			21
22			.28			.08		.04		.07			22
23	.03	.06	.24		.03	.01		.06			.02		23
24		.02		.01	.08		.02	.02		.21	.19	.01	24
25		.04	.09			.20	.03			.03		.26	25
26			.15			.24		.90	.12	.01	.19	.15	26
27	.02		.13			.17	.59	.41		.07		.20	27
28			.07				.07	.94		.03			28
29		X	.02				.22	.04		.29			29
30	.02	X	.03	.21			.04			.10	.03	.07	30
31	.04	X	.53	X		X	.09	.02	X		X	.11	31
Total	3.09	1.07	2.20	1.97	.75	2.60	1.22	7.08	.88	2.25	1.50	2.32	26.93
Rain Days.	18	9	20	18	8	13	9	28	8	21	12	17	181

FORM A.
BRITISH RAINFALL

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Middlebrough*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. - in.
" " " " Sea Level *30* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

W. 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1919.

Kept at *Albert Park, Middlesbrough*
in the County of *Yorks*
by *Mr. J. M. Burdett*
Borough Accountant

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Middlesbrough*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *30* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.07		.01	.18		.39		.31		.09	.02	1
2	.10	.01					.32		.02	.02	.14		2
3	.71			.01	.18	.06	.01				.21	.04	3
4	.22	.07	.41		.01	.11	.02	.10	.04		.12		4
5	.14										.04		5
6			.20							.02	.10	.07	6
7			.20		.04					.03		.26	7
8	.10				.09						.05	.02	8
9	.03		.07							.06	.19	.01	9
10			.02								.30	.06	10
11			.68		.14		.14		.02	.10	.12	.01	11
12			.32	.08					.06	.14	.01	.01	12
13	.06		.09	.04		.10	.19	.14		.10	.20	.01	13
14	.20			.22				.10		.03	.24		14
15	.02	.20	.08	.05							.03	.49	15
16		.01		.01							.03		16
17		.04		.04	.06			.04			.10		17
18								.30				.04	18
19		.07	.11	.01			.24	.11	.09		.03		19
20	.16	.27	.02			.02	.05	.06				.10	20
21	.10	.11	.08			.05			.08		.04	.05	21
22		.24	.04				.08	.09	.05			.05	22
23			.03	.05		.11	.01	.02		.94			23
24			.02	.05		.02	.01			.96	.09	.01	24
25	.06	.10		.02	.02	.03		.39		.02	.22		25
26		.26	.05	.01		.01		.32	.01	.25	.48	.16	26
27	.16	.01		.45			.03			.96	.28	.02	27
28	.05			.12			.01	.82		.48	.05	.07	28
29	.20	X				.01				1.23		.12	29
30	.04	X	.05	.22		.22	.14	.01		.24	.03	.11	30
31	.11	X	.04	X	X	X		X		.25	X	.06	31
TOTAL	2.57	1.46	2.51	1.39	.72	.74	1.64	2.50	.68	5.83	3.19	1.79	25.02
Days with ".01 in. or more	18	13	18	16	8	11	14	13	9	17	24	22	183

REGISTER OF RAINFALL IN 1920.

Kept at Albion Park, Middlesbrough

in the County of Yorks

by M. J. ...

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Middlesbrough

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.13	.22	.25	.01	.18			.25			1
2		.41	.11	.20	.05	.01	.48			.23		.25	2
3		.03		.22		.07	1.36		.22	.10		.13	3
4	.04						.52	.36	.15	1.05		1.04	4
5					.07		.25	.02	.01			.03	5
6			.27	.05			.09		.03			.06	6
7	.07	.01					.06					.03	7
8				.13	.05		.04	.04			.05		8
9	.11			.32			.11	.63	.13				9
10	.92			.27			.09					.04	10
11	.18			.03	.18			.01				.24	11
12	.18		.01	.10							.01	.37	12
13	.13		.02	.05					.01			.07	13
14		.07	.58	.04			.06		.19	.06	.07	.04	14
15		.08	.21	.13						.50	.07	.02	15
16				.10	.01		.53		.09				16
17					.10			.14	.06			.07	17
18	.31	.06			.10		.03		.13				18
19		.37		.07		.02		.12					19
20	.13	.01		.01		.09			.04				20
21				.18			.34	.33	.14				21
22	.04			.07			.07						22
23			.05	.07			.21					.05	23
24	.03		.30	.02								.01	24
25		.11	.05				.53						25
26		.03	.46	.02			.02						26
27	13.10			.07	.34	43.44					.29	.04	27
28	.67		.16		.01	.01	.01				.04	.17	28
29	.06		.05		.75	.04	.06				.01	.50	29
30	.05				.15	.01			.16		.11	.04	30
31	.07						.01					.04	31
TOTAL	8.12	.78	2.40	2.37	2.06	.69	5.05	1.65	1.36	2.19	.65	3.34	YEAR'S TOTAL 25.56
Days with .01 in. or more	16	10	12	21	12	9	21	8	13	6	8	20	157
Days with .04 in. or more	18	8	11	17	10	4	17	6	10	6	6	16	123

3488
MIDDLESBOROUGH
DORMANS MUSEAM
1920 - 30

FOR OFFICIAL USE.
ANIZATION.
1920. 3202 A.

Kept at *Dormans M*
in the County of *Yo*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr
" Ground " Sea

able accs. Hl.
17-10-60

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.41	—	—	.19	—	—	—	—	—	1
2	—	.01	.10	—	—	—	.42	—	.22	—	—	—	2
3	—	.03	—	—	.27	.06	—	.01	—	.75	—	—	3
4	.09	—	—	.22	—	—	1.88	—	—	.97	.01	—	4
5	—	—	—	.01	.06	—	.25	.36	.17	.04	—	1.42	5
6	—	—	—	.05	.02	—	.09	—	—	—	—	.06	6
7	.07	—	.25	—	—	—	.08	—	—	—	—	.04	7
8	—	—	—	.13	—	—	.05	.03	—	.01	.06	—	8
9	.04	—	—	.33	.04	—	.10	.60	.12	—	—	—	9
10	—	—	—	—	—	—	—	—	—	—	—	.03	10
11	1.15	—	—	.31	.18	—	—	—	—	—	—	—	11
12	.18	—	—	.11	.01	—	—	—	—	—	—	.55	12
13	—	—	—	.05	—	—	—	—	.01	—	—	.08	13
14	.13	—	.58	.05	—	—	.06	—	.18	.30	.08	.05	14
15	—	.13	.20	.12	—	—	—	—	—	.31	.06	—	15
16	.01	—	—	.09	.01	—	.50	—	.09	—	—	—	16
17	—	—	—	—	.05	—	—	.12	.06	—	—	.09	17
18	.31	.05	—	—	.10	—	.02	.02	—	.02	—	—	18
19	—	.36	—	.07	—	—	—	.10	.14	—	—	—	19
20	.14	.01	—	—	—	.09	—	—	.04	—	—	—	20
21	—	—	—	.22	—	—	.34	—	.12	—	—	—	21
22	.03	—	—	.08	—	—	.07	.30	—	—	—	—	22
23	—	—	.05	—	—	—	.21	—	—	—	—	.05	23
24	—	—	.30	—	—	—	—	—	—	—	—	.07	24
25	.03	.10	.03	.10	—	—	.55	—	—	—	—	—	25
26	—	.03	.47	.04	—	—	.03	—	—	—	—	—	26
27	.11	—	—	.07	.35	.45	—	—	—	—	—	—	27
28	.76	—	.15	—	.01	.01	—	—	—	—	—	.17	28
29	.07	—	.05	—	—	.04	.07	—	—	—	.31	.54	29
30	.03	X	—	—	.92	.01	—	—	.07	—	.12	.08	30
31	.08	X	—	X	—	X	—	—	X	—	X	.10	31
TOTAL	3.23	.72	2.31	2.46	2.02	.66	4.91	1.54	1.22	2.40	.64	3.33	YEARS TOTAL
Days with '01 in. or more.													
Days with '04 in. or more.													

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1920.

3202 A.

Kept at *Dormans Museum, Middlesbrough*
in the County of *York*
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

Movable aces. Hl.
17-10-60

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.13	.41	—	—	.19	—	—	—	—	—	1
2	—	.01	.10	—	—	—	.42	—	.22	—	—	—	2
3	—	.03	—	—	.27	.06	—	.01	—	.75	—	—	3
4	.09	—	—	.22	—	—	1.88	—	—	.97	.01	—	4
5	—	—	—	.01	.06	—	.25	.36	.17	.04	—	1.42	5
6	—	—	—	.05	.02	—	.09	—	—	—	—	.06	6
7	.07	—	.25	—	—	—	.08	—	—	—	—	.04	7
8	—	—	—	.13	—	—	.05	.03	—	.01	.06	—	8
9	.04	—	—	.33	.04	—	.10	.60	.12	—	—	—	9
10	—	—	—	—	—	—	—	—	—	—	—	.03	10
11	1.15	—	—	.31	.18	—	—	—	—	—	—	—	11
12	.18	—	—	.11	.01	—	—	—	—	—	—	.55	12
13	—	—	—	.05	—	—	—	—	.01	—	—	.08	13
14	.13	—	.58	.05	—	—	.06	—	.18	.30	.08	.05	14
15	—	.13	.20	.12	—	—	—	—	—	.31	.06	—	15
16	.07	—	—	.09	.01	—	.50	—	.09	—	—	—	16
17	—	—	—	—	.05	—	—	.12	.06	—	—	.09	17
18	.31	.05	—	—	.10	—	.02	.02	—	.02	—	—	18
19	—	.36	—	.07	—	—	—	.10	.14	—	—	—	19
20	.14	.01	—	—	—	.09	—	—	.04	—	—	—	20
21	—	—	—	.22	—	—	.34	—	.12	—	—	—	21
22	.03	—	—	.08	—	—	.07	.30	—	—	—	—	22
23	—	—	.05	—	—	—	.21	—	—	—	—	.05	23
24	—	—	.30	—	—	—	—	—	—	—	—	.07	24
25	.03	.10	.03	.10	—	—	.55	—	—	—	—	—	25
26	—	.03	.47	.04	—	—	.03	—	—	—	—	—	26
27	.11	—	—	.07	.35	.45	—	—	—	—	—	—	27
28	.76	—	.15	—	.01	.01	—	—	—	—	—	.17	28
29	.07	—	.05	—	—	.04	.07	—	—	—	.31	.54	29
30	.03	X	—	—	.92	.01	—	—	.07	—	.12	.08	30
31	.08	X	—	X	—	X	—	—	X	—	X	.10	31
TOTAL	3.23	.72	2.31	2.46	2.02	.66	4.91	1.54	1.22	2.40	.64	3.33	25.44
Days with .01 in. or more.													
Days with .04 in. or more.													

Please read the Notes and Instructions Overleaf.

REGI

MIDDLESBROUGH.

LINTHORPE

YORKSHIRE

Kept at

Ashgate

in the County of

NR York

by

Mr. Chas

IMPORTANT NOTE.

previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing

Organization are given in "Rules for Rainfall"

Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1914

FORM A2.
BRITISH RAINFALL
12 JAN 1912

in.

nd 1 ft. - in.

Level 48 ft.

A. 21

e Middlesbrough

ance 2 m. Direction N

the result entered to the
sal rule, he is earnestly
in the space provided

t of rain,

sh Rainfall

plication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.25	-	-	-	-02	-	.21	-	-	.14	-01	-01	2
3	.01	-	.08	.08	-06	-	-	.01	-	-08	-01	-	3
4	.07	-	.13	.29	-	-	-	.10	-	-08	-04	-09	4
5	.02	-	.01	-06	-	-	-	.28	-	-	-	-	5
6	-06	-	.05	-07	-	-	-	-08	-	-01	-	.17	6
7	-01	-	.01	-02	-	-	-	-	-	-	-01	-	7
8	-	-	.27	-02	-	.01	-	-	-	-	-22	-08	8
9	-	-	.01	-02	-	-	-	-	-	.01	-	-07	9
10	-02	.04	-	-	-	-	-	-	-	-	-	-32	10
11	-16	-	-	-	-	-	-	-	-09	-	-19	-	11
12	-16	-	.06	-	-	-05	-	.01	.67	-	-24	-	12
13	-	.04	-16	-	-	-05	-	-	-	-	-04	.28	13
14	-	.18	-21	-	.04	-	-	-	-	-	-02	-35	14
15	-	.01	.14	-02	.04	-	-	-	-	.01	-17	-13	15
16	-	-	.34	-06	-	-09	.09	-	-	.01	-	-02	16
17	-	-	-05	-	-	-19	.01	-	-	-	-28	-03	17
18	-	.06	.11	-	-	-06	-	-	-	-	-49	-07	18
19	-	-	-	.01	-	-26	-	.10	.04	-29	-36	-03	19
20	-	.14	-	-	-	-	.21	.41	-	-	-09	-15	20
21	-	.12	-	-	-	-02	-	1.15	-	-05	-28	-04	21
22	.12	.01	-	-02	-	-	-	-33	-	-01	-23	-	22
23	-02	.09	-	-02	-	-92	-	-	-15	-02	-	-06	23
24	-	.01	-	-	-	1.21	-	-	-	-08	-	-03	24
25	-	.12	-	.08	-	.50	-	-	.21	-13	-04	-18	25
26	-	-	-	.01	.26	-	-	-	.01	.81	-55	-07	26
27	-	-05	-	-09	-	-	-	-23	-14	-02	-04	-03	27
28	-	.04	-02	-16	-	.02	-	.01	-	-14	-	-09	28
29	-	-	-02	-06	-	.06	.19	-02	.44	-13	-01	-03	29
30	-	-	-01	-	.12	-03	-	-	-08	-01	-	-01	30
31	-	-	-02	-	.04	-	-	-	-	-02	-	-04	31
Total	.90	.91	1.70	1.09	.58	3.47	.73	2.80	1.83	2.05	3.34	2.38	TOTAL for year 21.78
No. of Rain Days	11	13	18	17	7	14	6	13	9	19	21	24	172

REGI

FORM A2.
BRITISH RAINFALL
12 JAN 1912Kept at *Ashgate, Lintborne*in the County of *NR Yorkshires*by *Mr. Chas. L. Bell*

RAIN GAUGE Pattern *Snowden*
Diameter of top *8* in.
Height of top above Ground *1* ft. *—* in.
" " " Sea Level *48* ft.
Time of Observation *9 A.M.*
Nearest Railway Station { Name *Middlesbrough*
Distance *2 m.* Direction *N*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	·02	·07	—	—	·02	—	1
2	·25	—	—	—	·02	—	·21	—	—	·14	·01	·01	2
3	·01	—	·08	·08	·06	—	—	·01	—	·08	·01	—	3
4	·07	—	·13	·29	—	—	—	·10	—	·08	·04	·09	4
5	·02	—	·01	·06	—	—	—	·28	—	—	—	—	5
6	·06	—	·05	·07	—	—	—	·08	—	·01	—	·17	6
7	·01	—	·01	·02	—	—	—	—	—	—	·01	—	7
8	—	—	·27	·02	—	·01	—	—	—	—	·22	·08	8
9	—	—	·01	·02	—	—	—	—	—	·01	—	·07	9
10	·02	·04	—	—	—	—	—	—	—	—	—	·32	10
11	·16	—	—	—	—	—	—	—	·09	—	·19	—	11
12	·16	—	·06	—	—	·05	—	·01	·67	—	·24	—	12
13	—	·04	·16	—	—	·05	—	—	—	—	·04	·28	13
14	—	·18	·21	—	·04	—	—	—	—	—	·02	·35	14
15	—	·01	·14	·02	·04	—	—	—	—	·01	·17	·13	15
16	—	—	·34	·06	—	·09	·09	—	—	·01	—	·02	16
17	—	—	·05	—	—	·19	·01	—	—	—	·28	·03	17
18	—	·06	·11	—	—	·06	—	—	—	—	·49	·07	18
19	—	—	—	·01	—	·26	—	·10	·04	·29	·36	·03	19
20	—	·14	—	—	—	—	·21	·41	—	—	·09	·15	20
21	—	·12	—	—	—	·02	—	1·15	—	·05	·28	·04	21
22	·12	·01	—	·02	—	—	—	·33	—	·01	·23	—	22
23	·02	·09	—	·02	—	·92	—	—	·15	·02	—	·06	23
24	—	·01	—	—	—	1·21	—	—	—	·08	—	·03	24
25	—	·12	—	·08	—	·50	—	—	·21	·13	·04	·18	25
26	—	—	—	·01	·26	—	—	—	·01	·81	·55	·07	26
27	—	·05	—	·09	—	—	—	·23	·14	·02	·04	·03	27
28	—	·04	·02	·16	—	·02	—	·01	—	·14	—	·09	28
29	—	—	·02	·06	—	·06	·19	·02	·44	·13	·01	·03	29
30	—	—	·01	—	·12	·03	—	—	·08	·01	—	·01	30
31	—	—	·02	—	·04	—	—	—	—	·02	—	·04	31
Total	·90	·91	1·70	1·09	·58	3·47	·73	2·80	1·83	2·05	3·34	2·38	TOTAL for year 24·78
No. of Rain Days	11	13	18	17	7	14	6	13	9	19	21	24	172

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
9-JAN 1913

Kept at *Ashgate, Lenthoye*
in the County of *Yorkshire*
by *Mr. Chas. L. Bell*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *Middlesbro'*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *48* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.26	.03	-	.04	.14	.17	.57	.06	.03	-	.03	1
2	-	.05	.03	.01	-	.15	.36	.17	.02	.13	.03	.04	2
3	.13	.07	-	-	-	.60	.01	.19	.28	.02	-	.25	3
4	.16	-	.22	-	.01	.43	-	.07	-	-	.32	-	4
5	-	-	-	-	.18	.08	-	.02	-	-	.01	-	5
6	.41	.30	-	-	-	.03	-	.02	-	-	-	-	6
7	-	.03	-	-	.15	-	-	-	.29	-	.03	-	7
8	.10	.04	.01	-	-	.01	-	.04	.19	-	.20	-	8
9	.01	.01	.01	.01	-	.43	-	-	.01	-	.04	-	9
10	.03	-	-	.03	-	.22	-	-	.07	.01	.01	.01	10
11	.01	.02	-	-	-	-	-	-	.01	-	.30	.01	11
12	.03	.10	.05	-	-	.03	.31	.08	-	-	.31	-	12
13	-	-	-	-	-	.34	-	-	-	.04	.19	.01	13
14	.09	-	.34	.01	-	.05	-	.06	-	-	.04	.05	14
15	-	-	.36	-	.61	.06	-	.07	-	-	-	.11	15
16	.02	-	.04	-	.05	-	.01	-	-	.08	-	-	16
17	-	.09	.12	-	-	.38	.02	.11	-	-	-	.04	17
18	.02	.02	-	-	-	.03	.04	.10	-	.04	-	-	18
19	.06	.32	-	-	-	.09	.18	.25	-	.03	.05	-	19
20	.16	.05	.09	-	.62	.07	.12	.02	-	.26	-	-	20
21	.06	-	.01	-	.05	-	.13	-	-	-	.03	-	21
22	.03	.04	-	-	.46	.33	-	.08	-	.02	-	-	22
23	.04	-	.01	-	.04	.04	.08	.55	-	.23	.10	-	23
24	.25	-	-	-	-	.01	.15	.03	-	-	-	.04	24
25	.23	-	-	-	-	.35	.01	.40	-	.01	.04	-	25
26	.07	.06	-	-	-	.02	-	.15	-	.36	.09	.18	26
27	.05	-	.06	-	-	.21	.40	-	-	.26	.08	.10	27
28	-	-	.01	.05	.05	.25	.16	.33	-	.29	.09	-	28
29	.06	-	.11	-	-	-	.12	.01	.18	.01	-	.01	29
30	.04	-	.05	-	.11	.08	-	.02	.08	.13	-	.02	30
31	-	-	.21	-	.11	-	.39	.29	-	.03	-	-	31
Total	2.06	1.46	1.76	.11	2.48	4.63	2.66	3.63	1.19	1.98	1.96	.90	YEAR'S TOTAL 24.82
Rain Days.	22	15	18	5	13	25	17	23	10	18	18	14	198

Cor. for alt. 15.5.14.
REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL
15 MAY 1914

Kept at Ashgate. Lintorpe. Middlesbro
in the County of Yorkshire
by Mr. G. L. Bell

Lat. _____ Long. _____
Time of Observation 9. A.M.
Nearest Railway Station Middlesbro
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	-	-01	-40	-	-	-	-	.27	.14	-01	-	1
2	-	.01	-02	.04	-	-09	-	-	-	.11	-	-	2
3	.01	-	-02	-	-16	-	.12	-	-03	-	-	.02	3
4	.27	-	-01	-	-	-02	.04	-	-	.47	-04	-10	4
5	.47	-06	-03	-	-	-15	-08	-05	-	-13	-	-	5
6	.01	-16	-10	-	-25	-23	.22	-	-	-	-13	-	6
7	-	-09	-01	-03	-	-13	-02	-	-	1.10	-	-	7
8	-	-	-02	-	-34	-02	-	-	.10	-19	.04	.01	8
9	-	.08	-04	-04	.17	-01	-	-01	-	.04	-	-	9
10	-	.02	-06	-05	-	-	.01	-	-05	-01	.41	-	10
11	.34	-02	-	-37	.17	-09	-	-	-	-	.03	-	11
12	-19	-01	-	-	-	-	-	.01	.29	-	.10	-	12
13	-01	-	-	-03	-	-	-	.10	.17	.02	-10	-	13
14	.04	.14	.20	-04	-	-	.19	-	-	-	-	.02	14
15	.08	-01	-09	-10	-	-	.01	-02	-	-	-	-05	15
16	.01	-	-	-	-	-11	-	-01	-	-	.02	-	16
17	-	-	-20	-04	-	-15	.01	-	-	-	.02	.01	17
18	-03	-	-15	-12	-	-	-	-	-	-	.02	-03	18
19	-05	-	-06	-	-05	-	-	-	-05	.01	-	-	19
20	.60	-01	-04	-	-	-	-	-	-28	-29	-28	-	20
21	-06	-	-	-	-08	-	-04	-16	-03	-	-	-	21
22	.01	-	-26	-	.05	.01	-	.34	-06	-13	-	-	22
23	.08	-	-	-	-	-18	.14	-06	-02	-03	.04	-	23
24	.25	-	-	-	-	-46	-	-29	-	-	.01	.04	24
25	-	-	-	-02	-	-	-	-	-35	.01	-	.01	25
26	-	.01	-02	-16	-	-	-	-	-23	-24	-18	.21	26
27	.01	-04	.04	.27	.38	.17	-	-	-	.01	.01	.02	27
28	.07	-02	-11	.71	-04	-	-	-	-	-01	-	.20	28
29	-	-	.24	-16	-07	-	-	-	-	-	.04	.81	29
30	.12	-	-02	-	-16	-	-	.56	-	-46	-	-06	30
31	.04	-	-	-	.07	-	-	.02	-	-	-	-	31
Total	2.81	.68	1.75	2.58	1.99	1.82	.88	1.63	1.87	3.40	1.48	1.59	YEAR'S TOTAL 22.46
Rain Days.	22	14	22	16	13	14	11	12	13	18	17	14	186

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL
1915

Kept at Ashgate - Lynthorpe
Middlesbrough
in the County of Yorkshire
by Mrs. Chas. L. Bell

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Middlesbrough
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	-	-	-	.61	-.13	-	-.01	-.04	-.09	1
2	-	-	-	-	-	-	-.93	-.23	-	-.03	-.24	-.06	2
3	-	-	-.06	-	-	-	-.06	-	.01	-	-.16	-.37	3
4	.01	-	-	-.05	-.19	-	-	-	-	-	.11	-.20	4
5	-	-	-.02	-	-.10	-.03	-	-	-	.01	-.11	-	5
6	-.03	-.01	-	-.10	-.02	-	-	-.06	-	-	.05	.01	6
7	-.01	-.03	-.02	-	-.02	.27	-	-.03	-	-	-.03	-.22	7
8	.40	-	.12	-	-.13	-.50	.01	-.04	-	-.13	-	-.05	8
9	.30	-.03	-	-.05	-.30	1.50	-	-	-.43	-	-.09	.05	9
10	-.17	-.06	.01	-	-.01	-	-	-	-.10	-	-.01	-.03	10
11	-	.05	-.09	-	-.45	-.15	-	-	-.05	-	-.15	-.36	11
12	.04	-.03	-	-	-	-.03	-	-	-.13	-	.01	.47	12
13	-.02	-.03	.10	-	-	-	-	-	-	-	-.03	-.19	13
14	-.09	.11	-	.01	-	-	-	-	-.01	.08	-	-.11	14
15	-.06	-.03	-.30	-	-	-	-.23	-	-.02	-	-.35	-.02	15
16	.14	-	-.01	-	-	-	2.0	-	.31	-	-.19	-	16
17	-.08	-.01	-	-	-	-	-	-	1.07	-	-	-.02	17
18	-.04	-.06	.04	-	-	.14	.01	-	-.15	-.01	-.02	-.10	18
19	-	-.01	-	-	-	-	-.35	-	-.08	-	-.03	-.05	19
20	-.04	-.11	-.27	-	-	-.59	-.01	-	-	-.04	-	-	20
21	-	-.30	-.03	-	-	-.16	-	-	-	-	.11	-.04	21
22	.01	-.06	-.01	-.02	.20	-.09	-	.06	-	-.02	.07	-.10	22
23	-	-.01	-.03	.01	-.30	.31	-	-	-	.07	-	-.02	23
24	-	-	-.04	-.15	-	.01	-	-	-	-	.24	-	24
25	-	-.06	-.01	-	-	-	.01	.01	-	.41	-.03	.10	25
26	-	-	-.05	-	-	-	-.28	-	-	-.35	-.06	.07	26
27	-.02	-	-	-	-	-	-.05	.01	-	-.01	-.15	.34	27
28	-.01	-.02	-	-	-	-	-	-	-	-	.02	.11	28
29	-.01	-	-	-	-.08	-	-	-.15	-	-.83	.06	-	29
30	-	-	-.05	-.08	-.03	-	-	-.05	-	-.11	-.13	-.07	30
31	.11	-	-	-	-.04	-	.17	-	-	.17	-	-	31
Total	1.62	1.02	1.26	.47	1.87	3.78	4.72	.77	2.36	2.28	2.46	3.25	25.86
Rain Days.	20	18	18	8	13	12	13	10	11	15	25	25	188

YEAR'S TOTAL

REGIS

Kept at *Cote Wall*
in the County of *W Yorks.*
by *Henry Lee*

NOTE.—Rain should be measured d
of rain and particulars as to the British
to Dr. H. R. MILL, 62, Camden Square

MIRFIELD
COTE WALL

1911 - 1920

FORM A.
BRITISH RAINFALL.
11 JAN 1919

in.
round 1 ft. in.
a Level ft.
structions for the measurement
" sent post-free on application

Date	Jan.	Feb.	March.											Nov.	Dec.	Date.
	in.	in.	in.											in.	in.	
1			2.5											4		1
2	11													7	5	2
3				2	30	2				2	18					3
4	1		14	18	1			4	11	23	50	8				4
5	8		3	2	2			10		16	52					5
6	25		1	6				11		10	38	29				6
7	1		2								5					7
8	8		12						4	1	1	45				8
9	1			1								3				9
10	2							2				52				10
11	21							9	5		67	37				11
12	4		4		2				1.06		22	2				12
13			4		11						4	42				13
14	2		6		81							45				14
15			8							15	3	28				15
16	2	38	3			7	1			11	16	6				16
17			7			2.5					15	6				17
18		47	7			11				5	11	7				18
19		3	1	7						10	12	38	6			19
20		5		10			2	1.28	27	2		21				20
21		41	3				5	11	1	14	2	10				21
22	7	3				4		4		15	3	4				22
23		41				4.5		1	12			15				23
24	5	12	2			2.07		3	1	14		16				24
25	4	35		3		5			91	17	1	26				25
26		2		10	6					62	32	34				26
27		7	9	32				43	32		2	2				27
28		11	4	9		5		4	5	1	5	11				28
29			2	11		10			14	17	3	5				29
30				2	6	25				33						30
31			5							16						31
Total	1.02	2.45	1.22	1.13	1.46	3.46	0.11	2.39	3.19	2.86	3.99	4.65	27.93			TOTAL for year
No. of Rain Days	15	12	20	13	9	11	4	13	13	19	23	25	177			

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.
11 JAN 1919

Kept at Cote Wall. Miffield
in the County of NR York. 8
by Henry Lee Gardener.

Lat. _____ Long. _____
Nearest Railway Station Miffield
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			2.35				3	9			4		1
2	11				7						7	5	2
3				2	30	2				2	18		3
4	1		14	18	1			4	11	23	5.0	8	4
5	8		3	2	2			10		16	5.2		5
6	25		1	6				11		10	38	29	6
7	1		2								5		7
8	8		12						4	1	1	4.5	8
9	1			1								3	9
10	2							2				5.2	10
11	21							9	5		67	37	11
12	4		4		2				1.06		22	2	12
13			4		11						4	4.2	13
14	2		6		81							4.5	14
15			8							15	3	28	15
16	2	38	3			7	1			11	16	6	16
17			7			2.5					15	6	17
18		47	7			11				5	11	7	18
19		3	1	7					10	12	35	6	19
20		5		10			2	1.28	27	2		21	20
21		41	3				5	11	1	14	2	10	21
22	7	3				4		4		15	3	4	22
23		41				4.5		1	12			15	23
24	5	12	2			2.07		3	1	14		16	24
25	4	35		3		5			91	17	1	26	25
26		2		10	6					62	32	34	26
27		7	9	32				43	32		2	2	27
28		11	4	9		5		4	5	1	5	11	28
29			2	11		10			14	17	3	5	29
30				2	6	2.5				33			30
31			5							16			31
Total	1.02	2.45	1.22	1.13	1.46	3.46	0.11	2.39	3.19	2.86	3.99	4.65	TOTAL for year
No. of Rain Days	15	12	20	13	9	11	4	13	13	19	23	25	177

17-III-13
REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at Boke Hall, Fairfield
in the County of York
by Henry Lee, Gardener.

Lat. _____ Long. _____
Nearest Railway Station Fairfield
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		14	13			70	15	2	17			26	1
2		2	3	1		28	49		14			10	2
3	10				7	60		87	38			3	3
4	16		45	30	12	54		1.91	2		5		4
5	25	5	5		28	37		8		2	2	2	5
6	1.06	14				2		31		1			6
7		3			2	6		23	2				7
8	45	27	7	15	3		4	7	24		2		8
9	15	7	7	27		3		4			6	7	9
10	9	3		2		39		22			43	1	10
11	11	12						4			11	45	11
12	5	49				20	89					8	12
13	1	2						11		13	10	30	13
14	5		55			9		3				24	14
15	13	8	18		76	10						30	15
16	1.09		12		14	28				5	1	15	16
17	16		10			40	4	29		1	1	41	17
18	20	3	13				2	6		8	2	6	18
19	29	16	19			3	35	32		50	4		19
20	28		9		36	2	14	15		23			20
21	1		44		41	1	12			1	2	3	21
22	4	8	3		1.14	32	19	59				10	22
23			30		1		54	63			10	2	23
24	35	1			6	4	27	36		9	8	21	24
25						18		1			78	10	25
26	2	16	5			3	52	1.02		1.78	41	26	26
27		1	7			48	17			65	2	8	27
28		1	3			6	9	42	3	17	44	10	28
29		3	6			22	3	2	76	16		15	29
30	13		11		40		3	23	3	18			30
31			3		33		1.18						31
Total	5.18	1.95	3.28	0.75	4.13	5.45	5.21	8.03	1.79	4.07	2.72	3.48	TOTAL for year
No. of Rain Days	22	20	22	5	14	24	18	24	9	15	18	23	214

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
13 JAN 1914

Kept at Cote Wall, Fairfield
in the County of York.
by Henry Lee, Gardener.

RAIN GAUGE { Pattern _____
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level _____ ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Fairfield
Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2	7	15									1
2		11	15	2		4			2		10	5	2
3	3	5	23		50		11		5	57		49	3
4	63	2	3		2	3	11		12	3	14	33	4
5	2	4	29			42	24		7	33			5
6	2	8	23		74		44			35	1	2	6
7		25	5		31	24	2			87	4	2	7
8	1	4			84			11		17	10		8
9		22	8		22	22	3	4			12	5	9
10	6	6	5	8			5			4	21		10
11	96	4		52	5			1			7		11
12						2		2			26		12
13	4		8	2				1	18		8		13
14	10	16	12	7						8	19		14
15	8	4	52	52					3		40	1	15
16	2	2	10	6				61	2		11		16
17	5	3		10	4	1			<u>1.55</u>		6		17
18	9		35	19	5	3	8				18	2	18
19	16		17	15	2				4	8	4		19
20	28		10	14					3	4	20		20
21	1		14		10		30	20			10		21
22	18		87					45	15		2		22
23	9		2		5	20		27	24	4	4	2	23
24	17					10		7	1		2		24
25				6					15	2	2	15	25
26			19	15					11	14		76	26
27			1	8								16	27
28	37		31	25						3		30	28
29	42		67	49	8			39			2	13	29
30	53									53	3	2	30
31	7		12		5		1	1					31
Total	3.99	1.18	4.95	3.05	3.07	1.31	1.36	2.19	2.77	3.32	2.56	2.53	TOTAL for year 32.28
No. of Rain Days.	23	15	24	17	14	10	10	12	15	15	24	15	194

REGISTER OF RAINFALL IN 1914

cont for with 10.11.15

FORM A.
BRITISH RAINFALL
- 4 FEB 1915

Kept at Cote Wall, Fairfield
in the County of York
by Henry Lee Gardener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Fairfield
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			2				100	80				39	1
2			1		2		20	62			38	13	2
3	4		6		5			13			10	61	3
4	5.8		18	20	6	3					41	45	4
5	11		33	15	8	4		2			45	5.8	5
6			5	32	14			2			13	3	6
7			28		12			2			1	28	7
8	34		2		11	50	18		19				8
9	40	4		4	2	1.08			1		5	2	9
10	15	9	2	3	2			18	6		26		10
11		44	27	2	3	7	4		6		71	48	11
12		10	15			4	2		40		17	61	12
13		12	22	2			11		3		47	37	13
14	3	32	15				4		11	6	43	50	14
15	9	4	16						6	5	7	2	15
16	2	1	3				74		33			40	16
17		18	24			1			21				17
18		2	2			8	7		2		3	16	18
19			4				5		2			19	19
20	1	9	2							7			20
21		70				145	2	2		7	3		21
22			1		22	25		3		10		4	22
23			6	2			2					7	23
24		1	49	3	4		15	30			15		24
25	2						7	43		85	3	42	25
26	2		8					7		34	14	17	26
27	3									12	24	115	27
28		5	3							5	16	14	28
29	1		15	14	2			1		55	14		29
30		X	6	1				6		10	12	12	30
31	20	X	8	X		X	32		X	31	X		31
Total	2.05	2.23	3.23	0.98	0.93	3.55	3.06	2.71	1.50	2.67	4.68	7.33	34.92
Rain Days.	15	15	27	11	13	10	15	14	12	12	22	23	189

REGISTER OF RAINFALL IN 1915

Kept at Cote Wall, Mirfield
in the County of York
by Henry Lee, Gardener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Mirfield
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level _____ ft.

3402
FORM A.
BRITISH RAINFALL
6 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-30	-13			28		17	12	12			9	1
2		20	15	10		1	20	34		1		1	2
3	1-23			5			13	44			4	95	3
4	-6	2			17		58				1	1-22	4
5	-8	42	2	2				2				62	5
6	-7	23	9	29			71	8		2		44	6
7	-54	34	1	7	1-05		15	1-29				24	7
8	-12	17		15			17	9			10		8
9		4		1				9	2	6	15	78	9
10	30		2				3	12		5		8	10
11	8		5	3	57		8	16		2	45	70	11
12	3			16	13		8	1		25	1-17		12
13	6	75					1	4					13
14	9	1		1			8	3				14	14
15	89						3	1-59		1	36	20	15
16		27			23		1-30	46	1				16
17		27	6				1	1		1		3	17
18		17	25					1	5		1		18
19		5	3				21	4					19
20	7	2					2					34	20
21	14	3		9			11					12	21
22			17				1					2	22
23		2	10				25			27		3	23
24	10		15	9					77	1		24	24
25				2		8			1			29	25
26	5	45				17	38		6			71	26
27		30					10			75		23	27
28		37	1			1-22	1	43		10		4	28
29					21	1-65				8	10	1-06	29
30	12	X		2		68				1	1	2	30
31	13	X		X		X	8	26	X	31	X	23	31
Total	4-46	4-26	1-11	1-11	2-94	3-81	5-20	5-63	1-04	1-96	2-40	8-83	42-75
Rain Days.	19	20	13	14	7	6	24	20	7	15	10	25	180

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at *Cote Wall. Mirfield*
in the County of *York. WR*
by *Henry Lee, Gardener. 2p*
J. P. Mitchell Esq.

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Mirfield*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	83		30			11	35				12		1
2	24	5	30				1			18	1		2
3		19		2					45	16	14		3
4	21	42		2	100	32			19	23	37		4
5	9	6			11	16				49	57		5
6	38	51	17	5	40	1	41		1	8	32	6	6
7	13	13	7		5		27			20		33	7
8	2	6	43							6	14	24	8
9	3		6		40	8			49		17	31	9
10		9	4	14		70	1		1	17		18	10
11	3	53	41	22	4	10	1		7			7	11
12	8	5	73	19	36	1	52	2	1	2		1	12
13		17	34	6			15	35		68	1	15	13
14		16	5	18	18			12		13	1	6	14
15		59	90	5			20	32		3			15
16		25	63	9			12	82		1			16
17		19		22			15		15	29			17
18		47	2	2			2	9	38	11	126	19	18
19	23		42	29				11	5	2	49	3	19
20	9		32	10			8				1	5	20
21	28	3	2	7							2		21
22		7				15				13		14	22
23	3	3	7	9		1		15			20	36	23
24		52				11		14		10		11	24
25		10	37		8			17		15	15	7	25
26	1	9	4				4			13	4		26
27		43	1				22	3		50			27
28		38	11		14	21			1	33		11	28
29		37				21				37		35	29
30		X			23	5				64		3	30
31		X		X	2	X			X	26	X	23	31
Total	2.68	5.94	5.95	1.80	3.01	2.23	2.61	2.32	1.79	5.47	4.29	3.08	41.20
Rain Days.	15	5.94	5.81	16	12	2.23	2.56	11	11	25	17	20	40.72
		2.5	2.2			14	15						2.03

REGISTER OF RAINFALL IN 1917

3178

19. JAN 1918
BRITISH RAINFALL
FORM A.

Kept at Cote Wall Mirfield, York
in the County of York
by Henry Lee Gardener to
J. P. Mitchell Esq

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Mirfield
Diameter of Funnel of Rain Gauge 8 in. in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				38		14		14	20		27		1
2	19			9		10		5			1	18	2
3	5			10		3		1		15	7		3
4	4	1	16							27			4
5	34		20	32				29		11	11		5
6	1					20				42	20	1	6
7	4					23		5		63			7
8	56			20				94		74	6	10	8
9	6		5	12				3		8	65		9
10	26		88	14	9			10		3			10
11	4			44				1		25		3	11
12	3				34			27		40	1	6	12
13	14			13	62	3		43	20	5		7	13
14	27		3	18				22				24	14
15	10			2			25		1	1		10	15
16	1	15	2	11			2	10				68	16
17	1	8	3	14	65	13	17	44	5	2		20	17
18	7		1	4	9		52	18	19				18
19	7	24	38		30	34			1				19
20	12	27	1		41	20		10	7		1		20
21	2	7	13		9	5		5		6			21
22			5					5	10	2			22
23	1	12			11	15	3	18		5	5		23
24						2		26		80	33	1	24
25		2	5					1		43			25
26						14		70	3	29	3		26
27			4			30	8	86		2	3	4	27
28			22			2	19	15		2	5	20	28
29			13				33			27	26	18	29
30	3	X	16		19			6		10	4	2	30
31	2	X	28	X		X		14	X	1	X	9	31
Total	2.49	0.96	2.83	2.41	2.89	1.98	1.05	5.82	0.86	5.23	2.18	2.21	31.45
Rain Days	23	8	18	14	10	15	8	26	9	24	16	16	187 days

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Grave Wall, Mirfield
in the County of Yorks W.R.
by Henry Lee Gardener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Mirfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

157
FORM A.
BRITISH RAINFALL
2.1.19
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4	5			6				33		30	4	1
2		14		1				4	12	5		14	2
3		1	3		84			39	2	6	16		3
4			2		3			2	30	5	30	47	4
5			3	18	60			50	13	22			5
6	4	1.09	4	22		19		10	1	22			6
7	9	5		13				1	32	53	20		7
8		13	15	2			14	3	62	17	3		8
9	20	94		32		11	1		1.22	12	5	10	9
10	5	14		1			13		64	2	15	5	10
11	25	13	7	13	11		14		29			4	11
12		10	10	4	4		32	11	10			12	12
13	6	1		7	8				35	6			13
14	18					5	15		88	5		20	14
15	15			2			63		2.18			43	15
16	1				2	16	9	1	26	7		50	16
17	27				8	6	99	4	1	40		25	17
18	50		4			12	34	1	65			35	18
19	50		21	11		3	45	4	54	16		99	19
20	5	70		5		11	17		15	6			20
21	13	38			31	5			32	17		1	21
22	2				62		29		4			84	22
23					76		29		1			5	23
24								15	5		8	1	24
25						70	19	25	8				25
26							15	2	16		13	9	26
27		6	3					42	54		10	21	27
28		26	37					24	2		14	70	28
29									10			22	29
30		X	33					2				15	30
31		X	5	X		X		10	X		X		31
Total	2.54	4.19	1.50	1.31	3.55	1.58	4.51	2.50	10.44	2.41	1.67	6.05	42.25
Rain Days	16	15	13	13	12	10	16	19	29	16	11	22	192

REGISTER OF RAINFALL IN 1919.

Kept at Cote Wall, Minfield
in the County of York
by Henry Lee Gardener.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Minfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			3	1	36		20		14	15	7	10	1
2	65		16		1		24		1		5	1	2
3	33				4	24	55		7		40	35	3
4	1.42	2	42				1	15	33		4	28	4
5	15				25						8	20	5
6	4		12		79		6					5	6
7	4		42		12						9		7
8	12			5	1	6					2		8
9	15		5								5		9
10	32		19	5							4	4	10
11			1.23	10	11		8						11
12			40	6			7		10	1	4	2	12
13	15			25					8	31		1	13
14	22			25				2		1	4	1	14
15	12	18	4	7							10	30	15
16	20	1.12		2							15	1	16
17		10			4	4		4			40		17
18			21				2	65	5			34	18
19	4	33	1.00				1.26	16			30		19
20	90	15	6			10	69	10			17	20	20
21	18	40				1	29					30	21
22		39						1	23		1	5.2	22
23				9						87	6	18	23
24				15	2	3			4	35	10	45	24
25	4	3		24	6			65			18	8	25
26	3	10	44	6		4		41	4		4	50	26
27	2			25							2	12	27
28				7				81		10		47	28
29	10			4				2		94		19	29
30	1	~~X~~	4	5		13				8	25	18	30
31		~~X~~	2	~~X~~		~~X~~	7	1	~~X~~	3	~~X~~	1	31
TOTAL	5.23	2.82	4.83	1.83	1.81	0.65	3.54	3.03	1.09	2.85	2.70	4.92	YEAR'S TOTAL
Days with 0.1 in. or more	21	10	16	17	11	8	12	12	10	10	23	25	35.30

REGISTER OF RAINFALL IN 1920.

Kept at Cote Wall Fairfield
in the County of York
by Henry Lee Gardener

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Fairfield
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			2		44	16	38	1	13	18	39	9	1
2			6	20	2		10		28	42		20	2
3				12	10	5	1.43	2	7	27		43	3
4	2			7	4		42	47		46		2	4
5		4	2				12	11		11			5
6			13	10	5		3					10	6
7	11		14	3	4		85		2				7
8	17	6		53	5		50	9		3	8		8
9	24	62		62			24	8	1	4			9
10	50	76		45			39	5					10
11	44	9	3	16	27	46		2				11	11
12	17	4	32	38		12		9			3	7	12
13	10	1	11	6	2	1.06					3	8	13
14			33	7		38			30	30	56		14
15		12	5	37					15	60	13		15
16					13		69		5		20		16
17	1		1		8			6	21	7			17
18	10			7	24		4		7				18
19	18	1.30		1	10	26		9	7				19
20	1			17		8	17						20
21							58	6				12	21
22	5			30		1	16	28				11	22
23				1			37					45	23
24	1		30	2			3					13	24
25	1	4	12	5			1.06						25
26	5	5	18	16	1		13						26
27	14			5	59	60					35	15	27
28	1.17		21	4	26	5			1		1	13	28
29	8		32	7	1.28	2	6				13	89	29
30	30	X		13		3			37		13	44	30
31	30	X	13	X	1	X			X	75	X	13	31
TOTAL	4.16	3.13	2.48	4.24	3.73	3.28	7.75	1.43	1.74	3.23	2.04	3.63	41.28
Days with -01 in. or more	21	11	17	25	18	13	20	13	13	11	11	17	140
Days with -04 in. or more	16	10	13	21	14	10	19	10	10	10	8	16	157

B.R.
FORM C 1

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

PLEASE fill in name of place and month.

RAINFALL at *Colwall, Hereford* in the County of *Yorks*

In the Month of *July* 192*0*

Date.	Inches.	REMARKS ON THE DAYS.
1	<i>38</i>	
2	<i>10</i>	
3	<i>1.43</i>	
4	<i>42</i>	
5	<i>42</i>	
6	<i>03</i>	
7	<i>85</i>	
8	<i>50</i>	
9	<i>24</i>	
10	<i>39</i>	
11		
12		
13		
14		
15		
16	<i>69</i>	
17		
18	<i>04</i>	
19		
20	<i>17</i>	
21	<i>58</i>	
22	<i>16</i>	
23	<i>37</i>	
24	<i>03</i>	
25	<i>1.06</i>	
26	<i>13</i>	
27		
28		
29	<i>06</i>	
30		
31		

TOTAL

8.17

Days with .01 in. or more.....
Days with .04 in. or more.....

adds to

7.75

1st of following month.

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this form.

PRINTED PAPER.


ADDITIONAL REMARKS.

ON HIS MAJESTY'S SERVICE

Sir
Regret to have
made mistake
your copy alright
7.73. Your
Hy Lee

SIGNED.....

No writing on this side of the line



POSTAGE 1d.

or, if containing
anything in the
nature of a letter

1d.

THE SUPERINTENDENT,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

Jan est.
Kept at Morley
in the County of York
by William

MORLEY
SECONDARY SCHOOL
1911 - 1914

London
in.
round 1 ft.
a Level 535 ft.
me Morley G.N.R.
distance 1/2 ml. Direction E.
The result entered to the
rule, he is earnestly

Jan. 1, following.

IMPORTANT
previous day. If an
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	.18	—	—	—	.01	.09	—	—	.02	—	1
2		—	—	—	.04	—	—	—	—	—	.06	.10	2
3		—	—	.01	.11	—	—	—	—	.02	.10	—	3
4		—	.09	.15	—	—	—	—	.10	.32	.28	.06	4
5		—	.02	.03	—	—	—	.16	—	.15	.18	—	5
6		—	.06	.09	—	—	—	.13	—	.24	.31	.12	6
7		.01	.02	—	—	—	—	—	—	—	.02	—	7
8		—	.08	—	—	.03	—	—	.02	.03	—	.24	8
9		—	—	.03	—	—	—	—	—	—	—	.03	9
10		.03	—	—	—	—	—	.02	—	—	—	.41	10
11		—	.01	—	.01	—	—	—	—	—	.65	.10	11
12		—	.03	—	.10	—	—	—	.79	—	.24	—	12
13		—	.04	—	.02	—	—	.03	—	—	.03	.34	13
14		.02	.05	—	.15	—	—	—	—	—	—	.43	14
15		.05	.05	.03	—	—	—	—	—	.11	.04	.26	15
16		.24	.05	—	—	.06	.02	—	—	.07	.13	.06	16
17		—	.05	—	—	.63	—	—	—	—	.14	.04	17
18		.31	.08	—	—	.07	—	—	—	.03	.11	.02	18
19		—	.02	.02	—	.08	.03	—	.07	.12	.25	.06	19
20		.01	—	.06	—	—	.04	1.06	.22	.01	—	.13	20
21		.26	.01	—	—	—	—	.25	—	.11	—	.07	21
22		.08	—	—	—	.01	.01	.08	—	.18	.03	—	22
23		.34	—	.01	—	.43	—	—	.21	—	—	.11	23
24		.15	.04	.02	—	1.74	.01	—	—	.26	—	.15	24
25		.24	—	.01	—	.06	.29	—	.57	.13	—	.20	25
26		.01	—	.09	.03	—	.05	—	—	.46	.30	.32	26
27		.11	.06	.17	—	—	—	.19	.18	—	.02	—	27
28		.10	.04	.12	—	.03	—	.04	.07	—	.04	.15	28
29			.03	.05	—	.19	.05	—	.31	.12	—	—	29
30			—	—	.06	.40	—	—	—	.19	—	.03	30
31			.04	—	.13	—	—	—	—	.11	—	—	31
Total	(1.00)	1.96	1.05	.89	.65	3.73	.51	2.05	2.54	2.66	2.95	3.43	(22.42)
No. of Rain Days	(12)	15	21	15	9	12	9	10	10	18	19	22	160

12 JAN 1912

FORM A2
BRITISH RAINFALL

London

Kept at Morley

in the County of Yorkshire West Riding

by William E. Burgess B.Sc.

RAIN GAUGE

Diameter of top 5 in.

Height of top above Ground 1 ft.

" " " Sea Level 535 ft.

Time of Observation 9 am

Nearest Railway Station { Name Morley G.N.R.
Distance 1/2 mi. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	.18	—	—	—	.01	.09	—	—	.02	—	1
2		—	—	—	.04	—	—	—	—	—	.06	.10	2
3		—	—	.01	.11	—	—	—	—	.02	.10	—	3
4		—	.09	.15	—	—	—	—	.10	.32	.28	.06	4
5		—	.02	.03	—	—	—	.16	—	.15	.18	—	5
6		—	.06	.09	—	—	—	.13	—	.24	.31	.12	6
7		.01	.02	—	—	—	—	—	—	—	.02	—	7
8		—	.08	—	—	.03	—	—	.02	.03	—	.24	8
9		—	—	.03	—	—	—	—	—	—	—	.03	9
10		.03	—	—	—	—	—	.02	—	—	—	.41	10
11		—	.01	—	.01	—	—	—	—	—	.65	.10	11
12		—	.03	—	.10	—	—	—	.79	—	.24	—	12
13		—	.04	—	.02	—	—	.03	—	—	.03	.34	13
14		.02	.05	—	.15	—	—	—	—	—	—	.43	14
15		.05	.05	.03	—	—	—	—	—	.11	.04	.26	15
16		.24	.05	—	—	.06	.02	—	—	.07	.13	.06	16
17		—	.05	—	—	.63	—	—	—	—	.14	.04	17
18		.31	.08	—	—	.07	—	—	—	.03	.11	.02	18
19		—	.02	.02	—	.08	.03	—	.07	.12	.25	.06	19
20		.01	—	.06	—	—	.04	1.06	.22	.01	—	.13	20
21		.26	.01	—	—	—	—	.25	—	.11	—	.07	21
22		.08	—	—	—	.01	.01	.08	—	.18	.03	—	22
23		.34	—	.01	—	.43	—	—	.21	—	—	.11	23
24		.15	.04	.02	—	1.74	.01	—	—	.26	—	.15	24
25		.24	—	.01	—	.06	.29	—	.57	.13	—	.20	25
26		.01	—	.09	.03	—	.05	—	—	.46	.30	.32	26
27		.11	.06	.17	—	—	—	.19	.18	—	.02	—	27
28		.10	.04	.12	—	.03	—	.04	.07	—	.04	.15	28
29			.03	.05	—	.19	.05	—	.31	.12	—	—	29
30			—	—	.06	.40	—	—	—	.19	—	.03	30
31			.04	—	.13	—	—	—	—	.11	—	—	31
Total	(1.00)	1.96	1.05	.89	.65	3.73	.51	2.05	2.54	2.66	2.95	3.43	22.42
No. of Rain Days	(12)	15	21	15	9	12	9	10	10	18	19	22	160

REGISTER OF RAINFALL IN 1912

Kept at Morley W.9
 in the County of Yorkshire (West Riding)
 by William E. Burgess B.Sc.

Pattern Snowdon
 RAIN GAUGE Diameter of top 5 in.
 Height of top above Ground 1 ft. —
 " " " Sea Level 535 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Morley G.N.R.
 Distance ½ ml. Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·10	—	—	·35	·11	·03	·19	—	—	·24	1
2	—	·65	·03	—	—	·10	·37	—	·06	—	—	—	2
3	·07	·09	·02	—	·06	·45	—	·70	·40	—	—	·05	3
4	·14	—	·37	·09	·06	·51	—	·72	—	—	·08	—	4
5	·16	·04	·02	·02	·24	·36	—	·05	—	—	·01	—	5
6	·61	·14	·16	—	—	—	—	·59	—	—	—	—	6
7	—	·03	·01	—	·04	—	—	·13	·05	—	·01	—	7
8	·41	·16	·06	·06	—	·02	·02	—	·13	—	—	—	8
9	·14	·22	·03	·20	—	—	—	—	—	—	—	·01	9
10	·13	·03	·01	·03	—	1·11	—	·16	—	—	·26	—	10
11	·17	·15	—	—	—	—	—	—	—	—	·06	·42	11
12	·04	·35	—	—	—	·21	·83	—	—	—	—	·04	12
13	—	·04	—	—	—	—	—	·09	—	·06	·08	·10	13
14	·12	—	·55	·02	—	·09	—	·01	—	·01	—	·12	14
15	·10	·05	·21	—	·59	·08	—	—	—	—	—	·12	15
16	1·02	—	·29	—	·02	·11	—	—	—	·04	—	·07	16
17	—	·02	·20	—	—	·30	·07	·28	—	—	—	·28	17
18	·33	—	·04	—	—	—	—	·19	—	·15	—	·02	18
19	·30	·20	·08	—	—	·01	·22	·25	—	·27	·04	—	19
20	·18	—	·02	—	·37	·03	·42	·02	—	·19	—	—	20
21	·01	—	·37	—	·34	—	·09	—	—	—	—	—	21
22	—	·09	·03	—	1·35	·34	·23	·55	—	—	—	·05	22
23	—	—	·18	—	—	—	·32	·38	—	—	·10	—	23
24	·39	—	—	—	·05	·06	·26	·27	—	—	·10	·14	24
25	—	—	·04	—	—	·39	·02	·02	—	—	·41	·25	25
26	—	·08	·04	—	—	—	·30	·76	—	1·37	·19	·06	26
27	—	·02	·07	—	—	·46	·15	·05	—	·55	—	·12	27
28	—	—	—	—	—	·12	·10	·51	—	·19	·27	—	28
29	—	·02	·08	—	—	·06	·04	—	·58	·03	—	·09	29
30	·08	—	·11	—	·35	—	·08	—	·02	—	—	—	30
31	—	—	—	—	·21	—	·71	·21	—	·05	—	—	31
Total	4·40	2·38	3·12	·42	3·68	5·16	4·34	5·97	1·43	2·91	1·61	2·18	TOTAL for year
No. of Rain Days	18	18	25	6	12	20	18	21	7	11	12	17	185

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
10 JAN 1914

Kept at Morley (Secondary School)
in the County of Yorkshire (West Riding)
by William C. Burgess, B.Sc.

Lat. 53°44'30" N. Long. 1°36' W.
Time of Observation 9 am.
Nearest Railway Station Morley G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 535 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	—	.11	—	—	—	—	—	—	.08	—	1
2	—	.07	.10	.04	—	.03	—	—	—	—	—	.05	2
3	.07	.05	.10	—	.46	—	.09	—	—	.39	—	.52	3
4	.04	.06	—	—	—	.03	.29	—	.21	—	.13	.19	4
5	.50	—	.17	—	—	.14	—	.03	.02	.21	—	—	5
6	—	.06	.08	.01	.58	.07	.11	—	—	.35	—	—	6
7	—	.17	—	—	.09	—	—	—	—	.77	.04	—	7
8	—	—	—	—	.62	—	—	—	—	.35	.10	—	8
9	—	.16	.07	—	.30	.17	.02	.08	—	—	.10	.01	9
10	—	—	.03	—	—	—	.05	—	—	.06	.22	—	10
11	1.08	—	—	.53	—	—	—	—	—	.03	.05	—	11
12	—	—	—	—	—	—	—	.01	—	.01	.08	—	12
13	—	—	.03	.03	—	—	—	.01	.22	—	.08	—	13
14	.12	—	.17	.08	—	—	—	—	—	.05	.13	—	14
15	.10	.03	.33	.21	—	—	—	—	.13	—	.34	—	15
16	—	.01	.06	—	—	—	—	.21	—	—	.10	—	16
17	.04	.03	.06	.06	—	.18	.02	—	.62	—	.04	—	17
18	.02	—	.16	.19	.01	—	.04	—	—	—	.18	—	18
19	.10	—	.03	.11	—	—	.01	—	—	.03	.04	—	19
20	.18	—	.06	.14	—	—	—	—	—	.04	.25	—	20
21	.01	—	.18	—	.08	—	.19	.04	—	—	.01	—	21
22	.16	—	.50	—	.01	—	—	.39	—	—	—	—	22
23	.07	—	—	—	.04	.16	—	.03	.35	.02	.03	—	23
24	.14	—	—	—	—	.12	—	—	—	—	—	—	24
25	—	—	—	—	—	—	—	—	.13	.04	—	.11	25
26	—	—	.16	.10	—	—	—	—	.09	.12	.01	.42	26
27	—	—	.02	.10	—	—	—	—	—	.01	—	.09	27
28	.35	—	.20	.35	—	—	—	—	.01	—	—	.14	28
29	.02	—	.31	.37	.04	—	—	.44	—	.01	—	.07	29
30	.28	—	—	—	—	—	—	—	—	.52	.01	—	30
31	.06	—	.06	—	.05	—	—	—	—	—	—	—	31
Total	3.34	.66	2.88	2.43	2.28	.90	.82	1.24	1.78	3.01	2.02	1.60	YEAR'S TOTAL 22.96
Rain Days.	18	10	21	15	11	8	9	9	9	17	20	9	156

REGISTER OF RAINFALL IN 1914

Kept at

Morley

in the County of

Yorkshire (West Riding)

by

Wm. E. Burgess, Esq., B.Sc.

Lat. 53° 44' 5" N Long. 1° 36' W

Time of Observation 9 a.m.

Nearest Railway Station Morley G.N.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 535 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	.99	.59	—	.03	.04	.25	1
2	—	—	.01	—	—	—	.12	.44	—	—	.10	.05	2
3	.05	—	.04	—	.10	—	—	—	—	—	.07	.08	3
4	.33	—	.11	.06	.05	—	—	—	—	—	.27	.55	4
5	.05	—	.25	.21	—	—	—	—	—	—	.16	.11	5
6	—	—	.22	.25	.18	—	—	—	—	—	—	.05	6
7	.03	—	—	.04	.06	—	—	—	—	—	—	.12	7
8	.08	—	.04	—	.02	.52	.34	.10	.09	—	—	—	8
9	.34	.05	—	—	—	1.06	—	.08	.05	—	.19	.02	9
10	.11	.05	.02	.07	.02	—	—	—	—	—	.21	—	10
11	—	.40	.19	.06	—	—	—	—	.14	—	.61	.34	11
12	—	.05	.09	—	—	—	—	—	.20	—	.13	.34	12
13	—	.09	.11	—	—	—	.10	—	.05	—	.13	.37	13
14	.05	.28	.15	.03	—	—	.09	—	.03	—	.08	.60	14
15	—	.03	.26	—	—	—	—	—	.02	.03	.03	.03	15
16	.07	—	.03	—	—	—	.65	—	.31	—	—	.19	16
17	.05	.05	.09	—	—	—	.04	—	.34	—	—	—	17
18	.03	.03	.01	—	—	.01	—	—	—	—	—	.05	18
19	—	—	—	—	—	—	.06	—	—	—	.04	.15	19
20	—	.06	—	—	—	—	—	—	.01	.08	—	—	20
21	—	.43	—	—	—	.09	.02	—	—	.07	—	.10	21
22	—	—	.02	—	—	.14	—	—	—	.08	—	—	22
23	—	—	.06	.04	.44	.07	.02	.06	—	—	—	.05	23
24	—	—	.37	—	—	—	—	.14	—	—	.11	—	24
25	.02	—	—	—	—	—	.06	.38	—	.87	.02	.27	25
26	.02	—	.12	.02	—	—	.04	.03	—	.28	.09	.17	26
27	.04	—	—	—	—	—	—	—	—	.09	.21	.66	27
28	.03	.04	—	—	—	—	—	—	—	.04	.35	.07	28
29	—	~~X~~	.24	—	.07	—	—	—	—	.53	—	—	29
30	—	~~X~~	.06	—	—	—	—	—	—	.07	.08	.04	30
31	.14	~~X~~	.06	~~X~~	—	~~X~~	.45	—	~~X~~	.38	~~X~~	—	31
Total	1.44	1.56	2.55	.78	.94	1.89	2.98	1.82	1.24	2.55	2.92	4.66	YEAR'S TOTAL 25.33
Rain Days.	16	12	22	9	8	6	13	8	10	12	19	23	158

Kept at Muker
in the County of _____
by G. F. Gaskin

MUKER VICARAGE
YORKSHIRE

1918

FORM A.
BRITISH RAINFALL.

Gauges 5 in.

Ground one ft. in.

Sea Level 800 ft.

The result entered to the
official rule, he is earnestly

ing year in the space provided
measurement of rain,
the British Rainfall
free on application to

Jan. 1, following.

IMPORTANT
previous day. If
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. MILL, 62,

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.05	.05	.	.	.	.	.	.	.	.	.	.	1
2	.	.06	.	.	.	.	.	.	.	.	.	.	2
3	.	.04	.	.	.	.	.	.	.	.	.	.	3
4	.	.14	.	.	.	.	.	.	.	.	.	.	4
5	.	.25	.	.	.	.	.	.	.	.	.	.	5
6	.10	1.15	.	.	.	.	.	.	.	.	.	.	6
7	.	.06	.	.	.	.	.	.	.	.	.	.	7
8	.02	.50	.	.	.	.	.	.	.	.	.	.	8
9	.25	1.14	.	.	.	.	.	.	.	.	.	.	9
10	.18	1.40	.	.	.	.	.	.	.	.	.	.	10
11	.29	.04	.	.	.	.	.	.	.	.	.	.	11
12	.	.24	.	.	.	.	.	.	.	.	.	.	12
13	.	.	.	.	.	.	.	.	.	.	.	.	13
14	.25	.	.	.	.	.	.	.	.	.	.	.	14
15	.08	.	.	.	.	.	.	.	.	.	.	.	15
16	1.16	.	.	.	.	.	.	.	.	.	.	.	16
17	.05	.	.	.	.	.	.	.	.	.	.	.	17
18	1.65	.	.	.	.	.	.	.	.	.	.	.	18
19	.64	.09	.	.	.	.	.	.	.	.	.	.	19
20	.56	.43	.	.	.	.	.	.	.	.	.	.	20
21	.50	1.49	.	.	.	.	.	.	.	.	.	.	21
22	.16	.09	.	.	.	.	.	.	.	.	.	.	22
23	.28	.17	.	.	.	.	.	.	.	.	.	.	23
24	.15	.	.	.	.	.	.	.	.	.	.	.	24
25	.	.02	.	.	.	.	.	.	.	.	.	.	25
26	.09	.28	.	.	.	.	.	.	.	.	.	.	26
27	.	.24	.	.	.	.	.	.	.	.	.	.	27
28	.	.22	.	.	.	.	.	.	.	.	.	.	28
29	.	.	.	.	.	.	.	.	.	.	.	.	29
30	.	.	.	.	.	.	.	.	.	.	.	.	30
31	.	.	.	.	.	.	.	.	.	.	.	.	31
Total	6.38	7.09	2.04	1.87	2.22	1.12	5.95	4.36	10.52	4.95	3.41	8.43	58.34
Rain Days	18	21	13	12	16	11	17	17	24	18	13	21	201

Time of Observation 9.
Nearest Railway Station Hawes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. in.
Sea Level 800 ft.

IMPORTANT **N**
previous day. If an
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. MILL, 62,

REMARKS ON THE DAYS.

FORM C.
BRITISH RAINFALL
W. 7,000. VII. 18

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

m. and the result entered to the
 best universal rule, he is earnestly
 trying year in the space provided
 measurement of rain,
 the British Rainfall
 free on application to

Jan. 1, following.

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.05	.05											1
2		.06											2
3		.04											3
4		.14											4
5		.25											5
6	.10	1.15											6
7		.06											7
8	.02	.50											8
9	.25	1.14											9
10	.18	1.40											10
11	.29	.04											11
12		.24											12
13													13
14	.25												14
15	.08												15
16	1.16												16
17	.05												17
18	1.65												18
19	.64	.09											19
20	.56	.43											20
21	.50	1.49											21
22	.10	.09											22
23	.28	.17											23
24	.15												24
25		.02											25
26	.09	.28											26
27		.24											27
28		.22											28
29													29
30													30
31													31
Total	6.38	7.09	2.04	1.87	2.22	1.12	5.95	4.36	10.52	4.95	3.41	8.43	58.34
Rain Days	18	21	13	12	16	11	17	17	24	18	13	21	201



THE DIRECTOR,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.1.

PRINTED PAPER.

No writing on this side of the line

REMARKS.

OBSERVATIONS.

° on the
° on the
32° on
32° on
days.
days.

FORM A.
BRITISH RAINFALL.

Kept at

Murter

in the County of

York

by

G. F. Gortall

IMPORTANT
previous day. If an
requested to add the
for it at the end of
the selection and pla
Organization are give
Dr. H. R. MILL, 62,

Station

Howes

of Rain Gauge

5

in.

Gauge above Ground

one ft.

in.

„

Sea Level

800

ft.

n. and the result entered to the
st universal rule, he is earnestly
ing year in the space provided
measurement of rain,
the British Rainfall
ree on application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.05	.09	.04	.11				.46	.06	.54	.25	1
2		.06	.03	.03	.01				.14	.38	.12	.44	2
3		.04	.04		.12				.21	.53	.02		3
4		.14	.02		.20					.60	.64	.04	4
5		.25	.20	.50	.29			.05		.25	.33	.10	5
6	.10	1.15	.04	.29	.02			1.63		.62		.06	6
7		.06		.41		.15	.06	.15	.23	.35	.42	.01	7
8	.02	.50	.16				.17	.05		.28	.39		8
9	.25	1.14	.06			.10			.60	.46	.35		9
10	.18	1.40		.02			.48		1.32		.45		10
11	.29	.04	.45		.16		.14	.03	.07	.12		.24	11
12		.24		.25	.17		.25	.08	.15	.04		.10	12
13						.06		.35	.26	.19		.24	13
14	.25					.24	.25		.50				14
15	.08			.02		.05	.65		1.20			1.15	15
16	1.16					.15	.08	.09	.65			.45	16
17	.05				.10	.13	.42		.28	.54		.59	17
18	1.65		.30		.02	.01	.84		.25	.07		.46	18
19	.64	.09	.05	.10		.02	.39	.07		.28		.37	19
20	.56	.43		.17	.03		.75	.12	.36				20
21	.50	1.49			.02	.10	.15		1.25	.15			21
22	.10	.09			.54	.21		.05	.30			1.50	22
23	.28	.17		.02	.25		.09		.25			.03	23
24	.15				.12		.80	.10	.26		.04		24
25		.02					.20	.30	.34				25
26	.09	.28					.23	.36	.72		.03	.25	26
27		.24			.06			.08	.45	.02	.07	.53	27
28		.22	.35						.17	.01	.01	.58	28
29								.05	.10			.56	29
30		X	.25	.02								.48	30
31		X		X		X		.07	X		X		31
Total	6.38	8.09	2.04	1.87	2.22	1.12	5.95	4.36	10.52	4.95	3.41	8.43	58.34
Rain Days.	18	21	13	12	16	11	17	17	24	18	13	21	201

MYTHOLMROYD
CRAGG VALE

CRAGG HALL

YORKSHIRE

1911 - 1915

Kept at Cragg Hall
in the County of Yorkshire
by W. A. Simpson

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912
n. 1 ft.
ad 1 ft.
level 615 ft. approx

Mytholmroyd
miles 2.4 Direction South west

result entered to the
rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.58					.04			.52		1
2	.19		.05		.36					.11	.48		2
3			.15		.54						.54	.35	3
4	.03		.15	.04	.04				.26	.15	.94	.24	4
5	.54			.05						.06	.32		5
6	.46							.61		.14	.50	.40	6
7	.02			.09				.59			.26		7
8	.03											1.05	8
9	.04		.34							.06		.40	9
10	.52	.10	.31									.50	10
11	.24								.08			.24	11
12	.03		.14		.10				1.36		1.28		12
13					.31						.23	.34	13
14	.06	.65			.11						.04	.22	14
15		.36	.13							.12	.30	.44	15
16		.90	.05							.04	.18		16
17	.01	.04	.04								.28	.34	17
18		.66				.03					.14	.35	18
19		.10	.08			.31				.35		.25	19
20		.38	.03	.50		.30	.14	.68	.10	.12		.09	20
21		1.10	.02	.05				.03				.19	21
22	.14									.34		.05	22
23		.64				.46			.10	.04		.45	23
24	.23	.36		.14		1.24				.24		.15	24
25	.02	.51		.29		.03	.14		1.03	.02		.35	25
26		.10		.35	.14		.02			.45	.28	.24	26
27		.52	.06	.38				.85	.49			.06	27
28		.39		.36		.16			.10			.34	28
29				.35		.24			.28	1.16		.12	29
30				.05		.84				.42			30
31			.04										31
Total	2.65	6.84	2.23	2.65	1.66	3.14	.36	2.30	3.80	4.21	6.29	4.25	TOTAL for year 43.41
No. of Rain Days	15	15	15	12	7	9	3	6	9	16	15	23	145

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Cragg Vale N. Mytholmroyd
in the County of York WR. 8
by W. A. Simpson - Hinchliffe

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 615 ft. approx.
Time of Observation 9 am.
Nearest Railway Station { Name Mytholmroyd
Distance 2.4 miles Direction South-west

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.19		.05		.36					.11	.48		2
3			.15		.54						.54	.35	3
4	.03		.15	.04	.04				.26	.15	.94	.24	4
5	.54			.05						.06	.32		5
6	.46							.61		.14	.50	.40	6
7	.02			.09				.59			.26		7
8	.03											1.05	8
9	.04		.34							.06		.40	9
10	.52	.10	.31									.50	10
11	.24								.08			.24	11
12	.03		.14		.10				1.36		1.28		12
13					.31						.23	.34	13
14	.06	.65			.11						.04	.22	14
15		.36	.13							.12	.30	.44	15
16		.90	.05							.04	.18		16
17	.01	.04	.04								.28	.34	17
18		.66			.03						.14	.35	18
19		.10	.08		.31					.35		.25	19
20		.38	.03	.50		.30	.14	.68	.10	.12		.09	20
21		1.10	.02	.05				.03				.19	21
22	.14									.34		.05	22
23		.64			.46				.10	.04		.45	23
24	.23	.36		.14		1.24				.24		.15	24
25	.02	.51		.29		.03	.14		1.03	.02		.35	25
26		.10		.35	.14		.02			.45	.28	.24	26
27		.52	.06	.38				.85	.49			.06	27
28		.39		.36		.16			.10			.34	28
29				.35		.24			.28	1.16		.12	29
30				.05		.84				.42			30
31			.04										31
Total	2.65	6.84	2.23	2.65	1.66	3.14	.36	2.30	3.80	4.21	6.29	4.25	TOTAL for Year 43.41
No. of Rain Days	15	15	15	12	7	9	3	6	9	16	15	23	145

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Cragg Hall, Cragg Vale
York W.8
in the County of York
by W. Simpson Hinchliffe

Pattern Snowdon
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 615 ft. approx
Time of Observation 9 am
Nearest Railway Station { Name Thytholmoyd
Distance 2 1/4 mbs Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.20	.23	.32				1
2			.30		.08	.35	.24		.21				2
3	.32		.34			.55		1.10	.27				3
4	.41		.57		.04	.62		1.04	.72		.53		4
5	.40		.08		.50			.03	.04				5
6	.75		.05					.52					6
7		.53				.20		.28			.08	.45	7
8	.49	.30	.37						.31			.55	8
9	.36					1.17						.30	9
10	.28							.09					10
11		.26		.17								.97	11
12				.30			.41						12
13				.20		.50		.24					13
14	.32		.37		.12			.09				.31	14
15		.33	1.09		.45						.55	.90	15
16	1.23							.17			.35		16
17	.05		.30			.84				.43	.25		17
18	.05	.11									.10	.35	18
19	.70	.07	.42			.04	.15	.73		.99		.45	19
20			.22		.47	.06		.31		.28		.40	20
21					.03			.07		.12		.15	21
22		.18			.80	.30	.36	.60					22
23							.35	.62					23
24	.44		.29			.47		.22		.20	.98	.40	24
25						.28					.63	.35	25
26		.35	.24			.01	.41	.41		1.39	.40	.27	26
27						.34	.60			1.20		.24	27
28			.24				.50	.60					28
29		.16	.26			.04	.46	.05	.69	.87		.22	29
30		.15	.38			.15	.03			.07			30
31			.20		.95		1.50	.37					31
Total	5.80	2.44	5.75	.67	3.44	5.92	5.51	7.47	2.56	5.55	3.87	6.31	TOTAL for year
No. of Rain Days.	13	10	14	3	9	16	12	20	7	9	9	15	140

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL

2-JAN 1914

Kept at *Prigg Hall, Mytholmroyd*
in the County of *York*
by *W. A. Simpson-Hinchliffe*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Mytholmroyd*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *6.5* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.17							.12				1
2		.47	1.23	.03		.21					.42	.40	2
3	.50	.25	.17		.30						.05	.85	3
4	.42	.15	.16		.09						.21		4
5		.11	.14		.30	.30	.20			.16			5
6		.38	.25		.51	.26	.17			.24			6
7	.10	.44	.25		.46	.10				.26		.19	7
8		.49	.49		.16					.09	.55	.61	8
9		.16	.25			1.09		.25					9
10				.15				.12			.05		10
11	.79			.35		.07							11
12									.38		.46	.15	12
13			.60	.05			.04		.24			.13	13
14			.30	.39						.31	.51	.10	14
15			.57	1.06				.20	.10		.53		15
16			.31								.47		16
17				.38	.23	.58	.17		.38		.27		17
18			.43	.49	.25		.07				.55		18
19	.20			.17	.09	.14			.07		.48		19
20				.07							1.16		20
21	.21		.45	.01	.31		.22						21
22			.50		.08								22
23	.22		.35		.30	.33		.70	.31				23
24	.69	.15		.15		.17		.16					24
25				.14				.30	.30		.28		25
26		.03		.65								.31	26
27			.20	.45						.22		.40	27
28	.45		.45	.66						.03		.39	28
29				.65	.09			.30		.02			29
30	.71									.27			30
31			.20		.18								31
Total	4.29	2.80	7.24	5.85	3.35	3.25	.87	2.03	1.90	1.60	5.99	3.53	42.70
Rain Days.	10	11	19	17	14	10	6	7	8	9	14	10	135

Dates not reliable

REGISTER OF RAINFALL IN 1914

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.45	.35		.25		.56					.39	1
2	.43	.50			.20							.74	2
3				.10	.30							.97	3
4			.60	.09	.25		.10				.17		4
5			.59	.15	.17	.11	.14				.39		5
6			.07	.16	.13						.19		6
7	.51			.25	.17								7
8	.49				.15	.20			.05				8
9		.05		.17		.65							9
10		.11		.18					.45			.20	10
11		.19		.20				.75	.25		1.05		11
12		.07		.05	.06			.25	.75		.35	.29	12
13		.35			.10			.45	.50		.95	.16	13
14		.30	.15						.57			.45	14
15			.05					.55	.76			.15	15
16		1.14	.11						.74				16
17		.75	.21				.21		.50			.35	17
18		.36	.13				.25		.55				18
19		.73	.15			.38	.40						19
20		.37	.05									.29	20
21		.40	.10			.18		.35				1.17	21
22					.30					.15		.76	22
23					.28							.15	23
24	.19			.10		.03	.89				.15	.10	24
25	.21			.21						1.02	.25	.21	25
26												.34	26
27										.75			27
28												.30	28
29										.54	.35	.51	29
30		X									.65	.32	30
31	.39	X		X		X			X	.57	X	.45	31
Total	2.22	5.77	2.56	1.66	2.36	1.55	2.55	2.35	4.12	3.03	4.50	7.80	YEAR'S TOTAL 40.47
Rain Days.	6	14	12	11	12	6	7	5	10	5	10	20	118

27-11-16 3408
REGISTER OF RAINFALL IN 1915.

Kept at Cragg Hall, Cragg Vale
York.
in the County of York.
by W. Simpson-Hinchliffe

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Mytholmroyd
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.25	.17									.35	1
2	.14	.36	.24									.15	2
3	.41	.41	.50										3
4	.35	.37	.31	.13			.45					.75	4
5	.20		.65	.50			.23						5
6	.45	.40		.05			.51				.21	.70	6
7	.31	.15					.34				.46		7
8	.22	.20		.21			.23				.23	.36	8
9	.24	.31			.20		.15					.25	9
10		.50			1.25						.24	.70	10
11	.35	.27		.41			.70		.30		.36	.17	11
12	.16						.23			.13	.31		12
13	.19	.15	.16	.36			.16		.76		.70	.76	13
14	.25	.40					.21		.15	.18			14
15	.31	.23	.34	.15			.31	.36			.50	.17	15
16							.70		.76	.37	.76	.29	16
17	.26			.16				.50			.31	.35	17
18	.17	.25	.54				.13					.13	18
19	.25	.95		.12			.36	.76			.16	.26	19
20	.46						.15						20
21	.51		.61				.31				.50	.17	21
22	.21						.26						22
23											.17	.38	23
24	.35												24
25	.16	.35										.75	25
26	.05	.46				1.21	.45					.16	26
27	.13	.25										.25	27
28	.21	.16				.30							28
29		.21				.26						.27	29
30	.50	X				.15							30
31		X		X		X			X		X	.16	31
Total	6.94	6.63	3.52	2.09	1.45	1.92	5.88	1.12	.97	.68	4.45	6.02	41.64
Rain Days.	26	20	9	9	2	4	18	3	4	3	13	21	132

YEAR'S TOTAL

Bad.

NORTHALLERTON OSMOTHERLEY

YORKSHIRE

1911-1916

Kept at Osme
in the County of NR
by Thomas

8 in.
round 0 ft. 8 in.
sea Level 660 ft.
a.m.
name Northallerton
distance 8 miles direction SW
the result entered to the

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

IMPORTANT
previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.10	.04			.06	~~.06~~	1
2	.45						.18			.15	.05	.06	2
3	.08							.03		.20	.10	~~.19~~	3
4			.22	.23				.16		.35		.19	4
5			.02	.22				.55		.03	.15		5
6			.12	.10						.02	.03	.34	6
7	.24	.02		.03							.06		7
8	.02		.24	.01		.06			.13	.05		.33	8
9				.03								.23	9
10		.04										.40	10
11				.04					.04		.25		11
12			.16		.18	.11			.41		.24	.03	12
13	.63	.10	.15		.03	.04	~~.45~~				.03	.44	13
14		.12	.31		.04		.05					.53	14
15			.30		.02						.14	.25	15
16			.20	.04		.04	.13					.05	16
17			.18			.55	.08				.22	.04	17
18						.06					.52	.09	18
19				.03		.34	.04	.08	.09	.16	.99	.05	19
20		.10		.02			.10	.34	.04	.02	.04	.19	20
21		.22						1.29		.09	.20		21
22	.18	.03						.39			.12		22
23		.12				1.91				.18	.02	.12	23
24						.76				.08		.04	24
25	.03	.09		.11		.40					.04	.19	25
26				.28	.39	.03		.05	.28	.94	.58	.13	26
27		.02		.02				.24	.14	.06	.04	.02	27
28		.04		.21						.09	.02	.12	28
29				.06			.06	.08	.43	.24			29
30			.05		.03				.13	.05		.03	30
31			.08		.13							.03	31
Total	1.63	.93	2.03	1.43	.82	4.63	.44	3.28	2.14	2.58	3.94	3.93	TOTAL 28.71
No. of Rain Days.	9	11	12	15	7	11	8	11	10	16	20	23	151

Kept at Osnothorpe
in the County of NR Yorkshire
by Thomas Gorman

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 0 ft. 8 in.
" " " Sea Level 660 ft.
Time of Observation 8 1/2 a.m.
Nearest Railway Station { Name Kirkstallerton
Distance 8 miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.10	.04			.06	~~.06~~	1
2	.45						.18			.15	.05	.06	2
3	.08							.03		.20	.10	~~.19~~	3
4			.22	.23				.16		.35		.19	4
5			.02	.22				.55		.03	.15		5
6			.12	.10						.02	.03	.34	6
7	.24	.02		.03							.06		7
8	.02		.24	.01		.06			.13	.05		.33	8
9				.03								.23	9
10		.04										.40	10
11				.04					.04		.25		11
12			.16		.18	.11			.41		.24	.03	12
13	.63	.10	.15		.03	.04	~~.05~~				.03	.44	13
14		.12	.31		.04		.05					.53	14
15			.30		.02						.14	.25	15
16			.20	.04		.04	.13					.05	16
17			.18			.55	.08				.22	.04	17
18						.06					.52	.09	18
19				.03		.34	.04	.08	.09	.16	.99	.05	19
20		.10		.02			.10	.34	.04	.02	.04	.19	20
21		.22						1.29		.09	.20		21
22	.18	.03						.39			.12		22
23		.12				1.91			.18	.02		.12	23
24						.76				.08		.04	24
25	.03	.09		.11		.40					.04	.19	25
26				.28	.39	.03		.05	.28	.94	.58	.13	26
27		.02		.02				.24	.14	.06	.04	.02	27
28		.04		.21						.09	.02	.12	28
29				.06			.06	.08	.43	.24			29
30			.05		.03				.13	.05		.03	30
31			.08		.13							.03	31
Total	1.63	.93	2.03	1.43	.82	4.63	.44	3.28	2.14	2.58	3.94	3.93	TOTAL 28.71
No. of Rain Days.	4	11	12	15	4	11	8	11	10	16	20	23	151

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
7-JAN 1913

Kept at *Smotherley*
in the County of *Yorkshire*
by *Thomas Gorman*

Lat. _____ Long. _____
Time of Observation *8/9 a.m.*
Nearest Railway Station *Horthallerton*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground _____ ft. *8* in.
" " " " Sea Level *660* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.30	.13	.02		.23	.24	.35	.10	.14			1
2		.25	.09	.01		.16	1.01	.11					2
3	.18					.45		.28	.16			.35	3
4	.27		.57		.02	.55		.24	.02		.36		4
5					.17	.24					.03		5
6	.42	.27				.09		.28					6
7		.04			.10			.03	.34		.06	.03	7
8	.20		.06			.03			.20				8
9	.03	.14	.05			.29					.09		9
10	.02	.02				.63		.29	.06		.27		10
11	.11							.31	.09		.14	.10	11
12	.02		.12			.05	.55				.45		12
13	.01					.20				.08	.39		13
14	.11		.46			.10		.08					14
15	.06	.03	.49		.58	.06						.23	15
16	.39		.09		.06					.12			16
17		.05	.17			.23	.03	.20			.03	.03	17
18	.10					.02	.02	.25		.05			18
19	.05	.23	.03			.02	.67	.68					19
20	.21				.46	.09	.25	.06		.10			20
21	.01		.23		.03	.01	.02			.12	.05		21
22		.15	.05		.56	.42		.11					22
23			.05		.04	.02	.20	.26		.08	.15		23
24	.27						.04	.08				.14	24
25	.30					.59		.40			.12		25
26	.35	.10				.10		.13		.65	.11	.42	26
27			.08			.13	.37	.02		.25	.06	.05	27
28				.08	.15	.24	.42			.22			28
29	.07		.07	.02		.05	.45		.85			.09	29
30	.03		.14		.03	.10	.10		.10	.16			30
31	.02		.25		.02		.99	.27		.08			31
Total	3.23	1.58	3.13	.05	2.15	5.33	5.18	4.85	1.91	2.05	2.31	1.44	35.21
Rain Days.	22	11	18	3	12	26	15	21	9	12	14	9	172

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
23 JAN 1914

Kept at *Osnotherley W Northallerton*
in the County of *Yorkshire N.E. 4 M*
by *Thomas Gorman*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08		.11	.38					.59		.04		1
2			.04	.03		.06					.24		2
3					.22		.02						3
4	.28						.04		.03	.19		.36	4
5	.48	.08				.04		.15		.15			5
6		.29	.16	.05	.44	.13	.25	.03					6
7		.11			.33	.19				.85			7
8			.04		.31			.02		.75	.06		8
9		.04	.02		.18	.05		.03		.08			9
10		.08	.03	.10			.14				.26		10
11	.52			.35	.12								11
12	.43								.13		.18		12
13			.01					.10	.11		.11		13
14		.12	.17	.08			.66			.13			14
15	.35		.25	.20									15
16			.10										16
17			.25	.05		.18			.13		.23		17
18			.32	.12					.05		.03		18
19	.20								.44	.04			19
20	.25		.08						.25	.07	.39		20
21	.11				.12		.03	.51		.05			21
22	.19		.35		.04	.15		.38	.05	.09			22
23	.12					.10	.15	.01	.05	.15			23
24	.17					.27							24
25				.08					.30	.03	.04		25
26				.33					.16	.22	.15		26
27				.34		.17					.05	.33	27
28	.31		.32	.76							.08	.60	28
29			.30	.26	.06						.07	.81	29
30										.51		.09	30
31	.32							.11					31
Total	3.81	.42	2.55	3.13	1.82	1.34	1.29	1.34	2.28	3.31	1.93	2.19	25.71
Rain Days.	14	6	16	14	9	10	7	9	12	14	14	5	130

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Wetherley W. Rotherham
in the County of North Riding Yorkshire
by Thomas Gorman

Lat. _____ Long. _____
Time of Observation 8/9 a.m.
Nearest Railway Station Rotherham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft.
" " " " Sea Level 660 ft.

FORM A.
BRITISH RAINFALL
20 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.56	.22				.04	1
2							1.27	.46		.05	.26	.20	2
3			.07				.03					.21	3
4				.15	.33	.513					.25	.46	4
5				.11	.04	.23					.19		5
6		.11		.04	.01	.41						.11	6
7		.04			.12	.41						.13	7
8	.50				.15	.75	.08	.07		.10		.04	8
9	.30	.03		.24		1.18			.06	.06	.09	.05	9
10	.28	.18	.04			.45			.15	.15		.02	10
11		.11	.14			.04					.15	.29	11
12		.04	.27		.12	.42						.80	12
13		.04		.03					.16	.16		.28	13
14	.08	.20	.23				.07		.06	.06		.11	14
15	.08						.22					.15	15
16	.10						1.53		.38	.38		.02	16
17	.10	.08					.04		.49	.49		.05	17
18	.04					.74	.14		.13	.13	.12	.17	18
19									.04	.04	.20	.02	19
20	.02	.18	.23			.17				.07		.03	20
21		.76	.02			.22	.06	.06		.06	.03	.11	21
22					.10	.22		.06			.04	.20	22
23			.07		.58	.46					.02	.18	23
24			.31	.12				.12			.30	.19	24
25		.11	.11					.06		.48	.04		25
26							.24	.04		.42	.11	.23	26
27											.12	.22	27
28					.02	.22					.05	.21	28
29			.08					.14		.80	.02		29
30	.06	X		.03						.05	.06	.23	30
31	.15	X	.05	X		X	.32		X		X		31
Total	1.71	1.88	1.62	.72	1.47	4.56	1.23	1.47	2.03	2.05	4.75	27.57	YEAR'S TOTAL
Rain Days.	11	12	12	7	9	12	9	8	8	17	27	141	

REGISTER OF RAINFALL IN 1915

Kept at Donthbury
in the County of Yorkshire
by Thomas Geomart

Lat. _____ Long. _____
Time of Observation 8/9 a.m.
Nearest Railway Station Northallerton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 8 in.
" " " " Sea Level 660 ft.

FORM A.
BRITISH RAINFALL
31. MAY 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.24			.30		.09	.28	.80		.25	.14	1
2		.18	.31	.13		.06	.09	.16	.02	.02	.11		2
3		.02	.12	.12			.25	.23			.15	.45	3
4			.03		.04		.15	.06			.11	.74	4
5	.05	.24	.05		.03			.06		.09	.03	.75	5
6	.18	.45	.08	.15			.43	.01		.05	.01	.08	6
7	.39	.43	.05				.23	.05					7
8	.05	.12	.03			.04		.11			.04		8
9								.04		.02		.34	9
10	.35		.09					.51				.22	10
11	.04	.23			.63			.01		.01	.04	.20	11
12	.09			.38	.04			.20			.94		12
13	.08	.57			.03			.02	.07			.05	13
14		.04					.06	.08				.03	14
15	.20	.05					1.26			.12		.13	15
16	.03	.35			.05		.19	.08		.19		.14	16
17	.14	.30	.03								.16		17
18		.10	.30						.03	.05	.07	.18	18
19		.05	.15				.09			.08			19
20	.04											.41	20
21	.45			.13			.01					.11	21
22	.54		.02									.19	22
23	.25	.25					.05			.06			23
24	.22		.27	.15			.15		.23		.07	.22	24
25			.02			.05			.10	.07	.13		25
26		.12	.07			.24	.12		.02			.24	26
27		.07	.15			.07	.05			.28		.20	27
28		.03	.12		.03			.69		.15		.04	28
29	.10				.72			.03	.13		.16	.42	29
30	.11	X		.03			.09				.03	.04	30
31	.09	X		X		X		.30	X		X	.15	31
Total	3.55	3.78	1.89	1.09	1.87	.46	3.59	2.92	1.40	1.19	2.30	5.50	YEAR'S TOTAL 29.54
Rain Days.	20	19	14	7	9	5	16	18	8	13	15	23	170

REGISTER OF RAINFALL IN 1916

Kept at Hamotherley W Northallerton
in the County of Yorkshire North Riding
by Thomas Seoman

Lat. _____ Long. _____
Time of Observation 8/9 a.m.
Nearest Railway Station Northallerton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
24 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39		.18			.07	.19				.06		1
2		.10	.35		.02	.01		.06	.22				2
3			.32		.04	.15	.20		1.12		.18		3
4		.21	.19		.64	.45			.04	.43	.22		4
5	.02	.58	.18		.54	.20				.41	.31		5
6		.07	.23	.07	.36	.07	.18				.22		6
7		.10	.15		.11	.16	.02			.13		.21	7
8			.45			.17							8
9		.05	.36			.15			.03			.40	9
10		.22		.02	.29	.22	.14				.04		10
11		.25	.23	.14	.32	.19	.15		.03	.08		.09	11
12	.04		.22	.06	.45	.06	.84	.03	.13			.13	12
13			.16		.09	.04	.10	.21		.55	.03	.16	13
14		.15	.03	.03	.13	.07		.16	.04			.26	14
15		.15	.29	.02			.09	.14					15
16		.08	.17	.12			.10	.02		.24		.11	16
17			.04	.18	.03		.04	.21	.13				17
18		.23	.03	.35		.02	.03	.01	.35	.13	.86		18
19	.05		.19	.38		.01		.03	.10	.02	.51	.13	19
20	.03		.26	.03		.03	.16				.12	.10	20
21			.11	.18	.09		.02						21
22			.04	.04		.09				.10	.03	.20	22
23		.65	.04			.02					.07	.25	23
24		.25	.06			.51		.14		.06			24
25		.25	.10					.27		.16	.04		25
26	.09	.65	.07			.09	.92						26
27		.25	.05					.06		.18	.02		27
28		.13	.04		.03				.03	.04		.18	28
29		.26	.06		.12	.07	.03			.20			29
30		X			.12	.13				.42		.05	30
31		X		X	.02	X			X	.20	X		31
Total	.60	3.48	4.54	1.62	3.28	2.98	3.21	1.34	2.22	3.35	2.71	2.27	YEAR'S TOTAL 31.60
Rain Days.	6	16	28	13	16	23	16	12	11	16	14	13	184

NORTHALLESTON
PASTURE HSE

Kept at Pasture H
in the County of
by W. Mother

IMPORTANT

previous day. If a
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

6. In
Tringlon, N.E. Albany
5 in.

Ground / ft. - in.
Sea Level 225 ft.

he result entered to the
rsal rule, he is earnestly
in the space provided

Jan. 1, following.

(-)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.000	.000	.000	.010	.000	.030	.000	.000	.020	.000	.000	.000	1
2	.080	.000	.070	.260	.000	.000	.000	.000	.020	.000	.040	.000	2
3	.000	.050	.060	.040	.000	.070	.000	.000	.000	.000	.050	.000	3
4	.030	.000	.010	.000	.170	.000	.110	.000	.100	.010	.000	.005	4
5	.270	.010	.000	.000	.005	.020	.050	.000	.005	.110	.180	.070	5
6	.360	.030	.030	.000	.000	.100	.005	.220	.000	.210	.005	.430	6
7	.005	.180	.180	.000	.570	.080	.300	.000	.000	.000	.020	.000	7
8	.000	.330	.005	.020	.080	.100	.000	.000	.000	.270	.010	.010	8
9	.000	.000	.005	.000	.370	.100	.000	.000	.060	.060	.050	.000	9
10	.000	.100	.005	.040	.260	.080	.000	.040	.000	.000	.000	.000	10
11	.000	.100	.020	.000	.110	.000	.005	.000	.010	.000	.300	.000	11
12	.000	.005	.000	.480	.010	.000	.000	.000	.000	.020	.090	.000	12
13	.150	.000	.000	.000	.005	.000	.000	.000	.040	.000	.220	.000	13
14	.000	.000	.000	.050	.000	.000	.020	.060	.130	.000	.090	.000	14
15	.030	.060	.080	.040	.000	.000	.430	.000	.000	.100	.020	.020	15
16	.260	.020	.350	.360	.000	.000	.000	.000	.000	.000	.130	.020	16
17	.005	.000	.005	.000	.000	.000	.020	.020	.000	.000	.050	.000	17
18	.000	.000	.080	.050	.000	.000	.030	.000	.100	.000	.080	.000	18
19	.005	.000	.360	.120	.000	.040	.000	.000	.000	.000	.040	.010	19
20	.100	.000	.030	.000	.010	.005	.000	.000	.580	.040	.000	.000	20
21	.050	.000	.050	.030	.000	.020	.000	.000	.250	.100	.220	.000	21
22	.100	.000	.000	.005	.070	.000	.040	.250	.120	.000	.000	.000	22
23	.100	.000	.290	.000	.080	.000	.000	.340	.080	.000	.000	.000	23
24	.100	.000	.000	.000	.000	.060	.010	.020	.160	.040	.020	.000	24
25	.150	.000	.000	.050	.000	.380	.000	.020	.000	.000	.040	.000	25
26	.000	.000	.000	.020	.000	.005	.000	.000	.320	.010	.000	.000	26
27	.000	.020	.020	.340	.000	.000	.000	.000	.110	.190	.160	.170	27
28	.000	.050	.020	.250	.000	.120	.000	.000	.000	.005	.030	.070	28
29	.280	—	.180	.610	.000	.000	.000	.000	.000	.020	.000	.070	29
30	.020	—	.200	.470	.070	.000	.000	.060	.000	.000	.060	.165	30
31	.330	—	.040	—	.000	—	.000	.000	—	.000	—	.030	31
Total	2.545	1.075	2.090	3.245	1.810	1.210	1.020	1.030	2.105	1.885	1.905	1.010	YEAR'S TOTAL 20.730
Rain Days.	20	12	22	19	15	15	11	9	10	15	21	12	186
	19	11	21	18	13	13	10	10	14	15	21	12	177

cont. for W.D.
13.11.14

R

Kept at Pasture House, Northallerton

in the County of Yorkshire

by W. Mothersill, Gardener
76 Col. Satterthwaite

Time of Observation 8 A.M.

Nearest Railway Station Thirlington, N.E. Railway

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 225 ft.

Jan. 1, following.

(-)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.000	.000	.000	.010	.000	.030	.000	.000	.020	.000	.000	.000	1
2	.080	.000	.070	.260	.000	.000	.000	.000	.020	.000	.040	.000	2
3	.000	.050	.060	.040	.000	.070	.000	.000	.000	.000	.050	.000	3
4	.030	.000	.010	.000	.170	.000	.110	.000	.100	.010	.000	.005	4
5	.270	.010	.000	.000	.005	.020	.050	.000	.005	.110	.180	.070	5
6	.360	.030	.030	.000	.000	.100	.005	.220	.000	.210	.005	.430	6
7	.005	.180	.180	.000	.570	.080	.300	.000	.000	.000	.020	.000	7
8	.000	.330	.005	.020	.080	.100	.000	.000	.000	.270	.010	.010	8
9	.000	.000	.005	.000	.370	.100	.000	.000	.060	.060	.050	.000	9
10	.000	.160	.005	.040	.260	.080	.000	.040	.000	.000	.000	.000	10
11	.000	.160	.020	.000	.110	.000	.005	.000	.010	.000	.300	.000	11
12	.060	.005	.000	.480	.010	.000	.000	.000	.000	.020	.090	.000	12
13	.150	.000	.000	.000	.005	.000	.000	.000	.040	.000	.220	.000	13
14	.000	.000	.000	.050	.000	.000	.020	.060	.130	.000	.090	.000	14
15	.030	.060	.080	.040	.000	.000	.430	.000	.000	.100	.020	.020	15
16	.260	.020	.350	.360	.000	.000	.000	.000	.000	.000	.130	.020	16
17	.005	.000	.005	.000	.000	.000	.020	.020	.000	.000	.050	.000	17
18	.000	.000	.080	.050	.000	.000	.030	.000	.100	.000	.080	.000	18
19	.005	.000	.360	.120	.000	.040	.000	.000	.000	.000	.040	.010	19
20	.160	.000	.030	.000	.010	.005	.000	.000	.580	.040	.000	.000	20
21	.050	.000	.050	.030	.000	.020	.000	.000	.250	.100	.220	.000	21
22	.100	.000	.000	.005	.070	.000	.040	.250	.120	.000	.000	.000	22
23	.100	.000	.290	.000	.000	.000	.000	.340	.080	.000	.000	.000	23
24	.100	.000	.000	.000	.000	.060	.010	.020	.160	.040	.020	.000	24
25	.150	.000	.000	.050	.000	.380	.000	.020	.000	.000	.040	.000	25
26	.000	.000	.000	.020	.000	.005	.000	.000	.320	.010	.000	.000	26
27	.000	.020	.020	.340	.000	.000	.000	.000	.110	.190	.160	.170	27
28	.000	.050	.020	.250	.000	.120	.000	.000	.000	.005	.030	.070	28
29	.280	—	.180	.610	.000	.000	.000	.000	.000	.020	.000	.070	29
30	.020	—	.200	.470	.070	.000	.000	.060	.000	.000	.060	.105	30
31	.330	—	.040	—	.000	—	.000	.000	—	.500	—	.030	31
Total	2.545	1.075	2.090	3.245	1.810	1.210	1.020	1.030	2.405	1.685	1.905	1.010	YEAR'S TOTAL 20.730
Rain Days.	20	12	22	19	13	13	11	9	10	15	22	12	186
	19	11	21	18	13	13	10	10	14	15	21	12	177

cmf W.D. 12.14.15
REGISTER OF RAINFALL IN 1914

Kept at Pasture House, Northallerton

in the County of Yorkshire NR 2

by Col. B. A. Satterthwaite

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Thirsk

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 225 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.17	.00	.00	.01	.00	.00	.30	.005	.00	.16	.08	1
2	.06	.02	.00	.00	.00	.04	.95	.20	.00	.00	.00	.15	2
3	.00	.00	.00	.00	.00	.00	1.35	.48	.00	.05	.15	.10	3
4	.00	.00	.03	.00	.19	.00	.005	.04	.00	.00	.10	.45	4
5	.01	.00	.02	.14	.19	.02	.00	.00	.00	.00	.02	.46	5
6	.01	.00	.06	.08	.05	.04	.005	.00	.00	.02	.11	.05	6
7	.00	.04	.00	.05	.04	.00	.00	.00	.00	.00	.03	.08	7
8	.00	.05	.18	.00	.06	.30	.00	.00	.00	.00	.12	.09	8
9	.30	.00	.07	.02	.13	.33	.03	.07	.00	.02	.00	.05	9
10	.32	.05	.00	.18	.00	.68	.00	.02	.02	.005	.07	.03	10
11	.19	.17	.00	.00	.00	.00	.00	.00	.11	.00	.02	.00	11
12	.00	.19	.13	.00	.10	.00	.00	.00	.06	.00	.13	.13	12
13	.00	.03	.00	.00	.00	.00	.00	.00	.13	.00	.00	.33	13
14	.03	.08	.15	.00	.00	.00	.00	.00	.00	.00	.14	.28	14
15	.03	.18	.00	.02	.00	.00	.06	.00	.00	.00	.00	.14	15
16	.04	.03	.09	.00	.00	.00	.02	.00	.01	.00	.36	.08	16
17	.11	.00	.10	.00	.00	.00	1.43	.00	.19	.00	.05	.00	17
18	.04	.06	.00	.00	.00	.00	.02	.00	.74	.00	.02	.03	18
19	.03	.03	.08	.00	.00	.10	.01	.00	.05	.00	.01	.12	19
20	.00	.01	.00	.00	.05	.00	.04	.00	.04	.00	.10	.07	20
21	.00	.13	.13	.00	.00	.25	.00	.00	.01	.00	.00	.00	21
22	.00	.25	.00	.00	.00	.03	.06	.00	.00	.00	.01	.05	22
23	.00	.09	.01	.00	.07	.32	.00	.05	.00	.01	.01	.13	23
24	.00	.00	.03	.02	.50	.38	.00	.00	.00	.00	.00	.10	24
25	.00	.00	.06	.05	.00	.00	.00	.11	.00	.00	.32	.00	25
26	.00	.05	.07	.00	.00	.00	.00	.06	.00	.50	.04	.30	26
27	.00	.00	.03	.00	.00	.00	.19	.05	.00	.35	.11	.25	27
28	.04	.00	.00	.00	.00	.00	.00	.00	.00	.03	.05	.48	28
29	.00	~~.00~~	.00	.00	.02	.00	.00	.01	.00	.00	.10	.18	29
30	.00	~~.00~~	.10	.00	.005	.00	.00	.15	.00	.28	.04	.00	30
31	.00	~~.00~~	.08	~~.00~~	.02	~~.00~~	.00	.03	~~.00~~	.04	~~.00~~	.20	31
Total	1.229	1.610	1.420	5.50	1.435	2.490	4.770	1.370	1.355	1.805	2.270	4.210	YEAR'S TOTAL
Rain Days.	139	144	143	57	142	249	447	128	136	146	219	424	23.83
	45	78	18	8	43	11	13	13	10	10	24	25	178

corrected for W.D. 2. V. 16

REGISTER OF RAINFALL IN 1915

Kept at Pasture House, Northallerton

in the County of Yorkshire (N. Riding.)

by Colonel B. A. Lister

Lat. _____ Long. _____

Time of Observation 9 am.

Nearest Railway Station Thirsk N.E.R.

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground 22 1/2 ft. _____ in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.09	.03	.00	.16	.00	.98	.00	.35	.00	.02	.00	1
2	.27	.15	.04	.00	.11	.00	.02	.13	.80	.00	.10	.08	2
3	.03	.16	.20	.08	.00	.03	.10	.49	.00	.00	.07	.00	3
4	.39	.00	.07	.16	.00	.00	.27	.15	.00	.00	.06	.43	4
5	.15	.00	.00	.00	.06	.00	.25	.20	.00	.00	.04	.26	5
6	.11	.13	.00	.00	.07	.00	.00	.00	.00	.02	.04	.69	6
7	.10	.35	.07	.13	.00	.00	.90	.00	.03	.03	.00	.12	7
8	.33	.37	.03	.00	.00	.00	.54	.12	.00	.00	.00	.00	8
9	.18	.04	.03	.02	.00	.00	.03	.05	.00	.00	.02	.00	9
10	.00	.03	.00	.00	.00	.00	.05	.02	.00	.01	.00	.35	10
11	.14	.00	.08	.005	.00	.00	.005	.20	.00	.00	.00	.10	11
12	.00	.15	.02	.005	.51	.00	.005	.00	.00	.00	.005	.05	12
13	.10	.03	.00	.08	.04	.00	.12	.00	.00	.10	.62	.06	13
14	.00	.19	.00	.00	.01	.00	.02	.00	.00	.005	.01	.00	14
15	.01	.06	.00	.00	.06	.00	.05	.03	.00	.00	.00	.05	15
16	.22	.00	.00	.00	.00	.00	.40	.06	.00	.28	.15	.17	16
17	.00	.26	.00	.00	.02	.00	.64	.27	.005	.20	.00	.00	17
18	.10	.34	.02	.00	.005	.00	.24	.00	.00	.00	.03	.07	18
19	.00	.05	.14	.00	.00	.00	.00	.00	.02	.03	.03	.08	19
20	.00	.00	.11	.00	.00	.00	.09	.00	.00	.03	.00	.00	20
21	.00	.00	.02	.00	.005	.00	.00	.00	.00	.00	.00	.43	21
22	.48	.01	.00	.10	.00	.00	.00	.005	.00	.00	.00	.04	22
23	.03	.00	.04	.00	.00	.00	.06	.005	.00	.00	.00	.15	23
24	.14	.19	.06	.00	.00	.00	.18	.00	.00	.00	.00	.01	24
25	.02	.00	.07	.09	.00	.00	.00	.00	.35	.04	.00	.10	25
26	.00	.00	.00	.00	.00	.05	.00	.00	.00	.04	.00	.06	26
27	.00	.10	.03	.00	.00	.21	.18	.00	.005	.01	.04	.21	27
28	.00	.23	.06	.00	.00	.14	.11	.00	.00	.23	.00	.32	28
29	.00	-	.09	.00	.14	.00	.005	.35	.00	.17	.00	.02	29
30	.04	X	.08	.00	.30	.005	.00	.01	.03	.01	.21	.22	30
31	.10	X	.02	X	.00	X	.16	.00	X	.00	X	.02	31
Total	2.940	2.930	1.220	.670	1.490	.435	5.405	2.090	1.590	1.205	1.445	4.090	25.500
Rain Days.	3.03	2.87	1.18	.83	1.33	1.415	4.425	2.440	1.240	1.225	1.425	4.230	25.64
	19	19	19	8	12	4	23	13	4	15	14	24	178
	20	19	18	9	11	5	22	15	6	16	13	25	179

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Pasture House, Northallerton

in the County of Yorkshire NR

by Mr. Motherwill (Gardener)

Lat. Long.
Time of Observation 9.2.9.2
Nearest Railway Station Otterington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'14	'00	'19	'00	'00	'00	'02	'00	'00	'00	'13	'00	1
2	'17	'00	'09	'00	'00	'03	'15	'00	'00	'00	'04	'00	2
3	'02	'05	'21	'00	'00	'05	'01	'00	'18	'03	'00	'00	3
4	'00	'08	'19	'08	'00	'01	'09	'01	'10	'04	'15	'01	4
5	'00	'28	'03	'05	'59	'33	'01	'00	'20	'24	'23	'00	5
6	'00	'00	'07	'00	'35	'21	'00	'00	'00	'35	'15	'00	6
7	'00	'33	'14	'08	'39	'01	'20	'00	'00	'06	'24	'00	7
8	'00	'09	'10	'00	'13	'13	'15	'00	'00	'08	'01	'20	8
9	'00	'03	'16	'00	'21	'00	'00	'00	'00	'03	'50	'03	9
10	'00	'00	'03	'00	'11	'26	'00	'00	'01	'00	'00	'19	10
11	'00	'00	'02	'00	'00	'09	'09	'00	'00	'03	'03	'05	11
12	'03	'38	'09	'07	'00	'17	'16	'00	'05	'03	'00	'01	12
13	'00	'00	'14	'00	'78	'06	'56	'01	'00	'00	'00	'06	13
14	'00	'02	'13	'00	'05	'02	'32	'34	'00	'59	'01	'21	14
15	'00	'18	'03	'00	'04	'03	'01	'15	'01	'02	'02	'09	15
16	'00	'22	'27	'00	'00	'00	'02	'15	'00	'01	'00	'00	16
17	'00	'05	'17	'10	'00	'00	'07	'02	'00	'00	'00	'05	17
18	'01	'06	'00	'13	'00	'00	'00	'08	'18	'12	'00	'00	18
19	'00	'24	'00	'18	'00	'01	'00	'02	'38	'06	'59	'05	19
20	'04	'00	'06	'15	'00	'00	'00	'02	'03	'00	'32	'10	20
21	'04	'00	'16	'04	'00	'01	'09	'03	'00	'00	'08	'08	21
22	'00	'03	'03	'15	'08	'00	'01	'01	'00	'00	'00	'00	22
23	'00	'15	'00	'00	'00	'09	'00	'00	'00	'11	'005	'00	23
24	'00	'02	'08	'00	'00	'005	'00	'00	'00	'01	'09	'15	24
25	'00	'02	'02	'05	'00	'65	'00	'19	'00	'00	'00	'10	25
26	'00	'01	'10	'00	'01	'00	'00	'34	'00	'15	'04	'05	26
27	'05	'05	'02	'00	'15	'08	'00	'00	'00	'00	'00	'00	27
28	'00	'15	'02	'00	'00	'00	'00	'30	'00	'31	'00	'00	28
29	'00	'09	'04	'04	'03	'00	'00	'02	'00	'02	'01	'20	29
30	'00	X	'00	'00	'00	'10	'00	'00	'00	'13	'00	'90	30
31	'00	X	'00	X	'00	X	'00	'00	X	'24	X	'00	31
Total	50	2532	259	112	292	2345	196	169	214	266	2145	173	24332
Rain Days.	8	272	240	12	13	237	194	15	9	219	201	18	194
	7	22	25			201	15			22	15		

REGISTER OF RAINFALL IN 1917

Kept at *Pasture House, Northallerton*
in the County of *Yorks N.R.*
by *G. W. Croft*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Otterington N.E. Ry*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *11* in.
" " " " Sea Level *X* ft.

Jan. 1, following.

.05

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.00	.06	.00	.26	.04	.01	.00	.08	.04	.00	.00	.02	1
2	.00	.01	.00	.24	.00	.72	.00	1.52	.25	.00	.13	.09	2
3	.06	.00	.00	.09	.00	.00	.00	.46	.00	.00	.00	.00	3
4	.00	.00	.00	.05	.00	.01	.00	.05	.00	.00	.02	.00	4
5	.00	.00	.02	.02	.00	.00	.00	.11	.00	.11	.00	.00	5
6	.17	.00	.03	.16	.00	.00	.00	.00	.00	.01	.02	.00	6
7	.00	.00	.00	.06	.00	.00	.00	.01	.00	.02	.10	.00	7
8	.52	.00	.00	.01	.00	.14	.00	.01	.00	.34	.00	.00	8
9	.90	.00	.11	.06	.00	.00	.00	1.39	.00	.18	.06	.00	9
10	.02	.00	.01	.03	.00	.00	.00	.62	.00	.03	.34	.02	10
11	.20	.00	.54	.13	.08	.00	.00	.15	.00	.20	.18	.00	11
12	.06	.00	.00	.02	.01	.00	.00	.04	.00	.15	.02	.00	12
13	.25	.05	.00	.07	.10	.00	.00	.16	.00	.58	.00	.08	13
14	.20	.00	.00	.04	.06	.18	.00	.45	.08	.05	.00	.05	14
15	.23	.00	.00	.17	.11	.00	.00	.18	.00	.01	.00	.02	15
16	.06	.00	.00	.21	.00	.00	.11	.04	.00	.01	.00	.14	16
17	.08	.00	.00	.15	.00	.00	.00	.02	.00	.00	.00	.45	17
18	.06	.05	.02	.17	.18	.00	.00	.34	.00	.00	.00	.46	18
19	.04	.00	.00	.04	.10	.00	.25	.14	.03	.00	.00	.02	19
20	.07	.09	.05	.02	.11	.10	.00	.00	.00	.00	.00	.00	20
21	.06	.31	.12	.00	.00	.40	.00	.02	.00	.00	.29	.00	21
22	.02	.15	.28	.00	.00	.00	.00	.04	.00	.02	.00	.00	22
23	.00	.00	.19	.00	.00	.28	.00	.05	.00	.04	.00	.00	23
24	.01	.01	.01	.00	.13	.00	.00	.18	.00	.00	.01	.02	24
25	.00	.00	.00	.00	.00	.00	.06	.03	.00	.28	.15	.00	25
26	.00	.05	.04	.00	.00	.06	.00	.04	.00	.19	.00	.06	26
27	.00	.00	.18	.00	.00	.20	.00	.90	.03	.13	.02	.05	27
28	.01	.00	.09	.00	.00	.18	.29	.35	.00	.04	.00	.16	28
29	.00		.05	.00	.00	.00	.09	.11	.00	.12	.00	.00	29
30	.00	X	.00	.00	.00	.00	.03	.05	.00	.30	.03	.00	30
31	.05	X	.03	X	.00	X	.18	.00	X	.02	X	.00	31
Total	3.07	.78	1.77	2.06	.92	2.28	1.01	7.54	.43	2.83	1.37	1.09	25.69
Rain Days.	3.13	.72	2.03	1.78	.89	2.21	1.09	7.50	.39	2.83	1.39	1.72	25.74
	21	8	17	20	10	10	8	29	4	21	16	18	175

* I do not know what this height is but you will have particulars from the late tenant, Col. Satterthwaite

REGISTER OF RAINFALL IN 1918

Kept at Pasture House
Northallerton
in the County of Yorks N.R.
by G. D. Clegg

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station Northallerton
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.
200

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.00	.10	.15	.00	.00	.00	.00	.00	.11	.00	.06	1
2	.005	.02	.05	.06	.00	.00	.00	.00	.09	.15	.18	.02	2
3	.06	.13	.02	.10	.00	.00	.00	.00	.09	.01	.00	.24	3
4	.02	.04	.02	.00	.05	.00	.00	.03	.00	.05	.12	.00	4
5	.00	.03	.05	.00	.30	.00	.00	.30	.23	.02	.40	.11	5
6	.00	.00	.01	.01	.28	.00	.00	.38	.00	.08	.00	.00	6
7	.03	.20	.00	.32	.005	.20	.00	.35	.05	.18	.00	.03	7
8	.20	.05	.00	.04	.00	.09	.00	.00	.08	.07	.26	.00	8
9	.00	.01	.05	.00	.00	.00	.15	.02	.05	.02	.01	.00	9
10	.01	.40	.03	.18	.00	.05	.00	.00	~~.02~~ 1.02	.22	.08	.02	10
11	.02	.06	.00	.01	.00	.00	.28	.00	.15	.00	.02	.01	11
12	.18	.02	.03	.00	.17	.00	.21	.04	.08	.00	.00	.04	12
13	.00	.16	.09	.00	.01	.00	.18	.00	.18	.05	.00	.00	13
14	.00	.00	.00	.07	.08	.00	.00	.00	.16	.06	.00	.00	14
15	.05	.00	.00	.29	.00	.00	.06	.00	.30	.08	.00	.00	15
16	.06	.00	.00	.04	.00	.04	.40	.00	.92	.00	.00	.80	16
17	.005	.00	.00	.00	.18	.16	.21	.06	.21	.00	.00	.09	17
18	.15	.00	.00	.01	.28	.12	.30	.09	.01	.50	.00	.24	18
19	.62	.00	.02	.00	.00	.00	.28	.00	.64	.02	.00	.01	19
20	.35	.00	.09	.17	.00	.00	.30	.12	.02	.19	.00	.03	20
21	.13	.55	.00	.06	.00	.12	.29	.00	.05	.04	.00	.00	21
22	.15	.01	.00	.00	.21	.01	.07	.00	.18	.14	.00	.00	22
23	.02	.00	.00	.04	.00	.05	.04	.00	.00	.00	.00	.23	23
24	.05	.00	.00	.01	.32	.00	.70	.00	.12	.00	.02	.02	24
25	.00	.00	.00	.00	.00	.01	.15	.00	.15	.02	.03	.00	25
26	.00	.00	.00	.00	.02	.01	.22	.30	.02	.00	.00	.02	26
27	.00	.00	.00	.00	.00	.00	.18	.06	.21	.00	.11	.03	27
28	.00	.00	.01	.00	.00	.05	.02	.43	.11	.00	.13	.06	28
29	.00		.22	.00	.00	.00	.00	.00	.00	.00	.04	.41	29
30	.00	X	.07	.00	.00	.00	.00	.005	.28	.00	.02	.16	30
31	.00	X	.09	X	.00	X	.00	.00	X	.01	X	.70	31
Total	2.14	1.80	1.00	1.41	1.91	.91	4.04	2.18	5.71	1.91	1.48	3.47	27.93
Rain Days	19	15	16	15	12	12	18	12	26	19	14	21	

REGISTER OF RAINFALL IN 1919.

Kept at Pasture House
in the County of York N. 17
by G. T. Hoff

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

000

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.120	.000	.000	.000	.280	.000	.460	.000	.050	.080	.090	.040	1
2	.140	.000	.030	.000	.010	.000	.520	.000	.000	.000	.060	.000	2
3	.580	.000	.000	.000	.040	.060	.120	.000	.150	.000	.060	.130	3
4	.320	.080	.280	.000	.150	.110	.005	.060	.000	.000	.070	.040	4
5	.090	.000	.050	.000	.000	.050	.000	.000	.000	.000	.080	.030	5
6	.060	.000	.110	.000	.000	.000	.000	.000	.000	.020	.050	.020	6
7	.000	.000	.060	.000	.010	.000	.000	.000	.000	.000	.000	.080	7
8	.130	.000	.000	.040	.140	.005	.000	.070	.000	.020	.330	.010	8
9	.030	.000	.020	.000	.000	.090	.000	.000	.000	.000	.130	.030	9
10	.000	.000	.060	.050	.090	.000	.000	.000	.000	.080	.100	.200	10
11	.000	.000	.600	.000	.130	.000	.250	.000	.040	.020	.060	.000	11
12	.000	.000	.370	.040	.000	.060	.080	.000	.000	.350	.070	.000	12
13	.060	.000	.030	.030	.000	.000	.030	.040	.000	.160	.020	.020	13
14	.200	.000	.000	.350	.000	.000	.000	.110	.000	.000	.060	.000	14
15	.020	.160	.060	.150	.000	.000	.000	.010	.000	.010	.020	.780	15
16	.010	.080	.010	.050	.020	.000	.000	.000	.000	.000	.090	.000	16
17	.000	.070	.000	.040	.000	.000	.000	.010	.000	.000	.010	.000	17
18	.000	.000	.020	.050	.040	.000	.010	.200	.050	.000	.000	.030	18
19	.020	.130	.450	.000	.000	.040	.460	.280	.070	.000	.250	.040	19
20	.350	.220	.000	.000	.000	.080	.150	.060	.050	.000	.050	.020	20
21	.200	.120	.000	.000	.000	.030	.000	.020	.020	.000	.030	.180	21
22	.000	.000	.010	.000	.000	.010	.050	.040	.000	.000	.000	.130	22
23	.000	.000	.000	.010	.000	.130	.000	.000	.000	.650	.020	.060	23
24	.000	.000	.000	.060	.040	.180	.000	.000	.000	.300	.080	.000	24
25	.050	.000	.000	.020	.010	.050	.000	.530	.000	.000	.200	.000	25
26	.000	.000	.080	.020	.000	.020	.000	.420	.020	.150	.490	.350	26
27	.100	.260	.000	.270	.000	.010	.000	.000	.000	.100	.110	.090	27
28	.060	.000	.000	.170	.000	.000	.000	.820	.010	.450	.000	.230	28
29	.130	X	.000	.010	.000	.000	.000	.020	.000	.250	.000	.150	29
30	.010	X	.000	.260	.000	.380	.000	.000	.000	.050	.150	.240	30
31	.030	X	.050	X	.000	X	.060	.250	X	.200	X	.080	31
TOTAL	2.510	1.090	2.290	1.620	.960	1.305	2.195	2.880	.460	4.890	2.650	2.930	YEAR'S TOTAL
Days with 0.1 in. or more	21	8	16	17	12	16	11	16	9	16	25	23	190

REGISTER OF RAINFALL IN 1920.

Kept at Porter House, Northallerton
 in the County of Yorkshire
 by G. H. Loft

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.000	.000	.050	.200	.390	.030	.460	.000	.020	.110	.000	.010	1
2	.000	.000	.170	.450	.020	.000	.250	.000	.160	.150	.000	.240	2
3	.010	.020	.000	.280	.000	.000	.440	.000	.110	.310	.010	.180	3
4	.040	.000	.000	.060	.000	.000	.700	.650	.030	.700	.000	.720	4
5	.000	.000	.050	.000	.090	.000	.160	.010	.040	.010	.000	.020	5
6	.000	.000	.280	.010	.040	.000	.050	.050	.000	.000	.000	.020	6
7	.080	.000	.040	.050	.020	.000	.210	.000	.000	.000	.000	.010	7
8	.000	.000	.000	.220	.020	.000	.220	.080	.000	.000	.020	.000	8
9	.130	.050	.020	.300	.000	.000	.190	.250	.000	.000	.000	.000	9
10	.500	.040	.010	.290	.000	.000	.200	.000	.010	.000	.000	.000	10
11	.310	.100	.000	.080	.120	.000	.000	.000	.000	.000	.000	.250	11
12	.100	.000	.080	.180	.000	.000	.010	.000	.000	.000	.040	.180	12
13	.080	.010	.010	.090	.000	.000	.000	.000	.010	.000	.000	.150	13
14	.000	.060	.400	.130	.000	.000	.080	.000	.200	.000	.230	.050	14
15	.000	.140	.170	.180	.000	.000	.000	.000	.010	.700	.010	.000	15
16	.000	.000	.000	.000	.000	.000	.440	.000	.060	.000	.030	.000	16
17	.000	.000	.000	.000	.150	.000	.040	.180	.090	.000	.000	.000	17
18	.000	.020	.000	.000	.110	.180	.170	.020	.080	.000	.000	.000	18
19	.000	.280	.000	.210	.000	.000	.010	.060	.010	.000	.000	.000	19
20	.000	.010	.000	.120	.000	.130	.000	.000	.000	.000	.000	.010	20
21	.480	.000	.000	.180	.000	.000	.320	.380	.060	.000	.000	.010	21
22	.030	.000	.000	.120	.000	.000	.000	.010	.000	.000	.000	.000	22
23	.140	.000	.060	.000	.000	.000	.250	.000	.000	.000	.000	.150	23
24	.020	.000	.300	.080	.000	.000	.060	.000	.000	.000	.000	.060	24
25	.000	.090	.000	.040	.000	.020	.500	.000	.000	.000	.000	.000	25
26	.000	.000	.310	.000	.000	.010	.050	.000	.000	.000	.000	.000	26
27	.000	.030	.000	.050	.250	.420	.000	.000	.000	.000	.250	.010	27
28	.000	.000	.000	.090	.010	.020	.060	.000	.000	.000	.100	.110	28
29	.040	.000	.080	.000	.830	.060	.050	.000	.000	.000	.040	.480	29
30	.100	X	.020	.000	.120	.060	.000	.000	.110	.000	.150	.150	30
31	.120	X	.000	X	.060	X	.020	.000	X	.040	X	.080	31
TOTAL	2.180	.850	2.240	3.080	2.230	.930	4.940	1.770	1.000	2.020	.870	2.890	YEAR'S TOTAL
Days with "01 in. or more	15	12	17	22	14	9	24	10	15	7	9	20	175
Days with "04 in. or more	12	7	13	21	10	5	21	8	9	6	6	13	137

NORTHALLERTON

LOCAL ORGANIZATION.

1920.

Kept at Bromin the County of Yorkby J. P. Green

IMPORTANT

If an Observer present the reading at 9 a.m. of this paragraph. For particulars as to the form sent post-free on application to the Meteorological Office, 53, Whitehall, London, W.C.

Long 9 amStation BromHeight of Rain Gauge 5 in.Gauge above Ground 3 ft. in." " Sea Level 165 ft.

The result entered to the previous day.

It is requested to add the result for it at the end of the year, placing of rain gauges, or Rainfall Observers, in the organization, 62, Camden

Jan. 1, following.

this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									-	.10		x	1
2									.04	.16		x	2
3									.22	.08		x	3
4									.14	.35		.67	4
5								.85	.07	.70		.35	5
6									.01	.02	.07	.03	6
7									-	-	-	.02	7
8									-	.01	-	.02	8
9									-	.01	.05	-	9
10								.06	.01	-	-	-	10
11								-	-	-	-	-	11
12								.02	-	-	-	x	12
13								-	-	-	.06	.32	13
14								-	.01	.01	.06	x	14
15								-	.22	.02	.22	x	15
16								-	.02	.25	.03	.51	16
17								-	.10	-	.05	x	17
18								.13	.12	-	-	x	18
19								-	.10	-	-	-	19
20								.06	-	-	.01	-	20
21								-	.02	-	-	-	21
22								-	.11	-	.01	.01	22
23								.31	-	.01	-	-	23
24								-	-	.01	.02	.16	24
25								-	.02	.01	-	.05	25
26								.02	-	.01	.01	-	26
27								-	-	.01	-	.01	27
28								-	.01	-	.25	.02	28
29								-	-	-	.06	.16	29
30								-	-	-	.05	.51	30
31								-	-	-	-	.12	31
TOTAL	1.75	1.00	2.75	5.50	5.25	1.25	5.00	1.45	1.22	1.76	.95	2.76	YEAR'S TOTAL (28.64)
Days with .01 in. or more													
Days with .04 in. or more													

4 January 1921

J.P. Green

1920.

JAN 1921

Kept at Brampton Northallerton
in the County of Yorkshire
by J. P. Geerman

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Brampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									-	.10	-	x	1
2									.04	.16	-	x	2
3									.22	.08	-	x	3
4									.14	.35	-	.67	4
5								.85	.07	.70	-	.35	5
6									.01	.02	.07	.03	6
7									-	-	-	.02	7
8									-	.01	-	.02	8
9									-	.01	.05	-	9
10								.06	.01	-	-	-	10
11								-	-	-	-	-	11
12								.02	-	-	-	x	12
13								-	-	-	.06	.32	13
14								-	.01	.01	.06	x	14
15								-	.22	.02	.22	x	15
16								-	.02	.25	.03	.51	16
17								-	.10	-	.05	x	17
18								.13	.12	-	-	x	18
19								-	.10	-	-	-	19
20								.06	-	-	.01	-	20
21								-	.02	-	-	-	21
22								-	.11	-	.01	.01	22
23								.31	-	.01	-	-	23
24								-	-	.01	.02	.16	24
25								-	.02	.01	-	.05	25
26								.02	-	.01	.01	-	26
27								-	-	.01	-	.01	27
28								-	.01	-	.25	.02	28
29								-	-	-	.06	.16	29
30								-	-	-	.05	.51	30
31								-	-	-	-	.12	31
TOTAL	1.75	1.00	2.75	5.50	5.25	1.25	5.00	1.45	1.22	1.76	.95	2.76	YEAR'S TOTAL (28.64)
Days with .01 in. or more													
Days with .04 in. or more													

4 January 1921 J.P. Geerman

REC

OAKWORTH

Kept at Oldfield
in the County of Yorksh
by The Keighley

OLDFIELD FILTERS

1911 - 1920

IMPORTANT NOTE
previous day. If an Obs
requested to add the read
for it at the end of this
the selection and placin
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

BRITISH RAINFALL FORM A2.
Snaresborough
in.
Ground 1 ft. 0 in.
Sea Level 1,008 ft.
Name Oakworth
Distance 2.2 M. Direction E. ad.
the result entered to the
ersal rule, he is earnestly
ear in the space provided
ment of rain,
itish Rainfall
application to
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.62	.00	.00	.00	.06	.04	.00	.00	.49	.01	1
2	.14	.00	.04	.00	.18	.00	.01	.01	.00	.05	.04	.15	2
3	.00	.00	.32	.00	.44	.00	.00	.01	.00	.03	.31	.06	3
4	.06	.00	.10	.00	.04	.00	.00	.13	.10	.03	.62	.56	4
5	.15	.00	.04	.00	.00	.00	.00	.47	.00	.05	.24	.08	5
6	.25	.00	.00	.06	.00	.00	.00	.43	.00	.23	.50	.54	6
7	.10	.00	.00	.01	.00	.00	.00	.00	.00	.05	.16	.03	7
8	.19	.00	.20	.00	.00	.00	.00	.00	.00	.01	.01	.53	8
9	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	9
10	.17	.08	.10	.00	.00	.00	.00	.01	.00	.00	.00	.83	10
11	.12	.00	.05	.00	.03	.00	.00	.00	.01	.00	.48	.20	11
12	.05	.00	.19	.00	.09	.00	.00	.00	1.19	.00	.61	.01	12
13	.00	.01	.00	.00	.08	.01	.00	.00	.00	.01	.08	.43	13
14	.06	.67	.05	.00	.16	.00	.00	.00	.00	.00	.01	.44	14
15	.00	.30	.05	.08	.00	.00	.00	.00	.00	.37	.40	.40	15
16	.00	.96	.11	.00	.00	.19	.04	.00	.00	.09	.29	.20	16
17	.09	.07	.09	.00	.10	.69	.01	.00	.00	.00	.23	.11	17
18	.00	.60	.07	.01	.00	.06	.00	.02	.00	.05	.07	.22	18
19	.00	.03	.06	.05	.00	.03	.04	.00	.41	.20	.15	.16	19
20	.00	.12	.00	.34	.00	.03	.04	.63	.14	.03	.00	.35	20
21	.01	.91	.02	.00	.00	.00	.02	.15	.25	.24	.00	.16	21
22	.13	.06	.00	.00	.00	.05	.00	.05	.00	.42	.08	.00	22
23	.02	.40	.00	.00	.21	.84	.00	.00	.07	.31	.00	.22	23
24	.33	.29	.04	.16	.00	1.83	.00	.25	.00	.18	.00	.11	24
25	.03	.59	.00	.05	.00	.12	.16	.01	.45	.10	.00	.43	25
26	.01	.01	.00	.31	.04	.00	.00	.12	.00	1.12	.30	.16	26
27	.07	.35	.03	.30	.00	.00	.00	.36	.36	.09	.00	.04	27
28	.00	.50	.04	.50	.01	.31	.00	.00	.49	.02	.06	.32	28
29	.00		.01	.35	.00	.55	.01	.00	.23	.43	.00	.13	29
30	.00		.00	.02	.03	.14	.00	.00	.02	.38	.00	.00	30
31	.00		.03		.10		.00	.00		.15		.01	31
Total	2.00	5.91	2.21	2.53	1.56	4.84	.39	2.48	3.82	4.08	4.80	7.36	TOTAL for year 41.98
No. of Rain Days.	19	17	20	13	13	13	9	15	12	22	20	29	202

RE

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL

Kept at *Oldfield Kettlebeds*

in the County of *Yorkshire (West Riding)*

by *The Keighley Corporation*

RAIN GAUGE
Pattern *Symon's Snouton Rain Gauge*
Diameter of top *5* in.
Height of top above Ground *1* ft. *0* in.
" " " Sea Level *1,008* ft.
Time of Observation *9.0 a.m.*
Nearest Railway Station { Name *Ossett*
Distance *2.2* M. Direction *E. & S.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.62	.00	.00	.00	.06	.04	.00	.00	.49	.01	1
2	.14	.00	.04	.00	.18	.00	.01	.01	.00	.25	.04	.15	2
3	.00	.00	.32	.00	.49	.00	.00	.01	.00	.03	.31	.06	3
4	.06	.00	.10	.00	.04	.00	.00	.13	.10	.03	.62	.56	4
5	.15	.00	.04	.00	.00	.00	.00	.49	.00	.05	.24	.08	5
6	.25	.00	.00	.06	.00	.00	.00	.43	.00	.23	.50	.54	6
7	.10	.00	.00	.01	.00	.00	.00	.00	.00	.05	.16	.04	7
8	.49	.00	.20	.00	.00	.00	.00	.00	.00	.01	.01	.52	8
9	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.27	9
10	.17	.05	.10	.00	.00	.00	.00	.01	.00	.00	.00	.33	10
11	.12	.00	.05	.00	.03	.00	.00	.00	.01	.00	.48	.20	11
12	.05	.00	.19	.00	.09	.00	.00	.00	.49	.00	.61	.01	12
13	.00	.01	.00	.00	.03	.01	.00	.00	.00	.01	.08	.43	13
14	.06	.67	.05	.00	.16	.00	.00	.00	.00	.00	.01	.44	14
15	.00	.30	.05	.08	.00	.00	.00	.00	.00	.37	.40	.40	15
16	.00	.96	.11	.00	.00	.19	.04	.00	.00	.09	.39	.20	16
17	.09	.07	.09	.00	.10	.69	.01	.00	.00	.00	.23	.11	17
18	.00	.60	.07	.01	.00	.06	.00	.02	.00	.25	.07	.21	18
19	.00	.03	.06	.05	.00	.03	.04	.00	.41	.20	.15	.26	19
20	.00	.12	.00	.34	.00	.03	.04	.62	.14	.03	.00	.35	20
21	.01	.91	.02	.00	.00	.00	.02	.15	.25	.24	.00	.16	21
22	.13	.06	.00	.00	.00	.05	.00	.05	.00	.42	.08	.00	22
23	.03	.40	.00	.00	.21	.84	.00	.00	.07	.11	.00	.22	23
24	.33	.29	.00	.16	.00	1.83	.00	.05	.00	.10	.00	.11	24
25	.03	.59	.00	.05	.00	.12	.16	.01	.65	.10	.00	.43	25
26	.01	.01	.00	.31	.04	.00	.00	.12	.00	1.12	.30	.50	26
27	.07	.35	.03	.30	.00	.00	.00	.36	.36	.00	.00	.04	27
28	.00	.50	.04	.50	.01	.31	.00	.00	.49	.00	.05	.32	28
29	.00		.01	.35	.00	.55	.01	.00	.23	.43	.00	.13	29
30	.00		.00	.02	.03	.14	.00	.00	.02	.38	.00	.00	30
31	.00		.03		.10		.00	.00		.15		.01	31
Total	2.00	5.91	2.21	2.53	1.56	4.84	.39	2.48	3.32	4.08	4.30	7.36	TOTAL for year 41.98
No. of Rain Days.	19	17	20	13	13	13	9	15	12	22	20	29	20.2

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL

Kept at *Oldfield Filterbeds*

in the County of *Yorkshire (West Riding)*

by *The Keighley Corporation* *W.9*

Lat. *53° 50' 15"* Long. *2° 0' 0"*

Time of Observation *9-0 A.M.*

Nearest Railway Station *Oakworth*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *0* in.

" " " " Sea Level *1008.* ft.

13 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.00	.35	.00	.01	.45	.34	.06	.34	.00	.00	.37	1
2	.07	.00	.31	.02	.40	.21	.41	.02	.07	.00	.00	.05	2
3	.30	.00	.27	.00	.00	.56	.00	.80	.73	.00	.00	.09	3
4	.54	.00	.82	.39	.08	.80	.00	.99	.04	.00	.38	.00	4
5	.25	.00	.07	.02	.29	.33	.00	.07	.09	.04	.02	.05	5
6	.42	.21	.01	.00	.02	.00	.00	.62	.00	.01	.00	.00	6
7	.00	.46	.03	.07	.13	.04	.07	.32	.33	.00	.16	.01	7
8	.19	.24	.22	.17	.06	.03	.01	.04	.22	.00	.06	.00	8
9	.19	.18	.11	.24	.00	.44	.00	.01	.00	.00	.00	.09	9
10	.77	.02	.00	.64	.02	.55	.00	.00	.00	.00	.71	.00	10
11	.31	.15	.05	.08	.00	.00	.04	.75	.00	.01	.03	.73	11
12	.08	.15	.09	.00	.00	.45	.59	.00	.00	.00	.00	.75	12
13	.00	.01	.01	.00	.00	.01	.00	.23	.00	.43	.12	.63	13
14	.14	.00	.70	.00	.00	.29	.00	.72	.00	.00	.00	.50	14
15	.53	.09	.09	.00	.47	.29	.00	.04	.00	.00	.00	.26	15
16	1.35	.03	.14	.00	.22	.27	.00	.03	.00	.16	.93	.05	16
17	.00	.09	.42	.00	.05	.63	.01	.33	.00	.01	.08	.70	17
18	.00	.02	.02	.00	.00	.09	.00	.02	.00	.37	.02	.13	18
19	.20	.16	.43	.00	.00	.04	.08	.26	.00	.42	.22	.00	19
20	.28	.00	.73	.00	.33	.10	.17	.21	.00	.53	.04	.06	20
21	.00	.00	.24	.00	.22	.00	.01	.04	.00	.15	.00	.17	21
22	.07	.09	.03	.00	.65	.34	.16	.47	.00	.00	.02	.01	22
23	.01	.01	.16	.00	.00	.02	.25	.49	.00	.00	.80	.04	23
24	.16	.01	.05	.00	.00	.12	.02	.25	.00	.11	.77	.11	24
25	.05	.00	.07	.00	.00	.67	.27	.00	.00	.01	.61	.21	25
26	.03	.23	.18	.00	.00	.06	.32	.34	.00	1.61	.35	.25	26
27	.00	.42	.47	.00	.00	.36	.25	.00	.00	.41	.04	.20	27
28	.00	.06	.02	.00	.00	.18	.28	.75	.48	.37	.08	.04	28
29	.00	.09	.16	.00	.00	.07	.50	.06	.53	.22	.00	.66	29
30	.04		.44	.00	.25	.01	.12	.00	.00	.03	.00	.03	30
31	.00		.13		.29		1.44	.32		.00		.06	31
Total	5.26	2.29	5.59	1.08	3.24	4.44	5.38	4.12	2.53	4.21	3.49	5.62	53.55
Rain Days.	22	20	30	4	16	24	28	25	9	14	20	26	239

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913.

Kept at *Oldfield Filterbeds*
in the County of *Yorkshire (West Riding.)*
by *The Keighley Corporation*

Lat. *53°-50'-15"* Long. *2°-0'-0"*

Time of Observation *9-0 A.M.*

Nearest Railway Station *Cakworth*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *0* in.

" " " " Sea Level *1008* ft.

FORM A.
BRITISH RAINFALL
10 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>14</i>	<i>09</i>	<i>17</i>	<i>16</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>01</i>	<i>06</i>	<i>02</i>	1
2	<i>00</i>	<i>21</i>	<i>33</i>	<i>05</i>	<i>00</i>	<i>10</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>21</i>	<i>17</i>	2
3	<i>03</i>	<i>44</i>	<i>30</i>	<i>00</i>	<i>40</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>03</i>	<i>10</i>	<i>65</i>	3
4	<i>57</i>	<i>16</i>	<i>14</i>	<i>00</i>	<i>02</i>	<i>03</i>	<i>05</i>	<i>00</i>	<i>04</i>	<i>04</i>	<i>11</i>	<i>46</i>	4
5	<i>25</i>	<i>07</i>	<i>25</i>	<i>00</i>	<i>09</i>	<i>05</i>	<i>11</i>	<i>00</i>	<i>06</i>	<i>06</i>	<i>00</i>	<i>01</i>	5
6	<i>04</i>	<i>23</i>	<i>33</i>	<i>02</i>	<i>82</i>	<i>09</i>	<i>39</i>	<i>00</i>	<i>00</i>	<i>31</i>	<i>09</i>	<i>01</i>	6
7	<i>00</i>	<i>50</i>	<i>07</i>	<i>00</i>	<i>43</i>	<i>19</i>	<i>15</i>	<i>00</i>	<i>00</i>	<i>64</i>	<i>01</i>	<i>03</i>	7
8	<i>00</i>	<i>12</i>	<i>06</i>	<i>00</i>	<i>22</i>	<i>02</i>	<i>00</i>	<i>04</i>	<i>00</i>	<i>10</i>	<i>17</i>	<i>08</i>	8
9	<i>00</i>	<i>27</i>	<i>48</i>	<i>00</i>	<i>22</i>	<i>55</i>	<i>02</i>	<i>08</i>	<i>00</i>	<i>00</i>	<i>16</i>	<i>23</i>	9
10	<i>00</i>	<i>05</i>	<i>36</i>	<i>13</i>	<i>03</i>	<i>00</i>	<i>04</i>	<i>00</i>	<i>02</i>	<i>00</i>	<i>08</i>	<i>00</i>	10
11	<i>08</i>	<i>00</i>	<i>03</i>	<i>33</i>	<i>00</i>	<i>11</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>04</i>	<i>19</i>	<i>08</i>	11
12	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>02</i>	<i>00</i>	<i>12</i>	<i>00</i>	<i>32</i>	<i>06</i>	12
13	<i>00</i>	<i>00</i>	<i>40</i>	<i>04</i>	<i>00</i>	<i>00</i>	<i>04</i>	<i>01</i>	<i>22</i>	<i>04</i>	<i>24</i>	<i>00</i>	13
14	<i>05</i>	<i>00</i>	<i>18</i>	<i>29</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>01</i>	<i>24</i>	<i>29</i>	<i>03</i>	14
15	<i>22</i>	<i>01</i>	<i>53</i>	<i>91</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>58</i>	<i>09</i>	15
16	<i>00</i>	<i>00</i>	<i>05</i>	<i>09</i>	<i>00</i>	<i>00</i>	<i>05</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>42</i>	<i>02</i>	16
17	<i>00</i>	<i>00</i>	<i>00</i>	<i>23</i>	<i>12</i>	<i>14</i>	<i>17</i>	<i>00</i>	<i>22</i>	<i>00</i>	<i>15</i>	<i>00</i>	17
18	<i>20</i>	<i>00</i>	<i>47</i>	<i>47</i>	<i>07</i>	<i>09</i>	<i>07</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>24</i>	<i>03</i>	18
19	<i>09</i>	<i>00</i>	<i>03</i>	<i>25</i>	<i>06</i>	<i>06</i>	<i>00</i>	<i>00</i>	<i>06</i>	<i>08</i>	<i>26</i>	<i>00</i>	19
20	<i>29</i>	<i>00</i>	<i>19</i>	<i>11</i>	<i>02</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>06</i>	<i>16</i>	<i>72</i>	<i>00</i>	20
21	<i>00</i>	<i>00</i>	<i>21</i>	<i>00</i>	<i>15</i>	<i>00</i>	<i>19</i>	<i>22</i>	<i>00</i>	<i>00</i>	<i>01</i>	<i>00</i>	21
22	<i>46</i>	<i>00</i>	<i>60</i>	<i>00</i>	<i>14</i>	<i>00</i>	<i>00</i>	<i>46</i>	<i>08</i>	<i>00</i>	<i>00</i>	<i>00</i>	22
23	<i>43</i>	<i>00</i>	<i>13</i>	<i>00</i>	<i>25</i>	<i>26</i>	<i>00</i>	<i>44</i>	<i>14</i>	<i>00</i>	<i>10</i>	<i>06</i>	23
24	<i>53</i>	<i>00</i>	<i>00</i>	<i>04</i>	<i>01</i>	<i>38</i>	<i>00</i>	<i>03</i>	<i>00</i>	<i>00</i>	<i>04</i>	<i>07</i>	24
25	<i>00</i>	<i>00</i>	<i>00</i>	<i>06</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>32</i>	<i>04</i>	<i>22</i>	<i>32</i>	25
26	<i>00</i>	<i>02</i>	<i>15</i>	<i>39</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>17</i>	<i>09</i>	<i>00</i>	<i>65</i>	26
27	<i>00</i>	<i>02</i>	<i>00</i>	<i>17</i>	<i>00</i>	<i>02</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>02</i>	<i>20</i>	27
28	<i>26</i>	<i>00</i>	<i>27</i>	<i>40</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>03</i>	<i>103</i>	<i>00</i>	28
29	<i>02</i>		<i>40</i>	<i>45</i>	<i>05</i>	<i>00</i>	<i>00</i>	<i>27</i>	<i>00</i>	<i>03</i>	<i>00</i>	<i>07</i>	29
30	<i>62</i>		<i>01</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>00</i>	<i>03</i>	<i>77</i>	<i>00</i>	30
31	<i>13</i>		<i>05</i>		<i>16</i>		<i>00</i>	<i>00</i>		<i>00</i>		<i>00</i>	31
Total	<i>441</i>	<i>219</i>	<i>616</i>	<i>459</i>	<i>326</i>	<i>209</i>	<i>130</i>	<i>755</i>	<i>152</i>	<i>232</i>	<i>520</i>	<i>344</i>	<i>3793</i>
Rain Days.	<i>18</i>	<i>13</i>	<i>26</i>	<i>19</i>	<i>18</i>	<i>14</i>	<i>12</i>	<i>8</i>	<i>12</i>	<i>18</i>	<i>27</i>	<i>21</i>	<i>207</i>

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Oldfield Filter Beds (Roughley Coth)
in the County of Yorkshire WA 9
by J. D. Thorton (Filter Beds Manager)

Lat. 53° 50' 12" N Long. 1° 59' 45" W
Time of Observation 9 a.m.
Nearest Railway Station Haworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 100.8 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.04	—	0.01	—	1.21	0.37	—	0.06	0.02	0.36	1
2	0.01	—	0.08	0.01	—	—	0.17	0.29	—	0.09	0.42	0.19	2
3	0.39	—	0.34	—	0.39	—	0.01	0.16	—	0.01	0.06	1.03	3
4	0.55	—	0.49	0.45	0.13	—	—	—	—	—	0.19	0.76	4
5	0.09	—	0.77	0.35	0.04	0.18	—	—	—	0.02	0.38	0.28	5
6	—	0.03	0.05	0.28	0.19	—	—	0.15	—	—	0.24	0.12	6
7	0.09	0.06	0.21	0.12	0.14	0.07	—	0.03	—	—	0.03	0.37	7
8	0.86	—	0.10	0.02	0.27	0.25	—	0.15	0.07	—	0.12	0.13	8
9	0.60	0.15	—	0.33	—	0.92	—	0.11	0.03	—	0.25	—	9
10	0.05	0.21	—	0.05	0.04	—	—	—	0.14	—	0.47	0.01	10
11	—	0.27	0.30	—	0.16	—	0.12	—	0.17	—	1.09	0.42	11
12	—	0.21	0.14	—	0.06	—	0.24	—	0.76	—	0.53	0.52	12
13	—	0.28	0.19	0.08	0.01	—	0.03	—	0.21	—	0.57	0.41	13
14	0.07	0.43	0.30	—	—	—	0.02	—	0.38	—	0.25	0.45	14
15	—	0.14	0.57	—	—	—	—	—	0.06	0.01	0.23	—	15
16	0.03	0.01	0.08	—	—	—	0.77	—	0.68	—	—	0.04	16
17	0.04	0.41	0.12	—	—	—	0.03	—	0.55	—	—	0.48	17
18	—	0.31	0.06	—	—	0.04	—	—	0.05	—	—	0.07	18
19	—	0.09	0.05	—	—	—	0.06	—	—	—	0.02	0.17	19
20	—	0.14	0.15	—	—	—	—	—	—	0.04	—	0.02	20
21	—	0.43	—	—	—	0.09	—	0.07	0.01	0.09	0.03	0.15	21
22	—	0.36	—	0.06	0.14	0.36	—	0.06	—	0.10	—	0.04	22
23	—	0.02	0.09	0.22	0.13	0.08	0.10	—	—	—	—	0.02	23
24	0.18	—	0.45	0.08	0.23	0.04	0.04	0.36	—	—	0.06	—	24
25	0.06	—	0.10	—	—	—	0.55	0.15	—	0.78	0.06	0.34	25
26	0.10	—	0.14	—	—	—	0.09	—	—	0.29	0.46	0.27	26
27	0.06	—	—	—	—	—	0.02	—	0.04	0.21	0.52	0.86	27
28	0.13	0.28	0.12	—	—	0.03	—	—	0.01	0.02	0.46	0.02	28
29	0.11	X	0.19	—	0.04	—	—	0.05	—	0.32	0.30	—	29
30	0.01	X	0.53	0.03	—	—	—	0.11	—	0.08	0.43	0.27	30
31	0.60	X	0.27	X	0.02	X	0.36	—	X	0.31	X	—	31
Total	4.03	3.83	5.93	2.08	2.00	2.06	3.82	2.06	3.16	2.43	7.19	7.80	46.39
Rain Days.	19	18	26	13	16	10	16	13	14	15	24	26	210

REGISTER OF RAINFALL IN 1915.

Kept at Bedford Park, Oakworth
in the County of York
by Mr. R. A. Barnett for Inst. C. E.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Oakworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1508 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.69

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.19	0.36	0.03	—	0.33	—	0.14	0.19	0.23	—	0.01	0.04	1
2	0.01	0.44	0.19	0.23	—	0.03	0.28	1.03	0.03	0.02	—	—	2
3	0.92	0.02	0.07	0.28	—	—	0.23	0.41	—	—	—	0.58	3
4	0.09	0.34	—	—	0.04	0.06	0.39	—	—	0.01	—	0.84	4
5	0.22	0.30	0.33	—	0.03	0.02	—	0.01	—	0.01	—	0.82	5
6	0.40	0.21	0.10	0.47	—	—	0.50	0.06	—	—	0.02	0.41	6
7	0.66	0.96	—	0.37	—	—	0.27	0.82	—	—	—	0.33	7
8	0.52	0.18	—	0.14	—	—	0.18	0.11	—	—	0.64	0.01	8
9	—	0.04	—	—	—	—	—	0.05	—	0.06	0.38	0.33	9
10	0.85	0.01	0.07	—	—	—	0.04	0.24	—	0.05	—	0.43	10
11	0.15	—	0.01	—	1.03	—	0.17	0.39	—	—	0.07	0.40	11
12	0.15	0.06	—	0.20	0.06	—	0.19	0.17	—	0.24	0.69	—	12
13	0.48	0.39	0.01	0.01	—	—	0.04	0.03	0.20	0.01	—	0.08	13
14	0.26	—	—	0.03	0.08	—	0.37	0.07	0.03	—	—	0.13	14
15	1.51	0.01	—	0.02	—	—	0.02	0.15	0.08	—	0.23	0.31	15
16	—	0.47	—	0.03	0.13	—	0.59	0.63	0.01	—	—	0.01	16
17	—	0.49	—	—	—	—	0.01	—	—	—	—	0.07	17
18	0.01	0.21	0.05	—	—	—	—	—	0.04	0.03	—	—	18
19	0.06	0.13	0.02	0.12	0.08	—	0.15	0.08	—	—	—	—	19
20	0.60	0.05	0.02	—	0.10	—	0.20	—	—	—	—	0.36	20
21	0.18	0.06	—	0.01	—	—	0.06	—	—	—	—	0.12	21
22	0.05	—	0.12	0.04	—	—	0.03	—	—	—	—	0.13	22
23	0.01	0.02	0.05	—	—	—	0.54	—	0.01	0.24	—	0.24	23
24	—	—	0.09	0.06	—	—	0.01	—	0.44	0.04	—	0.42	24
25	—	—	—	—	—	0.02	—	—	0.04	—	—	0.11	25
26	0.01	0.39	—	—	—	0.12	0.16	—	—	0.01	—	0.66	26
27	0.02	0.17	—	—	—	—	0.04	—	—	0.45	—	0.37	27
28	—	0.28	—	—	0.10	0.14	—	0.48	—	0.26	—	0.04	28
29	0.02	~~X~~	—	—	0.24	0.29	—	—	—	—	0.16	0.60	29
30	0.08	~~X~~	—	0.11	—	0.22	—	—	—	—	—	—	30
31	0.30	~~X~~	—	~~X~~	—	~~X~~	0.03	0.29	~~X~~	0.11	~~X~~	0.32	31
Total	7.75	5.59	1.16	2.12	2.22	0.90	4.64	5.21	1.11	1.54	2.20	8.16	42.60
Rain Days.	25	23	14	15	11	8	24	18	10	14	8	26	196



3402
16 FEB 1917

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by M. R. Barnett

YEAR

At Fitter Beds, Oldfield

Time of Observation 9 a.m.

1916.

County York

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Inches	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.													
1	0.69	0.12	0.15	—	—	0.16	0.58	—	—	0.02	0.06	—	9												
2	0.11	0.15	0.03	—	—	0.04	—	—	0.37	0.16	0.03	—													
3	—	0.19	—	0.06	—	0.04	0.35	—	1.09	0.31	0.26	0.02													
4	0.19	0.32	—	0.02	0.63	0.79	0.01	—	—	0.80	0.42	—	8												
5	0.09	0.30	—	—	0.07	0.40	—	—	—	0.64	0.69	—													
6	1.25	0.68	0.02	0.02	0.45	0.03	0.21	—	—	0.16	0.60	0.05													
7	0.18	0.18	0.01	—	0.19	0.06	0.42	—	—	0.30	0.03	0.27													
8	—	0.07	0.07	0.01	0.01	0.01	0.03	—	—	0.13	0.47	0.08	7												
9	0.09	0.01	0.01	—	0.52	0.26	0.03	—	0.10	—	0.25	0.26													
10	0.27	0.04	0.01	0.29	—	0.26	0.10	—	—	0.79	0.05	0.12													
11	0.03	0.55	0.06	0.70	0.02	0.14	0.15	—	0.13	0.07	—	0.10	6												
12	0.23	0.21	0.18	0.22	0.20	0.02	0.63	—	—	0.22	0.03	0.03													
13	~~0.05~~	0.10	0.17	0.19	—	—	0.04	0.58	—	1.12	—	0.11													
14	0.08	0.10	0.02	0.12	0.59	—	—	0.34	0.03	0.29	—	0.03	5												
15	0.06	0.65	0.62	0.04	—	—	0.03	0.81	0.01	0.09	—	—													
16	0.02	0.22	0.61	0.28	—	—	0.10	0.45	—	0.04	—	—													
17	0.05	0.23	—	0.84	—	—	0.08	—	0.63	0.22	—	—													
18	—	0.80	—	0.18	—	—	0.01	0.19	0.45	0.12	0.36	0.21	4												
19	0.29	0.02	0.28	0.42	—	—	—	0.27	0.02	—	0.31	0.05													
20	0.38	—	0.17	0.17	—	—	0.05	—	—	—	0.05	0.07													
21	0.54	—	0.01	0.04	0.13	—	—	—	—	—	—	—	3												
22	0.01	0.07	—	0.05	—	0.07	—	—	—	0.29	0.02	0.05													
23	0.10	—	0.07	0.07	—	0.02	—	0.01	—	0.03	0.18	0.28													
24	—	0.03	0.05	0.01	—	0.15	—	0.31	—	0.05	—	0.07													
25	0.27	0.03	0.27	—	0.11	0.02	—	0.28	—	0.14	0.16	0.11	2												
26	0.14	—	0.24	—	—	0.01	0.75	0.01	0.01	0.04	0.04	—													
27	—	0.20	0.02	—	—	—	—	0.03	—	0.53	—	—													
28	0.01	0.07	—	—	0.05	0.07	—	—	—	1.75	0.05	0.73	1												
29	0.04	0.26	0.02	—	—	0.15	—	—	—	0.45	—	0.80													
30	0.02	—	—	—	—	0.03	0.04	—	—	0.85	0.04	0.27													
31	—	—	—	—	0.07	—	—	0.03	—	0.15	—	0.48													
Totals	5.14	5.60	3.09	3.73	3.04	2.73	3.61	3.31	2.84	9.76	4.10	4.19													

MONTHLY TOTALS

Jan 1 1917 0.13
24 25 22 19 13 20 18 12 10 27 20
M. R. Barnett M. Inst. 28

REGISTER OF RAINFALL IN 1917

Kept at Fitter Beds - Oldfield
in the County of York

by M. Ratchiffe Barnett - M. Inst. C.E.

Lat. 53-50-18" Long. 1-59-41"
Time of Observation 9am
Nearest Railway Station Haworth (M.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1008 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.13	—	—	0.08	—	0.24	—	0.07	0.18	—	0.27	0.35	1
2	0.65	—	—	—	—	0.22	—	0.02	0.02	0.10	0.01	—	2
3	0.24	—	—	0.05	—	0.29	—	—	—	0.47	0.17	—	3
4	0.01	0.03	—	—	—	—	0.01	—	—	0.12	0.01	—	4
5	0.25	—	0.05	0.17	—	—	—	0.01	0.04	0.12	0.28	0.01	5
6	0.02	—	—	0.06	—	0.11	—	—	—	0.54	0.52	0.22	6
7	0.25	—	—	—	—	0.11	—	—	—	0.62	0.07	0.12	7
8	0.24	—	—	0.19	—	—	—	0.67	0.07	0.86	0.44	0.10	8
9	—	—	0.01	0.05	0.04	—	—	0.11	—	0.09	0.60	—	9
10	0.26	—	0.00	0.10	0.15	—	—	0.12	—	0.03	—	—	10
11	0.05	0.01	—	0.02	0.01	—	—	—	—	0.55	—	—	11
12	—	—	0.01	0.05	0.39	0.06	—	0.53	—	0.81	—	0.04	12
13	0.05	—	—	0.30	0.03	0.04	—	0.15	0.63	0.13	0.01	0.33	13
14	0.15	—	—	0.24	—	—	—	0.26	—	—	—	0.25	14
15	0.03	—	—	0.07	0.01	—	0.38	0.09	0.25	0.06	—	0.13	15
16	0.02	—	0.01	0.16	—	—	0.01	0.15	—	—	—	0.09	16
17	0.20	0.01	0.89	0.18	0.49	0.03	0.27	0.81	—	0.29	—	0.06	17
18	0.01	—	0.13	0.03	0.10	—	0.54	0.31	0.23	0.03	—	—	18
19	0.04	0.12	0.41	0.01	0.29	0.05	—	0.01	—	—	0.06	0.01	19
20	—	0.24	0.02	—	0.31	0.25	—	0.01	0.13	—	0.16	—	20
21	—	0.06	0.08	—	0.07	0.02	—	0.19	—	0.07	0.01	—	21
22	—	—	0.05	—	—	0.02	—	0.24	0.30	0.23	0.15	—	22
23	—	0.04	—	—	0.29	0.59	—	0.13	0.02	0.13	0.11	0.02	23
24	—	0.01	—	—	—	0.03	0.01	0.55	—	0.96	0.71	0.01	24
25	—	0.09	0.13	—	—	—	—	0.04	—	0.54	0.01	—	25
26	—	—	—	—	—	0.04	0.01	0.58	0.25	0.45	0.39	—	26
27	—	—	—	—	0.08	0.27	0.27	0.89	—	0.06	0.28	0.07	27
28	—	0.04	0.42	—	—	—	—	0.23	—	0.04	0.26	—	28
29	—	—	0.04	—	—	—	0.11	0.10	—	0.54	0.72	0.16	29
30	0.03	X	0.22	—	—	—	—	0.02	—	0.27	0.06	0.02	30
31	0.01	X	0.18	X	0.02	X	—	0.30	X	—	X	0.05	31
Total	2.64	0.65	2.95	1.76	2.28	2.37	1.61	6.59	2.12	8.11	5.30	2.04	38.42
Rain Days.	19	10	16	16	14	16	9	26	11	25	22	18	202

YEAR'S TOTAL

M. Ratchiffe Barnett

REGISTER OF RAINFALL IN 1918

Kept at Oldfield Filter Beds
in the County of York.
by M. Ratcliffe Bennett M. Inst. C. E.

Lat. 53.50.18 N Long. 1.59.41
Time of Observation 9 AM
Nearest Railway Station Haworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1008 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.91

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.06	0.05	.	0.03	0.09	.	.	.	0.72	0.09	0.27	0.27	1
2	.	0.13	.	0.01	.	.	.	.	0.32	0.08	.	0.41	2
3	.	0.02	0.02	.	0.68	.	.	0.03	0.01	0.28	0.03	0.13	3
4	0.02	0.02	0.02	.	0.03	.	.	0.10	0.68	0.29	0.66	0.16	4
5	0.01	0.01	0.04	0.15	0.33	.	.	0.61	0.04	0.42	0.14	.	5
6	0.07	1.26	0.02	0.46	0.01	0.16	.	0.22	.	0.18	.	0.03	6
7	.	0.22	.	0.16	.	.	.	0.02	0.15	0.25	0.37	.	7
8	.	0.33	0.09	.	.	.	0.10	0.01	0.68	0.13	0.11	0.03	8
9	0.29	0.97	.	0.15	.	0.18	0.07	.	1.05	0.37	0.09	0.03	9
10	0.12	1.34	.	.	.	.	.	.	0.18	0.09	0.26	0.03	10
11	0.37	0.15	0.01	.	0.06	.	0.07	0.05	0.16	.	.	0.16	11
12	.	0.31	.	0.02	0.04	.	0.06	.	0.17	0.04	.	0.19	12
13	0.04	.	.	0.03	0.24	0.09	.	.	0.44	0.18	.	0.03	13
14	0.24	.	.	.	.	0.35	0.16	.	1.01	0.16	.	0.35	14
15	0.13	.	.	0.03	.	0.08	0.78	.	1.37	.	.	0.45	15
16	.	.	.	.	.	0.24	0.38	0.15	0.30	0.03	.	0.35	16
17	0.20	.	.	.	0.11	.	0.30	0.19	0.08	0.41	.	0.34	17
18	0.66	.	0.12	.	.	0.02	0.28	0.02	0.41	0.01	.	0.40	18
19	0.25	0.08	0.10	0.12	.	.	0.34	0.20	0.41	0.12	.	0.52	19
20	0.21	0.57	.	0.06	0.06	0.12	1.70	.	0.15	0.03	.	.	20
21	0.35	0.97	.	.	0.34	0.41	.	.	0.33	0.09	.	0.02	21
22	0.07	0.18	.	.	0.41	0.08	0.16	0.09	0.08	.	0.01	1.28	22
23	0.05	0.04	.	0.01	0.29	.	0.17	.	0.12	.	0.03	0.13	23
24	.	0.16	.	.	.	.	0.34	0.02	0.15	0.01	0.04	0.02	24
25	.	0.01	.	.	.	0.47	0.10	0.38	0.25	.	0.01	.	25
26	.	0.24	.	.	.	.	0.04	0.03	0.46	0.04	0.36	0.12	26
27	.	0.26	0.30	.	.	.	.	0.26	1.26	0.03	0.15	0.88	27
28	.	.	0.34	.	.	0.02	.	0.29	0.11	.	0.08	0.83	28
29	.	X	.	.	.	.	.	.	0.08	.	.	0.56	29
30	.	X	0.25	.	.	.	.	0.15	.	0.06	0.16	0.28	30
31	.	X	0.29	X	.	X	.	0.14	X	.	X	.	31
Total	3.14	7.32	1.60	1.23	2.69	2.22	5.05	2.96	11.17	3.39	2.77	8.00	51.54
Rain Days.	17	21	12	12	13	12	16	19	28	23	16	26	215
YEAR'S TOTAL													51.54

REGISTER OF RAINFALL IN 1919.

Kept at *Fitter Beds. Oldfield*
in the County of *Yorkshire*
by *M. Rateliff Barnett M.S.C.E.*

Lat. *53° 50' 18" N* Long. *1° 59' 41" W*
Time of Observation *9 A.M.*
Nearest Railway Station *Haworth*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" " " " Sea Level *1008* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.91	-	.01	-	.59	-	.21	.07	.29	.26	.01	.16	1
2	.23	-	.24	-	.07	-	.19	.10	-	-	.05	.24	2
3	.42	-	.02	-	.12	.13	.69	-	.02	-	.20	.63	3
4	.44	.05	.33	-	-	-	.08	.15	.02	-	.06	.18	4
5	.19	-	-	.02	.06	-	-	-	-	-	.04	.47	5
6	.03	-	.69	-	.75	-	-	-	.05	-	.01	.16	6
7	.06	-	.24	.01	.04	-	-	-	-	-	.07	-	7
8	.23	-	.02	.02	.02	-	-	-	-	-	-	-	8
9	.71	-	.15	-	-	-	-	-	-	-	.02	-	9
10	.01	-	1.07	.12	.62	-	-	-	-	-	.02	.13	10
11	.01	-	.51	.12	.05	-	.11	-	.01	.02	-	.01	11
12	-	-	.12	.15	-	.19	.07	-	-	.03	.17	-	12
13	.17	-	-	.34	-	.02	.05	.13	.01	.36	-	.02	13
14	.28	-	.05	.24	-	-	-	.08	-	-	.04	-	14
15	.30	.13	.04	.15	-	-	-	-	-	-	-	.52	15
16	.23	.36	-	.02	-	.03	-	-	-	-	.09	.03	16
17	-	.04	-	.02	-	.15	-	.28	-	-	.82	-	17
18	-	-	.14	-	-	-	.01	.25	.28	-	.04	.43	18
19	.04	.22	.26	-	-	.09	.39	.04	.05	-	.43	.03	19
20	.60	.10	.03	-	-	.13	.21	.01	-	-	.13	.84	20
21	.09	.39	-	-	-	.04	.25	-	.06	-	.06	.30	21
22	-	.23	-	-	-	.13	-	.29	.37	-	.17	.62	22
23	-	-	-	.03	-	.14	-	.01	-	.81	.22	.25	23
24	-	-	-	.12	.05	.05	-	.05	.58	.23	.27	.66	24
25	.21	.04	-	.70	.01	.18	-	.68	.16	-	.37	-	25
26	.04	.06	.89	.10	-	.06	-	.58	.13	-	.19	.91	26
27	.05	.02	.03	.05	-	.01	-	.02	-	-	.01	.12	27
28	-	-	-	.03	-	.08	-	.81	-	.19	-	.45	28
29	.15	~~X~~	-	.01	-	-	-	-	-	.62	-	.22	29
30	-	~~X~~	.08	.05	-	.16	-	.02	-	.11	.49	.39	30
31	.01	~~X~~	.07	~~X~~	-	~~X~~	.35	-	~~X~~	.03	~~X~~	.08	31
TOTAL	5.40	1.64	4.99	2.30	2.38	1.59	2.61	3.57	2.03	2.66	3.98	7.85	41.00
Days with at least .01 in. or more	23	11	20	19	11	16	12	17	13	10	24	24	200

M. Rateliff Barnett

REGISTER OF RAINFALL IN 1920.

Kept at Fitter Bed Oldfield
in the County of Yorkshire
by M. Ratcliffe Barnett M.S.C.E.

Lat. 53.50.18 N Long. 1.59.18 W
Time of Observation 9 A.M.
Nearest Railway Station Haworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1.008 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

1.04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02	.04	.21	.77	.01	.88	.07	.16	.08	.31	.16	1
2	.01	-	.04	.11	.02	-	.14	.01	.24	.23	-	.37	2
3	-	.07	-	.11	.12	.05	.37	.10	.18	.30	-	.39	3
4	.03	-	-	.08	.15	-	.27	.46	.06	.79	-	.04	4
5	-	.01	.06	.02	.46	-	.15	.12	.20	.40	-	.02	5
6	-	-	.42	.23	.28	-	.04	-	-	.01	.07	.18	6
7	.37	.06	.08	.08	.14	-	.50	-	-	-	.01	-	7
8	.14	.05	.03	.31	.24	-	.01	.24	-	.01	.01	-	8
9	.25	1.10	-	.59	-	-	.11	.02	.05	.01	.08	-	9
10	1.39	.90	.06	.29	-	-	.28	.04	-	-	-	-	10
11	.28	.06	.09	.21	.23	.29	-	.01	-	-	-	.03	11
12	.20	.15	.49	.43	.10	.06	.09	-	-	-	.16	.09	12
13	.26	.15	.20	.25	.09	.51	.13	-	-	-	.38	.14	13
14	.05	.14	.15	.21	-	.41	.08	-	.29	.13	.82	.02	14
15	.05	.25	-	.34	-	-	-	-	-	.22	.16	-	15
16	.09	-	.26	.04	.05	-	.62	-	.14	-	.40	-	16
17	.20	-	.05	-	.19	-	.02	.32	.27	.01	.02	-	17
18	.20	-	.02	.11	.77	-	-	.05	-	-	-	-	18
19	.20	.50	-	.13	.60	.15	.06	.21	.09	-	-	-	19
20	.10	.01	-	.29	-	.01	.30	-	.01	-	-	.08	20
21	-	-	-	-	-	-	.55	.08	.03	-	-	.21	21
22	.17	-	-	.35	-	.10	.41	.07	-	-	.01	.14	22
23	-	-	.02	.05	-	-	.30	-	-	-	-	.24	23
24	.13	-	.67	.21	-	-	.24	-	-	-	-	.19	24
25	.01	.06	.17	.12	-	.01	.68	-	-	-	-	-	25
26	.15	.22	.64	.47	.01	-	.15	-	-	-	.08	.07	26
27	.18	.04	.15	.19	.35	.64	-	-	-	-	.26	.03	27
28	(.96)	.03	.29	.20	.17	.06	-	-	-	-	.01	.32	28
29	.11	-	.26	.06	.55	-	.25	-	.01	-	.19	.75	29
30	.31	~~X~~	.03	.01	.07	.11	-	-	.16	-	.21	.42	30
31	.37	~~X~~	.11	~~X~~	.11	~~X~~	-	-	~~X~~	.41	~~X~~	.10	31
TOTAL	6.22	3.82	4.33	5.70	5.47	2.41	6.63	1.80	1.89	2.90	3.18	3.99	YEAR'S TOTAL
Days with ".01 in. or more	26	18	23	28	21	13	24	14	14	12	17	21	231
Days with ".04 in. or more	22	14	19	26	19	10	22	11	11	8	12	17	191

REGI

OLD BYLAND

Kept at Board Inn, D

in the County of

by Herbert, Lickor

BOARD INN

IMPORTANT NOTE.—R

If an Observer prefers not to c
the reading at 9 a.m. on 1st Ja
this paragraph. Full instructions
and particulars as to the Britis
sent post-free on application to
Square, London, N.W. 1.

Recon

1920

22 JAN 1921
15
7m
Chusley, 5 miles
auge. 5.1 in.
round - ft. 12 in.
a Level 722 ft.
d to the previous day.

to add
e end of
gauges,
servers,"
Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	'09	-	'67	'03	'62	-	-	'23	-	'03	1
2	'01	-	'01	-	-	-	'24	'05	'21	'20	-	'38	2
3	'08	'05	-	-	-	-	'24	'23	'11	'40	-	'33	3
4	-	-	-	-	-	-	'65	1.15	'05	1.35	-	'04	4
5	-	-	'07	-	'19	-	'24	'04	'03	-	-	'64	5
6	-	-	'20	'14	'14	-	'12	'02	-	-	-	'06	6
7	'07	-	'08	-	'05	-	'36	-	-	-	-	'04	7
8	'01	-	-	'19	'11	-	'23	'30	-	-	'08	-	8
9	'24	'16	'02	'37	-	-	'17	'40	'04	'03	-	-	9
10	'72	'05	'06	'27	-	-	'18	-	-	-	-	-	10
11	'34	'04	-	'17	'10	-	'05	-	-	-	-	'38 ^{5h}	11
12	'12	-	'14	'34	'02	'02	-	-	'02	-	'02	'26 ^{5h}	12
13	'12	-	-	'19	-	'02	-	-	-	-	'08	'25	13
14	-	'20	'57	'24	-	-	'12	-	'31	'02	'23	-	14
15	-	'18	'53	'35	-	-	'02	-	-	'39	-	'02	15
16	'01	-	'01	'04	-	-	'70	-	'14	-	-	-	16
17	-	-	-	-	'22	-	'01	'40	'11	'04	-	-	17
18	'24	-	-	'09	'14	'20	'22	-	'30	-	-	-	18
19	-	'34	-	'42	-	'05	-	'09	-	-	-	-	19
20	'21	'03	-	'27	-	'11	'02	-	-	-	-	'01	20
21	-	'04	-	'37	-	-	'36	'54	-	-	-	'05	21
22	'06	-	-	'24	-	-	'17	-	-	-	-	'20	22
23	-	-	'20	'12	-	-	'37	-	-	-	-	-	23
24	'02	-	'40	'03	-	-	'04	-	-	-	-	-	24
25	-	'04	'10	'06	-	-	'49	-	-	-	-	-	25
26	'05	'05	'35	-	-	'80	'06	-	-	-	-	-	26
27	'26	-	-	'05	'21	'04	-	-	-	-	'60	-	27
28	1'06	-	-	'14	-	'15	'08	-	-	-	'02	'23	28
29	'20	-	-	-	'82	-	'11	-	'08	-	'20	'56	29
30	'11	X	-	'02	'03	'02	-	-	'17	-	'32	'30	30
31	'15	X	-	X	'06	X	'08	-	X	'07	X	'12	31
TOTAL	4'08	1.18	2'83	4'11	2'76	1'44	5.95	3'22	1'57	2'73	1'55	3'90	35'12
Days with 01 in. or more	20	11	15	21	13	10	26	10	12	9	8	18	(173)
Days with 04 in. or more	16	10	12	19	11	6	23	9	10	7	6	15	(148)

REGISTER OF RAINFALL IN 1922

Kept at *Beard Inn, Old Byland, Helmsley*in the County of *Yorkshire*by *Herbert Nicholson*Lat. *54° 15' 38"* Long. *1° 9' 15"*Time of Observation *9 a.m.*Nearest Railway Station *Helmsley, 5 miles*Diameter of Funnel of Rain Gauge *5 in.*Height of top of Gauge above Ground *12 in.*Sea Level *722 ft.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	'09	-	'67	'03	'62	-	-	'23	-	'03	1
2	'01	-	'01	-	-	-	'24	'05	'21	'20	-	'38	2
3	'08	'05	-	-	-	-	'24	'23	'11	'40	-	'33	3
4	-	-	-	-	-	-	'65	1.15	'05	1.35	-	'04	4
5	-	-	'07	-	'19	-	'24	'04	'03	-	-	'64	5
6	-	-	'20	'14	'14	-	'12	'02	-	-	-	'06	6
7	'07	-	'08	-	'05	-	'36	-	-	-	-	'04	7
8	'01	-	-	'19	'11	-	'23	'30	-	-	'08	-	8
9	'24	'16	'02	'37	-	-	'17	'40	'04	'03	-	-	9
10	'72	'05	'06	'27	-	-	'18	-	-	-	-	-	10
11	'34	'04	-	'17	'10	-	'05	-	-	-	-	'38 ⁵⁴	11
12	'12	-	'14	'34	'02	'02	-	-	'02	-	'02	'26 ⁵⁴	12
13	'12	-	-	'19	-	'02	-	-	-	-	'08	'25	13
14	-	'20	'57	'24	-	-	'12	-	'31	'02	'23	-	14
15	-	'18	'53	'35	-	-	'02	-	-	'39	-	'02	15
16	'01	-	'01	'04	-	-	'70	-	'14	-	-	-	16
17	-	-	-	-	'22	-	'01	'40	'11	'04	-	-	17
18	'24	-	-	'09	'14	'20	'22	-	'30	-	-	-	18
19	-	'34	-	'42	-	'05	-	'09	-	-	-	-	19
20	'21	'03	-	'27	-	'11	'02	-	-	-	-	'01	20
21	-	'04	-	'37	-	-	'36	'54	-	-	-	'05	21
22	'06	-	-	'24	-	-	'17	-	-	-	-	'20	22
23	-	-	'20	'12	-	-	'37	-	-	-	-	-	23
24	'02	-	'40	'03	-	-	'04	-	-	-	-	-	24
25	-	'04	'10	'06	-	-	'49	-	-	-	-	-	25
26	'05	'05	'35	-	-	'80	'06	-	-	-	-	-	26
27	'26	-	-	'05	'21	'04	-	-	-	-	'60	-	27
28	1.06	-	-	'14	-	'15	'08	-	-	-	'02	'23	28
29	'20	-	-	-	'82	-	'11	-	'08	-	'20	'56	29
30	'11	~~X~~	-	'02	'03	'02	-	-	'17	-	'32	'30	30
31	'15	~~X~~	-	~~X~~	'06	~~X~~	'08	-	~~X~~	'07	~~X~~	'12	31
TOTAL	4.08	1.18	2.83	4.11	2.76	1.44	5.95	3.22	1.57	2.73	1.55	3.90	35.12
Days with 0.1 in. or more	20	11	15	21	13	10	26	10	12	9	8	18	173
Days with 0.4 in. or more	16	10	12	19	11	6	23	9	10	7	6	15	148

REGIST

Kept at Old Byland
in the County of Yo.
by John L.

OLD BYLAND GRANGE
YORSHIRE.

1918 - 1919

35"

FORM A.
BRITISH RAINFALL

5 in.

nd ft. 10 1/2 in.

Level 650 ft.

result entered to the rule, he is earnestly the space provided of rain, Rainfall cation to 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.09	.33	.08	1
2										.01	hil	.27	2
3										.09	.26	hil	3
4										.03	.24	.32	4
5										.05	.02	hil	5
6										.08	hil	.04	6
7										.12	.23	hil	7
8										.07	.02	"	8
9										.27	.09	.11	9
10									.19	hil	.08	.05	10
11									.02	"	hil	.09	11
12									.23	.15	"	~~.09~~	12
13									.29	.17	"	~~.09~~	13
14									.43	.04	"	.08	14
15									.90	hil	"	.69	15
16									.26	"	"	.31	16
17									.11	.19	"	.37	17
18									.50	.05	"	.14	18
19									hil	.14	"	hil	19
20									.15	.04	.01	"	20
21									.14	.17	.01	"	21
22									hil	hil	.01	.45	22
23									.07	"	.02	.01	23
24									.19	.02	.03	hil	24
25									.05	hil	.03	.13	25
26									.41	.01	.13	.08	26
27									.27	hil	.19	.17	27
28									.07	"	.05	.41	28
29									.36	"	.03	.14	29
30		X							.22	.01	(.15)	.47	30
31		X		X		X			X	hil	X	.15	31
Total									4.86	1.80	1.89	4.56	13.15
Rain Days.									19	20	19	23	41

REGISTER

Kept at Holbyland Grange
in the County of York N
by John L. Barris

Lat. 54° 15' 46" Long. 1° 9' 35"
Time of Observation 9 a.m.
Nearest Railway Station Helmsley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 1/2 ft.
Sea Level 650 ft.

FORM A.
BRITISH RAINFALL
1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.09	.33	.08	1
2										.01	hil	.27	2
3										.09	.26	hil	3
4										.03	.24	.32	4
5										.05	.02	hil	5
6										.08	hil	.04	6
7										.12	.23	hil	7
8										.07	.02	"	8
9										.27	.09	.11	9
10									.19	hil	.08	.05	10
11									.02	"	hil	.09	11
12									.23	.15	"	~~.09~~	12
13									.29	.17	"	~~.09~~	13
14									.43	.04	"	.08	14
15									.90	hil	"	.69	15
16									.26	"	"	.31	16
17									.11	.19	"	.37	17
18									.50	.05	"	.14	18
19									hil	.14	"	hil	19
20									.15	.04	.01	"	20
21									.14	.17	.01	"	21
22									hil	hil	.01	.45	22
23									.07	"	.02	.01	23
24									.19	.02	.03	hil	24
25									.05	hil	.03	.13	25
26									.41	.01	.13	.08	26
27									.27	hil	.19	.17	27
28									.07	"	.05	.41	28
29									.36	"	.03	.14	29
30		X							.22	.01	(.15)	.47	30
31		X		X		X			X	hil	X	.15	31
Total									4.86	1.80	1.89	4.56	13.14
Rain Days.									19	20	19	23	81

REGISTER OF RAINFALL IN 1919.

Kept at Bel Byland Grange
in the County of York
by J. H. Correns

Lat 54° 15' 46" Long 1° 9' 35"
Time of Observation 9 a.m.
Nearest Railway Station Helmsley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	02	—	—	33	—	36	—	37	09	06	02	1
2	16	—	07	—	03	—	70	—	03	03	08	—	2
3	64	—	—	—	13	09	09	—	04	—	16	17	3
4	15	08	34	—	13	02	—	24	61	—	12	—	4
5	23	02	—	—	01	01	—	—	03	—	12	07	5
6	11	—	22	—	—	—	—	—	—	02	11	19	6
7	02	—	10	—	09	—	—	—	—	—	—	15	7
8	14	—	—	06	04	83	—	02	—	10	20	—	8
9	13	—	06	—	—	05	—	—	—	04	13	06	9
10	—	—	11	06	01	—	—	—	—	10	34	25	10
11	—	01	81	—	18	—	29	—	—	10	17	—	11
12	—	—	52	01	—	14	05	—	04	35	03	02	12
13	14	—	09	10	—	04	19	03	—	13	—	01	13
14	31	—	02	53	—	—	03	03	—	—	21	06	14
15	07	25	16	15	—	—	—	—	—	—	04	11	15
16	03	11	—	05	01	—	—	—	—	—	04	01	16
17	—	06	—	03	—	02	—	06	—	—	25	—	17
18	—	—	04	—	—	—	05	28	—	—	—	02	18
19	10	20	39	—	—	03	58	16	23	—	15	05	19
20	87	20	02	—	—	07	08	02	12	—	—	—	20
21	20	24	04	—	—	06	07	—	15	—	10	17	21
22	—	18	04	—	—	02	31	09	12	—	03	19	22
23	—	—	04	01	—	37	07	—	—	63	04	05	23
24	—	—	01	03	01	03	—	—	—	53	03	—	24
25	09	05	—	14	01	02	—	54	—	10	01	—	25
26	—	02	18	10	—	01	—	55	05	23	30	63	26
27	35	—	—	41	—	03	03	—	—	140	12	—	27
28	05	—	01	16	—	—	—	66	—	60	—	36	28
29	10	—	03	02	01	10	—	02	—	120	—	16	29
30	04	~~—~~	09	24	—	35	—	—	—	08	17	45	30
31	08	~~—~~	01	~~—~~	—	~~—~~	17	—	~~—~~	15	~~—~~	09	31
TOTAL	4.31	1.44	3.40	2.10	0.99	1.49	2.97	2.70	1.79	5.88	3.01	4.29	34.23
Days with 0.1 in. or more	22	13	23	16	13	19	14	13	11	18	25	22	217

REC

OTLEY
S.W

911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Sewage Farm,
in the County of W York.
by L. F. Hodgson, Jr.

1911 - 20

Top 5 in.
above Ground — ft. 9 in.
Sea Level 168.58 ft.

9 am.
Name O'Leary
on { Distance 1500 Direction N.E.

and the result entered to the
universal rule, he is earnestly

IMPORTANT NOTE.

previous day. If an Observer
requested to add the reading — a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.30	-	.09	-	-	.07	-	-	.03	-	1
2	.23	-	.03	-	.27	-	.20	-	-	-	-	.09	2
3	.01	-	.10	-	.03	-	-	-	-	.03	.12	-	3
4	.02	-	.16	-	.08	.01	-	.13	.06	.02	.17	.29	4
5	.03	-	.01	-	.04	-	-	.30	-	.07	.15	-	5
6	.12	-	-	-	-	-	-	.24	-	.08	.25	.50	6
7	-	.03	.01	-	-	-	-	-	-	-	-	-	7
8	.02	-	.10	-	-	-	-	-	-	-	-	.70	8
9	-	-	-	-	-	-	-	-	-	-	.09	.10	9
10	.02	-	-	-	-	-	-	-	-	-	-	.47	10
11	.20	-	-	-	-	-	-	.05	.05	-	.40	.08	11
12	.03	.06	.17	-	-	.03	-	-	.83	-	.16	-	12
13	-	-	-	-	.04	-	-	-	-	-	-	.34	13
14	-	.10	.04	-	.13	-	-	-	-	-	-	.44	14
15	-	.30	.20	-	-	-	-	-	-	.05	.03	.17	15
16	-	-	.12	-	-	.12	.02	-	-	.02	.20	.09	16
17	-	-	.10	.03	.09	.18	.06	-	-	-	.08	.09	17
18	-	.18	.31	.04	-	.10	-	-	-	-	.07	.08	18
19	-	.01	.02	.01	-	-	-	-	.12	.20	.40	.07	19
20	-	.09	-	-	-	-	-	.73	-	.06	-	.15	20
21	-	.35	-	-	-	-	-	.30	-	.19	-	.04	21
22	.04	.10	-	-	-	-	-	.04	-	.25	.05	-	22
23	-	.24	-	-	.08	.40	-	-	.25	.02	-	.15	23
24	.07	.07	-	.12	-	1.10	-	-	-	.21	-	.13	24
25	-	.39	-	.07	-	.03	.03	-	.54	.01	.34	.14	25
26	-	-	-	.21	-	-	-	.01	-	.53	.19	.27	26
27	-	.17	-	.15	-	-	-	.26	.14	-	.02	.03	27
28	-	.14	-	.15	-	.07	-	-	.19	-	-	.15	28
29	-	-	-	.07	-	.21	.05	.03	.37	.25	-	.06	29
30	-	-	-	-	.07	.06	-	-	-	.14	-	-	30
31	-	-	-	-	.21	-	-	-	-	.09	-	-	31
Total	79	2.23	1.67	.85	1.13	2.31	.36	2.16	2.55	2.22	2.45	4.63	TOTAL
No. of Rain Days.	11	14	14	9	11	11	5	11	9	17	17	23	2335

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at *Sewage Farm, Ocleigh*

in the County of *W. York.* *10*

by *G. F. Hodgson, Engineer Surveyor*

RAIN GAUGE { Pattern
Diameter of top *5* in.
Height of top above Ground *—* ft. *9* in.
" " " Sea Level *168.58* ft.
Time of Observation *9 am.*
Nearest Railway Station { Name *Ocleigh*
Distance *1500* yds Direction *N.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.30	-	.09	-	-	.07	-	-	.03	-	1
2	.23	-	.03	-	.27	-	.20	-	-	-	-	.09	2
3	.01	-	.10	-	.03	-	-	-	-	.03	.12	-	3
4	.02	-	.16	-	.08	.01	-	.13	.06	.02	.17	.29	4
5	.03	-	.01	-	.04	-	-	.30	-	.07	.15	-	5
6	.12	-	-	-	-	-	-	.24	-	.08	.25	.50	6
7	-	.03	.01	-	-	-	-	-	-	-	-	-	7
8	.02	-	.10	-	-	-	-	-	-	-	-	.70	8
9	-	-	-	-	-	-	-	-	-	-	.09	.10	9
10	.02	-	-	-	-	-	-	-	-	-	-	.47	10
11	.20	-	-	-	-	-	-	.05	.05	-	.40	.08	11
12	.03	.06	.17	-	-	.03	-	-	.83	-	.16	-	12
13	-	-	-	-	.04	-	-	-	-	-	-	.34	13
14	-	.10	.04	-	.13	-	-	-	-	-	-	.44	14
15	-	.30	.20	-	-	-	-	-	-	.05	.03	.17	15
16	-	-	.12	-	-	.12	.02	-	-	.02	.20	.09	16
17	-	-	.10	.03	.09	.18	.06	-	-	-	.08	.09	17
18	-	.18	.31	.04	-	.10	-	-	-	-	.07	.08	18
19	-	.01	.02	.01	-	-	-	-	.12	.20	.40	.07	19
20	-	.09	-	-	-	-	-	.73	-	.06	-	.15	20
21	-	.35	-	-	-	-	-	.30	-	.19	-	.04	21
22	.04	.10	-	-	-	-	-	.04	-	.25	.05	-	22
23	-	.24	-	-	.08	.40	-	-	.25	.02	-	.15	23
24	.07	.07	-	.12	-	1.10	-	-	-	.21	-	.13	24
25	-	.39	-	.07	-	.03	.03	-	.54	.01	.04	.14	25
26	-	-	-	.21	-	-	-	.01	-	.53	.19	.27	26
27	-	.17	-	.15	-	-	-	.26	.14	-	.02	.03	27
28	-	.14	-	.15	-	.07	-	-	.19	-	-	.15	28
29	-	-	-	.07	-	.21	.05	.03	.37	.25	-	.06	29
30	-	-	-	-	.07	.06	-	-	-	.14	-	-	30
31	-	-	-	-	.21	-	-	-	-	.09	-	-	31
Total	79	2.23	1.67	.85	1.13	2.31	.36	2.16	2.55	2.22	2.45	4.63	TOTAL 23.35
No. of Rain Days.	11	14	14	9	11	11	5	11	9	17	17	23	2335

under Stat. 2.14.13

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL
FORM A.
15 JAN 1913

Kept at Sewerage Works Otley
in the County of York Co. Off. W. 10
by B. J. Hodgson

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Otley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 171.88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.22	.11	—	—	—	.22	—	.13	—	—	.25	1
2	—	—	—	—	.03	.48	.35	—	.02	—	—	.01	2
3	.09	—	.29	—	—	.52	—	.76	.31	—	—	.04	3
4	.28	—	.62	.08	—	.63	—	1.05	—	—	.17	—	4
5	.09	.01	.02	—	.34	.51	—	.17	—	—	—	—	5
6	.71	.12	.01	—	—	—	—	.60	—	.05	—	—	6
7	—	.10	—	—	.05	.01	—	.20	.04	—	—	—	7
8	.40	.16	.13	.03	.64	.05	—	—	.19	—	—	—	8
9	.10	.27	.17	.15	—	.08	—	—	—	—	—	.01	9
10	.12	—	—	—	—	.26	—	.27	—	—	—	—	10
11	.15	.08	—	—	—	—	—	—	—	—	.40	.31	11
12	.07	.21	—	—	—	.12	.26	—	—	—	—	.05	12
13	—	.01	—	—	—	—	—	—	—	—	.19	.20	13
14	.11	—	.44	—	.01	.20	—	.03	—	—	—	—	14
15	.14	.08	.05	—	.43	.10	—	—	—	—	—	.45	15
16	.94	—	—	—	—	.08	—	—	—	.13	—	.06	16
17	.04	.04	.41	—	—	.37	—	.26	—	—	.02	.47	17
18	.12	—	.01	—	—	.02	—	.01	—	.19	—	.04	18
19	.26	.26	.17	—	—	.02	.08	.34	—	.31	—	—	19
20	.18	—	—	—	.34	.04	—	.07	—	.30	—	.01	20
21	—	—	.31	—	.15	—	.01	—	—	.06	—	.03	21
22	.02	.11	.01	—	.57	.51	.01	.23	—	—	.01	—	22
23	—	—	.15	—	—	—	—	.41	—	—	.11	—	23
24	.34	—	—	—	.13	.05	.34	.20	—	.08	.11	.09	24
25	—	—	—	—	—	.71	.55	.05	—	—	.44	.15	25
26	.03	.12	.04	—	—	—	.20	.75	—	1.20	—	.16	26
27	—	.10	.07	—	—	.45	.99	—	—	.40	.19	.11	27
28	—	—	.01	—	.04	.02	.45	.51	.13	.20	.18	—	28
29	—	.04	.06	—	.01	.06	—	—	.69	—	—	.15	29
30	.03	—	—	—	.14	—	.03	—	.05	—	—	—	30
31	—	—	.25	—	.15	—	1.06	.23	—	—	—	.04	31
Total	4.22	1.93	3.33	.26	2.43	5.29	4.55	5.14	1.56	3.22	4.22	2.63	37.18
Rain Days.	20	16	20	3	14	22	13	18	8	10	10	19	173
YEAR'S TOTAL													37.18

Otley Urban District Council.

TELEPHONE No 10.



C. F. HODGSON,
ENGINEER AND SURVEYOR.

Council Offices.

Otley

1st April

19 13.

2 APR 1913

Dear Sirs

In checking the enclosed I find your figures correct,
the mistake has been in the addition.

Yours faithfully,

C. F. Hodgson

Dr. H.R. Mill.
62, Camden Square,
London. N.W.

12.11.15
REGISTER OF RAINFALL IN 1914

Kept at Olley, Sewage Disposal Works
in the County of Yorkshire (West Riding)
by Olley Urban District Council

Lat. 54 N Long. 1° 5' W
Time of Observation 9 A.M.
Nearest Railway Station Olley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 141.88 ft.

FORM A.
BRITISH RAINFALL
7 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	1.59	.21	—	—	—	.20	1
2	—	—	.01	—	—	—	.39	.59	—	—	.31	.12	2
3	.02	—	.05	—	.18	—	—	—	—	—	.10	.64	3
4	.21	—	.06	.14	.09	—	—	—	—	—	.14	.54	4
5	.15	—	.29	.14	—	—	—	—	—	—	.32	.18	5
6	—	—	.09	.09	.12	.04	—	—	—	—	.10	.05	6
7	.02	.03	.23	.05	.10	—	—	.15	—	—	—	.13	7
8	.15	—	.03	—	.08	.51	.02	—	.04	—	—	.09	8
9	.33	.05	—	.26	—	.84	—	.09	.10	—	.03	.01	9
10	.08	.12	—	.06	—	—	—	—	.05	.09	.23	—	10
11	—	.30	.25	—	.04	—	—	—	.01	—	.66	.39	11
12	—	.01	.08	—	—	—	.03	—	.29	—	.11	.52	12
13	—	.08	.15	.01	—	—	.02	—	.01	—	.28	.22	13
14	.04	.14	.12	—	—	—	.07	—	.06	.01	.49	.60	14
15	—	.01	.15	—	—	—	—	—	.09	—	.30	—	15
16	.02	—	.01	—	—	—	—	—	.39	—	—	—	16
17	—	.09	.16	—	—	—	.69	—	.30	—	—	.13	17
18	.04	.06	—	—	—	—	.04	—	—	.01	—	.06	18
19	—	.01	.02	—	—	—	—	—	—	—	.02	.11	19
20	.01	.08	.03	—	—	.15	—	—	—	.01	—	—	20
21	—	.43	—	—	—	.49	.04	.11	—	.14	.04	.19	21
22	—	.04	.03	—	.02	.26	—	.05	—	.06	—	.02	22
23	—	—	.04	.01	.23	—	—	—	—	—	—	.04	23
24	—	—	.22	.02	—	—	.10	.21	—	.01	.08	—	24
25	.01	—	.01	—	—	—	—	.22	—	.75	.03	.41	25
26	—	—	.03	—	—	—	—	.02	—	.19	.12	.20	26
27	.01	—	—	—	—	—	—	—	—	.03	.24	.69	27
28	.01	.04	.15	—	—	—	—	—	—	.05	.23	.05	28
29	—	—	.11	—	—	—	—	.03	—	.36	.08	—	29
30	.03	X	.12	—	.08	—	—	.02	—	.28	.10	.13	30
31	.18	X	.01	X	—	X	.43	—	X	.25	X	—	31
Total	1.31	1.52	2.43	.82	.92	2.29	3.40	1.68	1.32	2.22	4.01	5.68	27.60
Rain Days.	16	15	25	9	9	6	11	11	10	14	21	24	141
YEAR'S TOTAL													27.60

REGISTER OF RAINFALL IN 1915

Kept at *Orley Sewage Disposal Works*
in the County of *Yorkshire (West Riding)*
by *Orley Urban Dis*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *Orley.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *171.88* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.27	—	—	.07	—	—	.12	.04	—	.01	.07	1
2	.07	.11	.12	.10	—	.01	.20	.18	—	.01	—	—	2
3	.88	—	—	.08	—	—	.40	.24	—	—	—	.68	3
4	.12	.05	—	—	.17	—	.44	—	—	—	—	.82	4
5	.17	.27	.07	—	.01	—	—	—	—	—	—	.76	5
6	.12	.29	.14	.17	—	—	.47	.02	—	—	—	.14	6
7	.21	.50	—	.19	—	—	.16	.40	—	—	—	.10	7
8	.14	.08	.02	.12	—	—	.18	.16	—	—	.13	—	8
9	.01	.03	—	—	—	—	—	.16	—	.04	.17	.78	9
10	.49	—	.08	—	—	—	—	.27	—	.04	—	.08	10
11	.04	.02	.01	—	.77	—	—	.06	—	—	.14	.26	11
12	.04	—	—	.10	.06	—	.15	.03	—	.38	1.11	—	12
13	.02	.56	—	—	—	—	—	—	—	—	—	.01	13
14	.02	.01	—	—	.14	—	.11	—	—	.03	—	.06	14
15	.01	—	—	—	—	—	—	—	.01	.02	.30	.22	15
16	—	.61	—	—	.07	—	.97	.39	—	—	—	—	16
17	—	.23	—	—	—	—	—	.07	—	—	—	.02	17
18	—	.04	.04	—	—	—	—	.03	.01	.05	—	—	18
19	—	—	—	—	.01	—	.06	—	—	—	—	—	19
20	.08	—	—	—	—	—	.04	—	—	—	—	.31	20
21	.13	.04	—	—	—	—	.04	—	—	—	—	.11	21
22	.02	—	.12	—	—	—	—	—	—	—	—	.11	22
23	.02	.03	.02	—	—	—	.10	—	—	.18	—	.08	23
24	—	—	.10	.04	—	—	—	—	—	.01	—	.31	24
25	—	—	—	—	—	—	—	—	.39	.02	—	.16	25
26	.02	.12	—	—	—	.04	.32	—	—	—	—	.61	26
27	—	.08	—	—	—	—	.02	—	—	.37	—	.07	27
28	—	.23	—	—	—	.05	—	.40	—	.12	—	.02	28
29	—	—	—	—	.16	.31	—	—	—	.03	.23	.59	29
30	—	X	—	.04	—	.08	—	—	—	—	.01	.01	30
31	.12	X	—	X	—	X	—	.29	X	.12	X	.15	31
Total	1.89	3.57	.72	.84	1.46	.49	3.66	2.82	.45	1.42	2.10	6.53	26.95
Rain Days.	21	19	10	8	9	5	15	15	4	14	8	25	15

3438

Exc 82

REGISTER OF RAINFALL IN 1916

Kept at Olley Sewage Works Disposal
in the County of Yorkshire. W.R.
by Olley Urban District Council

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Olley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 171.88 ft.

FORM A.
BRITISH RAINFALL.
JAN 1917

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.04	.10	—	—	.10	.21	—	—	.03	.08	—	1
2	.04	.01	.16	—	—	.01	—	—	.25	—	—	.04	2
3	—	.10	.03	—	—	—	<u>1.24</u>	—	.59	.15	.74	—	3
4	.05	.41	—	—	.61	.35	—	—	.56	.30	.35	—	4
5	.04	.21	—	—	.01	.14	—	—	—	.35	.19	—	5
6	.16	.29	.12	—	.31	—	.19	—	—	—	.40	.10	6
7	.05	.09	.03	—	.11	—	.09	—	—	.24	—	—	7
8	—	.17	.09	—	—	—	—	—	—	.01	.19	.20	8
9	—	—	—	—	.57	.48	—	—	.25	—	.06	.24	9
10	.01	.03	—	—	—	.36	—	—	—	.30	—	.10	10
11	.04	.49	.23	.28	.03	.05	—	—	.06	—	—	—	11
12	.04	.04	.60	—	.24	.01	.55	—	—	.20	—	—	12
13	—	.08	.09	—	—	—	.09	.64	—	.64	.01	.16	13
14	—	.07	.03	.08	.15	—	—	.40	—	.04	.02	—	14
15	—	.23	.64	—	—	—	.11	.19	—	—	—	—	15
16	—	.20	.38	.16	—	—	.02	.10	—	—	—	—	16
17	.06	.12	—	.20	—	—	.03	—	—	.15	—	—	17
18	—	.34	—	.04	—	—	—	.16	.35	.10	.75	.22	18
19	.16	—	.23	.40	—	—	—	—	—	—	.24	.04	19
20	.09	—	.28	.28	—	—	.04	.06	—	.08	.04	—	20
21	.18	—	—	.05	.05	—	—	—	—	—	—	—	21
22	—	—	—	—	—	.10	—	—	—	—	.05	—	22
23	—	—	.09	.10	—	—	—	—	—	—	.06	—	23
24	—	.25	.01	—	—	.84	—	.14	—	.05	—	—	24
25	.02	.03	.15	—	.05	—	—	.29	—	—	—	—	25
26	.01	.20	—	—	—	—	—	—	—	.15	—	—	26
27	—	.20	—	—	.04	—	—	—	—	.20	.01	—	27
28	—	.20	—	—	.58	—	—	—	—	.65	—	.57	28
29	—	.24	—	—	—	—	—	—	—	.54	—	—	29
30	—	X	—	—	—	.15	—	.03	—	.35	—	.03	30
31	—	X	—	X	—	X	—	—	X	.15	X	.30	31
Total	1.32	4.17	3.26	1.59	2.78	2.62	2.54	2.01	2.06	4.81	2.62	2.03	31.84
Rain Days.	15	23	17	9	12	11	10	9	6	20	15	11	158

REGISTER OF RAINFALL IN 1917

Kept at Olley Sewage Treatment Works
in the County of Yorkshire W.Y.
by Olley V.D. Council

Lat. 54° N Long. 1° 75' W
Time of Observation 9 am
Nearest Railway Station Olley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 171.88 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.01	-	.57	-	.18	.48	-	.29	.14	1
2	.18	-	-	-	-	.11	-	.02	.01	-	-	-	2
3	.08	.04	-	.02	-	.08	-	-	-	-	.03	-	3
4	-	-	.03	-	-	-	-	-	-	.25	.01	-	4
5	.18	-	.06	.15	-	-	-	-	-	-	.09	-	5
6	-	-	-	-	-	-	-	-	-	.56	.18	-	6
7	.54	-	-	-	-	.19	-	-	-	.08	.02	-	7
8	.65	-	-	.14	-	-	-	1.49	-	.39	.15	.17	8
9	-	-	-	.04	.05	-	-	.15	-	.06	-	-	9
10	.20	-	.86	.22	-	-	-	.14	-	.03	-	-	10
11	-	-	-	.03	-	-	-	.07	-	.56	-	-	11
12	-	-	-	.01	.30	-	-	.14	-	.50	-	.04	12
13	.17	-	-	.10	.21	.26	-	.23	.03	-	-	.04	13
14	.32	-	-	.19	-	-	-	.15	-	.03	-	-	14
15	-	-	-	.05	-	-	.20	-	.20	-	-	.21	15
16	-	.08	-	.19	-	-	-	.04	-	-	-	.51	16
17	-	-	-	.12	.48	-	-	.68	-	.07	-	.22	17
18	.03	-	.07	.02	.08	-	.36	.16	.15	-	-	-	18
19	.04	.18	.24	-	.57	.18	~~.18~~	-	-	-	-	-	19
20	.07	.14	.02	-	.03	.21	-	.04	.16	.07	-	-	20
21	-	.04	.09	-	-	-	-	.02	-	.04	-	-	21
22	-	-	-	-	-	.06	-	.08	-	.02	-	-	22
23	-	-	-	-	.13	.16	-	.10	-	.40	.39	-	23
24	-	-	-	-	-	-	-	.10	-	.36	.45	-	24
25	-	-	.12	-	-	-	-	.17	-	.35	-	-	25
26	-	-	-	-	-	-	-	.63	.07	.03	.04	-	26
27	-	-	.02	-	-	.24	.36	.47	-	-	.07	.08	27
28	-	-	.24	-	-	-	.11	.02	-	.31	-	-	28
29	-	~~X~~	.04	-	.01	-	.10	-	-	-	.56	.11	29
30	-	~~X~~	.14	-	-	-	-	-	-	-	.03	-	30
31	.06	~~X~~	.33	~~X~~	-	~~X~~	-	.05	~~X~~	-	~~X~~	.03	31
Total	2.67	.48	2.26	1.29	1.86	2.06	1.13	5.12	1.10	4.11	2.31	1.55	25.95
Rain Days.	12	5	13	14	9	10	5	22	7	18	13	10	138
YEAR'S TOTAL													25.95

REGISTER OF RAINFALL IN 1918

Kept at Olley Sewage Disposal Works
in the County of Yorkshire (West Riding)
by Olley Urban District Council

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Olley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 171.88 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	—	—	.04	—	—	—	.12	.03	.15	.13	1
2	.02	.14	—	.06	—	—	—	—	.20	.01	—	.17	2
3	—	.01	.01	—	.47	—	—	.12	—	.01	.13	—	3
4	—	.03	.02	—	—	—	—	.67	.65	.04	.19	.24	4
5	—	—	—	.02	.18	—	—	.73	.03	.19	.10	—	5
6	.07	.46	—	.19	—	.16	—	.14	—	.10	—	.03	6
7	.08	—	.10	.30	—	—	—	—	.15	.20	.16	—	7
8	—	.22	.02	—	—	—	.28	.02	.20	.07	—	—	8
9	.13	.63	—	.09	—	—	—	—	.95	.36	.18	.07	9
10	—	.41	.04	—	—	—	.18	.02	.16	.02	—	—	10
11	.26	.05	—	—	.08	—	.07	—	—	—	—	.05	11
12	—	—	—	—	.06	—	.32	—	.09	—	—	.03	12
13	—	.11	.03	.10	.02	—	—	—	.28	.11	—	—	13
14	.09	—	—	—	—	.08	.11	—	.39	—	—	.35	14
15	.19	—	—	—	—	—	.58	—	1.0	—	—	.54	15
16	.01	—	—	—	—	.04	.33	.05	.17	—	—	.16	16
17	.29	—	.05	—	.23	.10	.07	.03	.11	.38	—	.34	17
18	.45	—	—	—	—	.04	.06	—	.44	—	—	.14	18
19	.12	—	.06	.09	—	—	.50	.05	.24	.09	—	.94	19
20	.24	.46	—	.09	—	.05	.30	—	.05	.04	—	—	20
21	.23	.23	—	—	.57	.03	—	—	.05	.25	—	—	21
22	.09	—	—	—	.45	.11	.53	—	.07	—	—	.60	22
23	—	.03	—	—	.82	—	.93	—	.01	—	—	—	23
24	—	—	—	—	—	—	.42	—	.07	—	—	—	24
25	—	—	—	—	—	—	—	.35	.29	—	—	—	25
26	.07	—	—	—	—	—	.03	.04	.61	—	—	—	26
27	—	.09	.28	—	.04	—	—	.27	.04	—	.22	.26	27
28	—	.16	—	—	—	—	—	.22	.09	—	—	.65	28
29	—	—	.23	—	—	—	—	—	—	—	—	.44	29
30	—	X	.12	—	—	—	—	.03	—	—	—	.20	30
31	—	X	.02	X	—	X	—	—	X	—	X	—	31
Total	2.36	3.08	.98	.94	2.96	.61	4.71	2.14	6.46	1.90	1.13	5.34	32.61
Rain Days.	16	15	12	8	11	8	15	14	25	15	7	18	164

REGISTER OF RAINFALL IN 1919.

Kept at Oley Sewage Disposal Works
 in the County of Yorkshire
 by Oley Urban District Council

Lat. 54 N Long. 175 W
 Time of Observation 9 A.M.
 Nearest Railway Station Oley
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 171.88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	—	—	—	.22	—	.28	—	.39	.17	—	.09	1
2	.18	—	.13	—	.04	—	.16	—	.01	—	.06	.01	2
3	.01	—	—	—	—	.12	.72	—	.02	—	.21	.28	3
4	—	.12	.32	—	.10	.01	—	.20	.10	—	.06	.11	4
5	.08	—	.15	—	.11	—	—	—	—	—	.02	.25	5
6	.01	—	.10	—	.82	—	—	—	—	—	—	.14	6
7	.03	—	—	—	.05	—	—	—	—	—	—	—	7
8	.19	—	.18	—	.01	—	—	—	—	—	—	—	8
9	.18	—	1.09	—	—	—	—	—	—	—	.04	—	9
10	—	—	.37	—	—	.03	—	—	—	—	.02	.10	10
11	—	—	—	.07	—	—	.13	—	—	—	—	~~—~~	11
12	—	—	—	.05	.07	.24	.01	—	.02	.15	.15	—	12
13	.21	—	.04	.28	—	—	—	—	—	.36	—	—	13
14	.22	—	—	.28	—	—	.04	—	—	—	.03	.08	14
15	.04	—	—	.09	—	—	—	—	—	—	—	.48	15
16	.10	.94	.18	.02	—	—	—	—	—	—	.11	—	16
17	—	.08	1.41	—	—	.09	—	.13	—	—	.26	—	17
18	—	—	.01	—	—	—	.05	.18	—	—	—	.27	18
19	—	.22	—	—	—	.03	.35	.11	—	—	.16	.01	19
20	.60	—	—	—	—	—	.48	—	—	—	—	.18	20
21	.08	.36	—	—	—	—	.09	—	—	—	—	.14	21
22	—	.24	—	—	—	.03	—	.07	.24	—	—	.32	22
23	—	.02	—	.09	—	—	—	—	—	.78	—	.04	23
24	—	—	.43	.05	—	.09	—	—	.07	.26	.26	.44	24
25	—	—	—	.19	.01	.16	—	.54	—	—	.20	—	25
26	—	—	—	—	—	—	—	.05	.09	—	.08	.64	26
27	.29	—	—	.19	—	—	—	—	—	—	—	.04	27
28	—	—	—	.10	—	—	—	.55	—	.16	—	.38	28
29	—	—	—	—	—	.11	—	—	—	1.02	—	.13	29
30	—	~~—~~	—	.02	—	.10	—	—	—	.03	.30	.27	30
31	—	~~—~~	—	~~—~~	—	~~—~~	.11	—	~~—~~	.03	~~—~~	—	31
TOTAL	289	198	441	143	143	1.01	2.42	1.83	.94	2.96	1.99	4.40	YEAR'S TOTAL
Days with .01 in. or more	15	7	12	12	9	11	11	8	9	9	15	21	138

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Disposal Works
in the County of Yorkshire
by Otley U. D. Council

Lat. 54 Long. 175 W
Time of Observation 9 a.m.
Nearest Railway Station Otley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 171.88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	09	18	47	—	61	06	—	10	05	07	1
2	—	—	04	12	04	—	89	—	24	19	—	24	2
3	—	01	—	—	13	—	70	21	08	26	—	20	3
4	05	—	—	07	18	—	30	54	01	45	—	09	4
5	—	—	02	—	04	—	05	04	01	12	—	—	5
6	—	—	21	17	08	—	02	—	—	—	03	05	6
7	08	—	09	—	02	—	37	—	—	—	—	—	7
8	13	08	—	29	13	—	13	21	—	—	01	—	8
9	28	47	—	40	—	—	02	04	—	—	—	—	9
10	68	57	—	22	—	—	31	65	—	—	—	—	10
11	25	—	07	09	10	04	—	—	—	—	—	—	11
12	10	07	25	27	—	03	—	01	—	—	12	16	12
13	08	20	09	13	—	53	—	—	—	—	15	21	13
14	03	08	30	17	04	81	06	—	—	23	20	01	14
15	—	10	10	15	—	—	—	—	18	80	17	—	15
16	08	—	—	—	—	—	47	—	07	—	15	—	16
17	05	—	—	—	—	—	—	02	27	—	—	—	17
18	07	—	—	03	12	10	—	—	04	—	—	—	18
19	—	47	—	10	24	—	—	10	04	—	—	—	19
20	03	—	—	25	09	16	05	—	—	—	—	02	20
21	—	—	—	11	—	—	39	06	—	—	—	06	21
22	06	—	—	29	—	03	11	—	—	—	—	—	22
23	—	—	—	—	—	—	31	04	—	—	—	31	23
24	03	—	44	—	—	—	19	—	—	—	—	09	24
25	03	01	01	02	—	—	24	—	—	—	—	—	25
26	—	05	22	07	—	—	—	—	—	—	03	02	26
27	18	—	—	—	—	57	—	—	—	—	29	03	27
28	61	—	16	24	23	02	05	—	—	—	04	14	28
29	14	—	11	02	—	—	—	—	—	—	11	58	29
30	36	X	—	—	1.61	—	—	—	26	—	09	15	30
31	16	X	10	X	01	X	—	—	X	31	X	12	31
TOTAL	3.48	2.11	2.30	3.39	3.53	2.29	5.78	1.94	1.20	2.46	1.44	2.55	YEAR'S TOTAL
Days with 01 in. or more	21	11	16	21	16	9	29	17	10	8	13	18	174
Days with 04 in. or more	17	9	14	18	14	6	18	9	8	8	10	14	144

REGIS

OUGHTERS~~SHAW~~ HALL
YORKSHIRE

Kept at Oughtershaw
in the County of W. R. York
by Miss Woodd

V. 12
FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Direction
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

IMPORTANT NOTE.—R
previous day. If an Observe
requested to add the reading a
for it at the end of this par
the selection and placing of
Organization are given in "Rub
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			24	04			12	28			75	12	1
2	08		60		50		16	02		04	30	26	2
3			55	02	1.04		03	30		50	1.05	03	3
4	04		10	06	14		05			20	35	(27) 02	4
5				12	04			1.45		45	95	30	5
6			16	08				16		06	1.20	1.45	6
7	1.00		06					21		02	16	10	7
8			42								03	(56)	8
9			20									(76)	9
10	1.20	06	04									45	10
11			06					16			06	16	11
12	09		12		15	10					35	04	12
13	10	04	04		35	02			1.20		75	(70)	13
14	20	1.20	06		28					06	60	30	14
15		60	04						04		1.00	35	15
16	12	1.42	10	03		15	10				30	(36)	16
17	14	10	13	47		1.32	04		02		20	(40)	17
18		1.50	16	51		15	12		06		03	(75)	18
19	04	06	06	53		04	05	04	50		36	50	19
20		10		16		03	04		30	43	02	06	20
21	16	2.00		20		15	16	30		50		12	21
22	08	65		14	55	10				43			22
23	14	68		18	30	15	02	03	48	75	06	(74)	23
24	43	20	05	40	04	1.60		15	06	60		(46)	24
25	35	53		1.00		05		13	91	06	85	(25)	25
26		04		30		04		80	20	1.40	04	12	26
27	24	1.41	06	30				35	30	10		06	27
28		65		50		45		04	06	40		(38)	28
29				15		40	03	08		2.40		(27)	29
30						05				85	06	04	30
31					08					20		05	31
Total	4.41	11.24	3.25	5.19	3.47	4.80	9.2	4.50	4.13	9.45	9.47	(10.26) 5.76	TOTAL for year 71.09
No. of Rain Days	16	17	20	19	11	16	12	16	12	19	22	30 29	(210)

REGIS

FORM A2.
BRITISH RAINFALL.

26 JAN 1914

Kept at *Coughtershaw Hall*

in the County of *W. B. York. Northern*

by *Miss Wood*

RAIN GAUGE Diameter of top. in. _____
 Height of top above Ground ft. _____
 " " " Sea Level ft. _____
 Time of Observation _____
 Nearest Railway Station { Name _____
 Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			24	04			12	28			75	12	1
2	08		60		50		16	02		04	30	26	2
3			55	02	1.04		03	30		50	1.05	03	3
4	04		10	06	14		05			20	35	(27)	4
5				12	04			1.45		45	95	30	5
6			16	08				16		06	1.20	1.45	6
7	1.00		06					21		02	16	10	7
8			42								03	(56)	8
9			20									(76)	9
10	1.20	06	04									45	10
11			06					16			06	16	11
12	09		12		15	10					35	04	12
13	10	04	04		35	02			1.20		75	(70)	13
14	20	1.20	06		28					06	60	30	14
15		60	04						04		1.00	35	15
16	12	1.42	10	03		15	10				30	(36)	16
17	14	10	13	47		1.32	04		02		20	(40)	17
18		1.50	16	51		15	12		06		03	(75)	18
19	04	06	06	53		04	05	04	50		36	50	19
20		10	16			03	04		30	43	02	06	20
21	16	2.00	20		15	16	30			50		12	21
22	08	65	14	55	10					43			22
23	14	68	18	30	15	02	03	48	75	06	(74)		23
24	43	20	05	40	04	1.60	15	06	60		(46)		24
25	35	53		1.00		05	13	91	06	85	(25)		25
26		04		30		04	80	20	1.40	04	12		26
27	24	1.41	06	30			35	30	10		06		27
28		65		50		45	04	06	40		(38)		28
29				15		40	03	08		2.40	(27)		29
30						05				85	06	04	30
31					08					20		05	31
Total	4.41	11.24	3.25	5.19	3.47	4.80	92	4.50	4.13	9.45	9.47	(10.26)	TOTAL for year
No. of Rain Days	16	17	20	19	11	16	12	16	12	19	22	30	(210)

REGISTER OF RAINFALL IN 1912

Cor. for S. etc. 13. VII. 13.

25 JAN 1913
FORM A2.
BRITISH RAINFALL.

Kept at

Oughtershaw Hall

in the County of

West Riding York

by G. J. Woodd

W. 10

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.25	.03	.13	.20	.48	.25	.10				1
2	.02	.06	(.80)		.32	.25	.12	.64	.35			.12	2
3			.10	.25		.80		.72	1.20			.55	3
4	(1.14)		(1.04)	.10	.05	.50		.80	.02	.06	1.03		4
5	~~.04~~		.02		.35	.17		.24	.65	.08			5
6	~~.08~~	.40	.15		.13	.06		.75		.05	.14	.06	6
7	.10	.35	.30	.75	.15	.10	.20	.96			.48		7
8	(.66)	(1.03)	.50	.50	.07	.08		.29	.04		.06	.24	8
9	.05	.02	.84	.02		.18		.16	.06		.65		9
10	(.59)	.25	.60	.03		.28	.10		.08		.80	.06	10
11	.12	.12			.06		.11	.04	.10		.04	.95	11
12	.05		.04			.23	.53	.12	.05		.05	1.00	12
13	.12	.04	.20			.32				.75	.28	2.20	13
14	(1.77)		.06			.08		.25	.12			.10	14
15	~~.04~~	.30	.02		.55	.63		.03		1.50?		1.20	15
16	.06		.12		.04	.23		.06		.04	.12	.06	16
17	.03	.10	.50		.09	.20		.65		.50	.36	.12	17
18	-	.18	.72			1.20		.10		.25	.10	.25	18
19	(.41)	(.32)	.18			.15		.18		1.15		.30	19
20	~~.10~~		(.56)		1.25	.22		.03				.28	20
21	-	.06	.10		.06	.02	.05	.63					21
22	.02	(.50)	.25		1.15	.06		.12		.06			22
23	.08		.10		.08	.30	.23	.72		.10	1.20	.25	23
24	.04	.12				.25	.03	.12			.12	1.00	24
25		.36				.85	.55	.50			2.00?		25
26		.08				.11	.36	.30		2.00	1.84	.25	26
27		.07	(1.10)			.85	.50	.06		.25	.04	.12	27
28		.03				.05	1.30	1.10		.50	.20	.72	28
29		.12				.02	.35	.78	.72	1.00		.55	29
30	.02		.48		.16		.26	.90	.65?	.16	.06	.30	30
31	(5.04)		1.05		.04		.72	.65		.04		.10	31
Total	7.54	(3.69)	(10.08)	1.65	4.68	8.39	5.89	12.15?	4.14?	8.49?	9.57?	10.78	TOTAL for year 84.58
No. of Rain Days.	(20)	19	26	7	17	28	16	29	13	17	19	23	204

✓

REGISTER OF RAINFALL IN 1913

440

BRITISH RAINFALL FORM A.

31 JAN 1914

Kept at Oughtershaw Hall

in the County of W. York

by Miss G. J. Woodd

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

_____ " _____ " _____ " _____ " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12	08	10			36							1
2	25	1.60	2.10								10	60	2
3	35	95	55		49						40	32	3
4	60	25	37		02	02				05	03	60	4
5	72	60	10		05	15	03		08	03	24		5
6	25	1.20	16		67	33	50			06	04	10	6
7	04	1.10	04		40					88			7
8	12	25	08		65	12		06		10	03	15	8
9		10	1.00		23	1.63	02	22				25	9
10		06	50		05	03				26	50		10
11	10		06	69		13					30	09	11
12	12						04			20	28	30	12
13	13							03	46	58	20		13
14			08	50			04		27		25		14
15			02	85							36	12	15
16	04			04			12				60		16
17		02		10	05	10	15				80		17
18	10		05	1.20		08	02				50		18
19	08		02	30	23	15				11	83		19
20	24		06		05				17	34	1.63	24	20
21	02				25		13	1.10	09				21
22	15		1.20		21	03		65				19	22
23	50				12	38		55	09		25		23
24				22		35			22				24
25				12							30	2.00	25
26				1.50					65		07	1.20	26
27		04		1.07	02	05			1.17	18	10	25	27
28	10		03	61						23			28
29	06			41				50			45		29
30	1.50		02		19	02				03	03		30
31	12				20					06			31
Total	5.71	6.25	6.54	7.61	3.88	3.93	1.05	3.11	3.20	3.11	8.29	6.41	59.09
Rain Days.	22	12	19	13	17	16	9	7	9	14	23	14	195

REGISTER OF RAINFALL IN 1914

Kept at *Oughtershaw Hall*
in the County of *W. B. York*
by *G. Woodh*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

423
28 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.22		.05	.03	.42			.12	.04	.25	1
2		.10	.07	.10			.22	.87		.18	.50	.62	2
3	.50		.04		.85			.10			.05	.75	3
4	1.30	.50	.10	.37	.45			.24			.08	1.50	4
5	.15		1.70	.48	.05	.07		.10			.03	.50	5
6				.40	.04			.04			.49	.26	6
7			.51	.10	.36	.08		1.49			.08	.10	7
8	.88		.04	.04	.65	.40	.11				.96	.38	8
9	.43			.33		1.83					.12	.27	9
10		.63			.04				.20		1.20	.08	10
11		.18	.48	.03	.37				.11		.53	.12	11
12		1.02					.10		.31		1.10		12
13		.37		.10	.05		.08		.16		1.00	.75	13
14	.10	1.42	.66						.48		.04	.10	14
15		.07							1.00		.33	.25	15
16	.12	.03				.03	1.10		1.10		.19	.50	16
17		.50				.04	.18		.65			2.50	17
18	.04	1.00	.04						.05				18
19		.10					.12						19
20		.55	.06		.10	.10				.04		.05	20
21		.48			.04	.55	.03			.08			21
22		.67		.24		.16		.38		.14		.26	22
23	.04	.10	.20	.04	.12	.09	.05	.03					23
24	1.00				1.15		.11	.36					24
25	.10						.03	.29		.75		.65	25
26		.12	.30				.02			.26	.12	.50	26
27										.19	.64		27
28	.30		.20		.04			.04		.04	.83	.05	28
29	.62		.27		.03					.50	1.20	.85	29
30	.30		1.79					.27		.11	1.25	.16	30
31	2.06				.06		.55			.25	.75		31
Total	7.94	7.90	6.68	2.23	4.45	3.38	3.12	4.21	4.06	2.66	11.53	11.45	69.61
Rain Days.	15	18	16	11	17	11	14	12	9	12	22	23	180

REGISTER OF RAINFALL IN 1915

Kept at Doughterishaw
in the County of W. R. York
by E. J. Woodd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		1.46					.02	.27	.27		.08		1
2	.12	.85		.50		.17	.33	.35					2
3	1.33		.66	.35		.02	.41	.36				.91	3
4	.04	.56				.16						.31	4
5	.68	.44		.45		.03		.03				1.60	5
6	1.00	.73	.10	.65			1.15					.62	6
7	.30	.84					1.87	.52				.08	7
8	.60	.63	.08	.27			.13	.13			1.87	.02	8
9								.06			.10	.03	9
10	1.80	.02			.10			.60		.03		.13	10
11	.32		.04				.06	.03				1.50	11
12	.20	.08		.06	.63		.31	.23		.10	1.00	.12	12
13	.45			.02			.06	.42			.11	.06	13
14	1.30	1.10	.60				.18	.26				.05	14
15	1.62	.45		.08			.23	.24	.07		.04		15
16	.04	1.20			.08		.22	.80	.10			.95	16
17				.03			.07	.03					17
18		.76	.08				.87						18
19	.25		.02	1.25	.10		.46	.10					19
20	.35				.06		.32					.06	20
21		.04					.05					.45	21
22							.08	.03		.44		.46	22
23							.10		.10	.12		.96	23
24				.24					.52	.75		.50	24
25							.13		.32			.48	25
26		.05				.09						.63	26
27						.31	.04					.35	27
28		.10	.02		.08	.53		.47				.04	28
29					.29	.35		.03			.44	.06	29
30	.03	X		.43		.12	.15	.02		.02		.16	30
31	.02	X	.12	X		X		.47	X	.10	X	1.08	31
Total	10.45	9.31	1.72	4.33	1.34	1.78	7.24	5.45	1.38	1.56	3.64	11.61	YEAR'S TOTAL
Rain Days.	18	16	9	12	7	9	22	21	6	7	7	25	159

REGISTER OF RAINFALL IN 1916

Kept at Oughtershaw Hall
in the County of W. B. Yorkshire
by E. J. Woodd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
3343
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.60	27	03	08		41	58	11	10				1
2	21					22	03		26				2
3		10		03		10	02		1.00				3
4	45	55			73	1.09	57		30				4
5	21	45	12			20							5
6	1.10	1.40	35			05	16						6
7	07	18	19		10	12	1.00						7
8		50	69		19	02	08						8
9	25		10		1.50	06	23		04				9
10	45			10		28	21		03				10
11	40	10	45	25	76	06	25		11				11
12	05	50	30	1.00	84	04	36						12
13	10	1.10		10			05	38					13
14		40	25		94			53					14
15	85	12	10	40			11	2.18	09				15
16	04	16	1.40	26			09						16
17	50	08	15	1.50			03	10	72				17
18	25			50			03	60					18
19	75		50	25			02						19
20	1.53		04	29				10					20
21	88			04	03								21
22		03	10	20		08		04					22
23		04	02	30		05							23
24	23		03	03		60		10					24
25	85	21	12	20				68					25
26	14	20	10				53						26
27	15	04	1.00					25					27
28		06	10					08					28
29	40	1.32	02			05							29
30	10	X				18	06	03					30
31		X		X	81	X			X		X		31
Total	11.56	7.81	6.16	5.53	5.90	3.61	4.41	5.18	2.65				YEAR'S TOTAL
Rain Days.	24	21	22	17	9	17	19	13	9				

REGISTER OF RAINFALL IN 1917

Kept at Oughtershaw (Wierfedale)
in the County of Yorkshire
by Mr G. J. Woods

Lat. 54° 16' Long. 2° 14'
Time of Observation 9 a.m.
Nearest Railway Station Huvers
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1175 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	—	.07	—	.29	—	^{.02} .43	.93	—	—	—	1
2		—	—	.22	—	.25	—	.09	.71	.26	.17	—	2
3		—	—	.07	—	.75	—	^{.05} .14	—	.98	.30	—	3
4		—	.10	.12	—	—	—	—	—	.30	—	—	4
5		—	.06	.20	—	—	—	—	—	.45	1.15	—	5
6		—	.02	.05	—	.13	—	—	—	.50	.25	1.15	6
7		—	.09	.20	.03	.08	—	—	—	.75	.12	.80	7
8		—	—	.25	—	—	—	1.52	.21	.80	.30	.17	8
9		—	—	.08	—	—	—	.90	.06	1.10	.61	—	9
10		—	.92	.31	—	—	—	.55	—	.55	.11	—	10
11	.25	—	—	—	.33	—	—	.41	.04	.86	—	—	11
12	—	—	.07	.02	.43	—	—	.62	1.05	.69	—	.61	12
13	—	—	—	.70	—	—	—	.57	—	1.15	—	.34	13
14	—	—	.07	.50	—	—	—	.53	.25	.20	.09	—	14
15	—	—	—	.45	—	—	.66	.85	1.15	—	.03	—	15
16	—	—	.08	.10	—	.14	—	1.51	.28	—	—	.55	16
17	—	.15	.06	—	—	—	.19	.68	.32	.45	—	.48	17
18	.04	.10	.36	.29	.50	—	1.36	.53	—	—	.11	.33	18
19	—	.14	.42	—	.43	—	—	.51	—	.23	.24	—	19
20	—	.23	.02	—	—	—	—	.42	.20	.30	.25	—	20
21	—	.60	.10	—	—	.49	—	.37	1.23	.15	—	—	21
22	—	.20	.06	—	.20	1.20	—	.29	.10	—	—	—	22
23	—	.12	—	—	.30	.20	—	.27	.15	.18	—	—	23
24	—	.02	.02	.03	—	.11	—	.18	.12	2.07	.50	—	24
25	—	.15	.13	—	—	.06	.25	.11	.15	.45	.55	—	25
26	—	.03	—	—	—	.10	.09	.98	.10	.52	.65	—	26
27	—	—	.05	—	—	.23	.63	.53	.07	.39	.30	—	27
28	—	.01	.60	—	—	.03	—	.31	—	—	.45	—	28
29	—	X	.20	—	—	—	.13	.25	—	.95	.84	—	29
30	—	X	.05	—	—	—	—	~~.04~~	—	.22	.49	.31	30
31	—	X	.39	X	—	X	—	.09	X	—	X	—	31
Total	~~5.00~~ 5.29	1.75	3.87	3.66	2.22	4.06	3.31	13.14	7.12	14.50	7.51	4.79	109.92
Rain Days.	2	11	21	17	7	14	7	20	18	24	20	9	196

82

REGISTER OF RAINFALL IN 1918

Kept at Coughtershaw Hall
in the County of N. D. York
by E. J. Woodd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3382
FORM A.
BRITISH RAINFALL
22.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11	32					14	04		09	1
2		24	09	18					50	15	63	88	2
3		13	10						25	78	20	1.21	3
4	36						18			72	05	20	4
5	30	1.10	09					1.40	41	74	85	35	5
6	24	60	09	16				12		1.47	20	06	6
7		55					01			32			7
8		45	09				45	12	28	85	48		8
9		14		10					41	25	44		9
10		1.65	29				14		1.08	85	54	25	10
11		1.90	13				15		53	28	96		11
12		38							35			20	12
13		13						25	09	19		41	13
14							38		40	20			14
15	22						70		81	15			15
16	31						45		1.32	05		2.15	16
17	21						1.25	21	73	09			17
18	55	25	24				48	15	47	34		50	18
19	68	75	25				48	08	23			25	19
20	2.10	90		08			44	48	95			45	20
21	65	1.10		07			12	13	35			60	21
22	09	46		08			40		1.52	50		11	22
23	65	45					20	10	30			1.48	23
24	49	32					09		27				24
25		15					41	09	32		15		25
26	11	75					27	1.12	42				26
27		55	50						1.03	08	12	78	27
28		22	35					74	5.0	20	10	1.01	28
29			55					25	30		05	76	29
30		X	45					03	05			80	30
31		X	25	X		X		08	X	12	X	21	31
Total	6.95	13.17	3.58	.99	{ 5.39 }	6.42	5.53	14.01	8.37	4.77	12.75	81.93	
Rain Days.	14	22	16	7	(6)	(12)	17	17	27	21	13	21	(192)

REGISTER OF RAINFALL IN 1919

Kent at Doughton Shaw
in the County of Yorkshire
by Gertrude Woodd

Lat. 54° 16' N. Long. 2° 14' W.
Time of Observation 9 a.m.
Nearest Railway Station Hawes
Diameter of Funnel of Rain Gauge 8.5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	.12	—	—	.11	—	1
2	1.50	—	.10	—	.45	.12	.70	.03	.89	.33	.12	.15	2
3	.34	—	.38	—	—	—	.55	—	.21	—	.29	.16	3
4	.52	—	—	.19	.72	—	.28	—	.04	—	.31	.18	4
5	.18	.10	.25	—	.14	—	.40	.11	.14	—	.06	.30	5
6	.55	—	—	—	.12	—	—	—	.07	—	.09	.19	6
7	.10	—	1.22	—	.62	—	—	—	.04	—	.10	.10	7
8	.08	—	.21	.15	.19	—	—	—	.16	—	.09	—	8
9	.30	—	.05	—	—	—	—	.12	—	—	.05	—	9
10	2.02	—	.80	.26	—	.18	—	—	—	—	—	—	10
11	.20	—	1.55	.16	.14	—	—	—	—	—	—	.31	31 11
12	—	—	.27	.24	—	—	.09	—	—	—	—	.09	12
13	.88	—	.61	—	.20	.05	.06	—	.18	—	—	—	13
14	.60	—	—	1.02	—	—	.03	—	—	.51	—	.06	14
15	.65	.18	—	.39	—	—	.04	.16	—	—	—	.09	15
16	.33	.17	—	.31	—	—	—	.05	—	—	—	.28	16
17	.05	.50	—	.07	—	—	—	—	—	—	—	.10	17
18	—	—	—	—	—	.15	—	.77	—	—	—	.03	18
19	—	—	—	—	—	.34	.12	.48	.31	—	—	.35	19
20	.10	.49	—	.12	—	—	.05	.12	.07	—	—	.38	20
21	.52	.35	—	—	—	.22	.33	.08	—	—	—	.15	21
22	—	.34	—	—	—	.05	—	.31	—	—	1.39	.20	22
23	—	.20	—	—	—	.43	—	.50	.60	—	—	.18	23
24	—	—	—	—	—	.20	—	—	—	1.38	.25	.09	24
25	.09	.05	.55	.29	—	—	—	—	1.08	.59	.31	—	25
26	.49	—	.60	—	—	.27	—	.90	.95	—	.10	.11	26
27	—	.16	.54	—	—	.03	—	.43	.18	—	.05	.38	27
28	—	—	.86	.25	—	—	—	—	—	—	.07	.06	28
29	—	—	—	1.01	—	—	—	1.07	.28	.31	—	.37	29
30	—	X	—	—	—	—	—	.05	.19	1.36	.22	.08	30
31	.85	X	—	X	—	X	.55	.15	X	.37	X	.32	31
Total	10.35	2.47	7.99	4.46	2.58	2.04	3.20	5.45	5.39	4.85	3.61	4.68	57.07
Rain Days.	20	10	14	13	8	11	12	14	16	10	11	25	178

* the record on 22 is therefore the total for 1919

REGISTER OF RAINFALL IN 1920...

3343

Kept at Coughtershaw Hall
in the County of N. D. York
by Miss Woodd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		41 16	46 18	10 04	56 22	15 06	1 05 41	23 09	08 03			13 05	1
2		23 09	18 07	41 16	39 16		92 36	36 14	36 14	28 11	26 10	92 36	2
3		20 08	13 05	46 18	23 09		90 35	33 13	26 10	74 29		54 21	3
4		28 11	20 08	08 03	46 18		46 18	1 64 64	05 02	1 10 43		28 11	4
5				64 25			10 04	36 14	08 03	41 16		10 04	5
6			28 11	46 18	1 15 45						18 07	20 08	6
7	1 70 68	26 10		72 28	72 28		56 22				10 04		7
8		2 30 90			28 11		26 10	10 04			13 05		8
9	30 13	72 28	67 26	41 16	30 12		31 12	20 08	05 02		20 08		9
10	46 18	51 20	28 11	64 25			28 11						10
11	1 70 68	13 05					13 05	38 15					11
12	95 38	87 34	64 25	59 23	39 15		18 07				46 18		12
13	50 20	26 10		46 18	39 15		26 10				74 29		13
14	26 10	13 05	77 30	1 20 47		72 28	31 12		64 25	10 04	1 94 76		14
15	20 09	31 12		59 23		18 07	26 10			46 18	20 08		15
16	16 07	26 10	39 15	1 33 54			97 38	08 03	1 00 39	08 03	49 19		16
17	59 23	13 05	31 12	13 05			15 06	74 29	28 11		08 03		17
18	70 28		26 10		39 15		31 12	41 16	02 02				18
19	49 19		15 06	10 04	1 54 62		05 02	23 09					19
20	15 06			26 10	60 24		64 25		15 06				20
21	15 07			49 19		23 09	64 25	31 12	10 04			1 23 49	21
22		54 21		39 15				05 02				54 21	22
23	45 18			46 18		20 08	46 18					26 10	23
24				46 18								44 17	24
25			1 23 48	54 21			15 06					08 03	25
26		15 06				005 02	54 21		08 03		05 02	05 02	26
27	49 19	23 09	1 18 46	49 19	46 18		08 03			26 10	13 05		27
28	45 18		41 16	13 05	26 10	92 36	05 02				46 18		28
29	26 10	28 11	46 18	26 10	56 22	31 12	13 05			59 23	79 31		29
30	80 32		18 07	20 08	60 24	13 05	36 14		15 06	41 16	54 21		30
31	77 30		13 05		39 15		13 05				38 15		31
TOTAL	11 53	8 20	8 31	11 69	9 67	2 89	10 64	5 42	3 30	3 17	6 09	7 09	YEARS TOTAL 88 00
Days with 01 in. or more	20	19	19	26	18	9	28	14	14	7	15	17	34 42

OUSEBURN
(THORPE

Kept at Thorpe

in the County of WR

by W. S. Smith

UNDERWOOD HALL

1911 - 1914

FORM A2.
BRITISH RAINFALL
23 JAN 1912

in. before
und ft. in. Level ft.

e. Case
ance 2 1/2 Direction South
e result entered to the
al rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE
previous day. If an observer is requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.02								1
2	.34				.13		.48					.07	2
3	.04			.07	.14			.02		.03			3
4	.02	.02	.07	.27				.07	.02	.11	.34	.24	4
5	.12		.03	.09				.14		.13	.13		5
6			.08	.07				.13			.11	.40	6
7	.07			.01								.61	7
8	.02		.18			.07			.03		.01	.37	8
9			.01								.11	.05	9
10	.02											.30	10
11	.14		.04								.32	.03	11
12	.17		.09			.11					.20	.01	12
13	.01	.02	.19		.22						.03	.90	13
14			.09								.03	.58	14
15		.04	.12								.12	.15	15
16			.06			.06	.09			.07	.05	.07	16
17			.04			1.28	.01				.06	.06	17
18		.07	.11								.28	.06	18
19			.01			.19	.04		.86	.11	.45	.02	19
20		.12		.02			.07	1.50				.30	20
21	.01	.14								.20	.08	.02	21
22	.07	.05		.08				.15		1.88	.03		22
23	.01					.97			.42			.16	23
24	.13	.19				1.22				.19		.01	24
25		.04		.06		.36			.45		.03	.13	25
26				.13	.17		.15	.02		.56	.22	.18	26
27		.04	.02	.01	.03			.27				.02	27
28		.02	.02	.19						.03		.13	28
29		X		.07		.27	.02		.65	.36			29
30		X		.01	.11	.02			.03	.13	.04	.02	30
31		X		X	.04	X		.02	X	.07	X	.06	31
Total	117	.75	1.16	1.08	.86	4.55	.86	2.32	2.38	3.83	2.64	4.35	TOTAL for year 25.99
No. of Rain Days	14	11	16	13	8	10	7	9	7	13	19	26	153

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Shirley Anderson Hall
in the County of WR York 11
by W. Shierley

RAIN GAUGE { Pattern as before
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name Cause
Distance 2 1/2 Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.02								1
2	.34				.13		.48					.07	2
3	.04			.07	.14			.02		.03			3
4	.02	.02	.07	.27				.07	.02	.11	.34	.24	4
5	.12		.03	.09				.14		.13	.13		5
6			.08	.07				.13			.11	.40	6
7	.07			.01								.01	7
8	.02		.18			.07			.03		.01	.37	8
9			.01								.11	.05	9
10	.02											.30	10
11			.04								.32	.03	11
12	.17		.09			.11					.20	.01	12
13	.01	.02	.19		.22						.03	.90	13
14			.09								.03	.58	14
15		.04	.12								.12	.15	15
16			.06			.06	.09			.07	.05	.07	16
17			.04			1.28	.01				.05	.06	17
18		.07	.11								.28	.06	18
19			.01			.19	.04		.86	.11	.45	.02	19
20		.12		.62			.07	1.50				.30	20
21	.01	.14								.20	.08	.02	21
22	.07	.05		.08				.15		1.88	.03		22
23	.01					.97			.40			.16	23
24	.13	.19				1.22				.19		.01	24
25		.04		.06		.36			.45		.03	.13	25
26				.13	.17		.15	.02		.56	.22	.18	26
27		.04	.02	.01	.03			.27				.02	27
28		.02	.02	.19						.03		.13	28
29		X		.07		.27	.02		.65	.36			29
30		X		.01	.11	.02			.03	.13	.04	.02	30
31		X		X	.04	X		.02	X	.07	X	.06	31
Total	117	.75	1.16	1.08	.86	4.55	.86	2.32	2.38	3.87	2.64	4.35	TOTAL for year 25.99
No. of Rain Days	14	11	16	13	8	10	7	9	7	13	19	26	153

REGISTER OF RAINFALL IN 1912

Jan 6 est? from rain gauge 18-11-13

FORM A2.
BRITISH RAINFALL

Kept at Thorpe Underwood Hall
in the County of York
by J. W. Snigley

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Calver
Distance 2 1/2 Direction S

IMPG
previous c
requested
for it at
the select
Organizati
Dr. H. R.

CATTAL STATION, N.E.R.

THORPE UNDERWOOD HALL,
YORK.

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date	Jan.
1	
2	
3	.11
4	.33
5	.02
6	(.70)
7	.06
8	.38
9	
10	.18
11	.14
12	.09
13	.01
14	.18
15	.08
16	.68
17	.06
18	.22
19	.24
20	.22
21	
22	.04
23	
24	.32
25	
26	.06
27	
28	
29	
30	X
31	X

Dear Sir. Your method of
dealing with the last reading
for 6 Jan. 1912 seems to me
to be the best possible.

Yr. sincerely
W. Snigley

21 March 1913

Yr. Mili.

Nov.	Dec.	Date.
	.33	1
	.01	2
	.19	3
.24	.01	4
		5
		6
		7
.07		8
.03		9
.18	.22	10
.30	.22	11
.47	.01	12
.27		13
	.08	14
	.08	15
		16
.05	.25	17
.01	.02	18
		19
		20
.21	.01	21
.02		22
.08	.01	23
.01	.04	24
.02	.21	25
.95	.05	26
.48	.02	27
.21	.34	28
.07	.08	29
.01	.02	30
X	X	31

Total	No. of Rain Days.	W. 8,000.
(4.42) 1.52 3.29 .06 2.83 5.75 3.39 4.27 1.70 2.59 2.37 1.86	20 15 20 2 13 23 15 22 3 19 16 08	(4.12) 11

TOTAL for year 33.05 191

W. 8,000, 1911

Kept at
in the Cow
by

IMPO
previous
requested
for it at
the select
Organizati
Dr. H. R.

FORM A2.
BRITISH RAINFALL.

64 JAN 1913
ft.

Calculated
2 1/2 Direction S
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.31	.09			.28	.11	.09	.30	.01		.33	1
2			.12			.38	.21			.03		.01	2
3	.11	.02				.44	.01	.41	.04	.02		.19	3
4	.33		.49			.86		.29			.24	.01	4
5	.02				.28	.46		.01					5
6	(.70)				.02	.62		.4					6
7	.06	.28			.02			.06	.15				7
8	.38	.18	.13			.04			.22		.07		8
9		.06	.12	.05		.04				.01	.03		9
10	.10	.01						.06			.18	.22	10
11	.14	.14						.08			.30		11
12	.09	.06				.52	.69				.47	.01	12
13	.01	.02	.08			.08		.02		.18	.27		13
14	.18		.65	.01		.19			.01	.01		.08	14
15	.08	.02	.39		.7	.31						.08	15
16	.68		.18		.04	.1		.01		.07			16
17	.06	.02	.23			.14	.04	.12			.05	.25	17
18	.22		.01			.01		.15		.04	.01	.02	18
19	.24	.2	.02				.15	.32		.05			19
20	.22				.27	.07	.05			.18			20
21			.33		.14		.02	.09		.21	.01		21
22	.04	.1			.94	.37		.32		.02			22
23			.19		.03	.01	.29	.28			.08	.01	23
24	.32				.03	.12	.17	.06		.01	.04	.2	24
25			.05			.52		.16		.02	.21	.02	25
26	.06	.09	.02				.35	.41		.95	.05	.24	26
27		.01	.02		.03	.14	.17			.48	.02	.09	27
28						.82	.07	.51		.21	.34		28
29			.06		.03		.01	.16	.97	.07		.08	29
30		X	.04		.25	.23			.01	.02		.02	30
31		X	.07		.08	X	1.05	.26	X		X		31
Total	(4.42)	1.52	3.29	.06	2.83	5.75	3.39	4.27	1.70	2.59	2.37	1.86	TOTAL for year
No. of Rain Days.	20	15	20	2	13	23	15	22	8	19	16	18	3305
	(4.12)												191

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
2 - JAN 1914

Kept at Shore Lidswood Hall
in the County of York
by E. W. Slingsby
The entire month with a + are melted snow

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.05	.26						.02	.04		1
2	.01	.02	.13	.03		.08					.05	.03	2
3	.03		.05		.29		.13			.42		.02	3
4	.43				.01	.03	.03		.03	.02	.14	.38	4
5	.21	.04	.09			.18			.01	.14			5
6		.12	.14		.51	.01	.24				.02		6
7		.30	.02		.07	.27				.56		.01	7
8	.02	.05	.02		.41	.01		.02	.02	.14	.08		8
9		.08	.01	.01	.05	.04		.08			.08		9
10		.02	.03	.02							.37		10
11	.77	.01		.52	.01					.03	.07		11
12	.17					.01				.01	.06		12
13	.05			.04				.13	.23	.05	.04		13
14	.06	.06	.11	.01			.16			.08		.01	14
15	.15	.03	.24	.20							.42		15
16	.01		.02				.01	.05			.01		16
17	.02	.01	.27	.06		.25			.35		.11		17
18			.21	.12		.01	.01				.05	.02	18
19	.16		.12	.04	.14	.01			.24				19
20	.10		.09	.05						.12	.30		20
21	.02	.02	.04		.18		.22	.14	.02				21
22	.12		.32		.02			.27	.10				22
23	.11		.03			.08	.01	.12	.09	.04	.03		23
24	.14			.09		.34			.02				24
25									.15			.02	25
26			.09	.11		.03			.06	.26	.15	.18	26
27		.04	.01	.34		.08					.04	.09	27
28	.37		.18	.52						.01		x .34	28
29	.02	*	.28	.53	.05			.04				x .36	29
30	.24	*	.01							.61		x .03	30
31	.07	*		*	.04	*			*		*		31
Total	3.28	.81	2.56	2.95	1.78	1.43	.81	.85	1.33	2.52	2.06	1.49	TOTAL for year 21.87
No. of Rain Days.	22	14	24	17	12	15	8	8	12	15	18	12	177

REGISTER OF RAINFALL IN 1914

Kept at Thorpe Underwood Hall
in the County of York. WR 11
by J. W. Slingaby

Lat. 54° 1' 38" Long. 1° 17' 30"
Time of Observation 9am
Nearest Railway Station Cattal 2 3/4 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 92 ft.
" " " " Sea Level about 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02				2.35	.48		.03	.01	.17	1
2							.64	.45		.04	.31	.05	2
3			.04		.15		.02	.05			.07	.43	3
4			.66	.20	.05	.01					.20	.53	4
5	.04		.06	.10	.03	.02	.03				.23	.08	5
6		.04		.03	.13						.09	.02	6
7		.05	.28	.08	.05	.42					.12	.09	7
8	.32		.06		.15	.39	.02	.07					8
9	.45	.04		.43		.53			.02		.05	.03	9
10	.28	.14		.02					.06		.09		10
11		.34	.14		.03						.17	.36	11
12	.01	.06	.05				.08		.19		.01	.40	12
13		.09	.28								.11	.22	13
14	.02	.06	.03				.11			.01	.17	.28	14
15	.02	.01	.09				.08				.37		15
16	.02	.21	.06				1.11		.51		.06		16
17	.06		.05						.38			.17	17
18	.01	.02	.08									.11	18
19	.01		.01				.05		.01			.12	19
20		.32	.11							.03			20
21		.40	.03			.05	.12	.09		.05	.04		21
22					.09	.04		.07		.02	.01	.08	22
23			.03		.46	.45						.05	23
24			.05	.08	.20			.17			.26		24
25		.01						.13		.58		.42	25
26			.24				.12			.32	.17	.12	26
27	.05							.05		.05	.31	.76	27
28	.03	.04	.02		.02					.02	.11		28
29			.13					.17		.33	.07		29
30		X	.12	.02	.07			.05		.06	.07	.21	30
31	.10	X		X		X	.44	.03	X	.30	X		31
Total	1.42	1.83	2.04	.96	1.43	1.91	5.17	1.81	1.17	1.84	3.10	4.70	YEAR'S TOTAL
Rain Days.	14	15	23	8	12	8	13	12	6	13	23	21	263 8

RE

Kept at Castle Steadin the County of W. Yorkby C. MaysIMPORTANT NOT
previous day. If an Ob

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

PATELEY BRIDGE

1 CASTLE STEAD

YORKSHIRE

1911-1914

FORM A2.
BRITISH RAINFALL.
17 JAN 19121 ft. in.
el. ft.Pateley Bridge
Local Direction Wresult entered to the
rule, he is earnestly

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.77	—	0.05	—	0.10	0.06	—	—	0.09	—	1
2	0.28	—	—	—	0.42	—	0.04	—	—	0.08	0.13	0.12	2
3	—	—	0.41	0.03	0.41	—	—	0.01	—	0.08	0.22	—	3
4	—	—	0.09	0.22	0.07	—	—	0.22	—	0.13	0.63	0.26	4
5	0.35	—	—	0.01	0.03	—	—	0.66	—	0.07	0.34	—	5
6	0.04	—	0.02	0.02	—	—	—	0.45	—	—	0.20	0.74	6
7	0.03	—	—	—	—	—	—	—	—	—	0.03	—	7
8	—	0.01	0.30	—	—	—	—	—	—	0.02	0.09	—	8
9	—	—	—	—	—	—	—	—	—	—	—	0.80	9
10	0.43	—	—	—	—	—	—	—	—	—	—	0.65	10
11	0.31	0.06	0.05	—	0.02	—	—	—	—	—	0.50	0.33	11
12	0.07	—	—	—	0.08	—	—	—	0.81	—	0.35	0.34	12
13	—	0.01	0.23	—	—	0.02	—	—	—	—	0.22	0.43	13
14	—	0.30	—	—	0.32	—	—	—	—	—	—	0.52	14
15	—	0.24	0.32	—	—	—	—	—	—	0.17	0.71	0.35	15
16	—	0.60	0.20	—	—	0.18	—	—	—	0.09	0.30	0.29	16
17	0.04	—	0.20	—	0.26	0.39	—	—	—	—	0.29	0.23	17
18	—	0.62	0.16	0.04	—	0.13	—	—	—	—	0.23	0.20	18
19	—	0.04	0.23	0.02	—	0.04	0.22	—	0.22	—	0.53	0.21	19
20	—	0.19	—	0.27	—	—	0.11	0.33	0.02	0.13	—	—	20
21	—	0.74	—	0.08	—	—	0.01	0.50	—	0.12	0.03	0.22	21
22	0.03	0.44	—	0.02	—	—	—	0.04	—	0.09	0.09	—	22
23	0.10	0.34	—	0.16	0.40	0.65	—	—	0.19	0.22	—	0.15	23
24	0.63	0.15	0.04	0.08	—	0.90	—	0.05	—	0.22	—	0.35	24
25	0.04	0.49	0.08	0.08	—	—	0.06	—	0.70	—	0.02	0.30	25
26	—	—	—	0.22	—	—	—	0.12	0.03	0.40	0.48	0.21	26
27	—	0.27	0.01	0.31	—	—	—	0.23	0.15	0.71	—	0.02	27
28	—	0.33	0.03	0.10	—	0.20	—	—	0.09	—	0.04	0.25	28
29	—	—	—	—	—	0.17	0.06	0.03	0.52	1.02	—	0.10	29
30	—	—	—	—	0.06	—	—	—	0.02	0.45	0.03	—	30
31	—	—	—	—	0.02	—	—	—	—	0.09	—	—	31
Total	2.35	4.83	3.14	1.63	1.84	2.68	0.60	2.70	2.75	4.09	5.55	7.07	39.23
No. of Rain Days.	12	16	16	15	12	9	7	12	10	17	22	22	170

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Castle Stead, Pateley Bridge

in the County of York

by C. May

RAIN GAUGE { Pattern round
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level _____ ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Pateley Bridge
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.77	—	0.05	—	0.10	0.06	—	—	0.09	—	1
2	0.28	—	—	—	0.42	—	0.04	—	—	0.08	0.13	0.12	2
3	—	—	0.41	0.03	0.41	—	—	0.01	—	0.08	0.22	—	3
4	—	—	0.09	0.22	0.07	—	—	0.22	—	0.13	0.63	0.26	4
5	0.35	—	—	0.01	0.03	—	—	0.66	—	0.07	0.34	—	5
6	0.04	—	0.02	0.02	—	—	—	0.45	—	—	0.20	0.74	6
7	0.03	—	—	—	—	—	—	—	—	—	0.03	—	7
8	—	0.01	0.30	—	—	—	—	—	—	0.02	0.09	—	8
9	—	—	—	—	—	—	—	—	—	—	—	0.80	9
10	0.43	—	—	—	—	—	—	—	—	—	—	0.65	10
11	0.31	0.06	0.05	—	0.02	—	—	—	—	—	0.50	0.33	11
12	0.07	—	—	—	0.08	—	—	—	0.81	—	0.35	0.34	12
13	—	0.01	0.23	—	—	0.02	—	—	—	—	0.22	0.43	13
14	—	0.30	—	—	0.32	—	—	—	—	—	—	0.52	14
15	—	0.24	0.32	—	—	—	—	—	—	0.17	0.71	0.35	15
16	—	0.60	0.20	—	—	0.18	—	—	—	0.09	0.30	0.29	16
17	0.04	—	0.20	—	0.26	0.39	—	—	—	—	0.29	0.23	17
18	—	0.62	0.16	0.01	—	0.13	—	—	—	—	0.23	0.20	18
19	—	0.04	0.23	0.02	—	0.04	0.22	—	0.22	—	0.53	0.21	19
20	—	0.19	—	0.27	—	—	0.11	0.33	0.02	0.13	—	—	20
21	—	0.74	—	0.08	—	—	0.01	0.50	—	0.12	0.03	0.22	21
22	0.03	0.44	—	0.02	—	—	—	0.04	—	0.09	0.09	—	22
23	0.10	0.34	—	0.16	0.40	0.65	—	—	0.19	0.22	—	0.15	23
24	0.63	0.15	0.04	0.08	—	0.90	—	0.05	—	0.22	—	0.35	24
25	0.04	0.49	0.08	0.08	—	—	0.06	—	0.70	—	0.02	0.30	25
26	—	—	—	0.22	—	—	—	0.12	0.03	0.40	0.48	0.21	26
27	—	0.27	0.01	0.31	—	—	—	0.23	0.15	0.71	—	0.02	27
28	—	0.33	0.03	0.10	—	0.20	—	—	0.09	—	0.04	0.25	28
29	—	—	—	—	—	0.17	0.06	0.03	0.52	1.02	—	0.10	29
30	—	—	—	—	0.06	—	—	—	0.02	0.45	0.03	—	30
31	—	—	—	—	0.02	—	—	—	—	0.09	—	—	31
Total	2.35	4.83	3.14	1.63	1.84	2.68	0.60	2.70	2.75	4.09	5.55	7.07	39.23
No. of Rain Days.	12	16	16	15	12	9	7	12	10	17	22	22	170

REGISTER OF RAINFALL IN 19

BRITISH RAINFALL FORM A.
20 MAY 1913

Kept at *Catcliffe, Pateley Bridge*
in the County of *Yorkshire WYO*
by *C. May*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Pateley Bridge*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.22	0.27	—	0.01	—	0.28	0.06	0.15	0.11	—	0.41	1
2	—	0.04	0.56	—	0.04	0.26	0.50	—	0.02	—	—	0.02	2
3	0.10	0.14	0.20	—	0.07	0.68	—	0.90	0.59	—	—	0.08	3
4	0.30	—	0.75	0.31	—	0.94	—	0.92	0.20	—	0.18	—	4
5	0.07	—	—	0.02	0.30	0.25	—	0.04	—	—	0.01	—	5
6	1.37	0.10	0.03	—	—	—	—	0.58	—	—	—	—	6
7	—	0.20	—	0.07	0.06	—	—	0.23	0.09	—	0.06	—	7
8	0.83	0.30	0.23	0.21	0.01	0.15	—	—	—	—	—	0.04	8
9	0.07	0.30	0.05	0.30	—	0.65	—	—	—	—	0.07	0.03	9
10	0.19	0.01	—	—	—	0.15	—	0.08	—	—	0.38	—	10
11	0.29	0.11	—	—	—	—	—	—	0.03	—	0.16	0.68	11
12	0.13	0.28	0.05	—	—	0.19	0.20	—	—	—	0.06	0.31	12
13	0.04	0.02	—	—	—	0.02	—	0.01	—	0.22	0.24	0.80	13
14	0.22	—	0.28	—	0.04	0.22	—	—	—	0.01	—	0.39	14
15	0.41	0.02	0.04	—	0.48	0.41	—	—	—	—	—	0.25	15
16	1.02	—	0.30	—	0.01	0.13	—	0.01	—	0.10	—	0.08	16
17	0.01	0.11	0.18	—	—	0.35	—	0.40	—	—	0.01	0.54	17
18	0.22	—	0.03	—	—	0.08	—	0.01	—	0.23	0.04	—	18
19	0.18	0.34	0.32	—	—	0.08	0.15	0.13	—	0.21	0.02	—	19
20	0.13	—	0.04	—	0.47	0.04	—	0.02	—	0.63	—	—	20
21	—	—	0.64	—	0.35	—	—	—	—	0.02	—	—	21
22	0.06	0.33	0.18	—	0.64	0.54	—	0.46	—	—	—	0.01	22
23	—	0.02	0.06	—	0.05	—	0.24	0.39	—	—	0.22	0.02	23
24	0.27	—	0.02	—	—	—	0.22	0.12	—	—	0.48	0.14	24
25	0.02	—	0.18	—	—	0.13	0.21	0.11	—	—	0.53	0.13	25
26	0.04	0.28	0.15	—	—	0.42	0.38	0.58	—	1.44	0.32	0.33	26
27	—	0.11	0.15	—	0.01	0.66	0.86	0.11	—	0.28	—	0.47	27
28	—	0.02	—	—	—	0.11	0.58	1.05	0.07	0.53	0.29	—	28
29	—	0.06	0.23	—	—	0.03	0.24	0.03	0.75	0.15	—	0.31	29
30	—	—	0.46	—	0.20	—	—	0.02	0.02	0.03	—	0.01	30
31	—	—	0.09	—	0.38	—	1.20	0.21	—	0.04	—	0.05	31
Total	59.77	3.01	5.49	.91	3.12	6.51	5.06	6.47	1.92	4.30	3.07	5.10	YEAR'S TOTAL 50.93
Rain Days.	21	20	25	5	16	22	12	23	9	14	16	21	204

REGISTER OF RAINFALL IN 1913

Kept at *Castle Stead, Pateley Bridge* Lat. _____ Long. _____
in the County of *Yorkshire* Time of Observation *9 a.m.*
by *C. May* Nearest Railway Station *Pateley Bridge*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.14	0.04	0.25	—	—	—	—	—	—	—	0.08	0.04	1
2	0.01	0.38	0.60	0.02	—	0.19	—	—	—	—	0.20	0.14	2
3	0.10	0.16	0.33	—	0.48	—	—	—	0.02	0.04	0.03	0.06	3
4	0.40	0.10	0.43	—	—	0.07	0.04	—	0.07	0.18	—	0.44	4
5	0.34	0.13	0.15	—	—	0.08	0.03	—	0.10	0.20	0.03	—	5
6	0.09	0.63	0.28	0.02	0.46	0.09	0.32	—	—	0.13	—	—	6
7	—	0.50	0.06	0.01	0.23	0.17	—	—	—	0.84	0.01	0.01	7
8	0.02	0.10	—	—	0.69	0.04	—	0.17	—	0.12	0.19	0.02	8
9	—	0.14	0.37	—	0.31	0.57	—	0.32	—	—	0.15	0.04	9
10	0.13	—	0.27	0.06	—	—	—	—	—	—	0.17	—	10
11	1.08	—	—	0.45	0.08	—	—	—	—	0.08	—	0.06	11
12	—	—	—	0.01	—	—	—	—	0.11	—	0.33	—	12
13	0.04	—	0.14	—	—	—	—	0.02	0.37	0.02	0.16	—	13
14	0.14	0.04	0.20	0.24	—	—	0.10	—	—	0.20	0.10	—	14
15	0.02	—	0.94	0.45	—	—	0.02	—	—	—	0.75	—	15
16	0.16	—	0.06	—	—	—	0.02	—	—	—	0.22	—	16
17	—	0.05	0.09	0.15	—	0.07	0.17	—	0.31	—	0.21	—	17
18	0.03	—	0.40	0.49	—	0.05	0.02	—	—	—	0.43	—	18
19	0.23	—	0.30	0.47	0.02	—	—	—	0.06	0.07	0.18	—	19
20	0.58	—	0.15	0.01	—	—	—	—	—	0.11	0.60	—	20
21	0.02	—	0.03	—	0.14	—	0.11	0.38	—	—	—	—	21
22	0.25	0.03	0.72	—	0.08	—	—	0.29	0.13	—	—	—	22
23	0.33	—	0.10	—	0.07	0.20	—	0.31	0.20	—	0.07	—	23
24	0.54	0.02	—	0.04	0.03	0.27	—	—	—	—	0.03	—	24
25	—	—	—	0.06	—	0.02	—	—	0.42	0.04	0.05	0.58	25
26	—	—	0.13	0.56	—	—	—	—	0.17	0.14	—	0.73	26
27	—	0.02	—	0.32	—	0.01	—	—	—	0.08	—	0.27	27
28	0.55	—	0.37	0.50	—	—	—	—	—	0.03	—	0.33	28
29	0.03	—	0.54	0.30	0.04	—	—	0.23	—	0.12	0.20	0.21	29
30	0.72	—	0.05	—	0.08	—	0.01	—	0.07	0.23	—	—	30
31	0.26	—	—	—	0.01	—	—	—	—	—	—	—	31
Total	6.21	2.34	6.96	4.16	2.72	1.83	0.84	1.72	2.03	2.63	4.09	2.93	38.64
Rain Days.	24	14	24	18	14	13	10	7	12	17	21	13	188

YEAR'S TOTAL

38.56

To be filled up if the Observer desires to do so and returned to

DR. H. R. MILL, Director, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

BRIEF REMARKS on the weather of the year or on any meteorological occurrences

at in the County of for the year 19

I regret that my account of the year is not strictly accurate as the rainfall for the 24 hours terminating at 9 a.m. on Jan 7 was not registered.

I measured it, but being interrupted omitted to put it down & when I remembered the omission forgot the amount.

The fall is much above our average and is I think 25 or 26th inches.

wrote Jan 6
19 III 1386

(Signed) J. William Shuggley

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is not room to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

FORM E.
BRITISH RAINFALL
4 JAN 1913

REGISTER OF RAINFALL IN 1914

Kept at Castlestead
in the County of York
by C. May

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Pateley Bridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
- 6 JUL 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.04	—	—	—	0.94	0.12	—	—	0.12	0.50	1
2	—	—	0.01	—	—	—	0.26	0.90	—	—	0.47	0.09	2
3	0.18	—	0.13	—	0.58	—	—	0.02	—	—	0.12	0.96	3
4	0.41	—	0.27	0.28	0.28	—	—	—	—	—	0.21	1.50	4
5	0.17	—	0.40	0.31	0.05	0.05	0.03	—	—	0.03	0.25	0.19	5
6	—	0.03	0.14	0.31	0.22	—	—	—	—	—	0.01	0.12	6
7	0.02	0.03	0.16	0.41	0.10	0.18	—	—	—	—	—	0.42	7
8	0.22	—	0.11	—	0.27	0.83	—	0.44	—	—	0.17	0.24	8
9	0.31	0.11	—	0.26	—	1.43	—	0.04	0.06	—	0.18	0.05	9
10	0.05	0.12	—	0.01	0.03	—	—	—	0.08	—	0.59	—	10
11	—	0.16	0.33	—	0.05	—	—	—	0.02	0.02	0.60	0.66	11
12	—	0.18	0.16	—	—	—	0.22	—	0.29	—	0.39	0.71	12
13	—	0.34	0.19	—	—	—	0.05	—	0.04	—	0.38	0.43	13
14	0.11	0.66	0.06	—	—	—	0.05	—	0.02	0.03	0.36	0.47	14
15	0.02	0.02	0.35	—	—	—	0.83	—	0.20	0.02	0.34	—	15
16	0.03	—	0.04	—	—	—	—	—	0.88	—	—	—	16
17	0.05	0.36	0.22	—	—	—	0.04	—	0.31	—	—	0.67	17
18	0.03	0.47	0.03	—	—	—	0.05	—	—	—	—	0.08	18
19	—	0.03	—	—	—	0.02	0.05	—	0.01	—	0.14	0.08	19
20	0.01	0.15	0.03	—	—	0.10	—	—	—	—	—	—	20
21	—	0.61	—	—	—	0.20	—	—	—	—	0.03	0.05	21
22	—	0.19	—	—	0.26	0.15	0.02	0.01	—	0.07	—	0.08	22
23	—	—	0.04	0.04	0.32	—	—	0.10	—	0.13	—	0.05	23
24	0.10	—	0.08	—	0.19	0.11	0.07	0.18	—	—	0.08	—	24
25	0.08	—	0.06	—	—	—	—	0.29	—	0.95	0.05	0.94	25
26	—	—	0.21	—	—	—	0.04	—	—	0.23	0.70	0.39	26
27	0.03	—	—	—	—	—	—	—	—	0.02	0.57	1.07	27
28	—	0.15	0.04	—	0.03	—	—	0.01	—	0.05	0.60	—	28
29	0.26	—	0.27	—	—	—	—	0.11	—	0.62	0.13	0.06	29
30	0.26	X	0.50	0.04	—	—	—	—	—	0.15	0.26	0.28	30
31	0.53	X	0.02	X	0.03	X	—	—	X	0.36	X	—	31
Total	2.87	3.61	3.89	1.36	2.41	3.09	2.65	2.22	1.91	2.68	6.75	10.09	43.03
Rain Days.	19	16	25	8	13	9	13	11	10	13	23	24	184

R

BEWERLEY HALL
GARDENS.

Kept at Pateley

in the County of York

by _____

IMPORTANT NOTE

If an Observer prefers not to read the barometer at 9 a.m. on the day of observation, he should read it at 10 a.m. on the following day, and add the correction for the fall of the barometer during the night, as given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

1919 - 1920

gauge _____ in.
round _____ ft. _____ in.
a Level _____ ft.
d to the previous day.

to add
end of
gauges,

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.50				27		36		48	22	05	07	1
2	12		17				37				03	07	2
3	12				40	17	17		05		20	92	3
4					11		32	05			10	28	4
5	30										05	29	5
6			60		75						05		6
7	05				10								7
8	20				07	07		05			07		8
9	80										03		9
10			60	10	11					02		40	10
11			1.00	03	03								11
12			42	11		17			15	07			12
13	44			30						27		10	13
14	26			57			07				40		14
15	23	37	11	07				10				55	15
16	11	1.30									12		16
17		17						14					17
18							06	27	15			50	18
19		35	80			03	23	05			81		19
20	85	15	03			16	16		05			46	20
21	17	27									15	46	21
22						10		17	15			27	22
23				10						1.07	20	15	23
24				05		16			40	75	37		24
25				33		06		1.00			38		25
26	15		70	10				11	15		35	67	26
27	30	05									02	10	27
28	11			62				77		50		60	28
29	23					22				1.03		22	29
30		~~X~~		02		07		03		17	25	45	30
31	03	~~X~~		~~X~~		~~X~~	25		~~X~~	12	~~X~~		31
TOTAL	5.97	2.66	4.43	2.40	1.84	1.21	1.99	2.74	1.58	4.22	3.63	6.56	YEAR'S TOTAL 39.23
Days with > .01 in. or more	18	7	9	12	8	10	9	11	8	10	18	18	138

REGISTER OF RAINFALL IN 1919.

Kept at *Brewerley Hall Gardens*
in the County of *W. B. York.*
by

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... 5 in.
Height of top of Gauge above Ground..... ft. 8 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.50				27		36		48	22	05	07	1
2	12		17				37				03	07	2
3	12				40	17	17		05		20	92	3
4					11		32	05			10	28	4
5	30										05	29	5
6			60		75						05		6
7	05				10								7
8	20				07	07		05			07		8
9	80										03		9
10			60	10	11					02		40	10
11			1.00	03	03								11
12			42	11		17			15	07			12
13	44			30						27		10	13
14	26			57			07				40		14
15	23	37	11	07				10				55	15
16	11	1.30									12		16
17		17						14					17
18							06	27	15			50	18
19		35	80			03	23	05			81		19
20	85	15	03			16	16		05			46	20
21	17	27									15	46	21
22						10		17	15			27	22
23				10						1.07	20	15	23
24				05		16			40	75	37		24
25				33		06		1.00			38		25
26	15		70	10				11	15		35	67	26
27	30	05									02	10	27
28	11			62				77		50		60	28
29	23					22				1.03		22	29
30				02		07		03		17	25	45	30
31	03						25			12			31
TOTAL	5.97	2.66	4.43	2.40	1.84	1.21	1.99	2.74	1.58	4.22	3.63	6.56	YEAR'S TOTAL 39.23
Days with 01 in. or more	18	7	9	12	8	10	9	11	8	10	18	18	138

REGISTER OF RAINFALL IN 1920

Kept at Beverley Hall
in the County of York
by Mrs. J. A. Gardner to T. E. York Esq

Lat. 54 2 Long. 1 Degree
Time of Observation 9-4 M
Nearest Railway Station Patchy Bridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" 420 " Sea Level 4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
67

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.32	.86		.70	.27		.10		.05	1
2		.05	.12	.08					.22	.23		.68	2
3		.12		.35	.07		.43	.25	.10	.71		.55	3
4				.12	.16		.26	1.37		.95		.11	4
5			.05	.05	.13		.07			.13		.02	5
6				.25	.16							.09	6
7	.45	.01		.07	.05		.96						7
8	.22	.13		.30	.12		.52	.03			.05		8
9	.20	.12	.06	.45	.17		.15	.07		.03	.03		9
10	1.04	.73	.05	.46			.50	.05				.05	10
11	.90	.12	.05	.16	.18				.02				11
12	.28	.19	.65	.40			.13				.13	.02	12
13	.24		.09	.38		.50	.10				.25	.53	13
14	.08	.26	.33	.33		.03	.15		.12	.20	.10		14
15	.05	.26	.11	.27						.75	.40		15
16	.30		.10				.62		.33		.38		16
17	.36		.11		.23			.09	.15	.13		.02	17
18	.17			.16	.75	.14	.12						18
19		.45		.22	.23			.10					19
20	.05			.50					.12			.05	20
21				.46			.50	.10				.15	21
22	.11			.38			.70						22
23							.33					.32	23
24			.80	.27			.16					.25	24
25	.04	.04	.20	.06			.69		.03				25
26	.10	.13		.15			.10				.05		26
27				.07	.15	.50					.25	.10	27
28	.80	.10	.22	.20		.14	.02					.22	28
29	.29		.12		1.05						.23	.96	29
30	.35	X	.05						.15		.20	.42	30
31	.40	X	.03		.02	X			X	.50	X	.26	31
TOTAL	6.43	3.71	3.14	5.96	4.33	1.31	7.21	2.27	1.24	3.73	2.07	4.87	46.19
Days with at least .01 in. or more	20	14	17	25	15	5	20	9	9	10	11	19	174